




WORKBOOK

Release 04.17

standing lamp



Syphasera


	source	type	watt	lumen	K	CRI	energy class	IP protection cl.	driver/transformer	power supply
SPH6 / opaline glass / stem height 60 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc
SPH9 / opaline glass / stem height 90 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc
SPH12 / opaline glass / stem height 120 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc

Power supply and accessories excluded

cable length SPH6: 240 cm / SPH9: 210 cm / SPH12: 180 cm

C.P.

standing lamp



Syphasfera


	source	type	watt	lumen	K	CRI	energy class	IP protection cl.	driver/transformer	power supply
SPHF6 / transparent glass / stem height 60 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc
SPHF9 / transparent glass / stem height 90 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc
SPHF12 / transparent glass / stem height 120 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc

Power supply and accessories excluded

cable length SPHF6: 240 cm / SPHF9: 210 cm / SPHF12: 180 cm

C.P.

standing lamp



More

	source	type	watt	lumen	K	CRI	energy class	IP protection cl.	driver/transformer	power supply
MR6 / transparent glass / stem height 60 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc
MR9 / transparent glass / stem height 90 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc
MR12 / transparent glass / stem height 120 cm	extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc

Power supply and accessories excluded

cable length MR6: 220 cm / MR9: 190 cm / MR12: 160 cm

C.P.

floor lamp

More

MR0 / transparent glass

€ 260,00

source	type	watt	lumen	K	CRI	energy class	IP protection cl.	driver/transformer	power supply
extra-low-voltage LED bulb	G4	1x1,5W	150	2700	85	A++	IP65	not included	12Vdc

Power supply and accessories excluded



7x10 cm ca.

cable length: 300 cm

C.P.

Power supply and accessories


ED6 / power supply 10W IP68 / cable length 50 cm

€ 60,00

not dimmable / (max 6 lamps)

ref. A

C.P.



MB1 / mini gel box / 53x39x24 mm

€ 15,00

(max 2 connections - connectors included)

ref. B

C.P.



MB2 / mini gel box / 52x53x29 mm

€ 15,00

(max 6 connections - connectors included)

ref. B

C.P.




MS / More supporting modular plate / 32x32x32 cm

€ 40,00

(max 4 lamps)

ref. C

C.P.



MPT / More peg 25 cm

€ 10,00


ref. D

C.P.




See next pages for some installation suggestions of models Syphasera, Syphasfera and More


EXAMPLES: SYPHASERA / SYPHASFERA / MORE (MR0)




example 1 - without watertight well




example 2 - with watertight well



EXAMPLES: MORE (MR6/MR9/MR12)




example 1 - without watertight well



The amount of pegs (D) may vary according to the soil type.

example 2 - with watertight well



The amount of pegs (D) may vary according to the soil type.

floor lamp

Medousê

MD3 / glass in green colour / Ø 30 cm (plug cable excluded)	€ 1.050,00
MDCV / connected plug cable 230V IP65 / 350 cm	€ 20,00

source	type	watt	lumen	K	CRI	energy class	IP protection cl.	power supply	dimming
mains voltage LED	LED module	29W	2500	3200	80	A+	IP65	230V	YES*



Ø 30 cm ca.
net weight 15 kg

floor lamp

Medousê

MD5 / glass in green colour / Ø 50 cm (plug cable excluded)	€ 1.750,00
MDCV / connected plug cable 230V IP65 / 350 cm	€ 20,00

source	type	watt	lumen	K	CRI	energy class	IP protection cl.	power supply	dimming
mains voltage LED	LED module	29W	2500	3200	80	A+	IP65	230V	YES*



Ø 50 cm ca.
net weight 31 kg

wall lamp

Medousê

MD3P / glass in green colour / Ø 30 cm	€ 560,00
--	----------

source	type	watt	lumen	K	CRI	energy class	IP protection cl.	power supply	dimming
mains voltage LED	LED module	17W	1600	3200	80	A+	IP65	230V	YES*



Ø 30 cm ca.

Designer:

Enzo Catellani

Designer Syphasera:

Guido Parenzan and Maurizio Quargnale

Catellani & Smith

Offices

Via Antonio Locatelli, 47

I-24020 Villa di Serio BG

Tel. +39 035 656088

Fax +39 035 655605

info@catellanismith.com

www.catellanismith.com

Show-room

Via Jacopo Palma il Vecchio, 3

I-24122 Bergamo

Tel.-Fax +39 035 210193

show-room@catellanismith.com

Catellani & Smith reserves
the right to make technical
or aesthetical modifications
without notice.



Catellani & Smith[®]