

INDICE / INDEX


<u>Abc</u>	01	<u>Discovolante</u>	77	<u>Moby Outdoor</u>	188
<u>Alco</u>	04	<u>Disk</u>	104	<u>Mood</u>	189
<u>Angelica</u>	08	<u>Ellisse</u>	107	<u>Mood Desnuda</u>	191
<u>Angelica Outdoor</u>	11	<u>Eva</u>	108	<u>Multiball</u>	193
<u>Atollo</u>	12	<u>Florinda</u>	110	<u>Nucleo</u>	201
<u>Atollo Outdoor</u>	17	<u>Florinda Desnuda</u>	114	<u>Olivia</u>	203
<u>Aura</u>	21	<u>Futura let. I Outdoor</u>	118	<u>Ombrella</u>	207
<u>Baobab</u>	22	<u>Futura let. Y Outdoor</u>	119	<u>Orb</u>	210
<u>Bolla</u>	25	<u>Geco</u>	120	<u>Ottovolante</u>	222
<u>Campanone</u>	27	<u>Hammer</u>	122	<u>Pin Up</u>	230
<u>Campanone Outdoor</u>	28	<u>Icaro</u>	130	<u>Quadrato</u>	231
<u>Chandelier</u>	30	<u>Icaro Outdoor</u>	134	<u>Rettangolo</u>	240
<u>Chandelier Longue</u>	36	<u>Icaro ball</u>	137	<u>Rettangolo Slim</u>	244
<u>Charlie</u>	40	<u>Icaro ball Outdoor</u>	140	<u>Reverse</u>	248
<u>Cilindro</u>	44	<u>Idea</u>	143	<u>Righello</u>	252
<u>Cilindro Soft</u>	57	<u>Lost</u>	150	<u>Ring</u>	254
<u>Clip</u>	64	<u>Loto</u>	153	<u>Ring Tonda</u>	256
<u>Coco'</u>	65	<u>Lucilla</u>	160	<u>Romeo</u>	260
<u>Corner</u>	69	<u>Lucilla Tonda</u>	165	<u>Sestante</u>	265
<u>Dejavù</u>	71	<u>Milleluci</u>	175	<u>Sestante Outdoor</u>	268
<u>Diogene</u>	75	<u>Moby</u>	187		

Single pendant lamp or composition. Available in three dimensions, in white or Deluxe colours: lead grey, swamp green, caramel and matt gold.
Floor lamp in one size.

Symbol index  → • / present - / absent OD / On Demand


A B C

Pendant lamp A




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G41	245					
Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G42	325					

Pendant lamp B



Pendant lamp white	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G41	245					
Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G42	325					

Pendant lamp C



Pendant lamp white	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G41	245					
Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G42	325					

PRODUCTS: A B C
DESIGN: Roberto Paoli 2016

PAGE: **2**

Single pendant lamp or composition. Available in three dimensions, in white or Deluxe colours: lead grey, swamp green, caramel and matt gold.
 Floor lamp in one size.


Symbol index  → • / present - / absent OD / On Demand

A B C

Accessory - Suspension lamp

		INDOOR			OUTDOOR				
DESCRIPTION	LIGHT SOURCE		 IP	CODE	€ EURO		 IP	CODE	€ EURO
Price increase for ceiling rose in the same colour as Deluxe structure colours		ROS110003601			20				

Composition - 3 pendant lamps A + B + C	Composition white	3 x GU10 28 W HES	•	OD	IP20	ABCECM003G41	815	
	Composition Deluxe	3 x GU10 28 W HES	•	OD	IP20	ABCECM003G42	1.040	



Accessory - Suspension lamp


Price increase for ceiling rose in the same colour as Deluxe structure colours	ROS300002801	80	
--	--------------	----	--

Single pendant lamp or composition. Available in three dimensions, in white or Deluxe colours: lead grey, swamp green, caramel and matt gold.
Floor lamp in one size.

Symbol index  → • / present - / absent OD / On Demand

A B C

Floor lamp




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white	1 x E27 105 W HES	•	OD	IP20	CCCEPT022G01	540					
Floor lamp Deluxe	1 x E27 105 W HES	•	OD	IP20	CCCEPT022G02	650					

Accessory - Floor lamp



Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	85	
---	--------------	----	--

Floor lamp




Floor lamp white DIM	1 led module 19,3 W - 2900 Lm - 2700 K	•	OD	IP20	CCCEPT022G13	705	
Floor lamp Deluxe DIM	1 led module 19,3 W - 2900 Lm - 2700 K	•	OD	IP20	CCCEPT022G14	815	

Oversize pendant or ceiling lamp. Semicircular elements covered by Tailor, Soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover. Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090F01	2.805					
Tailor fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090F02	2.875					
Tailor fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090F03	2.875					
Soft Textile NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090L01	3.125					
Soft Textile DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090L02	3.205					
Soft Textile DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090L03	3.205					
Kvadrat-fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090I01	3.265					
Kvadrat fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090I02	3.345					
Kvadrat fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO090I03	3.345					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **5**

Oversize pendant or ceiling lamp. Semicircular elements covered by Tailor, Soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover. Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand


ALCO

Pendant lamp - ø 120 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120F01	3.040					
Tailor fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120F02	3.115					
Tailor fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120F03	3.115					
Soft Textile NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120L01	3.355					
Soft Textile DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120L02	3.430					
Soft Textile DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120L03	3.430					
Kvadrat-fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120I01	3.685					
Kvadrat fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120I02	3.765					
Kvadrat fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCESO120I03	3.765					

Pendant lamp - ø 120 LED




Tailor fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCESO120F04	3.220					
Tailor fabric DIM DALI - Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCESO120F05	3.380					
Soft Textile ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCESO120L04	3.535					
Soft Textile DIM DALI - Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCESO120L05	3.690					
Kvadrat fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCESO120I04	3.865					
Kvadrat fabric DIM DALI - Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCESO120I05	4.025					

Oversize pendant or ceiling lamp. Semicircular elements covered by Tailor, Soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover. Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090F01	3.050					
Tailor fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090F02	3.125					
Tailor fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090F03	3.125					
Soft Textile NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090L01	3.375					
Soft Textile DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090L02	3.450					
Soft Textile DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090L03	3.450					
Kvadrat-fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090I01	3.520					
Kvadrat fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090I02	3.590					
Kvadrat fabric DIM DALI/Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL090I03	3.590					

Oversize pendant or ceiling lamp. Semicircular elements covered by Tailor, Soft textile or Remix Kvadrat fabric. Removable and easy care fabric cover. Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand


ALCO

Ceiling lamp - ø 120 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120F01	3.015					
Tailor fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120F02	3.085					
Tailor fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120F03	3.085					
Soft Textile NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120L01	3.325					
Soft Textile DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120L02	3.400					
Soft Textile DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120L03	3.400					
Kvadrat-fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120I01	3.660					
Kvadrat fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120I02	3.740					
Kvadrat fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	ALCEPL120I03	3.740					

Ceiling lamp - ø 120 LED



Tailor fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCEPL120F04	3.205					
Tailor fabric DIM DALI - Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCEPL120F05	3.365					
Soft Textile ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCEPL120L04	3.520					
Soft Textile DIM DALI - Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCEPL120L05	3.675					
Kvadrat fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCEPL120I04	3.850					
Kvadrat fabric DIM DALI - Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	ALCEPL120I05	4.010					



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm (adjustable in 2 positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted metal structure.
Lampshade available in cotton fabric in the same colour as the metal structure or available in lycra or marble washable fabric.
On demand, cotton or washable lampshade available in different colours with 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 120



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white L.120 -
white cotton fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135C01

705

Wall lamp black L.120 -
black cotton fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135C02

705

Wall lamp white L.120 - marble
washable fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135T01

745

Wall lamp black L.120 - marble
washable fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135T02

745

Wall lamp white L.120 -
white cotton fabric + lycra

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135L01

775

Wall lamp black L.120 -
white cotton fabric + lycra

1 x E27 70 W HES

OD



OD

IP20

ANGEAP135L02

775

Wall lamp - L 170



Wall lamp white L.170 -
white cotton fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180C01

740

Wall lamp black L.170 -
black cotton fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180C02

740

Wall lamp white L.170 - marble
washable fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180T01

780

Wall lamp black L.170 - marble
washable fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180T02

780

Wall lamp white L.170 -
white cotton fabric + lycra

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180L01

820

Wall lamp black L.170 -
white cotton fabric + lycra

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180L02

820

Floor lamp with cantilever arm (adjustable in 2 positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted metal structure. Lampshade available in cotton fabric in the same colour as the metal structure or available in lycra or marble washable fabric.
On demand, cotton or washable lampshade available in different colours with 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 200

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white L.200 -
white cotton fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200C01

750

Wall lamp black L.200 -
black cotton fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200C02

750

Wall lamp white L.200 - marble
washable fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200T01

795

Wall lamp black L.200 - marble
washable fabric

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200T02

795

Wall lamp white L.200 -
white cotton fabric + lycra

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200L01

830

Wall lamp black L.200 -
white cotton fabric + lycra

1 x E27 70 W HES



OD

OD

IP20

ANGEAP200L02

830



Accessory - Wall lamp



DIM switch universal HES (40/160W) + LED (4/100W)

DIMVAR0TA002

55

Accessory - Wall lamp

Fixing accessory for wall
lamp - white

•

OD

IP20

DEJEAR000G01

110

Fixing accessory for wall
lamp - black


•

OD

IP20

DEJEAR000G02

110





Floor lamp with cantilever arm (adjustable in 2 positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted metal structure.
Lampshade available in cotton fabric in the same colour as the metal structure or available in lycra or marble washable fabric.
On demand, cotton or washable lampshade available in different colours with 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white - white cotton fabric	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C01	1.200					
Floor lamp black - black cotton fabric	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C02	1.200					
Floor lamp white - marble washable fabric	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T01	1.255					
Floor lamp black - marble washable fabric	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T02	1.255					
Floor lamp white - white cotton fabric + lycra	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230L01	1.285					
Floor lamp black - white cotton fabric + lycra	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230L02	1.285					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	85					
------------------------	---	--	--	--	--------------	----	--	--	--	--	--



Wall lamp (on the axis 160° rotating). Aluminium structure painted in white, black, lime or brick colours.

Lampshade available in marble washable fabric.

On demand, washable lampshade available in different colours with 3% price increase.

OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA OUTDOOR

Wall lamp - L 170

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall lamp white L.170 - marble washable fabric

1 x E27 42 W HES

OD - IP55 AGOEAP170T01 1.190

Wall lamp black L.170 - marble washable fabric

1 x E27 42 W HES

OD - IP55 AGOEAP170T02 1.190

Wall lamp brick L.170 - marble washable fabric




1 x E27 42 W HES

OD - IP55 AGOEAP170T03 1.355

Wall lamp lime L.170 - marble washable fabric

1 x E27 42 W HES

OD - IP55 AGOEAP170T04 1.355



Accessory - Wall lamp

Fixing accessory for wall lamp - white

• - IP55 DEOEAP000G01 120

Fixing accessory for wall lamp - black


• - IP55 DEOEAP000G02 120

Fixing accessory for wall lamp - brick

• - IP55 DEOEAP000G03 140

Fixing accessory for wall lamp - lime

• - IP55 DEOEAP000G04 140





Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With connection 1 steel cable	6 x E27 42 W HES	•	OD	IP31	ATIESO070D01	920					
With 3 steel cables	6 x E27 42 W HES	•	OD	IP31	ATIESO070D02	900					
With connection 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D41	1.295					
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D42	1.275					
With connection 1 steel cable DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D43	1.510					
With 3 steel cables DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D44	1.490					

Accessory for suspension ø 70	Inner fitting with spotlights	3 x GU 10 50 W	•	-	IP20	ATIEAF070G02	295				
-------------------------------	-------------------------------	----------------	---	---	------	--------------	-----	--	--	--	--





Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With connection 1 steel cable	8 x E27 42 W HES	•	OD	IP31	ATIESO100D01	1.225					
With 4 steel cables	8 x E27 42 W HES	•	OD	IP31	ATIESO100D02	1.190					
With connection 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D41	1.735					
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D42	1.695					
With connection 1 steel cable DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D43	2.020					
With 4 steel cables DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D44	1.990					

Accessory for suspension ø 100	Inner fitting with spotlights	3 x GU 10 50 W	•	-	IP20	ATIEAF100G02	345				
--------------------------------	-------------------------------	----------------	---	---	------	--------------	-----	--	--	--	--





Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With connection 1 steel cable	12 x E27 42 W HES	•	OD	IP31	ATIESO150D01	2.090					
With 4 steel cables	12 x E27 42 W HES	•	OD	IP31	ATIESO150D02	2.055					
With connection 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D41	2.975					
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D42	2.940					
With connection 1 steel cable DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D43	3.080					
With 4 steel cables DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D44	3.050					

Accessory for suspension ø 150	Inner fitting with spotlights	6 x GU10 50 W	•	-	IP20	ATIEAF150G02	705				
--------------------------------	-------------------------------	---------------	---	---	------	--------------	-----	--	--	--	--




Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.


Symbol index  → • / present - / absent OD / On Demand

ATOLLO



Ceiling lamp/ Wall lamp - ø 70

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp	6 x E27 28 W HES	•	OD	IP31	ATIEAP070D01	1.030					
Wall/ ceiling lamp NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIEAP070D41	1.405					
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIEAP070D42	1.620					



Ceiling lamp/ Wall lamp - ø 100

Wall/ ceiling lamp	8 x E27 28 W HES	•	OD	IP31	ATIEAP100D01	1.355					
Wall/ ceiling lamp NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIEAP100D41	1.870					
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIEAP100D42	2.000					


Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO

Ceiling lamp/ Wall lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp	12 x E27 28 W	•	OD	IP31	ATIEAP150D01	2.275					
Wall/ ceiling lamp NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIEAP150D41	2.815					
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIEAP150D42	3.190					


Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO OUTDOOR

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With connection 1 steel cable	6 x E27 42 W HES				• - IP65	ATOESO070D01	970
With 3 steel cables	6 x E27 42 W HES				• - IP65	ATOESO070D02	950
With connection 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP65	ATOESO070D41	1.355
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP65	ATOESO070D42	1.330

Pendant lamp - ø 100



With connection 1 steel cable	8 x E27 42 W HES				• - IP65	ATOESO100D01	1.295
With 4 steel cables	8 x E27 42 W HES				• - IP65	ATOESO100D02	1.265
With connection 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP65	ATOESO100D41	1.785
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP65	ATOESO100D42	1.755



Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO OUTDOOR

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With connection 1 steel cable	12 x E27 42 W HES				• - IP65	ATOESO150D01	2.275
With 4 steel cables	12 x E27 42 W HES				• - IP65	ATOESO150D02	2.235
With connection 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP65	ATOESO150D41	3.050
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP65	ATOESO150D42	3.020

Wall/ceiling lamp - ø 70



Wall/ceiling lamp	6 x E27 42 W HES				• - IP65	ATOEAP070D01	1.050
Wall/ceiling lamp NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP65	ATOEAP070D41	1.430


Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Wall/ceiling lamp - ø 100



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall/ceiling lamp

8 x E27 42 W HES



• - IP65 ATOEAP100D01 1.460

Wall/ceiling lamp NO DIM

1 led strip 55 W - 9300 Lm - 3000 K

• - IP65 ATOEAP100D41 1.925

Wall/ceiling lamp - ø 150



Wall/ceiling lamp

12 x E27 42 W HES

• - IP65 ATOEAP150D01 2.380

Wall/ceiling lamp NO DIM

1 led strip 82 W - 14000 Lm - 3000 K

• - IP65 ATOEAP150D41 2.890

Pendant and wall/ ceiling lamp.

White polyethylene diffuser. Different colours available on demand, for minimum purchasing quantity (10 pcs) with a 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR






	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Lighted pouf - ø 70	Lighted pouf	6 x E27 28 W HES				• - IP65	ATOEPF070D21	1.355
	Lighted pouf	1 led strip 40 W - 7000 Lm - 3000 K				• - IP65	ATOEPF070D60	1.735
Lighted pouf - ø 100	Lighted pouf	8 x E27 28 W HES				• - IP65	ATOEPF100D11	1.895
	Lighted pouf	1 led strip 55 W - 9300 Lm - 3000 K				• - IP65	ATOEPF100D60	2.400
Lighted table - ø 100	Lighted table	8 x E27 28 W HES				• - IP65	ATOETA100D02	1.675
	Lighted table	1 led strip 55 W - 9300 Lm - 3000 K				• - IP65	ATOETA100D60	2.185
Lighted seat - ø 150	Lighted seat	12 x E27 28 W				• - IP65	ATOEPA150D02	2.490
	Lighted seat	1 led strip 82 W - 14000 Lm - 3000 K				• - IP65	ATOEPA150D60	3.355

Table lamp with natural or raw hemp colour concrete base.
 Lampshade available in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process
 and of this material, that make each product a unique and unrepeatable piece.

Symbol index  → • / present - / absent OD / On Demand


AURA

Table lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Natural grey base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C01	605					
Raw hemp base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C03	605					
Natural grey base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P01	625					
Raw hemp base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P03	625					
Natural grey base pleated ribbon	1 x E27 70 W HES	OD	-	IP20	AURETA065R01	645					
Raw hemp base pleated ribbon	1 x E27 70 W HES	OD	-	IP20	AURETA065R03	645					

Accessory



Upper disc in opal PMMA	-	IP20	AUREPM000M01	100	
Upper disc in white PC	•	IP20	AUREPC000B01	110	

Accessory - Table lamp

DIM switch universal HES (40/160W) + LED (4/100W)			DIMVAR0TA002	55	
---	--	--	--------------	----	--




Pendant and floor lamp with 3 or 6 arms.
 Metal structure painted in white or in Deluxe colours: lead grey, swamp green, caramel, matt copper and matt gold.
 Pendant lamp with counterbalance in natural brass and floor lamp with concrete base.

Symbol index  → • / present - / absent OD / On Demand


BAOBAB

Pendant lamp with 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp 3 arms white	3 x E27 42 W HES	•	OD	IP20	BAOESO003G01	790					
Pendant lamp 3 arms Deluxe	3 x E27 42 W HES	•	OD	IP20	BAOESO003G02	920					
Accessory											
Kit 3 x light bulbs E27 Globe 125 LED 4W 2300K (DIM)					LMPLEDE27KIT300	130					

Pendant lamp with 6 arms



Pendant lamp 6 arms white	6 x E27 42 W HES	•	OD	IP20	BAOESO006G01	1.070					
Pendant lamp 6 arms Deluxe	6 x E27 42 W HES	•	OD	IP20	BAOESO006G02	1.245					
Accessory											
Kit 6 x light bulbs E27 Globe 125 LED 4W 2300K (DIM)					LMPLEDE27KIT600	255					

PRODUCTS: Baobab
DESIGN: Paolo Grasselli 2017


PAGE: **23**

Pendant and floor lamp with 3 or 6 arms.
 Metal structure painted in white or in Deluxe colours: lead grey, swamp green, caramel, matt copper and matt gold.
 Pendant lamp with counterbalance in natural brass and floor lamp with concrete base.

Symbol index  → • / present - / absent OD / On Demand

BAOBAB

Floor lamp with 3 arms




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G01	1.030					
Floor lamp Deluxe	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G02	1.190					
Accessory:											
Kit 3 x light bulbs E27 Globe 125 LED 4W 2300K (DIM)					LMPLEDE27KIT300	130					

Pendant and floor lamp with 3 or 6 arms.
 Metal structure painted in white or in Deluxe colours: lead grey, swamp green, caramel, matt copper and matt gold.
 Pendant lamp with counterbalance in natural brass and floor lamp with concrete base.

Symbol index  → • / present - / absent OD / On Demand

BAOBAB

Floor lamp with 6 arms



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G01	1.295					
Floor lamp Deluxe	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G02	1.510					
Accessory:											
Kit 6 x light bulbs E27 Globe 125 LED 4W 2300K (DIM)					LMPLEDE27KIT600	255					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	85
-------------------------------	---	--------------	----




Pendant lamp in transparent PMMA. Inner shade in opal or coloured orange or red polycarbonate, in cotton, washable, pleated or pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with a price increase.

Symbol index  → • / present - / absent OD / On Demand

BOLLA


Medium pendant lamp - ø 40



40 cm
15.75"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040C01	440					
Washable fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040T01	465					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040P01	510					
Pleated ribbon	1 x E27 42 W HES	OD	OD	IP20	BOLESO040R01	520					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO040M01	455					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO040M02	510					

Large pendant lamp - ø 50



50 cm
19.68"


Cotton fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050C01	550					
Washable fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050T01	580					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050P01	610					
Pleated ribbon	1 x E27 42 W HES	OD	OD	IP20	BOLESO050R01	625					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO050M01	565					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO050M02	610					

Pendant lamp in transparent PMMA. Inner shade in opal or coloured orange or red polycarbonate, in cotton, washable, pleated or pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with a price increase.

Symbol index  → • / present - / absent OD / On Demand

BOLLA

Maxi pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060C01	670					
Washable fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060T01	735					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060P01	750					
Pleated ribbon	1 x E27 42 W HES	OD	OD	IP20	BOLESO060R01	765					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO060M01	700					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO060M02	760					


PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Pendant lamp. Colored on the mix polyethylene diffuser available in the following colours: white, orange, red, lime, turquoise and deep grey.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE

Pendant lamp



DESCRIPTION **LIGHT SOURCE**

Medium pendant lamp ø 33 1 x E27 42 W HES

Maxi pendant lamp ø 51 1 x E27 70 W HES

INDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO033D01

345

OUTDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO051D01

455


PRODUCTS: Campanone Outdoor
DESIGN: Paolo Grasselli 2005

Pendant lamp. Floor lamp available with power supply or rechargeable LED white kit.
 Coloured on the mix polyethylene diffuser available in the following colours: white, orange, red, lime, turquoise and deep grey.
 Opal plex finishing disk underneath.
 OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE OUTDOOR

Pendant lamp



DESCRIPTION LIGHT SOURCE

Medium pendant lamp ø 33 1 x E27 42 W HES

Maxi pendant lamp ø 51 1 x E27 70 W HES

INDOOR



IP

CODE

€ EURO

OUTDOOR



IP


CODE

€ EURO

OD OD IP65 CAOESO033D02 425

OD OD IP65 CAOESO051D02 535

Floor lamp with power supply



Medium floor lamp ø 33 1 x E27 42 W HES

Maxi floor lamp ø 51 1 x E27 70 W HES

• - IP65 CAOETP033D03 335

• - IP65 CAOETA051D03 445

PRODUCTS: Campanone Outdoor
DESIGN: Paolo Grasselli 2005


PAGE: **29**

Pendant lamp. Floor lamp available with power supply or rechargeable LED white kit.
 Coloured on the mix polyethylene diffuser available in the following colours: white, orange, red, lime, turquoise and deep grey.
 Opal plex finishing disk underneath.
 OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE OUTDOOR

Floor lamp rechargeable



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Medium floor lamp ø 33

1 kit led 6,4 W - 600 Lm -
warm light

• - IP65 CAOETP033D13 585

Maxi floor lamp ø 51

1 kit led 6,4 W - 600 Lm -
warm light

• - IP65 CAOETA051D13 660

IMPORTANT NOTE:

Technical details rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 100% 6,4W 2h15'

Led 50% 3,2W 6h30'

Led 25% 1,6W 10h

With working temperature range from +7°C to 10°C battery life is decreasing of 20%.


(It is recommended to recharge the kit in indoor - temperature > +15°C).

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.
Wall lamp with one or two arms.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP	  IP
		CODE	€ EURO
Pendant lamp white or black	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G01	1.355
Pendant lamp Deluxe	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G02	1.510
Pendant lamp white or black with gold stem	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G21	1.375
Pendant lamp Deluxe with gold stem	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G22	1.540
Accessory:			
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2300K (NO DIM) + 1 x GU10 LED (NO DIM)		LMPLEDE27KIT011	345
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2300K (DIM) + 1 x GU10 LED (DIM)		LMPLEDE27KIT012	540

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP	  IP
		CODE	€ EURO
Pendant lamp white or black	13 x GU10 28 W HES	• OD IP20 CHAESO100G11	1.355
Pendant lamp Deluxe	13 x GU10 28 W HES	• OD IP20 CHAESO100G12	1.510
Pendant lamp white or black with gold stem	13 x GU10 28 W HES	• OD IP20 CHAESO100G31	1.375
Pendant lamp Deluxe with gold stem	13 x GU10 28 W HES	• OD IP20 CHAESO100G32	1.540
Accessory			
Kit 13 x light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT11	195
Kit 13 x light bulbs GU10 LED (DIM)		LMPLEDGU10KIT12	380

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.
Wall lamp with one or two arms.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Pendant lamp - ø 140



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G01

1.460

Pendant lamp Deluxe

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G02

1.620

Pendant lamp white or black with
gold stem

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G21

1.480

Pendant lamp Deluxe with gold stem

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G22

1.645

Accessory

Kit light bulbs: 12 x E27 Globe 125 LED 7,5W
2300K (NO DIM) + 1 x GU10 LED (NO DIM)

LMPLEDE27KIT011


345

Kit light bulbs: 12 x E27 Globe 125 LED
7,5W 2300K (DIM) + 1 x GU10 LED (DIM)

LMPLEDE27KIT012

540

Pendant lamp - ø 140



Pendant lamp white or black

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G11

1.460

Pendant lamp Deluxe

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G12

1.620

Pendant lamp white or black with
gold stem

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G31

1.480

Pendant lamp Deluxe with gold stem

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G32

1.645

Accessory

Kit 13 x light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT11

195

Kit 13 x light bulbs GU10 LED (DIM)

LMPLEDGU10KIT12


380

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.
Wall lamp with one or two arms.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER


Ceiling lamp - ø 100



107 cm
41.13"

DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G01	1.330					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G02	1.490					
Ceiling lamp white or black with gold stem	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G21	1.355					
Ceiling lamp Deluxe with gold stem	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G22	1.510					
Accessory											
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2300K (NO DIM) + 7 x GU10 LED (NO DIM)		LMPLEDE27KIT013				275					
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2300K (DIM) + 7 x GU10 LED (DIM)		LMPLEDE27KIT014				455					

Ceiling lamp - ø 100



100 cm
39.37"


Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G11	1.330					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G12	1.490					
Ceiling lamp white or black with gold stem	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G31	1.355					
Ceiling lamp Deluxe with gold stem	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G32	1.510					
Accessory											
Kit 13 x light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	195					
Kit 13 x light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	380					

Large pendant and ceiling lamp with arms.
 Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.
 Wall lamp with one or two arms.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD IP20	CHAEPL140G01	1.420				
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD IP20	CHAEPL140G02	1.580				
Ceiling lamp white or black with gold stem	6xE27 42W HES + 7xGU10 28W HES	•	OD IP20	CHAEPL140G21	1.440				
Ceiling lamp Deluxe with gold stem	6xE27 42W HES + 7xGU10 28W HES	•	OD IP20	CHAEPL140G22	1.600				
Accessory									
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2300K (NO DIM) + 7 x GU10 LED (NO DIM)				LMPLEDE27KIT013	275				
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2300K (DIM) + 7 x GU10 LED (DIM)				LMPLEDE27KIT014	455				

Ceiling lamp - ø 140




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD IP20	CHAEPL140G11	1.420				
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD IP20	CHAEPL140G12	1.580				
Ceiling lamp white or black with gold stem	13 x GU10 28 W HES	•	OD IP20	CHAEPL140G31	1.440				
Ceiling lamp Deluxe with gold stem	13 x GU10 28 W HES	•	OD IP20	CHAEPL140G32	1.600				
Accessory									
Kit 13 x light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT11	195				
Kit 13 x light bulbs GU10 LED (DIM)				LMPLEDGU10KIT12	380				

Large pendant and ceiling lamp with arms.
 Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.
 Wall lamp with one or two arms.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – single



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white or black 2 x E27 42 W HES

• OD IP20 CHAEAP010G01 250

Wall lamp Deluxe 2 x E27 42 W HES

• OD IP20 CHAEAP010G02 295

Accessory


Kit 2 x light bulbs E27 Globe 125 LED
 7,5W 2300K (NO DIM)

LMPLEDE27KIT001 80

Kit 2 x light bulbs E27 Globe 125 LED
 7,5W 2300K (DIM)

LMPLEDE27KIT002 110

Wall lamp – single



Wall lamp white or black 2 x GU10 28W HES

• OD IP20 CHAEAP010G11 250

Wall lamp Deluxe 2 x GU10 28W HES

• OD IP20 CHAEAP010G12 295

Accessory

Kit 2 x light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT01 60

Kit 2 x light bulbs GU10 LED (DIM)


LMPLEDGU10KIT02 85

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.
Wall lamp with one or two arms.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp - double



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white or black 4 x E27 42 W HES

• OD IP20 CHAEAP035G01 420

Wall lamp Deluxe 4 x E27 42 W HES

• OD IP20 CHAEAP035G02 475

Accessory


Kit 4 x light bulbs E27 Globe 125 LED
7,5W 2300K (NO DIM)

LMPLEDE27KIT003 145

Kit 4 x light bulbs E27 Globe 125 LED
7,5W 2300K (DIM)

LMPLEDE27KIT004 200

Wall lamp - double



Wall lamp white or black 4 x GU10 28W

• OD IP20 CHAEAP035G11 420

Wall lamp Deluxe 4 x GU10 28W

• OD IP20 CHAEAP035G12 475

Accessory

Kit 4 x light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT03 105

Kit 4 x light bulbs GU10 LED (DIM)


LMPLEDGU10KIT04 160

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Pendant lamp - L. 100



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP	  IP
		CODE	€ EURO
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G01	1.785
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G02	2.000
Pendant lamp white or black with gold stem	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G21	1.825
Pendant lamp Deluxe with gold stem	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G22	2.040
Accessory			
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2300K (NO DIM) + 2 x GU10 LED (NO DIM)		LMPLEDE27KIT016	445
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2300K (DIM) + 2 x GU10 LED (DIM)		LMPLEDE27KIT017	725

Pendant lamp - L. 100




Pendant lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLESO100G11	1.785
Pendant lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLESO100G12	2.000
Pendant lamp white or black with gold stem	18 x GU10 28 W HES	• OD IP20 CHLESO100G31	1.825
Pendant lamp Deluxe with gold stem	18 x GU10 28 W HES	• OD IP20 CHLESO100G32	2.040
Accessory			
Kit 18 x light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18	250
Kit 18 x light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19	445

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Pendant lamp - L. 150



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	•	OD	IP20	CHLESO150G01	1.840					
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	•	OD	IP20	CHLESO150G02	2.055					
Pendant lamp white or black with gold stem	16xE27 42W HES + 2xGU10 28W HES	•	OD	IP20	CHLESO150G21	1.880					
Pendant lamp Deluxe with gold stem	16xE27 42W HES + 2xGU10 28W HES	•	OD	IP20	CHLESO150G22	2.100					
Accessory											
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2300K (NO DIM) + 2 x GU10 LED (NO DIM)		LMPLEDE27KIT016				445					
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2300K (DIM) + 2 x GU10 LED (DIM)		LMPLEDE27KIT017				725					

Pendant lamp - L. 150




Pendant lamp white or black	18 x GU10 28 W HES	•	OD	IP20	CHLESO150G11	1.840					
Pendant lamp Deluxe	18 x GU10 28 W HES	•	OD	IP20	CHLESO150G12	2.055					
Pendant lamp white or black with gold stem	18 x GU10 28 W HES	•	OD	IP20	CHLESO150G31	1.880					
Pendant lamp Deluxe with gold stem	18 x GU10 28 W HES	•	OD	IP20	CHLESO150G32	2.100					
Accessory											
Kit 18 x light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT18	250					
Kit 18 x light bulbs GU10 LED (DIM)					LMPLEDGU10KIT19	445					

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE


Ceiling lamp - L. 100



110 cm 54 cm
43.31" 21.26"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G01	1.755				
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G02	1.970				
Ceiling lamp white or black with gold stem	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G21	1.795				
Ceiling lamp Deluxe with gold stem	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL100G22	2.010				
Accessory									
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2300K (NO DIM) + 10 x GU10 LED (NO DIM)				LMPLEDE27KIT160	350				
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2300K (DIM) + 10 x GU10 LED (DIM)				LMPLEDE27KIT170	620				

Ceiling lamp - L. 100



105 cm 44 cm
41.34" 17.32"


Ceiling lamp white or black	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G11	1.755				
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G12	1.970				
Ceiling lamp white or black with gold stem	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G31	1.795				
Ceiling lamp Deluxe with gold stem	18 x GU10 28 W HES	•	OD IP20	CHLEPL100G32	2.010				
Accessory									
Kit 18 x light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT18	250				
Kit 18 x light bulbs GU10 LED (DIM)				LMPLEDGU10KIT19	445				

Large pendant and ceiling lamp with arms.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: matt gold or teal.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Ceiling lamp - L. 150



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Ceiling lamp white or black

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G01

1.795

Ceiling lamp Deluxe

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G02

2.010

Ceiling lamp white or black with
gold stem

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G21

1.840

Ceiling lamp Deluxe with gold stem

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G22

2.055

Accessory

Kit light bulbs: 8 x E27 Globe 125 LED 7,5W
2300K (NO DIM) + 10 x GU10 LED (NO DIM)

LMPLEDE27KIT160


350

Kit light bulbs: 8 x E27 Globe 125 LED 7,5W
2300K (DIM) + 10 x GU10 LED (DIM)

LMPLEDE27KIT170

620

Ceiling lamp - L. 150



Ceiling lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G11

1.795

Ceiling lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G12

2.010

Ceiling lamp white or black with
gold stem

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G31

1.840

Ceiling lamp Deluxe with gold stem

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G32

2.055

Accessory

Kit 18 x light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

250

Kit 18 x light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19

445

PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019


PAGE: **40**

Large pendant or ceiling lamp. Opal plex finishing underneath.
 Upper perimetral metal ring, graphite painted, that contains the fabric shade.
 Lampshade available in cotton or velvet fabric.

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 107




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	4 x E27 105 W HES	OD	OD	IP20	CARESP100C01	1.840					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP100O01	2.000					
Cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP100C05	2.185					
Cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP100C06	2.275					
Velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP100O05	2.345					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP100O06	2.435					

Large pendant or ceiling lamp. Opal plex finishing underneath.
 Upper perimetral metal ring, graphite painted, that contains the fabric shade.
 Lampshade available in cotton or velvet fabric.

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	4 x E27 105 W HES	OD	OD	IP20	CARESP130C01	2.110					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP130O01	2.325					
Cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP130C05	2.455					
Cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP130C06	2.540					
Velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP130O05	2.670					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CARESP130O06	2.755					
Cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CARESP130C07	2.940					
Cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CARESP130C08	3.090					
Velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CARESP130O07	3.160					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CARESP130O08	3.310					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Large pendant or ceiling lamp. Opal plex finishing underneath.
Upper perimetral metal ring, graphite painted, that contains the fabric shade.
Lampshade available in cotton or velvet fabric.

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 107




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	4 x E27 105 W HES	OD	OD	IP20	CAREPL100C01	1.795					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL100O01	1.960					
Cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL100C05	2.140					
Cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL100C06	2.225					
Velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL100O05	2.305					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL100O06	2.390					

Large pendant or ceiling lamp. Opal plex finishing underneath.
Upper perimetral metal ring, graphite painted, that contains the fabric shade.
Lampshade available in cotton or velvet fabric.

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 127



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	4 x E27 105 W HES	OD	OD	IP20	CAREPL130C01	2.055					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL130O01	2.275					
Cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL130C05	2.400					
Cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL130C06	2.490					
Velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL130O05	2.620					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	CAREPL130O06	2.705					
Cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CAREPL130C07	2.890					
Cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CAREPL130C08	3.040					
Velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CAREPL130O07	3.105					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CAREPL130O08	3.255					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 60



60 cm
23.62"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E27 70 W HES	OD	OD	IP20	CILESP060C01	465					
1 light washable fabric	1 x E27 70 W HES	OD	OD	IP20	CILESP060T01	510					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP060O01	535					
1 light cotton fabric+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP060L01	530					
3 lights cotton fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060C02	560					
3 lights washable fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060T02	605					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP060O02	635					
3 lights cotton fabric+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP060L02	625					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060P01	690					
3 lights pleated ribbon	3 x E27 70 W HES	OD	OD	IP20	CILESP060R01	705					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED


Pendant lamp - ø 60
LED



60 cm
23.62"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060C06	725					
1 light washable fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060T06	765					
1 light velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060O06	795					
1 light cotton fabric+lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060L06	790					
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060P05	850					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060R05	865					
1 light cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060C09	800					
1 light washable fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060T09	845					
1 light velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060O09	870					
1 light cotton fabric+lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060L09	865					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060P09	925					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060R09	940					
1 light cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060C08	800					
1 light washable fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060T08	845					
1 light velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060O08	870					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060L08	865					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060P07	925					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP060R07	940					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX060F01	110	
-----------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 70



70 cm
27.56"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E27 70 W HES	OD	OD	IP20	CILESP070C01	530					
1 light washable fabric	1 x E27 70 W HES	OD	OD	IP20	CILESP070T01	605					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP070O01	650					
1 light cotton fabric+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP070L01	635					
3 lights cotton fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070C02	625					
3 lights washable fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070T02	705					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP070O02	745					
3 lights cotton fabric+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP070L02	730					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070P01	1.010					
3 lights pleated ribbon	3 x E27 70 W HES	OD	OD	IP20	CILESP070R01	1.035					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED


Pendant lamp - ø 70
LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070C06	800					
1 light washable fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070T06	875					
1 light velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070O06	920					
1 light cotton fabric+lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070L06	905					
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070P05	1.180					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070R05	1.210					
1 light cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070C09	875					
1 light washable fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070T09	950					
1 light velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070O09	1.000					
1 light cotton fabric+lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070L09	975					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070P09	1.255					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070R09	1.280					
1 light cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070C08	900					
1 light washable fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070T08	970					
1 light velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070O08	1.020					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070L08	1.005					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070P07	1.275					
1 P.luce plissé ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP070R07	1.300					

Accessory

Top protective disk in opal plex




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100C01	1.020					
4 lights washable fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100T01	1.125					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP100O01	1.180					
4 lights cotton fabric+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP100L01	1.155					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100P01	1.620					
4 lights pleated ribbon	4 x E27 105 W HES	OD	OD	IP20	CILESP100R01	1.665					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Pendant lamp - ø 100
LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100C08	1.165					
1 light washable fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100T08	1.275					
1 light velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100O08	1.330					
1 light cotton fabric+lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100L08	1.305					
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100P08	1.775					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100R08	1.815					
1 light cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100C09	1.245					
1 light washable fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100T09	1.355					
1 light velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100O09	1.405					
1 light cotton fabric+lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100L09	1.385					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100P09	1.850					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100R09	1.895					
1 light cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100C10	1.265					
1 light washable fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100T10	1.375					
1 light velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100O10	1.430					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100L10	1.405					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100P10	1.870					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP100R10	1.915					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO LED

Pendant lamp - ø 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100C11	1.620					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100T11	1.735					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100O11	1.785					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100L11	1.765					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100P11	2.225					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100R11	2.275					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100C12	1.785					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100T12	1.895					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100O12	1.950					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100L12	1.925					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100P12	2.390					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP100R12	2.435					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX100F01	275	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120C01	1.540					
4 lights washable fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120T01	1.665					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP120O01	1.745					
4 lights cotton fabric+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP120L01	1.645					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120P01	1.990					
4 lights pleated ribbon	4 x E27 105 W HES	OD	OD	IP20	CILESP120R01	2.040					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Pendant lamp - ø 120
LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR		
				CODE	€ EURO			CODE	€ EURO
1 light cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120C08	1.675			
1 light washable fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120T08	1.805			
1 light velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120O08	1.880			
1 light cotton fabric+lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120L08	1.785			
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120P08	2.130			
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120R08	2.185			
1 light cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120C09	1.755			
1 light washable fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120T09	1.880			
1 light velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120O09	1.960			
1 light cotton fabric+lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120L09	1.860			
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120P09	2.205			
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120R09	2.265			
1 light cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120C10	1.755			
1 light washable fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120T10	1.880			
1 light velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120O10	1.960			
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120L10	1.860			
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120P10	2.205			
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	CILESP120R10	2.265			

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO LED

Pendant lamp - ø 120
LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120C11	2.130					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120T11	2.265					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120O11	2.335					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120L11	2.235					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120P11	2.585					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120R11	2.640					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120C12	2.205					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120T12	2.335					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120O12	2.410					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120L12	2.315					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120P12	2.660					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP120R12	2.715					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX120F01	440	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 150




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150C01	2.380					
6 lights washable fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150T01	2.540					
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CILESP150O01	2.650					
6 lights pleated fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150P01	3.030					
6 lights pleated ribbon	6 x E27 105 W HES	OD	OD	IP20	CILESP150R01	3.080					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Pendant lamp - ø 150
LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150C08	2.865					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150T08	3.030					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150O08	3.135					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150P08	3.520					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150R08	3.570					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150C09	2.960					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150T09	3.125					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150O09	3.235					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150P09	3.610					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	CILESP150R09	3.665					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Pendant lamp - ø 150
LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	CILESP150C10	3.405					
1 light washable fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	CILESP150T10	3.570					
1 light velvet ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	CILESP150O10	3.675					
1 light pleated fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	CILESP150P10	4.060					
1 light pleated ribbon ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	CILESP150R10	4.110					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Cilindro Soft
DESIGN: Moduluce R&D 2018

Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.


The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT

Pendant lamp - ø 70



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

1 light soft velvet

1 x E27 70 W HES

OD

OD

IP20

CISESP070O01

1.365

3 lights soft velvet

3 x E27 70 W HES

OD


OD

IP20

CISESP070O02

1.460

Pendant lamp - ø 70 LED



1 light soft velvet NO DIM

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP070O03

1.610

1 light soft velvet DIM TRIAC

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP070O04

1.685

1 light soft velvet DIM DALI-Push DIM

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP070O05

1.705

Accessory


Top protective disk in opal plex
(mounted)

OD

IP20

CISEPX070F01

180



PRODUCTS: Cilindro Soft
DESIGN: Modoluce R&D 2018

PAGE: **58**

Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.

The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT

Pendant lamp - ø 100

DESCRIPTION

4 lights soft velvet

LIGHT SOURCE

4 x E27 105 W HES



IP

INDOOR

CODE

€ EURO

1.950




IP

OUTDOOR

CODE

€ EURO



Pendant lamp - ø 100 LED

1 light soft velvet NO DIM

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP100003

2.100

1 light soft velvet DIM TRIAC

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP100004

2.175

1 light soft velvet DIM DALI - Push DIM

1 led module 29,3 W -
3900 Lm - 2700 K


OD

OD

IP20

CISESP100005

2.195



Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.


The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT

Pendant lamp - ø 100 LED



DESCRIPTION

LIGHT SOURCE

1 light soft velvet ON-OFF/ DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

1 light soft velvet DIM DALI-Push DIM


1 led module 88,2 W -
11780 Lm - 2700 K

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
OD	OD	IP20	CISESP100O06	2.650						
OD	OD	IP20	CISESP100O07	2.815						

Accessory

Top protective disk in opal plex
(mounted)

OD IP20 CISEPX100F01 295



PRODUCTS: Cilindro Soft
DESIGN: Modoluce R&D 2018

Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.

The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT


Pendant lamp - ø 120

DESCRIPTION

4 lights soft velvet

LIGHT SOURCE

4 x E27 105 W HES



Pendant lamp - ø 120 LED

1 light soft velvet NO DIM

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP120O03

2.325

1 light soft velvet DIM TRIAC

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

CISESP120O04

2.400

1 light soft velvet DIM DALI-Push DIM

1 led module 29,3 W -
3900 Lm - 2700 K


OD

OD

IP20

CISESP120O05

2.420



PRODUCTS: Cilindro Soft
DESIGN: Modoluce R&D 2018

PAGE: **61**

Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.


The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT

Pendant lamp - ø 120 LED



DESCRIPTION

LIGHT SOURCE

1 light soft velvet ON-OFF/ DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

1 light soft velvet DIM DALI-Push DIM

1 led module 88,2 W -
11780 Lm - 2700 K



IP

INDOOR

CODE

€ EURO

OD

OD

IP20

CISESP120O06

2.865

OD

OD

IP20

CISESP120O07

3.030

OUTDOOR



IP

CODE

€ EURO

Accessory


Top protective disk in opal plex
(mounted)

OD

IP20

CISEPX120F01

420



PRODUCTS: Cilindro Soft
DESIGN: Modoluce R&D 2018

Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.
 Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT


Pendant lamp - ø 150

DESCRIPTION

6 lights soft velvet

LIGHT SOURCE

6 x E27 105 W HES



Pendant lamp - ø 150 LED

1 light soft velvet ON-OFF/ DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

OD OD

IP20

CISESP150O06

3.355

1 light soft velvet DIM DALI-Push DIM


1 led module 88,2 W -
11780 Lm - 2700 K

OD OD

IP20

CISESP150O07

3.520



PRODUCTS: Cilindro Soft
DESIGN: Modoluce R&D 2018

Cylindrical pendant lamp in soft velvet fabric. Opal plex finishing underneath.
 Lamp in acoustic comfort as standard.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO SOFT


Pendant lamp - ø 150 LED

DESCRIPTION

1 light soft velvet ON-OFF/ DIM
 1-10V/ DALI -Push DIM

LIGHT SOURCE

1 led module 108 W -
 14500 Lm - 2700 K



INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	CISESP150O08	3.675					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Oblong shape pendant lamp with double light emission. Metal structure and upper diffuser in white polycarbonate.
 Painted structure in sand or lead grey and in Deluxe colours: caramel, matt gold.
 Double light emission: L 130 Up 5120 lm - Down 2560 lm / L 170 Up 7040 lm - Down 2560 lm

Symbol index  → • / present - / absent OD / On Demand


CLIP

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp sand or lead grey NO DIM	2 linear modules 48 W - 7680 Lm - 3000 K	•	OD	IP20	CLIESO130G01	1.735					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 48 W - 7680 Lm - 3000 K	•	OD	IP20	CLIESO130G03	1.785					
Pendant lamp Deluxe NO DIM	2 linear modules 48 W - 7680 Lm - 3000 K	•	OD	IP20	CLIESO130G02	1.895					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 48 W - 7680 Lm - 3000 K	•	OD	IP20	CLIESO130G04	1.950					

Pendant lamp - L 170



Pendant lamp sand or lead grey NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G01	1.925					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G03	1.980					
Pendant lamp Deluxe NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G02	2.120					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G04	2.175					

PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Medium pendant lamp D.60


DESCRIPTION

Pendant pleated fabric

LIGHT SOURCE

2 x E27 42 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	COCESP060P01	1.000					



30 cm
11.81"
60 cm
23.62"

Medium pendant lamp D.60 LED

Pendant pleated fabric NO DIM

1 led module 19,3 W -
2900 Lm - 2700 K

OD

OD

IP20

COCESP060P05

1.190

Pendant lamp pleated fabric DIM TRIAC

1 led module 19,3 W -
2900 Lm - 2700 K

OD

OD

IP20

COCESP060P07

1.225

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 19,3 W -
2900 Lm - 2700 K


OD

OD

IP20

COCESP060P06

1.285



30 cm
11.81"
60 cm
23.62"

PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Maxi pendant lamp D.80


DESCRIPTION

Pendant pleated fabric

LIGHT SOURCE

3 x E27 70 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	COCESP080P01	1.405					



Maxi pendant lamp D.80 LED

Pendant pleated fabric NO DIM

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

COCESP080P05

1.645

Pendant lamp pleated fabric DIM TRIAC

1 led module 29,3 W -
3900 Lm - 2700 K

OD

OD

IP20

COCESP080P07

1.720

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 29,3 W -
3900 Lm - 2700 K


OD

OD

IP20

COCESP080P06

1.745



PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'


Mega pendant lamp D.100

DESCRIPTION


Pendant pleated fabric

LIGHT SOURCE

4 x E27 70 W HES



Mega pendant lamp D.100 LED	DESCRIPTION	LIGHT SOURCE	INDOOR					€ EURO	OUTDOOR					€ EURO
			OD	OD	IP	CODE			OD	OD	IP	CODE		
	Pendant pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	COCESP100P05		2.010						
	Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	COCESP100P09		2.090						
	Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	COCESP100P06		2.110						




PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Mega pendant lamp D.100 LED



DESCRIPTION

LIGHT SOURCE

Pendant lamp pleated fabric ON-OFF/
 DIM 1-10V 1 led module 88,2 W -
 11780 Lm - 2700 K
 Pendant lamp pleated fabric DIM DALI-
 Push DIM 1 led module 88,2 W -
 11780 Lm - 2700 K

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
OD	OD	IP20	COCESP100P10	2.575						
OD	OD	IP20	COCESP100P11	2.705						

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Arc floor lamp. Embossed white or black painted metal structure.
 Rotating lampshade in cotton fabric in the same colour as the metal structure or in washable fabric.
 One side frosted plex underneath.



Cotton lampshade available in different colours with a price increase of 3%.

Symbol index  → • / present - / absent OD / On Demand

CORNER

Floor lamp - ø 60 LED

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White metal cotton fabric DIM	1 led module 26,7 W - 3900 Lm - 3000 K	OD	OD	IP20	COREPT060C07	1.375					
Black metal cotton fabric DIM	1 led module 26,7 W - 3900 Lm - 3000 K	OD	OD	IP20	COREPT060C08	1.375					
White metal washable fabric DIM	1 led module 26,7 W - 3900 Lm - 3000 K	OD	OD	IP20	COREPT060T07	1.420					
Black metal washable fabric DIM	1 led module 26,7 W - 3900 Lm - 3000 K	OD	OD	IP20	COREPT060T08	1.420					




Arc floor lamp. Embossed white or black painted metal structure.
Rotating lampshade in cotton fabric in the same colour as the metal structure or in washable fabric.
One side frosted plex underneath.

Cotton lampshade available in different colours with a price increase of 3%.

Symbol index  → • / present - / absent OD / On Demand

CORNER

Floor lamp - ø 80 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White metal cotton fabric DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	COREPT080C09	1.645					
Black metal cotton fabric DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	COREPT080C10	1.645					
White metal washable fabric DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	COREPT080T09	1.680					
Black metal washable fabric DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	COREPT080T10	1.680					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and adjustable wall lamp (90°).
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ

Wall lamp H.28



DESCRIPTION

LIGHT SOURCE

Wall lamp H.28 white -
 (designed for double switch)

2 x E27 42 W HES

Wall lamp H.28 black - (designed
 for double switch)

2 x E27 42 W HES



IP

CODE

€ EURO

•

OD

IP20

DEJEAP028G01

255

•

OD

IP20

DEJEAP028G02

255

INDOOR

OUTDOOR




IP

CODE

€ EURO

Wall lamp L.170 x H.92



Wall lamp white L.170 -
 (double switch)
 Black wiring cable

2 x E27 42 W HES

Wall lamp black L.170 -
 (double switch)
 Black wiring cable

2 x E27 42 W HES

•

OD

IP20

DEJEAP170G01

670


•

OD

IP20

DEJEAP170G02

670




PRODUCTS: Dejavù
DESIGN: Barazzuol + Malisan 2015

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and adjustable wall lamp (90°).
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ


Wall lamp L.209 x H.100



DESCRIPTION	LIGHT SOURCE
Wall lamp white L.209 - (double switch) Black wiring cable	2 x E27 42 W HES
Wall lamp black L.209 - (double switch) Black wiring cable	2 x E27 42 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	DEJEAP209G01	695					
•	OD	IP20	DEJEAP209G02	695					

Accessory - Wall lamp





Fixing accessory for wall lamp - white	•	OD	IP20	DEJEAR000G01	110
Fixing accessory for wall lamp - black	•	OD	IP20	DEJEAR000G02	110

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and adjustable wall lamp (90°).
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ

Ceiling lamp L.95 x H.70



DESCRIPTION

LIGHT SOURCE

Ceiling lamp white L.95 -
 (designed for double switch)
 Wiring cable white

2 x E27 42 W HES

Ceiling lamp black L.95 -
 (designed for double switch)
 Black wiring cable

2 x E27 42 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

DEJEPL095G01

540





IP

OUTDOOR

CODE

€ EURO

Ceiling lamp L.165 x H.70



Ceiling lamp white L.165 -
 (designed for double switch)
 Wiring cable white

2 x E27 42 W HES

Ceiling lamp black L.165 -
 (designed for double switch)
 Black wiring cable

2 x E27 42 W HES

•

OD

IP20

DEJEPL165G01

560

•

OD

IP20

DEJEPL165G02

560


PRODUCTS: Dejavù
DESIGN: Barazzuol + Malisan 2015

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and adjustable wall lamp (90°).
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ

Floor lamp H.192



DESCRIPTION

LIGHT SOURCE

Floor lamp white -
 (double switch)
 Black wiring cable

2 x E27 42 W HES

Floor lamp black -
 (double switch)
 Black wiring cable

2 x E27 42 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	DEJEPT192G01	685					
•	OD	IP20	DEJEPT192G02	685					

PRODUCTS: Diogene
DESIGN: Romano, Menegon, Ceneda 2017

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Available in white, anthracite grey and rust effect finishes.
 Metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

DIOGENE

Table lamp/ floor lamp/ pendant lamp



DESCRIPTION

Lamp finishes: white/ anthracite grey/ rust effect

LIGHT SOURCE

1 x E27 70 W HES

INDOOR				OUTDOOR			
  IP	CODE	€ EURO		  IP	CODE	€ EURO	
				• -	IP44/65 DIOETA030G42	465	



PRODUCTS: Diogene
DESIGN: Romano, Menegon, Ceneda 2017

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Available in white, anthracite grey and rust effect finishes.
 Metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

DIOGENE


Table lamp/ floor lamp/ pendant lamp

DESCRIPTION

Lamp finishes: white/ anthracite grey/ rust effect

LIGHT SOURCE

1 kit led 6,4 W - 600 Lm - warm light



INDOOR			OUTDOOR		
  IP	CODE	€ EURO	  IP	CODE	€ EURO
•	-		•	-	
			IP65	DIOETA030G12	650

IMPORTANT NOTE:

Technical details rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 100% 6,4W 2h15'

Led 50% 3,2W 6h30'

Led 25% 1,6W 10h

With working temperature range from +7°C to 10°C battery life is decreasing of 20%.

(It is recommended to recharge the kit in indoor - temperature > +15°C).

PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004


PAGE: **77**

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Small pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 OD	 ETL	IP	CODE	€ EURO	 OD	 ETL	IP	CODE	€ EURO
2 lights cotton fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040C02	405					
2 lights washable fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040T02	420					
2 lights velvet	2 x E27 42 W HES	OD	OD	IP20	DISESP040O02	430					
2 lights cotton fabric+lycra	2 x E27 42 W HES	OD	OD	IP20	DISESP040L02	460					
2 lights pleated fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040P02	480					
2 lights pleted ribbon	2 x E27 42 W HES	OD	OD	IP20	DISESP040R02	490					

PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004


PAGE: **78**

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE LED

Small pendant lamp - ø 40
 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040C06	560					
1 light / washable fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040T06	580					
1 light velvet NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040O06	590					
1 light cotton fabric+lycra NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040L06	615					
1 light pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040P06	635					
1 light pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040R06	645					
1 light cotton fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040C07	595					
1 light washable fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040T07	610					
1 light velvet DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040O07	620					
1 light cotton fabric+lycra DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040L07	650					
1 light pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040P07	665					
1 light pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040R07	675					
1 light cotton fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040C08	640					
1 light washable fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040T08	655					
1 light velvet DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040O08	665					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040L08	695					
1 light pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040P08	710					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISESP040R08	720					

Accessory	Top protective disk in opal plex	OD	IP20	DISEPX040F01	65	
------------------	----------------------------------	----	------	--------------	----	--




Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Medium pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060C02	585					
3 lights washable fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060T02	610					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISESP060O02	625					
3 lights cotton fabric+lycra	3 x E27 42 W HES	OD	OD	IP20	DISESP060L02	655					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060P02	695					
3 lights pleated ribbon	3 x E27 42 W HES	OD	OD	IP20	DISESP060R02	710					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Medium pendant lamp - ø 60
LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060C06	835					
1 light / washable fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060T06	860					
1 light velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060O06	875					
1 light cotton fabric+lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060L06	905					
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060P06	940					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060R06	955					
1 light cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060C07	910					
1 light washable fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060T07	935					
1 light velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060O07	950					
1 light cotton fabric+lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060L07	975					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060P07	1.020					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060R07	1.035					
1 light cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060C08	885					
1 light washable fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060T08	915					
1 light velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060O08	930					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060L08	955					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060P08	1.000					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISESP060R08	1.015					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Medium pendant lamp - ø 60 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060C11	1.030					
1 light washable fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060T11	1.055					
1 light velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060O11	1.070					
1 light cotton fabric+lycra ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060L11	1.095					
1 light pleated fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060P11	1.135					
1 light pleated ribbon ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060R11	1.150					
1 light cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060C12	1.135					
1 light washable fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060T12	1.160					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060O12	1.180					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060L12	1.210					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060P12	1.245					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP060R12	1.260					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE LED

Medium pendant lamp - ø 60
 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060C09	1.330					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060T09	1.360					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060O09	1.375					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060L09	1.400					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060P09	1.440					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060R09	1.455					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060C10	1.480					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060T10	1.505					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060O10	1.525					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060L10	1.555					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060P10	1.590					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP060R10	1.605					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX060F01	110	
------------------	----------------------------------	----	------	--------------	-----	--




Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Large pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080C02	755					
4 lights washable fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080T02	795					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP080O02	820					
4 lights cotton fabric+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP080L02	840					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080P02	900					
4 lights pleated ribbon	4 x E27 42 W HES	OD	OD	IP20	DISESP080R02	920					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Large pendant lamp - ø 80 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080C16	1.135					
1 light washable fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080T16	1.175					
1 light velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080O16	1.195					
1 light cotton fabric+lycra ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080L16	1.220					
1 light pleated fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080P16	1.275					
1 light pleated ribbon ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080R16	1.295					
1 light cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080C17	1.245					
1 light washable fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080T17	1.280					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080O17	1.300					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080L17	1.325					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080P17	1.385					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP080R17	1.405					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE LED

Large pendant lamp - ø 80 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080C13	1.500					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080T13	1.545					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080O13	1.565					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080L13	1.585					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080P13	1.645					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080R13	1.665					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080C15	1.655					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080T15	1.690					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080O15	1.715					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080L15	1.740					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080P15	1.795					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP080R15	1.815					

Accessory	Top protective disk in opal plex	OD	IP20	DISEPX080F01	150	
-----------	----------------------------------	----	------	--------------	-----	--




Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100C02	935					
4 lights washable fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100T02	980					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP100O02	1.015					
4 lights cotton fabric+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP100L02	1.030					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100P02	1.210					
4 lights pleated ribbon	4 x E27 42 W HES	OD	OD	IP20	DISESP100R02	1.235					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Maxi pendant lamp - ø 100 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100C17	1.275					
1 light washable fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100T17	1.325					
1 light velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100O17	1.355					
1 light cotton fabric+lycra ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100L17	1.370					
1 light pleated fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100P17	1.550					
1 light pleated ribbon ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100R17	1.575					
1 light cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100C18	1.385					
1 light washable fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100T18	1.435					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100O18	1.460					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100L18	1.475					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100P18	1.655					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISESP100R18	1.680					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Maxi pendant lamp - ø 100 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100C13	1.765					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100T13	1.810					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100O13	1.840					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100L13	1.855					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100P13	2.030					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100R13	2.060					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100C15	1.915					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100T15	1.965					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100O15	1.990					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100L15	2.005					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100P15	2.185					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISESP100R15	2.210					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE LED

Maxi pendant lamp - ø 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISESP100C16	2.140					
1 light washable fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISESP100T16	2.190					
1 light velvet ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISESP100O16	2.215					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISESP100L16	2.230					
1 light pleated fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISESP100P16	2.410					
1 light pleated ribbon ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISESP100R16	2.440					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX100F01	275	
-----------	----------------------------------	----	------	--------------	-----	--




NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Mini ceiling lamp - ø 20 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020C06	390					
1 light / washable fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020T06	400					
1 light velvet NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020O06	405					
1 light / cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020C07	420					
1 light washable fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020T07	430					
1 light velvet DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020O07	435					
1 light / cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020C08	445					
1 light washable fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020T08	460					
1 light velvet DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP020O08	465					

PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004



PAGE: **91**

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Small wall/ceiling lamp - ø 40





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton fabric	2 x E27 28 W	OD	OD	IP20	DISEAP040C02	355					
2 lights washable fabric	2 x E27 28 W	OD	OD	IP20	DISEAP040T02	375					
2 lights velvet	2 x E27 28 W	OD	OD	IP20	DISEAP040O02	385					
2 lights cotton fabric+lycra	2 x E27 28 W	OD	OD	IP20	DISEAP040L02	410					
2 lights pleated fabric	2 x E27 28 W	OD	OD	IP20	DISEAP040P02	425					
2 lights pleted ribbon	2 x E27 28 W	OD	OD	IP20	DISEAP040R02	435					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Small wall/ceiling lamp - ø 40 LED





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040C06	535					
1 light / washable fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040T06	550					
1 light velvet NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040O06	560					
1 light cotton fabric+lycra NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040L06	590					
1 light pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040P06	605					
1 light pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040R06	615					
1 light cotton fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040C07	565					
1 light washable fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040T07	585					
1 light velvet DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040O07	595					
1 light cotton fabric+lycra DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040L07	620					
1 light pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040P07	640					
1 light pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040R07	650					
1 light cotton fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040C08	610					
1 light washable fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040T08	625					
1 light velvet DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040O08	640					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040L08	665					
1 light pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040P08	685					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	DISEAP040R08	695					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Medium wall/ceiling lamp - ø 60



13 cm
5.12"



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060C02	565					
3 lights washable fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060T02	595					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISEAP060O02	610					
3 lights cotton fabric+lycra	3 x E27 42 W HES	OD	OD	IP20	DISEAP060L02	640					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060P02	675					
3 lights pleated ribbon	3 x E27 42 W HES	OD	OD	IP20	DISEAP060R02	695					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Medium wall/ceiling lamp - ø 60 LED



13 cm
5.12"



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060C06	780					
1 light / washable fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060T06	815					
1 light velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060O06	830					
1 light cotton fabric+lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060L06	855					
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060P06	895					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060R06	910					
1 light cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060C07	860					
1 light washable fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060T07	885					
1 light velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060O07	905					
1 light cotton fabric+lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060L07	930					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	945					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060R07	980					
1 light cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060C08	840					
1 light washable fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060T08	865					
1 light velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060O08	880					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060L08	910					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	945					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	DISEAP060R08	960					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Medium wall/ceiling lamp - ø 60 LED



13 cm
5.12"



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060C11	980					
1 light washable fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060T11	1.015					
1 light velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060O11	1.030					
1 light cotton fabric+lycra ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060L11	1.055					
1 light pleated fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060P11	1.090					
1 light pleated ribbon ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060R11	1.110					
1 light cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060C12	1.070					
1 light washable fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060T12	1.095					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060O12	1.115					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060L12	1.140					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060P12	1.180					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEAP060R12	1.195					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Medium wall/ceiling lamp - ø 60 LED



13 cm
5.12"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060C09	1.135					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060T09	1.160					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060O09	1.180					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060L09	1.210					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060P09	1.245					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060R09	1.260					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060C10	1.285					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060T10	1.315					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060O10	1.330					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060L10	1.360					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060P10	1.395					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEAP060R10	1.410					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Large ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080C02	755					
4 lights washable fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080T02	795					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL080O02	820					
4 lights cotton fabric+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL080L02	840					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080P02	900					
4 lights pleated ribbon	4 x E27 42 W HES	OD	OD	IP20	DISEPL080R02	920					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Large ceiling lamp - ø 80 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080C16	1.105					
1 light washable fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080T16	1.140					
1 light velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080O16	1.160					
1 light cotton fabric+lycra ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080L16	1.185					
1 light pleated fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080P16	1.245					
1 light pleated ribbon ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080R16	1.265					
1 light cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080C17	1.190					
1 light washable fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080T17	1.230					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080O17	1.250					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080L17	1.270					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080R17	1.330					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL080P17	1.355					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Large ceiling lamp - ø 80 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080C13	1.325					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080T13	1.365					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080O13	1.385					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080L13	1.405					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080P13	1.465					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080R13	1.485					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080C15	1.475					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080T15	1.510					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080O15	1.540					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080L15	1.560					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080P15	1.615					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL080R15	1.640					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100C02	955					
4 lights washable fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100T02	1.010					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL100O02	1.035					
4 lights cotton fabric+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL100L02	1.050					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100P02	1.230					
4 lights pleated ribbon	4 x E27 42 W HES	OD	OD	IP20	DISEPL100R02	1.255					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Maxi ceiling lamp - ø 100 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100C17	1.275					
1 light washable fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100T17	1.325					
1 light velvet ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100O17	1.355					
1 light cotton fabric+lycra ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100L17	1.370					
1 light pleated fabric ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100P17	1.550					
1 light pleated ribbon ON-OFF	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100R17	1.575					
1 light cotton fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100C18	1.355					
1 light washable fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100T18	1.400					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100O18	1.430					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100L18	1.445					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100P18	1.620					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 57 W - 8700 Lm - 2700 K	OD	OD	IP20	DISEPL100R18	1.650					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
 The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Maxi ceiling lamp - ø 100 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100C13	1.565					
1 light washable fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100T13	1.610					
1 light velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100O13	1.640					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100L13	1.655					
1 light pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100P13	1.830					
1 light pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100R13	1.860					
1 light cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100C15	1.715					
1 light washable fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100T15	1.765					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100O15	1.790					
1 light cotton fabric+lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100L15	1.805					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100P15	1.985					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	DISEPL100R15	2.010					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, lycra, pleated or pleated ribbon fabric. One side frosted plex disk underneath.
The pendant lamp, on demand, can have a top protective disk in plex, usable only with LED bulbs or modules, with a price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Maxi ceiling lamp - ø 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISEPL100C16	1.945					
1 light washable fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISEPL100T16	1.990					
1 light velvet ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISEPL100O16	2.015					
1 light cotton fabric+lycra ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISEPL100L16	2.030					
1 light pleated fabric ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISEPL100P16	2.210					
1 light pleated ribbon ON-OFF/ DIM 1-10V/ DALI-Push DIM	1 led module 108 W - 14500 Lm - 2700 K	OD	OD	IP20	DISEPL100R16	2.235					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Table, reading, floor and ceiling lamp. Lampshade in cotton (same colour as metal structure) or washable fabric. White or black painted metal structure with rotating and obscuring metal disc cover, placed on the upper border of the shade (ceiling lamp excluded).

Anti-dazzle thermoformed bottom cap in opal thermoformed PMMA.


Cotton lampshade available in different colours with a price increase of 3%.

The shade of the ceiling lamp version is completely lined with white cotton fabric inside.

Symbol index  → • / present - / absent OD / On Demand


DISK

Table lamp




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light - white / cotton fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C01	725					
1 light - white / washable fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T01	755					
1 light - black / cotton fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C02	725					
1 light - black / washable fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T02	755					

Accessory - Table lamp



DIM switch universal HES (40/160W) + LED (4/100W)	DIMVAR0TA002	55				
---	--------------	----	--	--	--	--

Reading lamp



1 light - white / cotton fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C01	865					
1 light - white / washable fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T01	900					
1 light - black / cotton fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C02	865					
1 light - black / washable fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T02	900					

Table, reading, floor and ceiling lamp. Lampshade in cotton (same colour as metal structure) or washable fabric. White or black painted metal structure with rotating and obscuring metal disc cover, placed on the upper border of the shade (ceiling lamp excluded).

Anti-dazzle thermoformed bottom cap in opal thermoformed PMMA.


Cotton lampshade available in different colours with a price increase of 3%.

The shade of the ceiling lamp version is completely lined with white cotton fabric inside.

Symbol index  → • / present - / absent OD / On Demand

DISK

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights - white / cotton fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C01	1.080					
2 lights - white / washable fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T01	1.140					
2 lights - black / cotton fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C02	1.080					
2 lights - black / washable fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T02	1.140					

Accessory - Floor lamp



Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	85	
---	--------------	----	--

Table, reading, floor and ceiling lamp. Lampshade in cotton (same colour as metal structure) or washable fabric. White or black painted metal structure with rotating and obscuring metal disc cover, placed on the upper border of the shade (ceiling lamp excluded).

Anti-dazzle thermoformed bottom cap in opal thermoformed PMMA.


Cotton lampshade available in different colours with a price increase of 3%.

The shade of the ceiling lamp version is completely lined with white cotton fabric inside.

Symbol index  → • / present - / absent OD / On Demand

DISK

Medium ceiling lamp - ø 43



DESCRIPTION

LIGHT SOURCE

2 lights / cotton fabric

2 x E27 28 W

2 lights / washable fabric

2 x E27 28 W



IP

INDOOR

CODE

€ EURO

OD

OD

IP20

DSKEPL043C01

670

OD

OD

IP20

DSKEPL043T01

705

OUTDOOR

CODE

€ EURO




IP

Pendant with oval clear PMMA external shade. Inner shade in opal or coloured PC in orange or red, cotton or washable fabric or in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

ELLISSE

Medium pendant lamp - ø 60




28 cm
11.02"

200 cm
78.74"

60 cm
23.62"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060C01	585					
Pendant lamp washable fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060T01	600					
Pendant lamp pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060P01	605					
Pendant lamp pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060R01	615					
Pendant lamp opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M01	595					
Pendant lamp coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M02	640					

Large pendant lamp - ø 80



35 cm
13.78"

200 cm
78.74"

80 cm
31.50"


Pendant lamp cotton fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080C01	845					
Pendant lamp washable fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080T01	865					
Pendant lamp pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080P01	900					
Pendant lamp pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080R01	915					
Pendant lamp opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M01	855					
Pendant lamp coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M02	920					

Pendant lamp with diffuser in white matt ceramic or in the following Deluxe colours: lead grey, caramel, swamp green, matt gold or in dark brown cotto with beeswax finishing.
Wiring cable in fabric, available in the following colours: grey, black, red, kiwi green, royal blue, écru and orange.
On demand, diffuser available in different RAL colours for a minimum purchasing quantity (15 pcs) with 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

EVA


EVA mini - Pendant lamp ø 11



11 cm
4.33"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser ceramic matt white	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H41	225					
Diffuser ceramic Deluxe	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H51	235					
Diffuser dark brown cotto	1 x GU10 20 W HES	•	OD	IP20	EVAESO011N41	235					

EVA medium - Pendant lamp ø 18



18 cm
7.08"


Diffuser ceramic matt white	1 x E27 52 W	•	OD	IP20	EVAESO018H01	355					
Diffuser ceramic Deluxe	1 x E27 52 W	•	OD	IP20	EVAESO018H51	390					
Diffuser dark brown cotto	1 x E27 52 W	•	OD	IP20	EVAESO018N01	375					

Pendant lamp with diffuser in white matt ceramic or in the following Deluxe colours: lead grey, caramel, swamp green, matt gold or in dark brown cotto with beeswax finishing.
Wiring cable in fabric, available in the following colours: grey, black, red, kiwi green, royal blue, écru and orange.
On demand, diffuser available in different RAL colours for a minimum purchasing quantity (15 pcs) with 3% price increase.

Symbol index  → • / present - / absent OD / On Demand

EVA


EVA maxi - Pendant lamp ø 27



27 cm
10.63"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser ceramic matt white	1 x E27 70 W HES	•	OD	IP20	EVAESO027H01	595					
Diffuser ceramic Deluxe	1 x E27 70 W HES	•	OD	IP20	EVAESO027H51	640					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO027N01	615					

EVA mega - Pendant lamp ø 38




Diffuser ceramic matt white	1 x E27 70 W HES	•	OD	IP20	EVAESO037H01	1.135					
Diffuser ceramic Deluxe	1 x E27 70 W HES	•	OD	IP20	EVAESO037H51	1.165					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO037N01	1.215					

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 1 - Pendant lamp



31 cm
12.20"

DESCRIPTION

LIGHT SOURCE

1 lampshade pleated fabric


1 x E27 70 W HES

1 lampshade pleated ribbon

1 x E27 70 W HES

INDOOR						OUTDOOR			
  IP	CODE	€ EURO				  IP	CODE	€ EURO	
• OD IP20	FLOESO001P01	420							
OD OD IP20	FLOESO001R01	430							

Florinda 3 - Pendant lamp



63 cm
24.80"

3 lampshades pleated fabric

3 x E27 70 W HES

3 lampshades pleated ribbon

3 x E27 70 W HES


• OD IP20	FLOESO003P01	1.295							
OD OD IP20	FLOESO003R01	1.330							

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Pendant lamp



94 cm
37.01"

DESCRIPTION

LIGHT SOURCE

6+1 lampshades pleated fabric
(2 independent switches)


6xE27 70 W + 1xE14 42
W HES

6+1 lampshades pleated ribbon
(2 independent switches)

6xE27 70 W + 1xE14 42
W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	FLOESO006P01	2.595					
OD	OD	IP20	FLOESO006R01	2.660					

Florinda 12 - Pendant lamp



12+1 lampshades pleated fabric
(2 independent switches)

12xE27 70 W HES + 3xE27
42 W HES

12+1 lampshades pleated ribbon
(2 independent switches)

12xE27 70 W HES + 3xE27
42 W HES


OD	OD	IP20	FLOESO012P02	6.600	
OD	OD	IP20	FLOESO012R02	6.715	

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 3 - Ceiling lamp



63 cm
24.80"

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

3 lampshades pleated fabric

3 x E27 70 W HES

•

OD

IP20

FLOEPL003P01

1.295

3 lampshades pleated ribbon

3 x E27 70 W HES

OD


OD

IP20

FLOEPL003R01

1.330

Florinda 6 - Ceiling lamp



94 cm
37.01"

6+1 lampshades pleated fabric
(2 independent switches)

6xE27 70 W + 1xE14 42
W HES

•

OD

IP20

FLOEPL006P01

2.540

6+1 lampshades pleated ribbon
(2 independent switches)

6xE27 70 W + 1xE14 42
W HES

OD

OD

IP20

FLOEPL006R01


2.605

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 12 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE

12+1 lampshades pleated fabric
(2 independent switches)

12xE27 70 W HES + 3xE27
42 W HES

12+1 lampshades pleated ribbon
(2 independent switches)

12xE27 70 W HES + 3xE27
42 W HES



IP

CODE

€ EURO

OD

OD

IP20

FLOEPL012P02

6.675



IP

CODE

€ EURO

OD


OD

IP20

FLOEPL012R02

6.795

Florinda – Wall lamp



Florinda wall lamp pleated fabric

2 x E27 42 W HES

•

OD

IP20

FLOEAP002P01

325

Florinda wall lamp pleated ribbon

2 x E27 42 W HES

OD

OD

IP20

FLOEAP002R01


335

Pendant and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 1 - Pendant lamp



31 cm
12.20"

DESCRIPTION LIGHT SOURCE

1 lampshade - matt white 9010 1 x E27 70 W HES

1 lampshade - matt black 1 x E27 70 W HES

1 lampshade - glossy chrome finish 1 x E27 70 W HES

1 lampshade - glossy copper finish 1 x E27 70 W HES

1 lampshade - glossy brass finish 1 x E27 70 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

FLDESO001G01

235

•

OD

IP20

FLDESO001G02

235

•

OD

IP20

FLDESO001G04

295

•

OD

IP20

FLDESO001G05

295

•

OD

IP20

FLDESO001G06

295




IP

OUTDOOR

CODE

€ EURO

Florinda Desnuda 3 - Pendant lamp



63 cm
24.80"

3 lampshades - matt white 9010 3 x E27 70 W HES

3 lampshades - matt black 3 x E27 70 W HES

3 lampshades - glossy chrome finish 3 x E27 70 W HES

3 lampshades - glossy copper finish 3 x E27 70 W HES

3 lampshades - glossy brass finish 3 x E27 70 W HES

•

OD

IP20

FLDESO003G01

775

•

OD

IP20

FLDESO003G02

775

•

OD

IP20

FLDESO003G04

1.125

•

OD

IP20

FLDESO003G05

1.125

•

OD

IP20

FLDESO003G06


1.125

Pendant and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 6 - Pendant lamp



94 cm
37.01"

DESCRIPTION LIGHT SOURCE

6 lampshades - matt white 9010 6 x E27 70 W

6 lampshades - matt black 6 x E27 70 W

6 lampshades - glossy chrome finish 6 x E27 70 W

6 lampshades - glossy copper finish 6 x E27 70 W

6 lampshades - glossy brass finish 6 x E27 70 W



IP

INDOOR

CODE

€ EURO

•

OD

IP20

FLDESO006G01

1.430

•

OD

IP20

FLDESO006G02

1.430

•

OD

IP20

FLDESO006G04

2.155

•

OD

IP20

FLDESO006G05

2.155

•

OD

IP20

FLDESO006G06

2.155



IP

OUTDOOR

CODE

€ EURO

Florinda Desnuda 12 - Pendant lamp



153 cm
60.24"

12 lampshades - matt white 9010 12 x E27 70 W

12 lampshades - matt black 12 x E27 70 W

12 lampshades - glossy chrome finish 12 x E27 70 W

12 lampshades - glossy copper finish 12 x E27 70 W

12 lampshades - glossy brass finish 12 x E27 70 W

•

OD

IP20

FLDESO012G01

3.355

•

OD

IP20

FLDESO012G02

3.355

•

OD

IP20

FLDESO012G04

5.460

•

OD

IP20

FLDESO012G05

5.460

•

OD

IP20

FLDESO012G06


5.460

Pendant and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 3 - Ceiling lamp



63 cm
24.80"

DESCRIPTION LIGHT SOURCE

3 lampshades - matt white 9010 3 x E27 70 W HES

3 lampshades - matt black 3 x E27 70 W HES

3 lampshades - glossy chrome finish 3 x E27 70 W HES

3 lampshades - glossy copper finish 3 x E27 70 W HES

3 lampshades - glossy brass finish 3 x E27 70 W HES



IP

INDOOR

CODE

€ EURO

• OD IP20 FLDEPL003G01 775

• OD IP20 FLDEPL003G02 775

• OD IP20 FLDEPL003G04 1.125

• OD IP20 FLDEPL003G05 1.125

• OD IP20 FLDEPL003G06 1.125



IP

OUTDOOR

CODE

€ EURO

Florinda Desnuda 6 - Ceiling lamp



94 cm
37.01"

6 lampshades - matt white 9010 6 x E27 70 W

6 lampshades - matt black 6 x E27 70 W

6 lampshades - glossy chrome finish 6 x E27 70 W

6 lampshades - glossy copper finish 6 x E27 70 W

6 lampshades - glossy brass finish 6 x E27 70 W

• OD IP20 FLDEPL006G01 1.355

• OD IP20 FLDEPL006G02 1.355

• OD IP20 FLDEPL006G04 2.080

• OD IP20 FLDEPL006G05 2.080


• OD IP20 FLDEPL006G06 2.080

Pendant and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 12 - Ceiling lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
12 lampshades - matt white 9010	12 x E27 70 W	•	OD	IP20	FLDEPLO012G01	3.460					
12 lampshades - matt black	12 x E27 70 W	•	OD	IP20	FLDEPLO012G02	3.460					
12 lampshades - glossy chrome finish	12 x E27 70 W	•	OD	IP20	FLDEPLO012G04	5.570					
12 lampshades - glossy copper finish	12 x E27 70 W	•	OD	IP20	FLDEPLO012G05	5.570					
12 lampshades - glossy brass finish	12 x E27 70 W	•	OD	IP20	FLDEPLO012G06	5.570					

Pendant lamp and seat with white polyethylene diffuser. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**
OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

FUTURA OUTDOOR


Pendant lamp - Letter I

DESCRIPTION

Letter I

LIGHT SOURCE


5 x E27 42 W



Lighted seat- Letter I

Letter I

5 x E27 28 W



PRODUCTS: Futura
DESIGN: Modoluce R&D 2009

Pendant lamp and seat with white polyethylene diffuser. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**
OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

FUTURA OUTDOOR


Lighted seat- Letter Y

DESCRIPTION

Letter Y

LIGHT SOURCE

8 x E27 28 W HES




INDOOR					OUTDOOR				
  IP	CODE	€ EURO	  IP	CODE	€ EURO				
			•	-	IP44/65	FYOEPA150D02	1.895		

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: lime green, blue China, brick or matt gold.

Symbol index  → • / present - / absent OD / On Demand


GECO

Wall lamp 155 - without lampshade



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G01	315					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G02	315					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G03	380					
Wall lamp lime green	1 x E27 42 W HES	•	OD	IP20	GECEAP160G04	380					
Wall lamp blue china	1 x E27 42 W HES	•	OD	IP20	GECEAP160G05	380					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G06	380					

Wall lamp 165 - with lampshade




Wall lamp white cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C01	455					
Wall lamp black cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C02	455					
Wall lamp brick cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C03	520					
Wall lamp lime green cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C04	520					
Wall lamp blue china cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C05	520					
Wall lamp matt gold cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C06	520					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finish) or in Deluxe colours: lime green, blue China, brick or matt gold.

Symbol index  → • / present - / absent OD / On Demand

GECO

Wall lamp – without plug 155 – without lampshade




17 cm
6.69"

13 cm
5.11"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G11	315					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G12	315					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G13	380					
Wall lamp lime green	1 x E27 42 W HES	•	OD	IP20	GECEAP160G14	380					
Wall lamp blue china	1 x E27 42 W HES	•	OD	IP20	GECEAP160G15	380					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G16	380					

Wall lamp – without plug 165 – with lampshade



23 cm
9.05"

30 cm
11.81"


Wall lamp white cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C11	455					
Wall lamp black cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C12	455					
Wall lamp brick cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C13	520					
Wall lamp lime green cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C14	520					
Wall lamp blue china cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C15	520					
Wall lamp matt gold cotton fabric	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C16	520					

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Single pendant lamp Ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white	1 x GU10 20 W HES	•	OD IP20	HAMESO015G11	310				
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD IP20	HAMESO015G12	355				
Pendant white NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD IP20	HAMESO015G01	350				
Pendant lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD IP20	HAMESO015G02	400				
Pendant lamp white DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD IP20	HAMESO015G03	435				
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD IP20	HAMESO015G04	490				

Single pendant lamp Ø 18



Pendant lamp white	1 x GU10 20 W HES	•	OD IP20	HAMESO018G11	320				
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD IP20	HAMESO018G12	380				
Pendant white NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD IP20	HAMESO018G01	385				
Pendant lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD IP20	HAMESO018G02	440				
Pendant lamp white DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD IP20	HAMESO018G03	475				
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD IP20	HAMESO018G04	530				

Accessory - Suspension lamp Ø 15 and Ø 18


Price increase for ceiling rose in the same colour as Deluxe structure colours	ROS110003601	20		
--	--------------	----	--	--

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand

HAMMER

Single pendant lamp ø 30



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G01	615					
Pendant lamp Deluxe NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G02	695					
Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G03	755					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G04	835					

Accessory - Pendant lamp ø 30


Price increase for ceiling rose in the same colour as Deluxe structure colours	ROS160004201	25	
--	--------------	----	--

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Composition with 2 diffusers ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Composition 2 white	2 x GU10 20 W HES	•	OD	IP20	HAMECS015G11	640			
Composition 2 Deluxe	2 x GU10 20 W HES	•	OD	IP20	HAMECS015G12	735			
Composition 2 white NO DIM	2 led module 9 W - 2x 830 Lm - 2800 K	•	OD	IP20	HAMECS015G01	725			
Composition 2 Deluxe NO DIM	2 led module 9 W - 2x 830 Lm - 2800 K	•	OD	IP20	HAMECS015G02	825			
Composition 2 white DIM DALI-Push DIM	2 led module 9 W - 2x 830 Lm - 2800 K	•	OD	IP20	HAMECS015G03	875			
Composition 2 Deluxe DIM DALI-Push DIM	2 led module 9 W - 2x 830 Lm - 2800 K	•	OD	IP20	HAMECS015G04	970			

Composition with 2 diffusers ø 18



Composition 2 white	2 x GU10 20 W HES	•	OD	IP20	HAMECS018G11	660			
Composition 2 Deluxe	2 x GU10 20 W HES	•	OD	IP20	HAMECS018G12	775			
Composition 2 white NO DIM	2 led module 12 W - 2220 Lm - 2800 K	•	OD	IP20	HAMECS018G01	790			
Composition 2 Deluxe NO DIM	2 led module 12 W - 2220 Lm - 2800 K	•	OD	IP20	HAMECS018G02	910			
Composition 2 white DIM DALI-Push DIM	2 led module 12 W - 2220 Lm - 2800 K	•	OD	IP20	HAMECS018G03	940			
Composition 2 Deluxe DIM DALI-Push DIM	2 led module 12 W - 2220 Lm - 2800 K	•	OD	IP20	HAMECS018G04	1.060			

Accessory - Composition 2 diffusers


Price increase for ceiling rose in the same colour as Deluxe structure colours	ROS160004201	25							
--	--------------	----	--	--	--	--	--	--	--

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Composition with 3 diffusers ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition 3 white	3 x GU10 20 W HES	•	OD IP20	HAMECM015G11	940				
Composition 3 Deluxe	3 x GU10 20 W HES	•	OD IP20	HAMECM015G12	1.105				
Composition 3 white NO DIM	3 led module 9 W - 3x830 Lm - 2800 K	•	OD IP20	HAMECM015G01	1.070				
Composition 3 Deluxe NO DIM	3 led module 9 W - 3x830 Lm - 2800 K	•	OD IP20	HAMECM015G02	1.235				
Composition 3 white DIM DALI-Push DIM	3 led module 9 W - 3x830 Lm - 2800 K	•	OD IP20	HAMECM015G03	1.355				
Composition 3 Deluxe DIM DALI-Push DIM	3 led module 9 W - 3x830 Lm - 2800 K	•	OD IP20	HAMECM015G04	1.510				

Composition with 3 diffusers ø 18



Composition 3 white	3 x GU10 20 W HES	•	OD IP20	HAMECM018G11	970				
Composition 3 Deluxe	3 x GU10 20 W HES	•	OD IP20	HAMECM018G12	1.150				
Composition 3 white NO DIM	3 led module 12 W - 3x1110 Lm - 2800 K	•	OD IP20	HAMECM018G01	1.125				
Composition 3 Deluxe NO DIM	3 led module 12 W - 3x1110 Lm - 2800 K	•	OD IP20	HAMECM018G02	1.300				
Composition 3 white DIM DALI-Push DIM	3 led module 12 W - 3x1110 Lm - 2800 K	•	OD IP20	HAMECM018G03	1.340				
Composition 3 Deluxe DIM DALI-Push DIM	3 led module 12 W - 3x1110 Lm - 2800 K	•	OD IP20	HAMECM018G04	1.515				

Accessory - Composition 3 diffusers


Price increase for ceiling rose in the same colour as Deluxe structure colours	ROS300002801	80		
--	--------------	----	--	--

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand

HAMMER

Spotlight ø 15




15 cm
5.90"

15 cm
5.90"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Spotlight white	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G11	235					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G12	290					
Spotlight white NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G01	285					
Spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G02	330					
Spotlight white DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G03	370					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G04	425					

Spotlight ø 18



18 cm
7.09"

18 cm
7.09"


Spotlight white	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G11	245					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G12	300					
Spotlight white NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G01	295					
Spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G02	340					
Spotlight white DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G03	380					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G04	425					

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Ceiling lamp ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G11	280					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G12	325					
Ceiling lamp white NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G01	315					
Ceiling lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G02	360					
Ceiling lamp white DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G03	400					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G04	445					

Ceiling lamp ø 18




Ceiling lamp white	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G11	275					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G12	320					
Ceiling lamp white NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G01	315					
Ceiling lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G02	375					
Ceiling lamp white DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G03	400					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G04	460					

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.



Symbol index  → • / present - / absent OD / On Demand

HAMMER

Recessed spotlight ø 15



Foro 13.5/15 cm
Hole 5.3/5.9"




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Recessed spotlight white	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G11	195					
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G12	215					
Recessed spotlight white NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G01	205					
Recessed spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G02	225					
Recessed spotlight white DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G03	295					
Recessed spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G04	315					

Single Pendant or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
Turned metal body white painted or in Deluxe metallic finishes: lead grey, lime green, bluette, China blue, brick and matt gold.



Symbol index  → • / present - / absent OD / On Demand

HAMMER

Recessed spotlight ø 18



Foro 16/18 cm
Hole 6.3/7.08"



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Recessed spotlight white	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G11	205			
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G12	225			
Recessed spotlight white NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G01	215			
Recessed spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G02	235			
Recessed spotlight white DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G03	305			
Recessed spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G04	315			

PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removabe cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO

Mini pendant lamp - ø 22

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E14 42 W HES

•

OD

IP20

ICIESO022G01

415


Accessory:

Coloured stripe in cotton fabric ø 22

OD

ICIEFS022C01

25



22 cm
8.66"

Medium pendant lamp - ø 50

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

ICIESO050G01

695


Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30



50 cm
19.68"

PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

PAGE: **131**

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removabe cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO

Maxi pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

ICIESO075G01

950



75 cm
29.53"

Accessory:

Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Mega pendant lamp - ø 100

Pendant lamp

1 x E27 70 W HES


•

OD

IP20

ICIESO100G01

1.395



100 cm
39.37"

Accessory:

Coloured stripe in cotton fabric ø 100

OD

ICIEFS100C01

40


PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removable cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO

Medium floor lamp - ø 50



DESCRIPTION

Floor lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

ICIETA050G01

660



IP

OUTDOOR

CODE

€ EURO

Accessory:


Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30

Maxi floor lamp - ø 75



Floor lamp

1 x E27 42 W HES

•

OD

IP20

ICIETA075G01

885

Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30


PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removabe cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO

Mega floor lamp - ø 100



DESCRIPTION

Floor lamp

LIGHT SOURCE

1 x E27 70 W HES

INDOOR



IP

CODE

€ EURO

•

OD

IP20

ICIETA100G01

1.245

OUTDOOR



IP

CODE

€ EURO

Accessory:

Coloured stripe in cotton fabric ø 100

OD

ICIEFS100C01

40

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: **134**

Pendant and floor lamp in painted white or black matt steel wire.

Light bulb enclosed in an hermetic IP65 frosted glass. Available on demand, cover in removable washable fabric.


OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Medium pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES				•	- IP65	ICOESO050G01	775
-----------------------------------	--------------	------------------	--	--	--	---	--------	--------------	-----




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

Maxi pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES				•	- IP65	ICOESO075G01	1.050
---------------------------------	--------------	------------------	--	--	--	---	--------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: **135**

Pendant and floor lamp in painted white or black matt steel wire.

Light bulb enclosed in an hermetic IP65 frosted glass. Available on demand, cover in removable washable fabric.

OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

Mega pendant lamp - ø 100

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 70 W HES


•

-

IP65

ICOESO100G01

1.500



Accessory:

Coloured stripe in washable fabric
 ø 100

OD

ICIEFS100T01

55

Medium floor lamp - ø 50

Floor lamp

1 x E27 42 W HES


•

-

44/65

ICOETA050G01

745



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD

ICIEFS050T01

35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

Pendant and floor lamp in painted white or black matt steel wire.


Light bulb enclosed in an hermetic IP65 frosted glass. Available on demand, cover in removable washable fabric.

OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

Maxi floor lamp - ø 75



DESCRIPTION

Floor lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

•

-

44/65

ICOETA075G01

980

Accessory:


Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Mega floor lamp - ø 100



Floor lamp

1 x E27 70 W HES

•

-

44/65

ICOETA100G01

1.355

Accessory:

Coloured stripe in washable fabric ø 100

OD

ICIEFS100T01

55

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removabe cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL

Mini pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

IBIESO050G01

695



50 cm
19.69"

Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30

Medium pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

IBIESO060G01

950



60 cm
23.62"

Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removabe cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL

Maxi pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

IBIESO075G01

1.020



75 cm
29.53"

Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30

Mega pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES


•

OD

IP20

IBIESO090G01

1.470



90 cm
35.43"

Accessory:

Coloured stripe in cotton fabric ø 90

OD

ICIEFS090C01

40

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a removable cotton fabric stripe.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL

Maxi floor lamp - ø 75

DESCRIPTION

Floor lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

IBIETA075G01

910




IP

OUTDOOR

CODE

€ EURO



Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30

Mega floor lamp - ø 90

Floor lamp

1 x E27 70 W HES


•

OD

IP20

IBIETA090G01

1.285



Accessory:

Coloured stripe in cotton fabric ø 90

OD

ICIEFS090C01

40

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: **140**

Pendant and floor lamp in painted white or black matt steel wire.


Light bulb enclosed in an hermetic IP65 frosted glass. Available on demand, cover in removable washable fabric.

OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Mini pendant lamp - ø 50



50 cm
19.69"

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

-

IP65

IBOESO050G01

755

Accessory:


Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Medium pendant lamp - ø 60



60 cm
23.62"

Pendant lamp

1 x E27 42 W HES

•

-

IP65

IBOESO060G01

1.030

Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: **141**

Pendant and floor lamp in painted white or black matt steel wire.

Light bulb enclosed in an hermetic IP65 frosted glass. Available on demand, cover in removable washable fabric.

OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Maxi pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

-

IP65

IBOESO075G01

1.080



200 cm
78.74"
70 cm
27.56"

75 cm
29.53"

Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Mega pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES

•

-

IP65

IBOESO090G01

1.570



200 cm
78.74"
82 cm
32.28"

90 cm
35.43"

Accessory:

Coloured stripe in washable fabric
ø 90

OD

ICIEFS090T01

55

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: **142**

Pendant and floor lamp in painted white or black matt steel wire.

Light bulb enclosed in an hermetic IP65 frosted glass. Available on demand, cover in removable washable fabric.

OUTDOOR version: metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Maxi floor lamp - ø 75

DESCRIPTION

Floor lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

•

-

IP44/65

IBOETA075G01

970



75 cm
29.53"

70 cm
27.56"

Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Mega floor lamp - ø 90

Floor lamp

1 x E27 70 W HES

•

-

IP44/65

IBOETA090G01

1.385



90 cm
35.43"

82 cm
32.28"

Accessory:

Coloured stripe in washable fabric
ø 90

OD

ICIEFS090T01


55

Single pendant and ceiling/wall lamp or in 3 elements composition.
Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 66



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Pendant lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L01	920			
Pendant lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L02	920			
Pendant lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L03	1.135			
Pendant lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L04	1.135			

Pendant lamp Ø 80




Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L01	1.030			
Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L02	1.030			
Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L03	1.245			
Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L04	1.245			

Single pendant and ceiling/wall lamp or in 3 elements composition.
Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L01	1.295					
Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L02	1.295					
Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L03	1.510					
Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L04	1.510					

Pendant lamp Ø 140




Pendant lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L01	1.840					
Pendant lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L02	1.840					
Pendant lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L03	2.055					
Pendant lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L04	2.055					

Single pendant and ceiling/wall lamp or in 3 elements composition.
Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA


Pendant lamp - Composition L.100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white o graphite		•	OD	IP20	IDEECM100G01	1.285					
Kit 3 lights NO DIM (installed)	3 led module 3W+ 6W+ 9W - 1480 Lm - 2800 K	•	OD	IP20	IDEEDD100L03	485					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 3W+ 6W+ 9W - 1480 Lm - 2800 K	•	OD	IP20	IDEEDD100L04	915					

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Pendant lamp - Composition L.180



Structure only white o graphite		•	OD	IP20	IDEECM180G01	1.675					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	855					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.395					


NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Single pendant and ceiling/wall lamp or in 3 elements composition.
Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand



IDEA

Wall/ceiling lamp Ø 66



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Wall/ ceiling lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L01	895			
Wall/ ceiling lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L02	895			
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L03	1.055			
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L04	1.055			

Wall/ceiling lamp Ø 80




Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L01	970			
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L02	970			
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L03	1.135			
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L04	1.135			

Single pendant and ceiling/wall lamp or in 3 elements composition.
Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Wall/ceiling lamp Ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL100L01	1.285					
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL100L02	1.285					
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL100L03	1.450					
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL100L04	1.450					

Wall/ceiling lamp Ø 140



Wall/ ceiling lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEEPL140L01	1.840					
Wall/ ceiling lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEEPL140L02	1.840					
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEEPL140L03	2.000					
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEEPL140L04	2.000					

Accessory Wall/ceiling lamp




Anti-glare lens for 3W, 6W, 9W					IDEEAC00003G080	60					
Anti-glare lens for 12W, 18W, 24W, 30W					IDEEAC00012G080	100					

Single pendant and ceiling/wall lamp or in 3 elements composition.
 Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
 Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ceiling lamp - Composition L.100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white o graphite		•	OD	IP20	IDEEPL100G11	1.285					
Kit 3 lights NO DIM (installed)	3 led module 3W+ 6W+ 9W - 1480 Lm - 2800 K	•	OD	IP20	IDEEDD100L03	485					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 3W+ 6W+ 9W - 1480 Lm - 2800 K	•	OD	IP20	IDEEDD100L04	915					

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Accessory - Composition wall/ ceiling lamp




Kit anti-glare lens 3W+6W+9W	IDEAC00100G080	190	
------------------------------	----------------	-----	--

Single pendant and ceiling/wall lamp or in 3 elements composition.
Metal structure painted in white or graphite (embossed finish), inner disc upholstered with removable lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ceiling lamp - Composition L.180



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white o graphite		•	OD	IP20	IDEEPL180G11	1.620					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	855					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.395					

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Accessory - Composition wall/ ceiling lamp	Kit anti-glare lens 12W+18W+24W	IDEAC00180G080	305
--	---------------------------------	----------------	-----




Small table, table, floor and Pendant lamp.
Metal base in brushed nickel finish. Lampshade in cotton fabric or with removable and washable lycra-cover (that covers a lampshade in white cotton fabric).
Lycra cover in CL1 flame retardant.

Symbol index  → • / present - / absent OD / On Demand


LOST

Pendant lamp - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E27 105 W HES	OD	OD	IP20	LOSESO130C01	420					
1 light cotton fabric + lycra	1 x E27 105 W HES	OD	OD	IP20	LOSESO130L01	570					
6 lights cotton fabric	6 x E27 28 W HES	OD	OD	IP20	LOSESO130C02	605					
6 lights cotton fabric + lycra	6 x E27 28 W HES	OD	OD	IP20	LOSESO130L02	755					
Lycra cover only		•			LOSERR130L01	165					

Pendant lamp - ø 40




7 lights cotton fabric	7 x E27 42 W	OD	OD	IP20	LOSESO160C02	865					
7 lights cotton fabric + lycra	7 x E27 42 W	OD	OD	IP20	LOSESO160L02	1.135					
Lycra cover only		•			LOSERR160L01	275					

Small table, table, floor and Pendant lamp.
Metal base in brushed nickel finish. Lampshade in cotton fabric or with removable and washable lycra-cover (that covers a lampshade in white cotton fabric).
Lycra cover in CL1 flame retardant.

Symbol index  → • / present - / absent OD / On Demand


LOST

Pendant lamp



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP	  IP
		CODE	€ EURO
7 lights cotton fabric	7 x E27 42 W	OD OD IP20 LOSESO190C02	1.135
7 lights cotton fabric + lycra	7 x E27 42 W	OD OD IP20 LOSESO190L02	1.405
Lycra cover only		• LOSESO190L01	275

Small table lamp



Small table lamp cotton fabric	1 x E14 28 W	OD OD IP20 LOSETP032C01	215
Small table lamp cotton fabric + lycra	1 x E14 28 W	OD OD IP20 LOSETP032L01	275
Lycra cover only		• LOSETP032L01	65

Table lamp




Table lamp cotton fabric	1 x E27 42 W HES	OD OD IP20 LOSETA046C01	275
Table lamp cotton fabric + lycra	1 x E27 42 W HES	OD OD IP20 LOSETA046L01	335
Lycra cover only		• LOSETA046L01	75

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

PAGE: **152**

Small table, table, floor and Pendant lamp.
 Metal base in brushed nickel finish. Lampshade in cotton fabric or with removable and washable lycra-cover (that covers a lampshade in white cotton fabric).
 Lycra cover in CL1 flame retardant.

Symbol index  → • / present - / absent OD / On Demand

LOST

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Accessory - Small table and table lamp



DIM switch universal HES (40/160W) + LED (4/100W)

DIMVAR0TA002

55

Floor lamp

Floor lamp cotton fabric

6 x E27 28 W HES

OD

OD

IP20

LOSEPT175C01

815

Floor lamp cotton fabric + lycra

6 x E27 28 W HES

OD

OD

IP20

LOSEPT175L01


1.050

Lycra cover only

•

LOSERR175L01

245



Accessory - Floor lamp



Universal DIM switch HES + LED (5/250W)

DIMVAR0PT003

85


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand


LOTO

Mini pendant lamp - ø 16 without plex




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTESE016P01	250					
Pendant lamp pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LOTESE016R01	255					

Medium pendant lamp - ø 43



Pendant pleated fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043P01	615					
Pendant lamp pleated ribbon	2 x E27 42 W HES	OD	OD	IP20	LOTESP043R01	625					

Medium pendant lamp - ø 43 LED



Pendant pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP043P02	790					
Pendant lamp pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP043P03	825					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP043P04	845					
Pendant lamp pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP043R02	800					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP043R03	835					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP043R04	855					

PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand

LOTO

Large pendant lamp - ø 60



60 cm
23.62''

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant pleated fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060P01	950					
Pendant lamp pleated ribbon	3 x E27 70 W HES	OD	OD	IP20	LOTESP060R01	970					

Large pendant lamp - ø 60 LED



60 cm
23.62''

Pendant pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP060P05	970					
Pendant lamp pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP060P06	1.010					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP060P07	1.040					
Pendant lamp pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP060R05	1.000					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP060R06	1.030					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	LOTESP060R07	1.060					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand


LOTO

Maxi pendant lamp - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080P01	1.460					
Pendant lamp pleated ribbon	4 x E27 70 W HES	OD	OD	IP20	LOTESP080R01	1.485					

Maxi pendant lamp - ø 80 LED



Pendant pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP080P05	1.510					
Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP080P06	1.590					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP080P07	1.600					
Pendant lamp pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP080R05	1.545					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP080R06	1.615					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP080R07	1.630					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand


LOTO

Mega pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100P01	1.785					
Pendant lamp pleated ribbon	4 x E27 70 W HES	OD	OD	IP20	LOTESP100R01	1.840					

Mega pendant lamp - ø 100 LED



Pendant pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP100P08	1.840					
Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP100P09	1.915					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP100P10	1.925					
Pendant lamp pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP100R08	1.895					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	LOTESP100R09	1.970					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD		LOTESP100R10	1.980					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand

LOTO

Mega pendant lamp - ø 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	LOTESP100P11	2.435					
Pendant lamp pleated fabric DIM DALI- Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	LOTESP100P12	2.585					
Pendant lamp pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	LOTESP100R11	2.490					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	LOTESP100R12	2.640					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand

LOTO

Extra pendant lamp - ø 140



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant pleated fabric

6 x E27 105 W HES

OD

OD

IP20

LOTESP140P01

3.785

Pendant lamp pleated ribbon

6 x E27 105 W HES

OD


OD

IP20

LOTESP140R01

3.895

Extra pendant lamp - ø 140 LED



Pendant lamp pleated fabric ON-OFF/
DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

OD

OD

IP20

LOTESP140P08

4.110

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 88,2 W -
11780 Lm - 2700 K

OD

OD

IP20

LOTESP140P09

4.265

Pendant lamp pleated ribbon ON-OFF/
DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

OD

OD

IP20

LOTESP140R08

4.215

Pendant lamp pleated ribbon DIM
DALI-Push DIM

1 led module 88,2 W -
11780 Lm - 2700 K

OD

OD

IP20

LOTESP140R09

4.370

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

Pendant lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.
 On demand, lamp in acoustic comfort with a price increase.

Symbol index  → • / present - / absent OD / On Demand


LOTO

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P01	320					
Wall lamp pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R01	325					

Wall lamp with switch



Wall lamp pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P02	340					
Wall lamp pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R02	345					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA


Small table lamp



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C01	255					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C02	255					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C03	285					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P01	300					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P02	300					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P03	320					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R01	305					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R02	305					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R03	325					

Console lamp



17 cm
6.69"

White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C01	255					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C02	255					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C03	285					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P01	300					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P02	300					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P03	320					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R01	305					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R02	305					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R03	325					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA


Office lamp - without switch



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C01	205					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C02	205					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C03	215					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P01	240					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P02	240					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P03	250					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R01	245					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R02	245					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R03	255					

Office lamp - with switch



17 cm
6.69"

White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C06	315					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C07	315					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C08	335					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P06	350					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P07	350					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P08	375					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R06	355					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R07	355					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R08	380					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA

Table lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUCETA068C01	300					
Black painted metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUCETA068C02	300					
Brushed nickel metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUCETA068C03	320					
White painted metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUCETA068P01	340					
Black painted metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUCETA068P02	340					
Brushed nickel metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUCETA068P03	360					
White painted metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUCETA068R01	350					
Black painted metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUCETA068R02	350					
Brushed nickel metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUCETA068R03	375					

Accessory Small table and table lamp



DIM switch universal HES (40/160W) + LED (4/100W)	DIMVAR0TA002	55	
---	--------------	----	--


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUCEPT150C01	520					
Black painted metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUCEPT150C02	520					
Brushed nickel metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUCEPT150C03	560					
White painted metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUCEPT150P01	555					
Black painted metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUCEPT150P02	555					
Brushed nickel metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUCEPT150P03	600					
White painted metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUCEPT150R01	565					
Black painted metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUCEPT150R02	565					
Brushed nickel metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUCEPT150R03	610					

Floor lamp



White painted metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C01	560					
Black painted metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C02	560					
Brushed nickel metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C03	605					
White painted metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P01	615					
Black painted metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P02	615					
Brushed nickel metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P03	660					
White painted metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R01	625					
Black painted metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R02	625					
Brushed nickel metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R03	670					

Accessory - Reading and floor lamp



Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	85			
---	--------------	----	--	--	--


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C01	240					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C02	240					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C03	265					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P01	285					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P02	285					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P03	305					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R01	290					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R02	290					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R03	310					

Wall lamp with switch



White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C06	265					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C07	265					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C08	290					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P06	305					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P07	305					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P08	325					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R06	310					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R07	310					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R08	330					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA


Pendant lamp - ø 19 without plex



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTESO019C01	200					
1 light washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTESO019T01	210					
1 light pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTESO019P01	215					
1 light pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTESO019R01	225					

Pendant lamp - ø 34 without plex



34 cm
13.39"

1 light cotton fabric	1 x E27 52 W	OD	OD	IP20	LUTESO034C01	255					
1 light washable fabric	1 x E27 52 W	OD	OD	IP20	LUTESO034T01	285					
1 light pleated fabric	1 x E27 52 W	•	OD	IP20	LUTESO034P01	310					
1 light pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUTESO034R01	325					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA


Pendant lamp - ø 43 without plex



43 cm
16.93"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E27 52 W	OD	OD	IP20	LUTESO043C01	300					
1 light washable fabric	1 x E27 52 W	OD	OD	IP20	LUTESO043T01	330					
1 light pleated fabric	1 x E27 52 W	•	OD	IP20	LUTESO043P01	350					
1 light pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUTESO043R01	375					

Small table lamp



19 cm
7.48"

White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C01	275					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C02	275					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C03	295					
White metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T01	285					
Black metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T02	285					
brushed nickel finishing washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T03	305					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042P01	310					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042P02	310					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042P03	330					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTETP042R01	315					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTETP042R02	315					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTETP042R03	335					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Console lamp



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR		
				CODE	€ EURO			CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20 LUTECN056C01	275				
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20 LUTECN056C02	275				
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20 LUTECN056C03	295				
White metal washable fabric	1 x E14 42 W HES	OD	OD	IP20 LUTECN056T01	285				
Black metal washable fabric	1 x E14 42 W HES	OD	OD	IP20 LUTECN056T02	285				
brushed nickel finishing washable fabric	1 x E14 42 W HES	OD	OD	IP20 LUTECN056T03	305				
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20 LUTECN056P01	310				
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20 LUTECN056P02	310				
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20 LUTECN056P03	330				
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20 LUTECN056R01	315				
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20 LUTECN056R02	315				
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20 LUTECN056R03	335				


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Office lamp – without switch



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C01	215					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C02	215					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C03	225					
White metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T01	225					
Black metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T02	225					
brushed nickel finishing washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T03	235					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052P01	250					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052P02	250					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052P03	265					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052R01	255					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052R02	255					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052R03	275					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Office lamp – with switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C06	325					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C07	325					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C08	345					
White metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T06	335					
Black metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T07	335					
brushed nickel finishing washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T08	355					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052P06	360					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052P07	360					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052P08	385					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052R06	370					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052R07	370					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052R08	390					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Table lamp



30 cm
11.81"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUTETA068C01	310					
Black painted metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUTETA068C02	310					
Brushed nickel metal cotton fabric	1 x E27 52 W	OD	OD	IP20	LUTETA068C03	330					
White metal washable fabric	1 x E27 52 W	OD	OD	IP20	LUTETA068T01	325					
Black metal washable fabric	1 x E27 52 W	OD	OD	IP20	LUTETA068T02	325					
brushed nickel finishing washable fabric	1 x E27 52 W	OD	OD	IP20	LUTETA068T03	345					
White painted metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUTETA068P01	350					
Black painted metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUTETA068P02	350					
Brushed nickel metal pleated fabric	1 x E27 52 W	•	OD	IP20	LUTETA068P03	375					
White painted metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUTETA068R01	360					
Black painted metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUTETA068R02	360					
Brushed nickel metal pleated ribbon	1 x E27 52 W	OD	OD	IP20	LUTETA068R03	385					

Accessory - Small table and table lamp	DIM switch universal HES (40/160W) + LED (4/100W)	DIMVAR0TA002	55
---	--	--------------	----




Pendant, small table, console, office, table, reading, floor and wall lamp.
Black or white matt painted or brushed nickel finishing metal structure.
Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C01	560					
Black painted metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C02	560					
Brushed nickel metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C03	605					
White metal washable fabric	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T01	585					
Black metal washable fabric	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T02	585					
brushed nickel finishing washable fabric	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T03	625					
White painted metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150P01	610					
Black painted metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150P02	610					
Brushed nickel metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150P03	655					
White painted metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150R01	620					
Black painted metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150R02	620					
Brushed nickel metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150R03	665					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C01	625					
Black painted metal cotton fabric	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C02	625					
Brushed nickel metal cotton fabric	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C03	685					
White metal washable fabric	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T01	660					
Black metal washable fabric	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T02	660					
brushed nickel finishing washable fabric	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T03	715					
White painted metal pleated fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180P01	685					
Black painted metal pleated fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180P02	685					
Brushed nickel metal pleated fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180P03	735					
White painted metal pleated ribbon	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180R01	700					
Black painted metal pleated ribbon	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180R02	700					
Brushed nickel metal pleated ribbon	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180R03	750					
Accessory - Reading and floor lamp	Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	85					




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Wall lamp - without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C01	250					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C02	250					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C03	275					
White metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T01	265					
Black metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T02	265					
brushed nickel finishing washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T03	285					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017P01	295					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017P02	295					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017P03	310					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017R01	300					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017R02	300					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017R03	315					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or brushed nickel finishing metal structure.
 Lampshade in cotton, washable, pleated fabric and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Wall lamp - with switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C06	280					
Black painted metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C07	280					
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C08	295					
White metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T06	290					
Black metal washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T07	290					
brushed nickel finishing washable fabric	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T08	305					
White painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017P06	315					
Black painted metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017P07	315					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017P08	330					
White painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017R06	320					
Black painted metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017R07	320					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017R08	335					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI


Mini pendant lamp - ø 40



40 cm
15.75"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040C01	325					
Pendant lamp velvet	1 x E27 42 W HES	OD	OD	IP20	MILESP040O01	380					
Pendant pleated fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040P01	390					
Pendant lamp pleated ribbon	1 x E27 42 W HES	OD	OD	IP20	MILESP040R01	400					

Medium pendant lamp - ø 80



80 cm
31.50"

Pendant lamp cotton fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080C01	970					
Pendant lamp velvet	4 x E27 70 W HES	OD	OD	IP20	MILESP080O01	1.135					
Pendant pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080P01	1.450					
Pendant lamp pleated ribbon	4 x E27 70 W HES	OD	OD	IP20	MILESP080R01	1.470					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Medium pendant lamp – ø 80 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080C05	1.080					
Pendant lamp cotton fabric DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080C06	1.155					
Pendant lamp cotton fabric DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080C07	1.200					
Pendant lamp velvet NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080O05	1.245					
Pendant lamp velvet DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080O06	1.320					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080O07	1.365					
Pendant pleated fabric NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080P05	1.560					
Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080P06	1.635					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080P07	1.675					
Pendant lamp pleated ribbon NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080R05	1.580					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080R06	1.655					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP080R07	1.695					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Large pendant lamp - ø 100 x h 35



100 cm
39.37"

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp cotton fabric

4 x E27 70 W HES

OD

OD

IP20

MILESP035C01

1.135

Pendant lamp velvet

4 x E27 70 W HES

OD

OD

IP20

MILESP035O01

1.275

Pendant pleated fabric

4 x E27 70 W HES

OD

OD

IP20

MILESP035P01

1.675

Pendant lamp pleated ribbon

4 x E27 70 W HES

OD

OD

IP20

MILESP035R01

1.705


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Large pendant lamp - ø 100 x h 35
 LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035C08	1.245					
Pendant lamp cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035C09	1.320					
Pendant lamp cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035C10	1.365					
Pendant lamp velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035O08	1.385					
Pendant lamp velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035O09	1.460					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035O10	1.500					
Pendant pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035P08	1.785					
Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035P09	1.860					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035P10	1.905					
Pendant lamp pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035R08	1.815					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035R09	1.895					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP035R10	1.935					

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Large pendant lamp - ø 100 x h 35
LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035C11	1.735					
Pendant lamp cotton fabric DIM DALI- Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035C12	1.895					
Pendant lamp velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035O11	1.870					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035O12	2.030					
Pendant lamp pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035P11	2.215					
Pendant lamp pleated fabric DIM DALI- Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035P12	2.380					
Pendant lamp pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035R11	2.245					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP035R12	2.410					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Maxi pendant lamp - ø 100 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060C01	1.190					
Pendant lamp velvet	4 x E27 70 W HES	OD	OD	IP20	MILESP060O01	1.510					
Pendant pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060P01	1.840					
Pendant lamp pleated ribbon	4 x E27 70 W HES	OD	OD	IP20	MILESP060R01	1.880					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Maxi pendant lamp - ø 100 x h 60
 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060C08	1.295					
Pendant lamp cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060C09	1.375					
Pendant lamp cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060C10	1.420					
Pendant lamp velvet NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060O08	1.620					
Pendant lamp velvet DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060O09	1.695					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060O10	1.745					
Pendant pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060P08	1.950					
Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060P09	2.020					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060P10	2.065					
Pendant lamp pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060R08	1.990					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060R09	2.065					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MILESP060R10	2.110					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Maxi pendant lamp - ø 100 x h 60 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060C11	1.785					
Pendant lamp cotton fabric DIM DALI- Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060C12	1.950					
Pendant lamp velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060O11	2.110					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060O12	2.275					
Pendant lamp pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060P11	2.435					
Pendant lamp pleated fabric DIM DALI- Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060P12	2.595					
Pendant lamp pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060R11	2.480					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	MILESP060R12	2.640					


PRODUCTS: Milleluci
DESIGN: Moduluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Mega pendant lamp – ø 120 x h 60



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp cotton fabric

4 x E27 70 W HES

OD

OD

IP20

MILESP120C01

1.840

Pendant lamp velvet

4 x E27 70 W HES

OD

OD

IP20

MILESP120O01

2.215

Pendant pleated fabric

4 x E27 70 W HES

OD

OD

IP20

MILESP120P01

2.520

Pendant lamp pleated ribbon

4 x E27 70 W HES

OD

OD

IP20

MILESP120R01


2.620

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Mega pendant lamp – ø 120 x h 60
LED




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120C08	1.950					
Pendant lamp cotton fabric DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120C09	2.020					
Pendant lamp cotton fabric DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120C10	2.065					
Pendant lamp velvet NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120O08	2.325					
Pendant lamp velvet DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120O09	2.400					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120O10	2.445					
Pendant pleated fabric NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120P08	2.630					
Pendant lamp pleated fabric DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120P09	2.705					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120P10	2.745					
Pendant lamp pleated ribbon NO DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120R08	2.725					
Pendant lamp pleated ribbon DIM TRIAC	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120R09	2.805					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W – 3900 Lm – 2700 K	OD	OD	IP20	MILESP120R10	2.845					

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Mega pendant lamp – ø 120 x h 60 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120C11	2.435					
Pendant lamp cotton fabric DIM DALI-Push DIM	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120C12	2.595					
Pendant lamp velvet ON-OFF/ DIM 1-10V	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120O11	2.815					
Pendant lamp velvet DIM DALI-Push DIM	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120O12	2.975					
Pendant lamp pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120P11	3.225					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120P12	3.385					
Pendant lamp pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120R11	3.320					
Pendant lamp pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W – 11780 Lm – 2700 K	OD	OD	IP20	MILESP120R12	3.480					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp in cotton, velvet, pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Extra pendant lamp - ø 150 x h 60



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant pleated fabric

6 x E27 70 W

OD

OD

IP20

MILESP150P01

3.405

Pendant lamp pleated ribbon

6 x E27 70 W

OD


OD

IP20

MILESP150R01

3.570

Extra pendant lamp - ø 150 x h 60 LED



Pendant lamp pleated fabric ON-OFF/ DIM 1-10V/ DALI -Push DIM

1 led module 108 W - 14500 Lm - 2700 K

OD

OD

IP20

MILESP150P05

4.000

Pendant lamp pleated ribbon ON-OFF/ DIM 1-10V/ DALI -Push DIM

1 led module 108 W - 14500 Lm - 2700 K

OD

OD

IP20

MILESP150R05

4.165

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Moby
DESIGN: Barazzuol + Malisan 2016

Floor lamp with metal base painted in white, anthracite and caramel colours.


Diffuser in opal satined white PMMA.

Diffuser also available in opal polycarbonate, in accordance with the CL1 (650°) fire normative, with price increase.

Symbol index  → • / present - / absent OD / On Demand

MOBY

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white / anthracite NO DIM	1 led module 72 W - 5780 Lm - 2700 K	OD	-	IP31	MYIEPT190M01	1.190					
Floor lamp white / anthracite DIM DALI-Push DIM	1 led module 72 W - 5780 Lm - 2700 K	OD	-	IP31	MYIEPT190M03	1.405					
Floor lamp cacopperl NO DIM	1 led module 72 W - 5780 Lm - 2700 K	OD	-	IP31	MYIEPT190M02	1.295					
Floor lamp cacopperl DIM DALI-Push DIM	1 led module 72 W - 5780 Lm - 2700 K	OD	-	IP31	MYIEPT190M04	1.510					

PRODUCTS: Moby Outdoor
DESIGN: Barazzuol + Malisan 2016

PAGE: **188**

Floor lamp with metal base painted in white, anthracite and caramel colours.

Diffuser in opal satined white PMMA.


Diffuser also available in opal polycarbonate, in accordance with the CL1 (650°) fire normative, with price increase.

Versione OUTDOOR: protezione delle parti metalliche dagli agenti atmosferici con Primer anticorrosivo e verniciatura a base poliestere a grande resistenza.

Symbol index  → • / present - / absent OD / On Demand

MOBY OUTDOOR

Floor lamp




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO		  IP	CODE	€ EURO	
Floor lamp white / anthracite NO DIM	1 led module 72 W - 5780 Lm - 3000 K					OD - IP44/65	MYOEPT190M01	1.460	
Floor lamp white / anthracite DIM DALI-Push DIM	1 led module 72 W - 5780 Lm - 3000 K					OD - IP44/65	MYOEPT190M03	1.675	
Floor lamp cacopperI NO DIM	1 led module 72 W - 5780 Lm - 3000 K					OD - IP44/65	MYOEPT190M02	1.570	
Floor lamp cacopperI DIM DALI-Push DIM	1 led module 72 W - 5780 Lm - 3000 K					OD - IP44/65	MYOEPT190M04	1.785	

Pendant, wall/ ceiling lamp in hand-finished pleated and pleated ribbon fabric.
 Central half-sphere diffuser in opal PMMA.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Large pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO100P04	1.575					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO100P05	1.700					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO100P06	1.700					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO100R04	1.605					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO100R05	1.735					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO100R06	1.735					

Maxi pendant lamp - ø 120




1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO120P04	1.840					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO120P05	1.965					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO120P06	1.965					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO120R04	1.880					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO120R05	2.005					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO120R06	2.005					

Pendant, wall/ ceiling lamp in hand-finished pleated and pleated ribbon fabric.
Central half-sphere diffuser in opal PMMA.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Mega pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO150P04	2.365					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO150P05	2.490					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO150P06	2.490					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO150R04	2.415					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO150R05	2.540					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOESO150R06	2.540					

Large wall/ceiling lamp - ø 100



1 light pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOEAP100P04	1.470					
1 light pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOEAP100P05	1.595					
1 light pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOEAP100P06	1.595					
1 light pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOEAP100R04	1.500					
1 light pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOEAP100R05	1.630					
1 light pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	MOOEAP100R06	1.630					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Mood Desnuda
DESIGN: Annarosa Romano + Bruno Menegon 2018

Pendant, wall/ ceiling lamp with black matt painted metal frame.

Symbol index  → • / present - / absent OD / On Demand

MOOD DESNUDA

Pendant lamp - ø 60


DESCRIPTION

1 light matt black

LIGHT SOURCE

1 x E27 70 W HES

INDOOR				OUTDOOR			
  IP	CODE	€ EURO		  IP	CODE	€ EURO	
• OD	IP20	MODESO060G02	410				



Pendant lamp - ø 100


DESCRIPTION

1 light matt black

LIGHT SOURCE

1 x E27 70 W HES

• OD IP20 MODESO100G02 595



PRODUCTS: Mood Desnuda
DESIGN: Annarosa Romano + Bruno Menegon 2018

Pendant, wall/ ceiling lamp with black matt painted metal frame.

Symbol index  → • / present - / absent OD / On Demand

MOOD DESNUDA

Pendant lamp - ø 120


DESCRIPTION

1 light matt black

LIGHT SOURCE

1 x E27 70 W HES

INDOOR				OUTDOOR			
  IP	CODE	€ EURO		  IP	CODE	€ EURO	
• OD	IP20	MODESO120G02	685				



Pendant lamp - ø 150


DESCRIPTION

1 light matt black

LIGHT SOURCE

1 x E27 70 W HES

• OD	IP20	MODESO150G02	875				
------	------	--------------	-----	--	--	--	--




Family of single or aggregable lamps to create different contract compositions.
White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Pendant globe - ø 25



25 cm
9.84"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 36	1 x E27 42 W HES	-	OD	IP20	MBLESO025M10	295					
Pendant lamp h 46	1 x E27 42 W HES	-	OD	IP20	MBLESO025M20	295					
Pendant lamp h 56	1 x E27 42 W HES	-	OD	IP20	MBLESO025M30	295					
Pendant lamp h 66	1 x E27 42 W HES	-	OD	IP20	MBLESO025M40	295					
Pendant lamp h 76	1 x E27 42 W HES	-	OD	IP20	MBLESO025M50	300					
Pendant lamp h 86	1 x E27 42 W HES	-	OD	IP20	MBLESO025M60	300					
Pendant lamp h 96	1 x E27 42 W HES	-	OD	IP20	MBLESO025M70	300					
Pendant lamp h 106	1 x E27 42 W HES	-	OD	IP20	MBLESO025M80	300					

Pendant globe - ø 30



30 cm
11.81"


Pendant lamp h 41	1 x E27 52 W	-	OD	IP20	MBLESO030M10	305					
Pendant lamp h 51	1 x E27 52 W	-	OD	IP20	MBLESO030M20	305					
Pendant lamp h 61	1 x E27 52 W	-	OD	IP20	MBLESO030M30	305					
Pendant lamp h 71	1 x E27 52 W	-	OD	IP20	MBLESO030M40	305					
Pendant lamp h 81	1 x E27 52 W	-	OD	IP20	MBLESO030M50	310					
Pendant lamp h 91	1 x E27 52 W	-	OD	IP20	MBLESO030M60	310					
Pendant lamp h 101	1 x E27 52 W	-	OD	IP20	MBLESO030M70	310					
Pendant lamp h 111	1 x E27 52 W	-	OD	IP20	MBLESO030M80	310					

Family of single or aggregable lamps to create different contract compositions.
White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


Pendant globe - ø 35



35 cm
13.78"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 46	1 x E27 52 W	-	OD	IP20	MBLESO035M10	345					
Pendant lamp h 56	1 x E27 52 W	-	OD	IP20	MBLESO035M20	345					
Pendant lamp h 66	1 x E27 52 W	-	OD	IP20	MBLESO035M30	345					
Pendant lamp h 76	1 x E27 52 W	-	OD	IP20	MBLESO035M40	345					
Pendant lamp h 86	1 x E27 52 W	-	OD	IP20	MBLESO035M50	350					
Pendant lamp h 96	1 x E27 52 W	-	OD	IP20	MBLESO035M60	350					
Pendant lamp h 106	1 x E27 52 W	-	OD	IP20	MBLESO035M70	350					
Pendant lamp h 116	1 x E27 52 W	-	OD	IP20	MBLESO035M80	350					

Pendant globe - ø 40



40 cm
15.75"


Pendant lamp h 51	1 x E27 70 W HES	-	OD	IP20	MBLESO040M10	370					
Pendant lamp h 61	1 x E27 70 W HES	-	OD	IP20	MBLESO040M20	370					
Pendant lamp h 71	1 x E27 70 W HES	-	OD	IP20	MBLESO040M30	370					
Pendant lamp h 81	1 x E27 70 W HES	-	OD	IP20	MBLESO040M40	370					
Pendant lamp h 91	1 x E27 70 W HES	-	OD	IP20	MBLESO040M50	375					
Pendant lamp h 101	1 x E27 70 W HES	-	OD	IP20	MBLESO040M60	375					
Pendant lamp h 111	1 x E27 70 W HES	-	OD	IP20	MBLESO040M70	375					
Pendant lamp h 121	1 x E27 70 W HES	-	OD	IP20	MBLESO040M80	375					

Family of single or aggregable lamps to create different contract compositions.
White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Pendant globe - ø 45



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 56	1 x E27 70 W HES	-	OD	IP20	MBLESO045M10	430					
Pendant lamp h 66	1 x E27 70 W HES	-	OD	IP20	MBLESO045M20	430					
Pendant lamp h 76	1 x E27 70 W HES	-	OD	IP20	MBLESO045M30	430					
Pendant lamp h 86	1 x E27 70 W HES	-	OD	IP20	MBLESO045M40	430					
Pendant lamp h 96	1 x E27 70 W HES	-	OD	IP20	MBLESO045M50	435					
Pendant lamp h 106	1 x E27 70 W HES	-	OD	IP20	MBLESO045M60	435					
Pendant lamp h 116	1 x E27 70 W HES	-	OD	IP20	MBLESO045M70	435					
Pendant lamp h 126	1 x E27 70 W HES	-	OD	IP20	MBLESO045M80	435					

Accessory - Cable/s cover white or black matt painted

Connection cables L 40 (electric cable included)	•	OD	IP20	MBLEAS000G01	70	
Connection cables L 80 (electric cable included)	•	OD	IP20	MBLEAS000G02	105	




Separate ceiling rose attachment	•	OD	IP20	MBLEAR000G01	100	
----------------------------------	---	----	------	--------------	-----	--

Family of single or aggregable lamps to create different contract compositions.
 White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 1 - (3 globes)



DESCRIPTION

LIGHT SOURCE

Composition with h 56 maximum
encumbrance

(1pz. d.25 h46 – 1pz. d.35 h56 – 1pz. d.30 h41 – 2 connections cables)



IP

CODE

€ EURO

-

OD

IP20

MBLECM056M03

1.080


OUTDOOR



IP

CODE

€ EURO



Composition with h 66 maximum
encumbrance

(1pz. d.25 h56 – 1pz. d.35 h66 – 1pz. d.30 h51 – 2 connections cables)


-

OD

IP20

MBLECM066M03

1.080



Composition with h 76 maximum
encumbrance

(1pz. d.25 h66 – 1pz. d.35 h76 – 1pz. d.30 h61 – 2 connections cables)


-

OD

IP20

MBLECM076M03

1.080



Composition with h 86 maximum
encumbrance

(1pz. d.25 h76 – 1pz. d.35 h86 – 1pz. d.30 h71 – 2 connections cables)


-

OD

IP20

MBLECM086M03

1.090



Composition with h 96 maximum
encumbrance

(1pz. d.25 h86 – 1pz. d.35 h96 – 1pz. d.30 h81 – 2 connections cables)


-

OD

IP20

MBLECM096M03

1.095



Composition with h 106 maximum
encumbrance

(1pz. d.25 h96 – 1pz. d.35 h106 – 1pz. d.30 h91 – 2 connections cables)

-

OD

IP20

MBLECM106M03


1.095

Family of single or aggregable lamps to create different contract compositions.
 White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 2 - (5 globes)



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Composition with h 66 maximum
encumbrance

-

OD

IP20

MBLECM066M05

2.020

(1 pc d.30 h41 - 1 pc d.35 h66 - 1 pc d.45 h66 - 1 pc d.40 h51 - 1 pc d.25 h56 - 4 connections cables)

Composition with h 76 maximum
encumbrance

-


OD

IP20

MBLECM076M05

2.020

(1 pc d.30 h51 - 1 pc d.35 h76 - 1 pc d.45 h76 - 1 pc d.40 h61 - 1 pc d.25 h66 - 4 connections cables)



Composition with h 86 maximum
encumbrance

-


OD

IP20

MBLECM086M05

2.030

(1 pc d.30 h61 - 1 pc d.35 h86 - 1 pc d.45 h86 - 1 pc d.40 h71 - 1 pc d.25 h76 - 4 connections cables)



Composition with h 96 maximum
encumbrance

-


OD

IP20

MBLECM096M05

2.035

(1pc d.30 h71 - 1 pc d.35 h96 - 1 pc d.45 h96 - 1 pc d.40 h81 - 1 pc d.25 h86- 4 connections cables)



Composition with h 106 maximum
encumbrance

-


OD

IP20

MBLECM106M05

2.050

(1 pc d.30 h81 - 1 pc d.35 h106 - 1 pc d.45 h106 - 1 pc d.40 h91 - 1 pc d.25 h96- 4 connections cables)



Composition with h 116 maximum
encumbrance

-


OD

IP20

MBLECM116M05

2.050

(1 pc d.30 h91 - 1 pc d.35 h116 - 1 pc d.45 h116 - 1 pc d.40 h101 - 1 pc d.25 h106- 4 connections cables)




Family of single or aggregable lamps to create different contract compositions.
White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 3 - (8 globes)



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Composition with h 66 maximum
encumbrance

-

OD

IP20

MBLECM066M08

3.340

(1 pc d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pc d.35 h66 - 7 connections cables)

Composition with h 76 maximum
encumbrance

-

OD

IP20

MBLECM076M08

3.340

(1 pc d.25 h66 - 2 pc d.40 h61 - 2 pc d.45 h76 - 2 pc d.30 h51 - 1 pc d.35 h76 - 7 connections cables)

Composition with h 86 maximum
encumbrance

-

OD

IP20

MBLECM086M08

3.350

(1 pc d.25 h76 - 2 pcs d.40 h71 - 2 pcs d.45 h86 - 2 pcs d.30 h61 - 1 pc d.35 h86 - 7 connections cables)

Composition with h 96 maximum
encumbrance

-

OD

IP20

MBLECM096M08

3.360

(1 pc d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pc d.35 h96 - 7 connections cables)

Composition with h 106 maximum
encumbrance

-

OD

IP20

MBLECM106M08

3.380

(1 pc d.25 h96 - 2 pcs d.40 h91 - 2 pcs d.45 h106 - 2 pcs d.30 h81 - 1 pc d.35 h106 - 7 connections cables)

Composition with h 116 maximum
encumbrance

-

OD

IP20

MBLECM116M08

3.380


(1 pc d.25 h106 - 2 pcs d.40 h101 - 2 pcs d.45 h116 - 2 pcs d.30 h91 - 1 pc d.35 h116 - 7 connections cables)

Family of single or aggregable lamps to create different contract compositions.
White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.

Symbol index  → • / present - / absent OD / On Demand


MULTIBALL

Composition type 4 - (12 globes)




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP	IP
		CODE	CODE
		€ EURO	€ EURO
Composition with h 66 maximum encumbrance		- OD IP20 MBLECM066M12 5.055	

(2 pcs d.25 h56 - 3 pcs d.40 h51 - 2 pcs d.30 h41 - 3 pcs d.45 h66 - 2 pcs d.35 h66 - 11 connections cables)




Composition with h 76 maximum encumbrance		- OD IP20 MBLECM076M12 5.055	
---	--	------------------------------	--

(2 pcs d.25 h66 - 3 pcs d.40 h61 - 2 pcs d.30 h51 - 3 pcs d.45 h76 - 2 pcs d.35 h76 - 11 connections cables)




Composition with h 86 maximum encumbrance		- OD IP20 MBLECM086M12 5.075	
---	--	------------------------------	--

(2 pcs d.25 h76 - 3 pcs d.40 h71 - 2 pcs d.30 h61 - 3 pcs d.45 h86 - 2 pcs d.35 h86 - 11 connections cables)




Composition with h 96 maximum encumbrance		- OD IP20 MBLECM096M12 5.095	
---	--	------------------------------	--

(2 pcs d.25 h86 - 3 pcs d.40 h81 - 2 pcs d.30 h71 - 3 pcs d.45 h96 - 2 pcs d.35 h96 - 11 connections cables)



Composition with h 106 maximum encumbrance		- OD IP20 MBLECM106M12 5.120	
--	--	------------------------------	--

(2 pcs d.25 h96 - 3 pcs d.40 h91 - 2 pcs d.30 h81 - 3 pcs d.45 h106 - 2 pcs d.35 h106 - 11 connections cables)



Composition with h 116 maximum encumbrance		- OD IP20 MBLECM116M12 5.120	
--	--	------------------------------	--


(2 pcs d.25 h106 - 3 pcs d.40 h101 - 2 pcs d.30 h91 - 3 pcs d.45 h116 - 2 pcs d.35 h116 - 11 connections cables)

Family of single or aggregable lamps to create different contract compositions.
 White or black painted metal rigid rods, available in different heights. Globes diffusers in white PMMA.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




Ø globes

- 1 — Ø 25
- 2 — Ø 35
- 3 — Ø 30
- Cables connections L 40

Composition type 2-A




Composition type 2-B




Ø globes

- 1 — Ø 30
- 2 — Ø 35
- 3 — Ø 45
- 4 — Ø 40
- 5 — Ø 25
- Cables connections L 40

Composition type 3-A




Composition type 3-B




Ø globes

- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 45
- 4 — Ø 30
- 5 — Ø 45
- 6 — Ø 35
- 7 — Ø 40
- 8 — Ø 30
- Cables connections L 40

Composition type 4-A



Composition type 4-B



Ø globes


- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 30
- 4 — Ø 45
- 5 — Ø 35
- 6 — Ø 40
- 7 — Ø 45
- 8 — Ø 35
- 9 — Ø 25
- 10 — Ø 45
- 11 — Ø 40
- 12 — Ø 30
- Cables connections L 40

Elliptical shape pendant lamp.
Metal structure painted in white and graphite (embossed finish) or in chrome galvanic finishing.
Diffuser horizontally sliding inside the structure, painted in white and graphite (embossed finish) or in galvanic finishings chrome, brass or copper.

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	NUCESO130G01	705					
Structure only chrome		•	OD	IP20	NUCESO130G02	1.245					
DIRECT LIGHT											
Kit 1 light white or graphite NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G01	400					
Kit 1 light chrome, brass, copper NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G02	535					
Kit 1 light white or graphite DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G06	545					
Kit 1 light chrome, brass, copper DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G07	685					
DOUBLE LIGHT EMISSION											
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G11	630					
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G12	765					
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G16	775					
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G17	915					


NOTE: to calculate the price of the pendant lamp add the structure to the kit 1 or 2 lights.

Elliptical shape pendant lamp.
Metal structure painted in white and graphite (embossed finish) or in chrome galvanic finishing.
Diffuser horizontally sliding inside the structure, painted in white and graphite (embossed finish) or in galvanic finishings chrome, brass or copper.

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 160



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Structure only white or graphite

• OD IP20 NUCESO160G01 840

Structure only chrome

• OD IP20 NUCESO160G02 1.460

DIRECT LIGHT

Kit 2 lights white or graphite NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G01 810

Kit 2 lights chrome, brass, copper NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G02 1.080

Kit 2 lights white or graphite DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G06 1.045

Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G07 1.320

DOUBLE LIGHT EMISSION

Kit 4 lights white or graphite NO DIM (installed) 4 led module 24W + 3W - 4500 Lm - 2800 K

• OD IP20 NUCEDD160G11 1.175

Kit 4 lights chrome, brass, copper NO DIM (installed) 4 led module 24W + 3W - 4500 Lm - 2800 K

• OD IP20 NUCEDD160G12 1.450


Kit 4 lights white or graphite DIM DALI Push-DIM (installed) 4 led module 24W + 3W - 4500 Lm - 2800 K

• OD IP20 NUCEDD160G16 1.410

Kit 4 lights chrome, brass, copper DIM DALI Push-DIM (installed) 4 led module 24W + 3W - 4500 Lm - 2800 K

• OD IP20 NUCEDD160G17 1.685

NOTE: to calculate the price of the pendant lamp add the structure to the kit 2 or 4 lights.




Connection single cable ceiling attachment available on demand

Pendante or ceiling lamp in hand-finished pleated or pleated ribbon fabric.
Metal structure: painted matt black or galvanized finishes: chrome, copper, brass.
Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Medium pendant lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric/ black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P42	625					
Pleated fabric/ chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P43	660					
Pleated fabric/ copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P44	660					
Pleated fabric/ brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P45	660					
Pleated ribbon/ black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R42	640					
Pleated ribbon/ chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R43	670					
Pleated ribbon/ copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R44	670					
Pleated ribbon/ brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R45	670					

Medium pendant lamp D.42 LED




Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P01	695					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P03	825					
Pleated ribbon NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R01	725					
Pleated ribbon DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R03	855					

Pendante or ceiling lamp in hand-finished pleated or pleated ribbon fabric.
Metal structure: painted matt black or galvanized finishes: chrome, copper, brass.
Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Large pendsnt lamp D.60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric/ black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P42	855					
Pleated fabric/ chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P43	920					
Pleated fabric/ copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P44	920					
Pleated fabric/ brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P45	920					
Pleated ribbon/ black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R42	870					
Pleated ribbon/ chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R43	935					
Pleated ribbon/ copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R44	935					
Pleated ribbon/ brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R45	935					

Large pendant lamp D.60 LED



Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P01	1.030					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P03	1.190					
Pleated ribbon NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R01	1.045					
Pleated ribbon DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R03	1.210					

PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendante or ceiling lamp in hand-finished pleated or pleated ribbon fabric.
 Metal structure: painted matt black or galvanized finishes: chrome, copper, brass.
 Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand

OLIVIA

Medium ceiling lamp D.42



42 cm
16.54"

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pleated fabric

1 x E27 42 W HES

OD

OD

IP20

OLIEPL042P41

625

Pleated ribbon

1 x E27 42 W HES

OD

OD

IP20

OLIEPL042R41

660

Medium ceiling lamp D.42 LED



42 cm
16.54"

Pleated fabric NO DIM

1 led module 12 W - 1110 Lm
- 2800 K

OD

-

IP20

OLIEPL042P01

715

Pleated fabric DIM DALI-Push DIM

1 led module 12 W - 1110 Lm
- 2800 K

OD

-

IP20

OLIEPL042P03

845

Pleated ribbon NO DIM

1 led module 12 W - 1110 Lm
- 2800 K

OD

-

IP20

OLIEPL042R01

745

Pleated ribbon DIM DALI-Push DIM

1 led module 12 W - 1110 Lm
- 2800 K

OD

-

IP20

OLIEPL042R03

875


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendante or ceiling lamp in hand-finished pleated or pleated ribbon fabric.
 Metal structure: painted matt black or galvanized finishes: chrome, copper, brass.
 Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand

OLIVIA

Large ceiling lamp D.60



40 cm
15.75"

60 cm
23.62"

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pleated fabric

1 x E27 70 W HES

OD

OD

IP20

OLIEPL060P41

875

Pleated ribbon

1 x E27 70 W HES

OD


OD

IP20

OLIEPL060R41

895

Large ceiling lamp D.60 LED



40 cm
15.75"

60 cm
23.62"

Pleated fabric NO DIM

1 led module 24 W - 2150 Lm
- 2800 K

OD

-

IP20

OLIEPL060P01

1.030

Pleated fabric DIM DALI-Push DIM

1 led module 24 W - 2150 Lm
- 2800 K

OD

-

IP20

OLIEPL060P03

1.190

Pleated ribbon NO DIM

1 led module 24 W - 2150 Lm
- 2800 K

OD

-

IP20

OLIEPL060R01

1.045

Pleated fabric DIM DALI-Push DIM

1 led module 24 W - 2150 Lm
- 2800 K

OD

-

IP20

OLIEPL060R03


1.210

Pendant and ceiling lamp in white painted metal. The lower bowl is also available in galvanized finishes: glossy chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

OMBRELLA


Medium pendant lamp D.60 LED



22 cm
8.66"
60 cm
23.63"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant white NO DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBESO060G01	530					
Pendant lamp white DIM TRIAC	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBESO060G04	595					
Pendant lamp white DIM DALI-Push DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBESO060G11	640					
Pendant white lower bowl in galvanized finishes NO DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBESO060G03	595					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBESO060G05	660					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBESO060G13	705					
LED temperature conversion filter from 3000K to 2700K	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	75					

Maxi pendant lamp D.80 LED



33 cm
13"
80 cm
31.49"


Pendant white NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO080G01	910					
Pendant lamp white DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO080G04	1.020					
Pendant lamp white DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO080G11	1.020					
Pendant white lower bowl in galvanized finishes NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO080G03	1.020					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO080G05	1.125					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO080G13	1.125					
LED temperature conversion filter from 3000K to 2700K	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					

Pendant and ceiling lamp in white painted metal. The lower bowl is also available in galvanized finishes: glossy chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Mega pendant lamp D.100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant white NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO100G01	1.030					
Pendant lamp white DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO100G04	1.135					
Pendant lamp white DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO100G11	1.135					
Pendant white lower bowl in galvanized finishes NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO100G03	1.135					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO100G05	1.245					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBESO100G13	1.245					
LED temperature conversion filter from 3000K to 2700K	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					

Medium ceiling lamp D.60 LED




Ceiling lamp white NO DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBEPLO60G01	550					
Ceiling lamp white DIM TRIAC	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBEPLO60G04	615					
Ceiling lamp white DIM DALI-Push DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBEPLO60G11	660					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBEPLO60G03	615					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBEPLO60G05	685					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	UMBEPLO60G13	725					
LED temperature conversion filter from 3000K to 2700K	1 led module 18,7 W - 2900 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	75					

Pendant and ceiling lamp in white painted metal. The lower bowl is also available in galvanized finishes: glossy chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Maxi ceiling lamp D.80 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL080G01	930					
Ceiling lamp white DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL080G04	1.040					
Ceiling lamp white DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL080G11	1.040					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL080G03	1.040					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL080G05	1.145					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL080G13	1.145					
LED temperature conversion filter from 3000K to 2700K	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					

Mega ceiling lamp D.100 LED




Ceiling lamp white NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL100G01	1.050					
Ceiling lamp white DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL100G04	1.155					
Ceiling lamp white DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL100G11	1.155					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL100G03	1.155					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL100G05	1.265					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	UMBEPL100G13	1.265					
LED temperature conversion filter from 3000K to 2700K	1 led module 26,7 W - 3900 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp PMMA fumé - ø 25



25 cm
9.84"

DESCRIPTION	LIGHT SOURCE			IP	INDOOR				IP	OUTDOOR	
					CODE	€ EURO				CODE	€ EURO
Pendant globe white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M01	430					
Pendant globe black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M02	430					
Pendant globe chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M03	490					
Pendant globe copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M04	490					
Pendant globe brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M05	490					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M06	465					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M07	465					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M08	520					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M09	520					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M10	520					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M11	550					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M12	550					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M13	605					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M14	605					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M15	605					

PRODUCTS: Orb
DESIGN: Büro Famos 2015


PAGE: **211**

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
 Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes PMMA fumé - ø 25 -
 ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M01	865					
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M02	865					
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M03	1.000					
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M04	1.000					
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M05	1.000					
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M06	930					
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M07	930					
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M08	1.060					
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M09	1.060					
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M10	1.060					
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M11	970					
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M12	970					
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M13	1.105					
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M14	1.105					
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBEC002M15	1.105					

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 3 globes PMMA fumé - ø 25 - white ceiling rose




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M01	1.405					
Composition black NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M02	1.405					
Composition chrome NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M03	1.570					
Composition copper NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M04	1.570					
Composition brass NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M05	1.570					
Composition white DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M06	1.460					
Composition black DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M07	1.460					
Composition chrome DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M08	1.620					
Composition copper DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M09	1.620					
Composition brass DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M10	1.620					
Composition white DIM DALI- Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M11	1.480					
Composition black DIM DALI- Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M12	1.480					
Composition chrome DIM DALI-Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M13	1.645					
Composition copper DIM DALI-Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M14	1.645					
Composition brass DIM DALI- Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	-	OD	IP20	ORBECM003M15	1.645					
Accessory:											
Price increase for ceiling rose in teh same colour as galvanized finishes structure					ROS200004201	380					

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 6 globes PMMA fumé - ø 25 - white ceiling rose



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M01	2.595					
Composition black NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M02	2.595					
Composition chrome NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M03	2.920					
Composition copper NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M04	2.920					
Composition brass NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M05	2.920					
Composition white DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M06	2.755					
Composition black DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M07	2.755					
Composition chrome DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M08	3.080					
Composition copper DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M09	3.080					
Composition brass DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M10	3.080					
Composition white DIM DALI- Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M11	2.650					
Composition black DIM DALI- Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M12	2.650					
Composition chrome DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M13	2.975					
Composition copper DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M14	2.975					
Composition brass DIM DALI- Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	-	OD	IP20	ORBECM006M15	2.975					
Accessory:											
Price increase for ceiling rose in teh same colour as galvanized finishes structure					ROS200004201	380					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp PMMA fumé - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant globe white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M01	650					
Pendant globe black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M02	650					
Pendant globe chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M03	845					
Pendant globe copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M04	845					
Pendant globe brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M05	845					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M06	705					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M07	705					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M08	900					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M09	900					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M10	900					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M11	725					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M12	725					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M13	920					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M14	920					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M15	920					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
 Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes PMMA fumé - ø 40 -
 ceiling rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M01	1.190					
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M02	1.190					
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M03	1.540					
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M04	1.540					
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M05	1.540					
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M06	1.245					
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M07	1.245					
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M08	1.590					
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M09	1.590					
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M10	1.590					
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M11	1.265					
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M12	1.265					
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M13	1.610					
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M14	1.610					
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M15	1.610					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp glass - ø 25



25 cm
9.84"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant globe white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K01	540					
Pendant globe black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K02	540					
Pendant globe chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K03	595					
Pendant globe copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K04	595					
Pendant globe brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K05	595					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K06	570					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K07	570					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K08	625					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K09	625					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K10	625					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K11	650					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K12	650					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K13	705					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K14	705					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K15	705					

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 25 - ceiling
rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K01	1.080					
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K02	1.080					
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K03	1.190					
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K04	1.190					
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K05	1.190					
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K06	1.145					
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K07	1.145					
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K08	1.255					
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K09	1.255					
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K10	1.255					
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K11	1.200					
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K12	1.200					
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K13	1.305					
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K14	1.305					
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K15	1.305					

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 3 globes glass - ø 25 -
white ceiling rose




		INDOOR					OUTDOOR				
DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K01	1.675					
Composition black NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K02	1.675					
Composition chrome NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K03	1.895					
Composition copper NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K04	1.895					
Composition brass NO DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K05	1.895					
Composition white DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K06	1.775					
Composition black DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K07	1.775					
Composition chrome DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K08	1.990					
Composition copper DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K09	1.990					
Composition brass DIM TRIAC	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K10	1.990					
Composition white DIM DALI- Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K11	1.795					
Composition black DIM DALI- Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K12	1.795					
Composition chrome DIM DALI-Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K13	2.010					
Composition copper DIM DALI-Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K14	2.010					
Composition brass DIM DALI- Push DIM	3 led module 8,5 W - 3x1335 Lm - 3000 K	•	OD	IP20	ORBECM003K15	2.010					
Accessory:											
Price increase for ceiling rose in teh same colour as galvanized finishes structure		ROS200004201					380				

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 6 globes glass - ø 25 - white ceiling rose



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K01	3.245					
Composition black NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K02	3.245					
Composition chrome NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K03	3.460					
Composition copper NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K04	3.460					
Composition brass NO DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K05	3.460					
Composition white DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K06	3.440					
Composition black DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K07	3.440					
Composition chrome DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K08	3.655					
Composition copper DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K09	3.655					
Composition brass DIM TRIAC	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K10	3.655					
Composition white DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K11	3.365					
Composition black DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K12	3.365					
Composition chrome DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K13	3.580					
Composition copper DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K14	3.580					
Composition brass DIM DALI-Push DIM	6 led module 8,5 W - 6x 1335 Lm - 3000 K	•	OD	IP20	ORBECM006K15	3.580					
Accessory:											
Price increase for ceiling rose in teh same colour as galvanized finishes structure					ROS200004201	380					

PRODUCTS: Orb
DESIGN: Büro Famos 2015


PAGE: 220

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
 Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp glass - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant globe white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K01	865					
Pendant globe black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K02	865					
Pendant globe chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K03	1.080					
Pendant globe copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K04	1.080					
Pendant globe brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K05	1.080					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K06	910					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K07	910					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K08	1.125					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K09	1.125					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K10	1.125					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K11	980					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K12	980					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K13	1.200					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K14	1.200					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K15	1.200					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single pendant lamp or on cluster composition. Globe diffuser in smoked PMMA or glass.
Painted matt white or black metal structure or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass- ø 40 - ceiling
rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K01	1.735					
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K02	1.735					
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K03	2.165					
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K04	2.165					
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K05	2.165					
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K06	1.815					
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K07	1.815					
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K08	2.245					
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K09	2.245					
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K10	2.245					
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K11	1.850					
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K12	1.850					
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K13	2.285					
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K14	2.285					
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD	IP20	ORBECs040K15	2.285					

PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004


PAGE: **222**

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100C05	920					
Washable fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100T05	975					
Velvet	6 x E27 42 W HES	OD	OD	IP20	OTTESP100O05	1.015					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100P05	1.065					
Pleated ribbon	6 x E27 42 W HES	OD	OD	IP20	OTTESP100R05	1.105					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE LED

Pendant lamp - L 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100C06	1.030					
Washable fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100T06	1.085					
Velvet NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100O06	1.120					
Pleated fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100P06	1.175					
Pleated ribbon NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100R06	1.215					
Cotton fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100C07	1.090					
Washable fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100T07	1.150					
Velvet DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100O07	1.180					
Pleated fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100P07	1.240					
Pleated ribbon DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100R07	1.275					
Cotton fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100C08	1.125					
Washable fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100T08	1.180					
Velvet DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100O08	1.215					
Pleated fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100P08	1.270					
Pleated ribbon DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	OTTESP100R08	1.305					

PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004


PAGE: **224**

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 150




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150C05	1.340					
Washable fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150T05	1.405					
Velvet	8 x E27 42 W HES	OD	OD	IP20	OTPESP150O05	1.450					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150P05	1.495					
Pleated ribbon	8 x E27 42 W HES	OD	OD	IP20	OTPESP150R05	1.545					

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE LED

Pendant lamp - L 150 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150C06	1.540					
Washable fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150T06	1.600					
Velvet NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150O06	1.645					
Pleated fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150P06	1.690					
Pleated ribbon NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150R06	1.740					
Cotton fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150C07	1.635					
Washable fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150T07	1.695					
Velvet DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150O07	1.740					
Pleated fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150P07	1.785					
Pleated ribbon DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150R07	1.830					
Cotton fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150C08	1.745					
Washable fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150T08	1.805					
Velvet DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150O08	1.850					
Pleated fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150P08	1.900					
Pleated ribbon DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPESP150R08	1.945					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ceiling lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100C05	900					
Washable fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100T05	955					
Velvet	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100O05	985					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100P05	1.045					
Pleated ribbon	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100R05	1.080					

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE LED

Wall/ceiling lamp - L 100
LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR		
				CODE	€ EURO			CODE	€ EURO
Cotton fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100C06	1.000				
Washable fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100T06	1.055				
Velvet NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100O06	1.085				
Pleated fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100P06	1.140				
Pleated ribbon NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100R06	1.180				
Cotton fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100C07	1.060				
Washable fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100T07	1.120				
Velvet DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100O07	1.150				
Pleated fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100P07	1.200				
Pleated ribbon DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100R07	1.245				
Cotton fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100C08	1.090				
Washable fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100T08	1.250				
Velvet DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100O08	1.280				
Pleated fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100P08	1.335				
Pleated ribbon DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20 OTTEAP100R08	1.370				

PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004


PAGE: **228**

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ceiling lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150C05	1.355					
Washable fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150T05	1.420					
Velvet	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150O05	1.460					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150P05	1.505					
Pleated ribbon	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150R05	1.555					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant and wall/ ceiling lamp in cotton, washable, velvet, pleated and pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE LED

Wall/ceiling lamp - L 150
 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR		
				CODE	€ EURO			CODE	€ EURO
Cotton fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150C06	1.470			
Washable fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150T06	1.540			
Velvet NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150O06	1.580			
Pleated fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150P06	1.630			
Pleated ribbon NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150R06	1.670			
Cotton fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150C07	1.565			
Washable fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150T07	1.635			
Velvet DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150O07	1.675			
Pleated fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150P07	1.720			
Pleated ribbon DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150R07	1.765			
Cotton fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150C08	1.670			
Washable fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150T08	1.740			
Velvet DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150O08	1.780			
Pleated fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150P08	1.825			
Pleated ribbon DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	OTPEAP150R08	1.870			

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Pin Up
DESIGN: Francesca Smiraglia 2018

Pendant lamp with diffuser in white matt ceramic or in the following Deluxe colours: lead grey, caramel, swamp green, matt gold.

Symbol index  → • / present - / absent OD / On Demand

PIN UP

Pendant lamp


DESCRIPTION

Diffuser ceramic white matt/
Deluxe colours

LIGHT SOURCE

1 x E27 70 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	PIUESO033H01	540					




Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Medium pendant lamp – 50 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 3 lights	3 x E27 52 W	OD	OD	IP20	QUAESP050C01	605					
Pleated fabric 3 lights	3 x E27 52 W	OD	OD	IP20	QUAESP050P01	705					
Pleated ribbon 3 lights	3 x E27 52 W	OD	OD	IP20	QUAESP050R01	725					

Medium pendant lamp – 50 x 50 LED




Cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050C05	650					
Cotton fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050C06	685					
Cotton fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050C07	755					
Pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050P05	745					
Pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050P06	775					
Pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050P07	855					
Pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050R05	765					
Pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050R06	800					
Pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAESP050R07	875					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Large pendant lamp - 70 x 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 70 W HES	OD	OD	IP20	QUAESP070C01	815					
Pleated fabric 4 lights	4 x E27 70 W HES	OD	OD	IP20	QUAESP070P01	1.030					
Pleated ribbon 4 lights	4 x E27 70 W HES	OD	OD	IP20	QUAESP070R01	1.060					

Large pendant lamp - 70 x 70 LED




Cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070C05	970					
Cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070C06	1.050					
Cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070C07	1.050					
Pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070P05	1.245					
Pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070P06	1.320					
Pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070P07	1.320					
Pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070R05	1.275					
Pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070R06	1.355					
Pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP070R07	1.355					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Maxi pendant lamp - 100 x 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 70 W HES	OD	OD	IP20	QUAESP100C01	1.460					
Pleated fabric 4 lights	4 x E27 70 W HES	OD	OD	IP20	QUAESP100P01	1.950					
Pleated ribbon 4 lights	4 x E27 70 W HES	OD	OD	IP20	QUAESP100R01	2.000					

Maxi pendant lamp - 100 x 100 LED




Cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100C08	1.570					
Cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100C09	1.645					
Cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100C10	1.645					
Pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100P08	2.055					
Pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100P09	2.130					
Pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100P10	2.130					
Pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100R08	2.110					
Pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100R09	2.185					
Pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAESP100R10	2.185					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Maxi pendant lamp - 100 x 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAESP100C11	2.165					
Cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAESP100C12	2.325					
Pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAESP100P11	2.650					
Pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAESP100P12	2.815					
Pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAESP100R11	2.705					
Pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAESP100R12	2.865					

Medium ceiling lamp - 50 x 50




Cotton fabric 3 lights	3 x E27 42 W HES	OD	OD	IP20	QUAEPL050C01	605					
Pleated fabric 3 lights	3 x E27 42 W HES	OD	OD	IP20	QUAEPL050P01	705					
Pleated ribbon 3 lights	3 x E27 42 W HES	OD	OD	IP20	QUAEPL050R01	725					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Medium ceiling lamp - 50 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 3 lights	3 x E27 42 W HES	OD	OD	IP20	QUAEPL050C01	605					
Pleated fabric 3 lights	3 x E27 42 W HES	OD	OD	IP20	QUAEPL050P01	705					
Pleated ribbon 3 lights	3 x E27 42 W HES	OD	OD	IP20	QUAEPL050R01	725					

Medium ceiling lamp - 50 x 50 LED




Cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050C05	640					
Cotton fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050C06	670					
Cotton fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050C07	745					
Pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050P05	735					
Pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050P06	765					
Pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050P07	845					
Pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050R05	755					
Pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050R06	790					
Pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	QUAEPL050R07	865					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Large ceiling lamp - 70 x 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 42 W HES	OD	OD	IP20	QUAEPL070C01	815					
Pleated fabric 4 lights	4 x E27 42 W HES	OD	OD	IP20	QUAEPL070P01	1.030					
Pleated ribbon 4 lights	4 x E27 42 W HES	OD	OD	IP20	QUAEPL070R01	1.060					

Large ceiling lamp - 70 x 70 LED




Cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070C05	920					
Cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070C06	1.000					
Cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070C07	1.000					
Pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070P05	1.135					
Pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070P06	1.215					
Pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070P07	1.215					
Pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070R05	1.165					
Pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070R06	1.245					
Pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL070R07	1.245					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Maxi ceiling lamp - 100 x 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 42 W HES	OD	OD	IP20	QUAEPL100C01	1.460					
Pleated fabric 4 lights	4 x E27 42 W HES	OD	OD	IP20	QUAEPL100P01	1.950					
Pleated ribbon 4 lights	4 x E27 42 W HES	OD	OD	IP20	QUAEPL100R01	2.000					

Maxi ceiling lamp - 100 x 100 LED




Cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100C08	1.570					
Cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100C09	1.645					
Cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100C10	1.645					
Pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100P08	2.055					
Pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100P09	2.130					
Pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100P10	2.130					
Pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100R08	2.110					
Pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100R09	2.185					
Pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	QUAEPL100R10	2.185					

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand

QUADRATO

Maxi ceiling lamp - 100 x 100 LED



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAEPL100C11	1.925					
Cotton fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAEPL100C12	2.040					
Pleated fabric ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAEPL100P11	2.410					
Pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAEPL100P12	2.530					
Pleated ribbon ON-OFF/ DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAEPL100R11	2.470					
Pleated ribbon DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	OD	OD	IP20	QUAEPL100R12	2.585					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Square pendant, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric. Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Mini wall lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp cotton fabric	1 x E27 28 W HES	OD	OD	IP20	QUAEAP024C01	180					
Wall lamp pleated fabric	1 x E27 28 W HES	•	OD	IP20	QUAEAP024P01	215					
Wall lamp pleated ribbon	1 x E27 28 W HES	OD	OD	IP20	QUAEAP024R01	220					

Medium wall lamp




Wall lamp cotton fabric	2 x E27 42 W HES	OD	OD	IP20	QUAEAP040C01	275					
Wall lamp pleated fabric	2 x E27 42 W HES	•	OD	IP20	QUAEAP040P01	345					
Wall lamp pleated ribbon	2 x E27 42 W HES	OD	OD	IP20	QUAEAP040R01	355					

Rectangular pendant and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Medium suspension lamp - L 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090C01	775					
Pendant pleated fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090P01	980					
Pendant lamp pleated ribbon	3 x E27 42 W HES	OD	OD	IP20	RETESP090R01	1.010					

Large suspension lamp - L 120



Pendant lamp cotton fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120C01	920					
Pendant pleated fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120P01	1.255					
Pendant lamp pleated ribbon	4 x E27 42 W HES	OD	OD	IP20	RETESP120R01	1.285					


PRODUCTS: Rettangolo
DESIGN: Modoluce R&D 2005

Rectangular pendant and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO

Maxi suspension lamp - L 150




DESCRIPTION **LIGHT SOURCE**

Pendant pleated fabric 6 x E27 52 W

Pendant lamp pleated ribbon 6 x E27 52 W

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	RETESP150P02	2.335					
OD	OD	IP20	RETESP150R02	2.390					

Mega suspension lamp - L 300



Pendant pleated fabric 12 x E27 52 W

Pendant lamp pleated ribbon fabric 12 x E27 52 W


OD	OD	IP20	RETESP300P02	4.380						
OD	OD	IP20	RETESP300R02	4.490						

Rectangular pendant and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO

Medium wall lamp - L 40 x H 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 42 W HES	OD	OD	IP20	RETEAP025C01	235					
1 light pleated fabric	1 x E27 42 W HES	•	OD	IP20	RETEAP025P01	250					
1 light pleated ribbon	1 x E27 42 W HES	OD	OD	IP20	RETEAP025R01	265					
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP025C02	245					
2 lights pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP025P02	265					
2 lights pleated ribbon	2 x E27 42 W HES	OD	OD	IP20	RETEAP025R02	280					

Medium wall lamp - L 25 x H 40




1 light cotton	1 x E27 42 W HES	OD	OD	IP20	RETEAP040C01	225					
1 light pleated fabric	1 x E27 42 W HES	•	OD	IP20	RETEAP040P01	245					
1 light pleated ribbon	1 x E27 42 W HES	OD	OD	IP20	RETEAP040R01	255					
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP040C02	235					
2 lights pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP040P02	255					
2 lights pleated ribbon	2 x E27 42 W HES	OD	OD	IP20	RETEAP040R02	275					

Rectangular pendant and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Opal plex finishing disk underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Wall lamp - L 30 x H 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP060C01	285					
Pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP060P01	390					
Pleated ribbon	2 x E27 42 W HES	OD	OD	IP20	RETEAP060R01	405					

Vertical/horizontal wall lamp - L 25 x H 160 (with opal plexiglas finishing panels at the sides)



6 lights cotton	6 x E27 42 W HES	OD	OD	IP20	RETEAP160C13	920					
6 lights pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RETEAP160P13	1.215					
6 lights pleated ribbon	6 x E27 42 W HES	OD	OD	IP20	RETEAP160R13	1.245					




Pendant and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO SLIM

Large suspension lamp - 100 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100C01	950					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100P01	1.165					
Pleated ribbon	6 x E27 42 W HES	OD	OD	IP20	RESESP100R01	1.190					

Large suspension lamp - 100 x 50 LED



Cotton fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100C05	1.060					
Cotton fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100C06	1.125					
Cotton fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100C07	1.155					
Pleated fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100P05	1.275					
Pleated fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100P06	1.340					
Pleated fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100P07	1.375					
Pleated ribbon NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100R05	1.295					
Pleated ribbon DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100R06	1.365					
Pleated ribbon DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESESP100R07	1.395					


PRODUCTS: Rettangolo Slim
DESIGN: Moduluce R&D 2013

Pendant and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO SLIM

Maxi suspension lamp – 150 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150C01	1.225					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150P01	1.655					
Pleated ribbon	8 x E27 42 W HES	OD	OD	IP20	RESESP150R01	1.685					

Maxi suspension lamp – 150 x 50 LED



Cotton fabric NO DIM	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150C05	1.395					
Cotton fabric DIM TRIAC	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150C06	1.490					
Cotton fabric DIM DALI-Push DIM	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150C07	1.600					
Pleated fabric NO DIM	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150P05	1.825					
Pleated fabric DIM TRIAC	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150P06	1.925					
Pleated fabric DIM DALI-Push DIM	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150P07	2.030					
Pleated ribbon NO DIM	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150R05	1.860					
Pleated ribbon DIM TRIAC	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150R06	1.960					
Pleated ribbon DIM DALI-Push DIM	3 led module 19,3 W – 8700 Lm – 2700 K	OD	OD	IP20	RESESP150R07	2.065					

Pendant and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
One side frosted plex finishing disk underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Large ceiling lamp - 100 x 50



100 cm
39.4"

50 cm
19.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100C01	950					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100P01	1.165					
Pleated ribbon	6 x E27 42 W HES	OD	OD	IP20	RESEPL100R01	1.190					

Large ceiling lamp - 100 x 50 LED



100 cm
39.4"

50 cm
19.69"


Cotton fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100C05	1.000					
Cotton fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100C06	1.060					
Cotton fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100C07	1.090					
Pleated fabric NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100P05	1.215					
Pleated fabric DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100P06	1.275					
Pleated fabric DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100P07	1.305					
Pleated ribbon NO DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100R05	1.235					
Pleated ribbon DIM TRIAC	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100R06	1.295					
Pleated ribbon DIM DALI-Push DIM	2 led module 19,3 W - 5800 Lm - 2700 K	OD	OD	IP20	RESEPL100R07	1.330					

PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

Pendant and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing disk underneath.


Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM



	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
Maxi ceiling lamp - 150 x 50	Cotton fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150C01	1.245					
	Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150P01	1.675					
	Pleated ribbon	8 x E27 42 W HES	OD	OD	IP20	RESEPL150R01	1.705					

Maxi ceiling lamp - 150 x 50 LED



Cotton fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150C05	1.325	
Cotton fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150C06	1.425	
Cotton fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150C07	1.530	
Pleated fabric NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150P05	1.760	
Pleated fabric DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150P06	1.855	
Pleated fabric DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150P07	1.965	
Pleated ribbon NO DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150R05	1.790	
Pleated ribbon DIM TRIAC	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150R06	1.885	
Pleated ribbon DIM DALI-Push DIM	3 led module 19,3 W - 8700 Lm - 2700 K	OD	OD	IP20	RESEPL150R07	1.995	


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant in cotton fabric, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.

Symbol index  → • / present - / absent OD / On Demand

REVERSE

BASIC A - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060C04	1.080					
Cotton fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060C05	1.115					
Cotton fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060C06	1.165					
Pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060P04	1.230					
Pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060P05	1.260					
Pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060P06	1.315					
Pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060R04	1.180					
Pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060R05	1.215					
Pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REAESO060R06	1.265					

Pendant in cotton fabric, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.

Symbol index  → • / present - / absent OD / On Demand

REVERSE

BASIC B - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060C04	1.105					
Cotton fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060C06	1.135					
Cotton fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060C05	1.190					
Pleated fabric NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060P04	1.235					
Pleated fabric DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060P05	1.265					
Pleated fabric DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060P06	1.320					
Pleated ribbon NO DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060R04	1.165					
Pleated ribbon DIM TRIAC	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060R05	1.200					
Pleated ribbon DIM DALI-Push DIM	1 led module 19,3 W - 2900 Lm - 2700 K	OD	OD	IP20	REBESO060R06	1.255					

Pendant in cotton fabric, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.

Symbol index  → • / present - / absent OD / On Demand

REVERSE

BASIC A - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080C07	1.395					
Cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080C08	1.470					
Cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080C09	1.480					
Pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080P07	1.550					
Pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080P08	1.620					
Pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080P09	1.635					
Pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080R07	1.480					
Pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080R08	1.560					
Pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REAESO080R09	1.570					

Pendant in cotton fabric, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.

Symbol index  → • / present - / absent OD / On Demand

REVERSE

BASIC B - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080C07	1.420					
Cotton fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080C08	1.490					
Cotton fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080C09	1.500					
Pleated fabric NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080P07	1.570					
Pleated fabric DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080P08	1.645					
Pleated fabric DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080P09	1.655					
Pleated ribbon NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080R07	1.500					
Pleated ribbon DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080R08	1.580					
Pleated ribbon DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	OD	OD	IP20	REBESO080R09	1.590					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Righello
DESIGN: Arturo Bellese 2018

Rectangular pendant and wall lamp with double light emission. Lampshade in bicoloured soft textile.
 On demand, lamp in acoustic comfort.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand

RIGHELLO

Suspension lamp - L 125



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO

Pendant lamp NO DIM

2 linear modules 48 W -
7680 Lm - 3000 K



OD IP20

RIGESO125L01

1.675

Pendant lamp DIM DALI-Push DIM

2 linear modules 48 W -
7680 Lm - 3000 K



OD IP20

RIGESO125L02

1.735

INDOOR

OUTDOOR




IP

CODE

€ EURO

Suspension lamp - L 160



Pendant lamp NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K



OD IP20

RIGESO160L01

1.950

Pendant lamp DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K



OD IP20

RIGESO160L02

2.000


PRODUCTS: Righello
DESIGN: Arturo Bellese 2018

Rectangular pendant and wall lamp with double light emission. Lampshade in bicoloured soft textile.
 On demand, lamp in acoustic comfort.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand

RIGHELLO

Wall lamp - L 125



DESCRIPTION

LIGHT SOURCE



INDOOR

CODE

€ EURO



OUTDOOR

CODE

€ EURO

Wall lamp NO DIM

2 linear modules 48 W -
7680 Lm - 3000 K

• OD IP20

RIGEAP125L01

1.255

Wall lamp DIM DALI-Push DIM


2 linear modules 48 W -
7680 Lm - 3000 K

• OD IP20

RIGEAP125L02

1.305

Wall lamp - L 160



Wall lamp NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

• OD IP20

RIGEAP160L01

1.460

Wall lamp DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

• OD IP20

RIGEAP160L02


1.510

Pendant, wall and ceiling lamp with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand


RING

Large suspension lamp - L 85 LED



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RINESO085L04	970					
1 light lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RINESO085L05	1.050					
1 light lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RINESO085L06	1.090					
Lycra cover only		•			RINERR085L01	285					

Maxi suspension lamp - L 125 LED




1 light lycra ON-OFF/DIM 1-10V	1 led module 88,2 W - 11780 Lm - 2700 K	•	OD	IP20	RINESO125L07	1.460					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 11780 Lm - 2700 K	•	OD	IP20	RINESO125L08	1.635					
Lycra cover only		•			RINERR125L01	335					

Pendant, wall and ceiling lamp with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand

RING

Large wall/ceiling lamp - L 85 LED



85 cm
33.46"

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

1 light lycra NO DIM

1 led module 29,3 W -
3900 Lm - 2700 K

•

OD

IP20

RINEAP085L04

875

1 light lycra DIM TRIAC

1 led module 29,3 W -
3900 Lm - 2700 K

•

OD

IP20

RINEAP085L05

950

1 light lycra DIM DALI-Push DIM

1 led module 29,3 W -
3900 Lm - 2700 K

•

OD

IP20

RINEAP085L06

950


Lycra cover only

•

RINERR085L01

285

Maxi wall/ceiling lamp - L 125 LED



125 cm
49.21"

1 light lycra ON-OFF/DIM 1-10V

1 led module 88,2 W - 11780 Lm
- 2700 K

•

OD

IP20

RINEAP125L07

1.355

1 light lycra DIM DALI-Push DIM

1 led module 88,2 W - 11780 Lm
- 2700 K

•

OD

IP20

RINEAP125L08

1.525

Lycra cover only

•

RINERR125L01

335


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand

RING TONDA


Medium suspension lamp - D. 65 LED



65 cm
25.59"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RITESO065L04	1.030					
1 light lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RITESO065L05	1.105					
1 light lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RITESO065L06	1.145					
Lycra cover only		•			RITERR065L01	225					

Large suspension lamp - D. 85 LED



85 cm
33.46"


1 light lycra ON-OFF/DIM 1-10V	1 led module 57 W - 8700 Lm - 2700 K	•	OD	IP20	RITESO085L09	1.285					
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8700 Lm - 2700 K	•	OD	IP20	RITESO085L10	1.395					
Lycra cover only		•			RITERR085L01	285					

Pendant, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand

RING TONDA

Large suspension lamp - D. 85 LED



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

1 light lycra ON-OFF/DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

•

OD

IP20

RITESO085L07

1.395

1 light lycra DIM DALI-push DIM

1 led module 88,2 W -
11780 Lm - 2700 K

•

OD

IP20

RITESO085L08

1.570


Lycra cover only

•

RITERR110L01

335

Maxi suspension lamp - D. 110 LED



1 light lycra ON-OFF/DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

•

OD

IP20

RITESO110L07

1.620

1 light lycra DIM DALI-Push DIM

1 led module 88,2 W -
11780 Lm - 2700 K

•

OD

IP20

RITESO110L08

1.795

Lycra cover only

•

RITERR110L01


335

Pendant, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand

RING TONDA


Medium wall/ceiling lamp - D. 65 LED



65 cm
25.59"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RITEAP065L04	920					
1 light lycra DIM TRIAC	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RITEAP065L05	1.000					
1 light lycra DIM DALI-Push DIM	1 led module 29,3 W - 3900 Lm - 2700 K	•	OD	IP20	RITEAP065L06	1.000					
Lycra cover only		•			RITERR065L01	225					

Large wall/ceiling lamp - D. 85 LED



85 cm
33.36"


1 light lycra ON-OFF/DIM 1-10V	1 led module 57 W - 8700 Lm - 2700 K	•	OD	IP20	RITEAP085L09	1.190					
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8700 Lm - 2700 K	•	OD	IP20	RITEAP085L10	1.305					
Lycra cover only		•			RITERR085L01	285					

Pendant, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand

RING TONDA

Large wall/ceiling lamp - D. 85 LED



DESCRIPTION

LIGHT SOURCE

1 light lycra ON-OFF/DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

1 light lycra DIM DALI-push DIM

1 led module 88,2 W -
11780 Lm - 2700 K

Lycra cover only



IP

CODE

€ EURO

•

OD

IP20

RITEAP085L07

1.355

•

OD

IP20

RITEAP085L08

1.510

•

RITERR085L01

285

INDOOR

OUTDOOR




IP

CODE

€ EURO

Maxi wall/ceiling lamp - D. 110 LED



1 light lycra ON-OFF/DIM 1-10V

1 led module 88,2 W -
11780 Lm - 2700 K

1 light lycra DIM DALI-push DIM

1 led module 88,2 W -
11780 Lm - 2700 K

Lycra cover only

•

OD

IP20

RITEAP110L07

1.570

•

OD

IP20

RITEAP110L08

1.745

•

RITERR110L01

335


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, small table, table, reading and floor lamp.
Metal structure in nickel frosted finishing.
Lampshade in cotton or hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Small suspension lamp - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025C01	255					
Cotton fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025C01	295					
Pleated fabric without plex	1 x E27 42 W HES	•	OD	IP20	ROMESO025P01	280					
Pleated fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025P01	320					
Pleated ribbon without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025R01	290					
Pleated ribbon with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025R01	330					

Medium suspension lamp - ø 40



Cotton fabric without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040C01	320					
Cotton fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040C01	375					
Pleated fabric without plex	1 x E27 70 W HES	•	OD	IP20	ROMESO040P01	410					
Pleated fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040P01	465					
Pleated ribbon without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040R01	455					
Pleated ribbon with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040R01	495					


PRODUCTS: Romeo
DESIGN: ModoLuce R&D 2003

Pendant, small table, table, reading and floor lamp.
 Metal structure in nickel frosted finishing.
 Lampshade in cotton or hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Maxi suspension lamp - ø 70



DESCRIPTION

LIGHT SOURCE

Cotton fabric 4 light with plex	4 x E27 70 W HES
Pleated fabric 4 light with plex	4 x E27 70 W HES
Pleated ribbon 4 light with plex	4 x E27 70 W HES


INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
OD	OD	IP20	ROMESP070C02	885						
OD	OD	IP20	ROMESP070P02	1.255						
OD	OD	IP20	ROMESP070R02	1.305						

Pendant, small table, table, reading and floor lamp.
 Metal structure in nickel frosted finishing.
 Lampshade in cotton or hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Small table lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Brushed nickel metal cotton fabric	1 x E14 42 W HES	OD	OD	IP20	ROMETP045C01	205					
Brushed nickel metal pleated fabric	1 x E14 42 W HES	•	OD	IP20	ROMETP045P01	240					
Brushed nickel metal pleated ribbon	1 x E14 42 W HES	OD	OD	IP20	ROMETP045R01	245					

Table lamp



Brushed nickel metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	ROMETA070C01	370					
Brushed nickel metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMETA070P01	480					
Brushed nickel metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	ROMETA070R01	500					

Accessory - Small table and table lamp




DIM switch universal HES (40/160W) + LED (4/100W)	DIMVAR0TA002	55			
---	--------------	----	--	--	--

Pendant, small table, table, reading and floor lamp.
Metal structure in nickel frosted finishing.
Lampshade in cotton or hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Reading lamp - lighting pull



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Brushed nickel metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160C01	490					
Brushed nickel metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT160P01	595					
Brushed nickel metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160R01	625					

Medium floor lamp - lighting pull



Brushed nickel metal cotton fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	570					
Brushed nickel metal pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT180P01	670					
Brushed nickel metal pleated ribbon	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180R01	710					
Brushed nickel metal cotton fabric	3 x E27 70 W HES	OD	OD	IP20	ROMEPT180C11	695					
Brushed nickel metal pleated fabric	3 x E27 70 W HES	•	OD	IP20	ROMEPT180P11	790					
Brushed nickel metal pleated ribbon	3 x E27 70 W HES	OD	OD	IP20	ROMEPT180R11	830					

PRODUCTS: Romeo
DESIGN: ModoLuce R&D 2003


PAGE: **264**

Pendant, small table, table, reading and floor lamp.
 Metal structure in nickel frosted finishing.
 Lampshade in cotton or hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Maxi floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Brushed nickel metal cotton fabric	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212C01	1.030					
Brushed nickel metal pleated fabric	4 x E27 70 W HES	•	OD	IP20	ROMEPT212P01	1.355					
Brushed nickel metal pleated ribbon	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212R01	1.405					

Accessory - Small table and table lamp




Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	85	
---	--------------	----	--

Wall lamp with telescope stem rotating (105°) and adjustable in three different heights.
 Floor lamp with telescope stem rotating (30°) and adjustable in three different heights.
 White or anthracite painted metal structure with details in lime or bluette finishing.
 INDOOR version: lampshade in cotton or washable fabric, painted frame diffuser (only white or anthracite) or aluminum diffuser.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Wall lamp - L 250 > 380




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.220 white cotton fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C01	1.285					
Wall lamp L.220 anthracite cotton fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C02	1.285					
Wall lamp L.220 lime cotton fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C03	1.500					
Wall lamp L.220 bluette cotton fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C04	1.500					
Wall lamp L.220 white washable fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T01	1.390					
Wall lamp L.220 anthracite washable fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T02	1.390					
Wall lamp L.220 lime washable fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T03	1.605					
Wall lamp L.220 bluette washable fabric shade	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T04	1.605					

Wall lamp with telescope stem rotating (105°) and adjustable in three different heights.
 Floor lamp with telescope stem rotating (30°) and adjustable in three different heights.
 White or anthracite painted metal structure with details in lime or bluette finishing.
 INDOOR version: lampshade in cotton or washable fabric, painted frame diffuser (only white or anthracite) or aluminum diffuser.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE

Wall lamp - L 250 > 380



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.220 white aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G02	1.460					
Wall lamp L.220 anthracite aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G04	1.460					
Wall lamp L.220 lime aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G06	1.735					
Wall lamp L.220 bluette aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G08	1.735					

Wall lamp - L 250 > 380



Wall lamp L.220 white metal frame diffuser white DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G42	1.510					
Wall lamp L.220 anthracite metal frame diffuser anthracite DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G44	1.510					
Wall lamp L.220 lime metal frame diffuser white DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G46	1.785					
Wall lamp L.220 bluette metal frame diffuser white DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G48	1.785					

PRODUCTS: Sestante
DESIGN: Romano/Menegon/Ceneda 2018

Wall lamp with telescope stem rotating (105°) and adjustable in three different heights.
 Floor lamp with telescope stem rotating (30°) and adjustable in three different heights.
 White or anthracite painted metal structure with details in lime or bluette finishing.
 INDOOR version: lampshade in cotton or washable fabric, painted frame diffuser (only white or anthracite) or aluminum diffuser.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Accessory floor lamp version

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

White structure/ base to be fixed on wall lamp (weight kg 20)

1 led module 16,2 W - 2400 Lm - 3000 K

•

OD

IP20

SEIEAT059G01

595

Anthracite structure/ base to be fixed on wall lamp (weight kg 20)

1 led module 16,2 W - 2400 Lm - 3000 K




•

OD

IP20

SEIEAT059G02

595



Wall and floor lamp with telescope stem rotating (30°) and adjustable in three different heights.


White or anthracite painted metal structure with details in lime or bluette finishing.

OUTDOOR version: painted frame diffuser (only white or anthracite) or aluminium diffuser. Metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE OUTDOOR

Wall lamp - L 220



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Wall lamp L.220 white aluminium diffuser NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G01	1.540
Wall lamp L.220 white aluminium diffuser DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G02	1.665
Wall lamp L.220 anthracite aluminium diffuser NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G03	1.540
Wall lamp L.220 anthracite aluminium diffuser DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G04	1.665
Wall lamp L.220 lime aluminium diffuser NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G05	1.805
Wall lamp L.220 lime aluminium diffuser DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G06	1.935
Wall lamp L.220 bluette aluminium diffuser NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G07	1.805
Wall lamp L.220 bluette aluminium diffuser DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G08	1.935

Wall and floor lamp with telescope stem rotating (30°) and adjustable in three different heights.


White or anthracite painted metal structure with details in lime or bluette finishing.

OUTDOOR version: painted frame diffuser (only white or anthracite) or aluminium diffuser. Metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE OUTDOOR

Wall lamp - L 220



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Wall lamp L.220 white metal copper diffuser white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G41	1.645
Wall lamp L.220 white metal copper diffuser white DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G42	1.775
Wall lamp L.220 anthracite metal copper diffuser anthracite NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G43	1.645
Wall lamp L.220 anthracite metal copper diffuser anthracite DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G44	1.775
Wall lamp L.220 lime metal copper diffuser white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G45	1.860
Wall lamp L.220 lime metal copper diffuser white DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G46	1.990
Wall lamp L.220 bluette metal copper diffuser white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G47	1.860
Wall lamp L.220 bluette metal copper diffuser white DIM DALI/Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP220G48	1.990

PRODUCTS: Sestante Outdoor
DESIGN: Romano/Menegon/Ceneda 2018

Wall and floor lamp with telescope stem rotating (30°) and adjustable in three different heights.
White or anthracite painted metal structure with details in lime or bluette finishing.
OUTDOOR version: painted frame diffuser (only white or anthracite) or aluminium diffuser. Metal parts are protected against atmospheric agents, with anticorrosive Primer and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE OUTDOOR

Accessy floor lamp version

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

White structure/ base to be fixed on wall lamp (weight kg 20)



1 led module 16,2 W - 2400 Lm - 3000 K

• - IP44/55 SEOEAT059G01 595

Anthracite structure/ base to be fixed on wall lamp (weight kg 20)

1 led module 16,2 W - 2400 Lm - 3000 K

• - IP44/55 SEOEAT059G02 595



Grado di protezione IP

Indica il grado di protezione contro la penetrazione di corpi solidi e liquidi nell'apparecchio.

Protezione dai solidi / Protection solid bodies First code IP

0	Non protetto / Unprotected
1	Protetto contro corpi solidi estranei di diametro 50 mm / Protected against the entry of solid bodies with dimensions of more than 50 mm
2	Protetto contro corpi solidi estranei di diametro 12,5 mm / Protected against the entry of solid bodies with dimension of 12,5 mm
3	Protetto contro corpi solidi estranei di diametro 2,5 mm / Protected against the entry of solid bodies with dimension of 2,5 mm
4	Protetto contro corpi solidi estranei di diametro 1 mm / Protected against the entry of solid bodies with dimensions of more than 1 mm
5	Protetto contro la polvere / Protected against entry of dust
6	Totalmente protetto contro la polvere / Completely protected against entry of dust

Ingress Protection IP

Designates the degree of protection against the penetration of solid and liquids bodies and contact with live parts.

Protezione dai liquidi / Protection liquid bodies Second code IP

0	Non protetto / Unprotected
1	Protetto contro la caduta verticale di gocce d'acqua / Protected against the vertical falling of water drops
2	Protetto contro la pioggia con un angolo di 15° / Protected against the falling of water with maximum inclination of 15°
3	Protetto contro la pioggia con un angolo di 60° / Protected against the falling of water with maximum inclination of 60°
4	Protetto contro spruzzi d'acqua / Protected against sprinklings
5	Protetto contro i getti d'acqua / Protected against water jets
6	Protetto contro i getti d'acqua potenti / Protected against heavy water jets
7	Protetto contro gli effetti dell'immersione temporanea / Temporary immersion proof
8	Protetto contro gli effetti della sommersione continua / Continually immersion proof

Modo Luce - EELc Product List Global Energy

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012.

Le etichette energetiche sono disponibili e scaricabili dal sito internet **modoluce.com**

Efficiency Label compatibility (EU Regulation 874/2012)

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.

Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.

Energy labels are available and downloaded from the webiste **modoluce.com**

Certificati / Certifications



Tutti i prodotti Modo Luce sono certificati CE /
All the Modo Luce products are CE certified



Indica la possibilità di fornire il prodotto con certificazione ETL /
Designates the possibility to have a wiring system with ETL certification

Legenda / Legend



Indica il cablaggio elettrico CL1 /
Designates the CL1 electric wiring



Indica il cablaggio elettrico CL2 /
Designates the CL2 electric wiring



Indica che i materiali costituenti l'apparecchio superano la prova al filo incandescente alla temperatura indicata nell'icona secondo la norma IEC /
Indique que les matériaux composant l'appareil passent le test au fil incandescent 650°, comme par règlement ICE 695-2-1



Dimmerabile /
Dimmable



Cavo in acciaio ed elettrico a misura su richiesta /
Metal and electrical wire on demand



Dati tecnici kit LED ricaricabile 6,4W (600 lm) IP65 warm white: fornito di serie con batteria da 4400 mAh + caricabatterie + telecomando. Durata nominale (prodotto nuovo) con range di temperatura di esercizio da +18°C a +35°C: Led 100% 6,4W 2h15' - Led 50% 3,2W 6h30' - Led 25% 1,6W 10h. Con temperatura di esercizio da +7°C a +10°C la durata diminuisce del 20%. (Si consiglia di ricaricare il kit in ambiente > 15°C)
Techinal details rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied whit battery 4400 mAh + battery charger + remote control. Nominal service life (new product) with working temperature range from +18°C a +35°C: Led 100% 6,4W 2h15' - Led 50% 3,2W 6h30' - Led 25% 1,6W 10h. With working temperature range from +7°C to 10°C battery life is decreasing of 20%. (It is recommended to recharge the kit indoor - temperature > 15°C)



Curva fotometrica /
Lighting data



Comfort acustico /
Acoustic comfort



Modello depositato /
Patent pending

I colori visualizzati sono puramente indicativi e possono variare rispetto alla realtà /
Colours shown are used for reference only and may look different in reality

Sorgenti luminose

I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

Temperatura colore

Le lampade Modo Luce equipaggiate con sorgente led vengono fornite di serie con temperatura di colore 2700K. Sono disponibili su richiesta anche le versioni 3000K e 4000K, senza maggiorazione di prezzo.

Lumen

L'indicazione del flusso luminale si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente led.

Legenda lampadine

Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).

Light Sources

Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.

Color temperature

Modo Luce led equipped products are supplied with 2700K light colour as standard version. 3000K and 4000K are available on request, without price increase.

Lumen


























Nominal luminous flux refers to the value without any refraction as declared by the led module manufacture.

Legend light bulbs

Light bulbs available for Modo Luce products (according to the models).

Tipo / Type		Simbolo / Symbol	Attacco / Socket	Potenza / Power		Codice / Code	€ EURO
Led No Dim		Sphere	E14	5W (440lm)	2700K	LMPLEDE14S00	21,00
		Spot R90	E27	12W (1100lm)	3000K	LMPLEDE27000	42,00
		Classic	E27	6W/9W/12W		LMPLEDE27G00	18,00
		Globe Clair	E27	4W/6W/9W		LMPLED2E27GL4W125	26,00
		Dichroic	GU10	6W		LMPLEDE27GU10	13,00
Led Dim		Pear Share	E27	4W	2300K	LMPLEDE27KIT01P	42,00
		Classic	E27	10W/12W/17W		LMPLEE27GDO	32,00
		Globe Clair	E27	7.5W		LMPLEDE27DIM125	37,00
		Dichroic	GU10	6W		LMPLEDGU10DIM06	26,00

Rosoni / Ceiling rose + Pendant lamp

 10 cm 3.94" 5 cm 1.96"	Alco 90 Bolla Ellisse	 11 cm 4.33" 3.5 cm 1.38"	Atollo (1 Steel Cable) 70/100 Campanone Indoor Outdoor Cilindro Ø 60/70 Cocò Discovolante Ø 40/60/80/100 Icaro Ø 22/50/75 Icaro Ball Ø 50/60/75 Lost Loto 43/60/80 Milleluci 40/80 Orb 25 Romeo	 46 cm 18.11" 4.5 cm 1.77" 3 cm 1.18"	Clip Righello
 12 cm 4.72" 4.0 cm 1.57"	Alco 120 Florinda 12 Florinda Desnuda 12 Atollo 150			 45 cm 17.72" 4.5 cm 1.77"	Orb 25 Comp. 3/6 Globe
 8.0 cm 3.15" 3.0 cm 1.18"	Futura I Ottovolante Rettangolo 90/120/150/300 Rettangolo Slim 100/150			 14.5 cm 5.71" 3.5 cm 1.38"	Orb 25/40 Comp. 2 Hammer Comp. 2
 8 cm 3.15" 3 cm 1.18"	Eva Mini Loto Ø 16	 16 cm 6.30" 4 cm 1.57"	No Dim / Led Dim Dali / Push Dim Cilindro Cocò Discovolante Olivia Ombrella Orb 25 Dim Orb 40	 14.5 cm 5.71" 3.5 cm 1.38"	Dejavù
 11 cm 4.33" 3.5 cm 1.38"	Abc Baobab Chandelier Eva Media Florinda Desnuda 1 Hammer Idea Composition			 35 cm 13.78" 2.5 cm 0.94"	Abc Comp. 3 Hammer
 11 cm 4.33" 3.5 cm 1.38"	Atollo (3/4 Steel Cables) 70/100/150 Cilindro Ø 150 Milleluci Ø 150 Quadrato 100x100	 13.4 cm 5.28" 2.7 cm 1.06"	Florinda 6 Icaro 100 Icaro Ball 90 Mood Reverse Ring Ring Tonda	 16 cm 6.30" 4 cm 1.57"	Idea single
 14.5 cm 5.71" 3.5 cm 1.38"	Cilindro Ø 100/120 Eva Maxi Eva Mega Loto Ø 100/140, Milleluci Ø 100/120	 11 cm 4.33" 3.5 cm 1.38"	Pin up	 16 cm 6.30" 4 cm 1.57"	Nucleo 130
 14.5 cm 5.71" 4 cm 1.57"	Chandelier Ceiling lamp	 15 cm 5.90" 3.5 cm 1.38"	Pendant lamp Multiball	 16 cm 6.30" 4 cm 1.57"	Nucleo 160
 16 cm 6.30" 4 cm 1.57"	Chandelier Lounge	 16 cm 6.30" 4 cm 1.57"	Chandelier Lounge Ceiling lamp	 1.6 cm var. 11 cm 0.63" var. 4.33" 3.5 cm 1.38"	Lateral Ceiling Attachment
 22 cm 8.66" 5.5 cm 2.16"	Charlie	 var. 3.5 cm var. 1.38"		 var. 11 cm var. 4.33"	

**Modo Luce srl fornisce le sospensioni
con i seguenti standard (misura utile):**

- Cavo elettrico L 200 cm
- Cavo elettrico L 250 cm
per apparecchi con 2 o più cavi acciaio
- Cavo elettrico in tessuto per serie EVA L 130 cm
- Cavo acciaio L 200 cm

** Disponibilità a misura su richiesta

**Modo Luce srl delivers the following
standard cables for the suspensions (useful measures):**

- Power wire L 200 cm / L 78.74"
- Power wire L 250 cm / L 98.42"
for fixtures with 2 or more steel cables
- Power wire in fabric for EVA line products L 130 cm / 51,18"
- Steel cable L 200 cm / L 78.74"

** Other measures are available upon demand

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Cavo elettrico teflon/ pvc trasparente 2 / 3 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	6,50
Cavo elettrico teflon/ pvc trasparente 4 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	11,50
Cavo elettrico tondo pvc/ pvc bianco al mt lineare Wiring, power cable round pvc, pvc white to each linear meter	CAVELE000000BT01	2,00
Cavo elettrico tondo pvc/ pvc nero al mt lineare Wiring, power cable round pvc, pvc black to each linear meter	CAVELE000000NT01	2,00
Cavo elettrico teflon/ pvc DIMMERABILE bianco o nero per sospensione al mt lineare Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05	3,00
Cavo elettrico teflon/ pvc DIMMERABILE trasparente per sospensione al mt lineare Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05	21,00
Cavo elettrico outdoor tondo 2 x 0,75 H05RN-F nero al mt lineare Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN	3,00
Cavo elettrico a calza in tessuto per sospensione (oltre misura standard) al mt lineare Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000	12,50
Cavo acciaio di sostegno Ø 1,2 x h 2000 mm Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000	4,00
Cavo acciaio di sostegno Ø 1,2 x h 3000 mm Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000	10,50
Cavo acciaio di sostegno Ø 1,2 x h 6000 mm Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000	15,00
Cavo acciaio di sostegno Ø 1,2 x h 10000 mm Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000	26,00
Cavo acciaio di sostegno Ø 1,6 x h 2000 mm Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000	5,00
Cavo acciaio di sostegno Ø 1,6 x h 3000 mm Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000	11,50
Cavo acciaio di sostegno Ø 1,6 x h 8000 mm Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000	28,00
Maggiorazione per rosone cilindrico in finitura galvanica (cromo - ottone - rame): Price increase to cylindrical ceiling rose in galvanized finishes (chrome - brass - copper)		
Rosone cilindrico Ø 110 mm Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	31,50
Rosone cilindrico Ø 145 mm Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	42,00
Rosone cilindrico Ø 160 mm Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	52,50

Accessori a richiesta / Accessory on demand		Codice / Code	€ EURO
Maggiorazione per rosone decentrato: Lateral ceiling attachment surcharge:			
Rosone A Celing rose A		ROSDEC110001	37,00
Rosone B Celing rose B		ROSDEC110002	37,00
Rosone C Celing rose C		ROSDEC110003	37,00
Adattatore per spina inglese Uk plug adapter		ADAUK240V001	16,00
Variatore da tavolo/tavolino per Alogene (40/160W) + led (4/100W) DIM switch universal HES (40/160W) + LED (4/100W)		DIMVAR0TA002000	55,00
Variatore da tavolo/tavolino per Alogene (40/160W) + led (4/100W) DIM switch universal HES, LED (5/250W)		DIMVAROPT003000	85,00
SCHERMO SUPERIORE SOSPENSIONE (RICAMBIO) UPER DISK FOR SUSPENSIONS (SPARE PART)			
Schermo di chiusura superiore in plex opal per Discovolante Ø 40 Top protective disk in opal plex for Discovolante Ø 40		DISEPX040F01	94,50
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 60 Top protective disk in opal plex for Cilindro and Discovolante Ø 60		CILEPX060F01	142,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 70 Top protective disk in opal plex for Cilindro Ø 70		CILEPX070F01	189,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 80 Top protective disk in opal plex for Discovolante Ø 80		DISEPX080F01	210,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 100 Top protective disk in opal plex for Cilindro and Discovolante Ø 100		CILEPX100F01	336,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 120 Top protective disk in opal plex for Cilindro and Discovolante Ø 120		CILEPX120F01	441,00

Abc

Pendant lamp A	Ø 12	1 Kg	2,20 lb.
Pendant lamp B	Ø 17	1 Kg	2,20 lb.
Pendant lamp C	Ø 22	1,50 Kg	3,30 lb.

Alco

Pendant lamp	Ø 90	23 Kg	50,77 lb.
Pendant lamp	Ø 120	36 Kg	79,47 lb.
Ceiling lamp	Ø 90	23 Kg	50,77 lb.
Ceiling lamp	Ø 120	36 Kg	79,47 lb.

Angelica indoor / outdoor

Wall lamp	3 Kg	6,60 lb.
-----------	------	----------

Atollo

Pendant lamp	Ø 70	13 Kg	28,66 lb.
Pendant lamp	Ø 100	30 Kg	66,14 lb.
Pendant lamp	Ø 150	50 Kg	110,23 lb.
Ceiling-wall lamp	Ø 70	15 Kg	33,07 lb.
Ceiling-wall lamp	Ø 100	33 Kg	72,75 lb.
Ceiling-wall lamp	Ø 150	53 Kg	116,84 lb.

Baobab

Pendant lamp 3	Ø 80	2 Kg	4,41 lb.
Pendant lamp 6	Ø 80	3,50 Kg	7,72 lb.

Bolla

Pendant lamp	Ø 40	3 Kg	6,61 lb.
Pendant lamp	Ø 50	3,50 Kg	7,71 lb.
Pendant lamp	Ø 60	6 Kg	13,21 lb.

Campanone indoor / outdoor

Pendant lamp	Ø 33	3,50 Kg	7,71 lb.
Pendant lamp	Ø 51	5 Kg	11,01 lb.

Chandelier

Pendant – ceiling lamp	Ø 100	10 Kg	22,02 lb.
Pendant – ceiling lamp	Ø 100	12 kg	26,43 lb.
Wall lamp single	Ø 13	1 Kg	2,20 lb.
Wall lamp double	Ø 35	2 Kg	4,41 lb.

Chandelier Loungue

Pendant – ceiling lamp	L 110	12 Kg	26,43 lb.
Pendant – ceiling lamp	L 150	14 Kg	30,83 lb.

Charlie

Pendant – ceiling lamp	Ø 107	25 Kg	55,06 lb.
Pendant – ceiling lamp	Ø 127	35 Kg	77,09 lb.

Cilindro

Pendant lamp	Ø 60	2,20 Kg	4,86 lb.
Pendant lamp	Ø 70	3,50 Kg	7,71 lb.
Pendant lamp	Ø 100	7 Kg	14,31 lb.
Pendant lamp	Ø 120	14 Kg	30,83 lb.
Pendant lamp	Ø 150	20 Kg	44,05 lb.

Cilindro Plissé / Soft Velvet

Pendant lamp	Ø 60	2,50 Kg	5,50 lb.
Pendant lamp	Ø 70	4 Kg	8,81 lb.
Pendant lamp	Ø 100	9 Kg	19,82 lb.
Pendant lamp	Ø 120	17 Kg	37,44 lb.
Pendant lamp	Ø 150	30 Kg	66,08 lb.

Clip

Pendant lamp	L 130	5 Kg	11,03 lb.
Pendant lamp	L 170	8 Kg	17,66 lb.

Cocò

Pendant lamp	Ø 60	4 Kg	8,80 lb.
Pendant lamp	Ø 80	7 Kg	15,40 lb.
Pendant lamp	Ø 100	9 Kg	19,82 lb.

Dejavù

Wall lamp	Ø 10	3 Kg	6,60 lb.
Wall lamp	L 170	5 Kg	11,00 lb.
Wall lamp	L 209	6 Kg	13,20 lb.
Ceiling lamp	L 95	4 Kg	8,80 lb.
Ceiling lamp	L 165	5 Kg	11,00 lb.

Diogene

Pendant lamp	Ø 30	3,5 Kg	7,72 lb.
--------------	------	--------	----------

Discovolante

Pendant-ceiling-wall lamp	Ø 40	2 Kg	4,41 lb.
Pendant-ceiling-wall lamp	Ø 60	4 Kg	8,81 lb.
Pendant-ceiling lamp	Ø 80	5 Kg	11,03 lb.
Pendant-ceiling lamp	Ø 100	7 Kg	15,41 lb.

Disk

Ceiling lamp	Ø 43	3 Kg	6,60 lb.
--------------	------	------	----------

Ellisse

Pendant lamp	Ø 60	3 Kg	6,60 lb.
Pendant lamp	Ø 80	5 Kg	11,01 lb.

Eva

Pendant lamp	Ø 11	0,30 Kg	0,66 lb.
Pendant lamp brown cotto	Ø 11	0,70 Kg	1,54 lb.
Pendant lamp	Ø 18	1,10 Kg	2,44 lb.
Pendant lamp brown cotto	Ø 18	1,70 Kg	3,77 lb.
Pendant lamp	Ø 27	4 Kg	8,81 lb.
Pendant lamp brown cotto	Ø 27	7 Kg	15,42 lb.
Pendant lamp	Ø 38	8 Kg	17,66 lb.
Pendant lamp brown cotto	Ø 38	12 Kg	26,43 lb.

Florinda

Pendant lamp 1	Ø 31	2 Kg	4,41 lb.
Pendant lamp 3	Ø 63	7 Kg	15,41 lb.
Ceiling lamp 3	Ø 63	7 Kg	15,41 lb.
Pendant lamp 6	Ø 94	10 Kg	22,02 lb.
Ceiling lamp 6	Ø 94	10 Kg	22,02 lb.
Pendant lamp 12	Ø 153	35 Kg	77,09 lb.
Ceiling lamp 12	Ø 153	35 Kg	77,09 lb.
Wall lamp	Ø 31,5	0,40 Kg	0,88 lb.

Florinda Desnuda

Pendant lamp 1	Ø 31	1,50Kg	3,30 lb.
Pendant lamp 3	Ø 63	5 Kg	11,03 lb.
Pendant lamp 6	Ø 94	8 Kg	17,66 lb.
Pendant lamp 12	Ø 153	27 Kg	59,40 lb.
Ceiling lamp 3	Ø 63	6 Kg	13,20 lb.
Ceiling lamp 6	Ø 94	10 Kg	22,00 lb.
Ceiling lamp 12	Ø 153	30 Kg	66,00 lb.

Futura lettera I

Pendant lamp	L 150	27 Kg	59,47 lb.
--------------	-------	-------	-----------

Geco

Wall lamp	Ø 13	5 Kg	11,01 lb.
Wall lamp	Ø 30	5 Kg	11,01 lb.

Hammer

Pendant lamp	Ø 15	1,5 Kg	3,31 lb.
Pendant lamp	Ø 18	2 Kg	4,41 lb.
Spotlight	Ø 15	1 Kg	2,20 lb.
Spotlight	Ø 18	1,5 Kg	3,31 lb.
Ceiling Lamp	Ø 15/21	1 Kg	2,20 lb.
Ceiling Lamp	Ø 18/24	1,5 Kg	3,31 lb.
Recessed spotlight	Ø 15/21	1 Kg	2,20 lb.
Recessed spotlight	Ø 18/24	1,5 Kg	3,31 lb.

Icaro

Pendant lamp	Ø 22	2,50 Kg	6,60 lb.
Pendant lamp	Ø 50	6 Kg	13,21 lb.
Pendant lamp	Ø 75	10 Kg	22,03 lb.
Pendant lamp	Ø 100	20 Kg	44,05 lb.

Icaro Ball

Pendant lamp	Ø 50	6 Kg	13,21 lb.
Pendant lamp	Ø 60	10 Kg	22,03 lb.
Pendant lamp	Ø 75	15 Kg	33,04 lb.
Pendant lamp	Ø 90	25 Kg	55,06 lb.

Pesi / Weights

PAGE: **276**

Idea			
Pendant – ceiling lamp	Ø 66	10 Kg	22,02 lb.
Pendant – ceiling lamp	Ø 80	15 Kg	33,04 lb.
Pendant – ceiling lamp	Ø 100	18 Kg	39,65 lb.
Pendant – ceiling lamp	Ø 140	25 Kg	55,06 lb.
Idea Composition			
Pendant – ceiling lamp	Ø 100	15 Kg	33,04 lb.
Pendant – ceiling lamp	Ø 180	30 Kg	66,14 lb.
Lost			
Pendant lamp	Ø 25	5 Kg	11,01 lb.
Pendant lamp	Ø 40	8 Kg	17,66 lb.
Loto			
Pendant lamp	Ø 16	0,70 Kg	1,54 lb.
Pendant lamp	Ø 43	2 Kg	4,41 lb.
Pendant lamp	Ø 60	3 Kg	6,61 lb.
Pendant lamp	Ø 80	5 Kg	11,01 lb.
Pendant lamp	Ø 100	7 Kg	15,41 lb.
Pendant lamp	Ø 140	20 Kg	44,05 lb.
Wall lamp	Ø 16	0,45 Kg	0,99 lb.
Lucilla			
Wall lamp	Ø 17	0,40 Kg	0,88 lb.
Lucilla Tonda			
Pendant lamp	Ø 19	0,30 Kg	0,66 lb.
Pendant lamp	Ø 34	0,50 Kg	1,10 lb.
Pendant lamp	Ø 43	1 Kg	2,20 lb.
Wall Lamp	Ø 21	0,50 Kg	1,10 lb.
Milleluci			
Pendant lamp	Ø 43	2 Kg	4,41 lb.
Pendant lamp	Ø 80	6 Kg	13,21 lb.
Pendant lamp	Ø 100 H 35		7 Kg15,41 lb.
Pendant lamp	Ø 100 H 60		9 Kg19,82 lb.
Pendant lamp	Ø 120	14 Kg	30,83 lb.
Pendant lamp	Ø 150	18 Kg	39,65 lb.
Mood			
Pendant lamp	Ø 100	5 Kg	11,01 lb.
Pendant lamp	Ø 120	6 Kg	13,21 lb.
Pendant lamp	Ø 150	10 Kg	22,02 lb.
Ceiling-wall lamp	Ø 100	6 Kg	13,21 lb.
Mood Desnuda			
Pendant lamp	Ø 60	2 Kg	4,41 lb.
Pendant lamp	Ø 100	3 Kg	6,61 lb.
Pendant lamp	Ø 120	4 Kg	8,81 lb.
Pendant lamp	Ø 150	6 Kg	13,20 lb.
Multiball			
Pendant lamp	Ø 25/30/35		1,70 Kg3,74 lb.
Pendant lamp	Ø 40/45		2 Kg4,41 lb.

Nucleo			
Pendant lamp	L 130	8 kg	17,66 lb.
Pendant lamp	L 160	12 Kg	26,43 lb.
Olivia			
Pendant lamp	Ø 42	3 Kg	6,60 lb.
Pendant lamp	Ø 60	6 Kg	13,24 lb.
Ceiling lamp	Ø 42	5 Kg	11,03 lb.
Ceiling lamp	Ø 60	10 Kg	22,07 lb.
Ombrella			
Pendant-ceiling lamp	Ø 60	3 Kg	6,6 lb.
Pendant-ceiling lamp	Ø 80	6 Kg	13,20 lb.
Pendant-ceiling lamp	Ø 100	10 Kg	22,00 lb.
Orb Pmma			
Pendant lamp	Ø 25	2 Kg	4,41 lb.
Pendant lamp	Ø 40	3,5 Kg	7,72 lb.
Orb Glass			
Pendant lamp	Ø 25	3 Kg	6,62 lb.
Pendant lamp	Ø 40	6 Kg	13,24 lb.
Ottovolante			
Pendant-ceiling lamp	L 100	8 Kg	17,66 lb.
Pendant-ceiling lamp	L 150	11 Kg	24,23 lb.
Pin up			
Pendant lamp	Ø 22	2 Kg	4,41 lb.
Quadrato			
Pendant-ceiling lamp	Ø 50	3 Kg	6,60 lb.
Pendant-ceiling lamp	Ø 70	5 Kg	11,01 lb.
Pendant-ceiling lamp	Ø 100	10 Kg	22,02 lb.
Wall lamp	L 25	0,20 Kg	0,44 lb.
Wall lamp	L 40	0,50 Kg	1,10 lb.
Rettangolo			
Pendant lamp	L 90	4 Kg	8,81 lb.
Pendant lamp	L 120	4,50 Kg	9,91 lb.
Pendant lamp	L 150	10 Kg	22,00 lb.
Pendant lamp	L 300	25 Kg	55,06 lb.
Wall lamp	L 25/40	0,50 Kg	1,10 lb.
Wall lamp	L 30	1 Kg	2,20 lb.
Wall lamp	L 160	5 Kg	11,01 lb.
Rettangolo Slim			
Pendant-ceiling lamp	Ø 100	8 Kg	17,66 lb.
Pendant-ceiling lamp	Ø 150	11 Kg	24,23 lb.
Reverse			
Pendant lamp	Ø 60	5 Kg	11,00 lb.
Pendant lamp	Ø 80	7 Kg	15,40 lb.

Righello			
Pendant lamp	L 125	5 Kg	11,03 lb.
Pendant lamp	L 160	8 Kg	17,66 lb.
Wall Lamp	L 125	4 Kg	8,83 lb.
Wall Lamp	L 160	7 Kg	15,45 lb.

Ring			
Pendant-ceiling-wall lamp	L 85	7 Kg	15,40 lb.
Pendant-ceiling-wall lamp	L 125	10 Kg	22,00 lb.

Ring Tonda			
Pendant-ceiling-wall lamp	Ø 65	5 Kg	11,00 lb.
Pendant-ceiling-wall lamp	Ø 85	7 Kg	15,40 lb.
Pendant-ceiling-wall lamp	Ø 110	10 Kg	22,00 lb.

Romeo			
Pendant lamp	Ø 25	1,30 Kg	2,86 lb.
Pendant lamp	Ø 40	1,90 Kg	4,18 lb.
Pendant lamp	Ø 70	5 Kg	11,01 lb.

Sestante			
Wall Lamp	20 Kg	44,15 lb.	

CONDIZIONI GENERALI DI VENDITA

Listino prezzi
iva esclusa – iva inclusa

GENERAL SALES TERMS

Price list
Vat excluded

CONDITIONS GÉNÉRALES DE VENTE

Tarif
Hors TVA

ALLGEMEINE VERKAUFSBEDINGUNGEN

Preisliste
Ohne MWST – Mit MWST

CONDICIONES GENERALES DE VENTA

Lista de precios
sin IVA

LIGHT BULBS

Modo Luce products equipped with GU10, E14 and E27 sockets are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price
Goods are packed in carton boxes.

RULES

The products manufactured by Modo Luce comply with the European Standards and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo Luce's approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes t models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo Luce does not accept claims after 4 days from receipt of goods. Modo Luce's previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modo Luce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

TRANSPORT

Goods are delivered ex-factory/ ex-works (Vazzola – Treviso – Italy) Goods travel at customer's own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods. In every case, customer must accept the goods by writing in the document of transport of the forwarder "accepted with checking reserve" and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can't be attributed to Modo Luce.

WARRANTY

Modo Luce warrants its products to be free from defects in workmanship. This warranty is exclusively applicable to the party who have purchased the product directly from Modo Luce. The warranty runs from the date of the invoice with which the product was acquired from Modo Luce and ends after 24 months. Uses of the warranty must be notified and sent to Modo Luce office within 60 days from discovering the defect, specifying the following information:
- date and number of invoice
- detailed description of problem and quantity of defective product/s
- photographs or video of the defect
During this warranty period Modo Luce will repair, replace or supply spare parts, at its discretion.

This warranty does NOT apply to damages resulting from: transport, accident, alteration, tempering, misuse, incorrect installation or improper use, incorrect storage, negligence or abuse, natural events. This warranty does NOT apply to consumable parts or elements subject to normal wear and tear, as batteries, light sources etc.

NOTE

1
The cotton fabric used by Modo Luce can be available fireproof, in compliance with CL1 rules, **by request and with 3% additional cost**. For suppliers, when/if this regulation will be enforced and only at your request, we will provide to enclose, as post note in the invoice, the conformity declaration. The colours of the fireproof cotton fabric always available in stock are: Ivory 300, white 301 and sand 302.

2
The pleated fabric used by Modo Luce for the standard production is fireproof in compliance with CL1 rules. For suppliers, only at your request, we provide to enclose, as post note on the invoice, the conformity declaration. The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, by request.

3
Modo Luce also produce lamp shade with Customer cotton fabric, **with additional cost of 5%.**

4
The lycra-covers used by Modo Luce are fireproof in compliance with CL1 rules. They are removable and washable in water at max 30° and mild soap.

5
Ceramic and terracotta shapes of models EVA and PIN UP and the base of model AURA are handmade; some little imperfections of the product are dues to this type of processing.

6
Globes and lamp diffusers and details in PMMA or PC are injection moulding, some little imperfections of the products are dues to this type of processing. They must be clean only with a soft cloth (ex. microfibre) using neutral detergent and water or cleanig spray without aggressive solvents as: alcohol, solvent and trichloroethylene.

7
The products made in polyethylene with injection moulding can have some little imperfections to be accepted as technical characteristic of this type of processing.

8
The technical characteristic of the materials used by Modo Luce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour's shade from a batch to another.

9
The products **ETL wired and certified** are available with a price **increase of 10%**. The products wired with ETL certified components (it means **in compliance with but NOT ETL cerfied**) will have anyway the same price **increase of 10%**.

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente listino è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo listino sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente listino possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel listino e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This price list is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the price list are forbidden.

Data contained in this price list is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this price list may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the price list and from batch to batch.

#Note

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

#Note

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.