

SHAPES OF LIGHT



News
2019—2020
*Chandelier,
Charlie, Geco,
Idea, Nucleo,
Peggy*

SHAPES OF LIGHT

News



2019–2020

*Chandelier,
Charlie, Geco,
Idea, Nucleo,
Peggy*

INDICE

	Indoor
	Outdoor
	Sospensione/ Pendant lamp
	Plafoniera/ Ceiling lamp
	Parete/ Wall lamp
	Tavolo/ Table lamp
	Terra/ Floor lamp
	Comfort acustico/ Sound absorbing

ENJOY THE SILENCE

06	PEGGY	   	
14	IDEA	    	
26	CHANDELIER CHANDELIER LOUNGE	   	
38	CHARLIE	  	
46	GECO	 	
52	NUCLEO	 	

ENJOY THE SILENCE

Abbiamo a cuore la salute e il benessere delle persone in ogni momento della giornata. Per questo abbiamo deciso di progettare forme di luce innovative e funzionali che, a una perfetta illuminazione, uniscono elevate prestazioni di fonoassorbenza.

Spesso trascurato, l'inquinamento acustico è un fattore di disturbo che mina la serenità negli spazi di relax e la produttività nei luoghi di lavoro. Le nostre soluzioni catturano rumori e riverberi rendendo gli ambienti sani e confortevoli.

We have at heart the health and the wellbeing of the people every waking moment. Therefore, we have decided to project innovative and functional shapes of light, which combine to a perfect illumination high sound absorbing characteristics.

Often ignored, the acoustic pollution is a disturbing factor that threatens the serenity in our leisure spaces and productivity of workers. Our solutions catch the noises and reverberations making the spaces healthy and comfortable.

News
2019 – 2020

Idea
Paolo Grasselli

Peggy
BMB Progetti




Catalogo
2018 – 2020

Alco
Roberto Paoli


Cilindro Soft
ModoLuce R&D

Righello
Arturo Bellese




Determinazione dell'area di assorbimento acustico equivalente in camera riverberante secondo la norma UNI EN ISO 35 / Measurement of sound absorption in a reverberation room according to UNI EN ISO 354


Alco
Kvadrat



Alco
Soft Textile
thermoformed



Cilindro
Soft Velvet





PEGGY

A sospensione o plafoniera, Peggy illumina gli spazi con la sua doppia emissione di luce. Il disco, nell'opzione in tessuto, diventa elemento funzionale, aiutando ad abbattere il riverbero sonoro, coniugando comfort acustico e luminoso.

Available as a pendant or ceiling lamp, Peggy illuminates any space with its double light source. The fabric version of the disc is both handsome and functional, as it also serves to help reduce reverb, thus combining acoustic and lighting comfort.








Lamp		Dimensions	Light source	Codes
Pendant lamp	Peggy 60	Ø 60 x 25 cm weight 6 kg	lamp type 1xE27 + 3xR7S max watt 1x42 W HES + 3x75 W R7S DIM	PEGESO060G01
	Peggy 60 LED	Ø 60 x 25 cm weight 6 kg	lamp type 1 cob LED 17 W + linear LED modules 9 W luminous efficacy 3755 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	PEGESO060G02
	Peggy 60 Ball	Ø 60 x 26 cm weight 6 kg	lamp type 1xG9 + 3xR7s max watt 1x42 W HES + 3x75 W R7S DIM	PEBESO060M01
	Peggy 80	Ø 80 x 30 cm weight 8,5 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W R7S DIM	PEGESO080G01
	Peggy 80 LED	Ø 80 x 30 cm weight 8,5 kg	lamp type 1 cob LED 17 W + linear LED modules 18 W luminous efficacy 5141 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	PEGESO080G02
	Peggy 80 Ball	Ø 80 x 36 cm weight 8,5 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEBESO080M01
	Peggy 100	Ø 100 x 35 cm weight 12 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEGESO100G01
	Peggy 100 LED	Ø 100 x 35 cm weight 12 kg	lamp type 1 cob LED 17 W + linear LED modules 18 W luminous efficacy 5287 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	PEGESO100G02
	Peggy 100 Ball	Ø 100 x 44 cm weight 12 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEBESO100M01

Pendant lamp



Finishes

Metal disk



White



Black

Textile disk



Wool

Metal conic diffuser



White



Black



Matt gold

Globe diffuser



PMMA
opal soft touch

Disco in metallo
o tessuto lana
in comfort acustico.
Diffusore conico
in metallo o globo in
PMMA opale bianco/



Painted metal disc
or wool fabric
acoustic disc.
Conic diffuser
in painted metal
or globe diffuser
in opal PMMA

IP20




* on demand

** cable on measure



Dettaglio rosone/
Ceiling rose detail



Kit copertura
superiore per
versione R7s /
Top cover kit
for R7s version



Peggy
Particolare emissione
superiore / Uplight
emission detail



Peggy LED
Particolare emissione
superiore / Uplight
emission detail




Peggy Ball
Particolare emissione
superiore / Uplight
emission detail



Lamp		Dimensions	Light source	Codes
Ceiling lamp	Peggy 60	Ø 60 x 26 cm weight 6 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W + 3x75 W HES DIM	PEGEPL060G01
	Peggy 60 LED	Ø 60 x 26 cm weight 6 kg	lamp type 1 cob LED 17 W + linear LED modules 9 W luminous efficacy 3755 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	PEGEPL060G02
	Peggy 60 Ball	Ø 60 x 27 cm weight 6 kg	lamp type 1xG9 + 3xR7s max watt 1x42 W + 3x75 W HES DIM	PEBEPL060M01
	Peggy 80	Ø 80 x 29 cm weight 8,5 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEGEPL080G01
	Peggy 80 LED	Ø 80 x 29 cm weight 8,5 kg	lamp type 1 cob LED 17 W + linear LED modules 18 W luminous efficacy 5141 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	PEGEPL080G02
	Peggy 80 Ball	Ø 80 x 34 cm weight 8,5 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEBEPL080M01
	Peggy 100	Ø 100 x 32 cm weight 12 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEGEPL100G01
	Peggy 100 LED	Ø 100 x 32 cm weight 12 kg	lamp type 1 cob LED 17 W + linear LED modules 18 W luminous efficacy 5287 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	PEGEPL100G02
	Peggy 100 Ball	Ø 100 x 40 cm weight 12 kg	lamp type 1xE27 + 3xR7s max watt 1x42 W HES + 3x105 W HES DIM	PEBEPL100M01

Ceiling lamp



Finishes

Metal disk



White



Black

Textile disk



Wool

Metal conic diffuser



White



Black



Matt gold

Globe diffuser





PMMA
opal soft touch

Disco in metallo
o tessuto lana
in comfort acustico.
Diffusore conico
in metallo o globo in
PMMA opale bianco/

Painted metal disc
or wool fabric
acoustic disc.
Conic diffuser
in painted metal
or globe diffuser
in opal PMMA

IP20




* on demand



Peggy
Particolare emissione
superiore / Uplight
emission detail



Peggy LED
Particolare emissione
superiore / Uplight
emission detail



Peggy Ball
Particolare emissione
superiore / Uplight
emission detail



IDEA

Leggere strutture in metallo incorniciano dischi in tessuto che accolgono al centro il corpo illuminante. Idea arreda lo spazio in modo inedito e originale, sia nella versione singola che in composizione.

Lightweight metal structures frame fabric discs, at the centre of which is the light source itself. Idea creates a unique and original decor in any space. It is designed to work alone or as a composition.








Lamp		Dimensions	Light source	Codes
Pendant lamp	Idea 66	Ø 66 x 10 cm weight 10 kg	lamp type 1 panel LED 18 W luminous efficacy 1660 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEESO060L01
	Idea 80	Ø 80 x 10 cm weight 15 kg	lamp type 1 panel LED 24 W luminous efficacy 2150 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEESO080L01
	Idea 100	Ø 100 x 10 cm weight 18 kg	lamp type 1 panel LED 24 W luminous efficacy 2150 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEESO100L01
	Idea 140	Ø 140 x 10 cm weight 25 kg	lamp type 1 panel LED 30 W luminous efficacy 2400 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEESO140L01

Pendant lamp



Finishes

Body colours



White



Graphite

Diffuser textiles



Lycra

Lampada in metallo,
dischi in tessuto
lycra sfoderabile/
Metal structure,
removable lycra
fabric disks

Luce diretta/
Direct light



IP20



* on demand

** cable on measure



White




Graphite

Dettaglio rosone/
Ceiling rose detail



Lamp		Dimensions	Light source	Codes
Pendant lamp	Idea 180	Ø 180 x 105 x 10 cm weight 30 kg	lamp type 3 panel LED 12 W + 18 W + 24 W luminous efficacy 4920 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEEDD180L03

Pendant lamp



Finishes

Body colours



White



Graphite

Diffuser textiles



Lycra

Struttura in metallo,
dischi in tessuto
lycra sfoderabile/
Metal structure,
removable lycra
fabric disks

Luce diretta/
Direct light



IP20



*



**



*



*



*



White



Graphite

Dettaglio rosone/
Ceiling rose detail


* on demand

** cable on measure




Lamp		Dimensions	Light source	Codes
Ceiling lamp Wall lamp	Idea 66	Ø 66 x 13 cm weight 10 kg	lamp type 1 panel LED 18 W luminous efficacy 1660 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEEPL060L01
	Idea 80	Ø 80 x 13 cm weight 15 kg	lamp type 1 panel LED 24 W luminous efficacy 2150 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEEPL080L01
	Idea 100	Ø 100 x 13 cm weight 18 kg	lamp type 1 panel LED 24 W luminous efficacy 2150 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEEPL100L01
	Idea 140	Ø 140 x 3 cm weight 25 kg	lamp type 1 panel LED 30 W luminous efficacy 2400 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEEPL140L01
Ceiling lamp Wall lamp composition	Idea 180	Ø 180 x 105 x 13 cm weight 30 kg	lamp type 3 panel LED 12 W + 18 W + 24 W luminous efficacy 4920 Lm light colour 2800 K DIM DALI - push DIM CRI > 85	IDEEDD180L03


Ceiling lamp




Wall lamp



Ceiling lamp
Wall lamp
composition



Accessorio antiabbaglio/
Anti-glare accessory



Finishes

Body colours



White



Graphite


Diffuser textiles



Lycra

Struttura in metallo,
dischi in tessuto
lycra sfoderabile/
Metal structure,
removable lycra
fabric disks

Luce diretta/
Direct light



IP20



* on demand



Dettaglio accessorio
antiabbaglio/
Anti-glare
accessory detail

DESIGN



CHANDELIER

In equilibrio tra passato e presente, Chandelier interpreta in chiave contemporanea le suggestioni del lampadario a bracci della tradizione veneziana. Aste e cilindri danno vita a un gioco visivo ispirato al linguaggio essenziale del design razionalista.

Balanced between past and present, Chandelier gives a contemporary reinterpretation of traditional Venetian chandeliers. Rods and cylinders create a visual interplay inspired by the essential design codes of rationalism.









Lamp		Dimensions	Light source	Codes
Ceiling lamp	Chandelier 100	Ø 107 x 62 cm weight 10 kg	lamp type 6 x E27 + 7 x GU10 max watt 6 x 42 W + 7 x 28 W HES DIM	CHAEPL100G01
	Chandelier 100	Ø 100 x 49 cm weight 10 kg	lamp type 13 x GU10 max watt 13 x 28 W HES DIM	CHAEPL100G11
	Chandelier 140	Ø 147 x 62 cm weight 12 kg	lamp type 6 x E27 + 7 x GU10 max watt 6 x 42 W + 7 x 28 W HES DIM	CHAEPL140G01
	Chandelier 140	Ø 140 x 49 cm weight 12 kg	lamp type 13 x GU10 max watt 13 x 28 W HES DIM	CHAEPL140G11
Wall lamp	Chandelier	Ø 13 x 20 x 39 cm weight 1 kg	lamp type 2 x E27 max watt 2 x 42 W HES DIM	CHAEAP010G01
	Chandelier	Ø 8 x 17 x 20 cm weight 1 kg	lamp type 2 x GU10 max watt 2 x 28 W HES DIM	CHAEAP010G11
	Chandelier	Ø 35 x 20 x 39 cm weight 2 kg	lamp type 4 x E27 max watt 4 x 42 W HES DIM	CHAEAP035G01
	Chandelier	Ø 29 x 17 x 20 cm weight 2 kg	lamp type 4 x GU10 max watt 4 x 28 W HES DIM	CHAEAP035G11

Ceiling lamp



Wall lamp



Finishes

Body colours



White



Black



Matt gold

Central rod (optional)




Gold

Lampada in metallo/
Metal structure

Biemissione/
Uplight
and downlight



IP20



* on demand



Applique singola/
Single wall lamp



Applique singola/
Single wall lamp



Applique doppia/
Double wall lamp




Applique doppia/
Double wall lamp



Lamp		Dimensions	Light source	Codes
Pendant lamp	Chandelier Longue 100	Ø 110 x 55 x 50 cm weight 12 kg	lamp type 16 x E27 + 2 x GU10 max watt 16 x 42 W + 2 x 28 W HES DIM	CHLESO100G01
	Chandelier Longue 100	Ø 105 x 48 x 40 cm weight 12 kg	lamp type 18 x GU10 max watt 18 x 28 W HES DIM	CHLESO100G11
	Chandelier Longue 150	Ø 150 x 70 x 50 cm weight 14 kg	lamp type 16 x E27 + 2 x GU10 max watt 16 x 42 W + 2 x 28 W HES DIM	CHLESO150G01
	Chandelier Longue 150	Ø 140 x 65 x 40 cm weight 14 kg	lamp type 18 x GU10 max watt 18 x 28 W HES DIM	CHLESO150G11

Pendant lamp



Finishes

Body colours



White



Black



Matt gold


Central rod (optional)



Gold

Lampada in metallo/
Metal structure

Biemissione/
Uplight
and downlight



IP20



* on demand

** cable on measure



White



Black




Matt gold

Dettaglio rosone/
Ceiling rose detail



Lamp		Dimensions	Light source	Codes
Ceiling lamp	Chandelier Longue 100	Ø 110 x 55 x 54 cm weight 12 kg	lamp type 8 x E27 + 10 x GU10 max watt 8 x 42 W + 10 x 28 W HES DIM	CHLEPL100G01
	Chandelier Longue 100	Ø 105 x 48 x 44 cm weight 12 kg	lamp type 18 x GU10 max watt 18 x 28 W HES DIM	CHLEPL100G11
	Chandelier Longue 150	Ø 150 x 70 x 54 cm weight 14 kg	lamp type 8 x E27 + 10 x GU10 max watt 8 x 42 W + 10 x 28 W HES DIM	CHLEPL150G01
	Chandelier Longue 150	Ø 140 x 65 x 44 cm weight 14 kg	lamp type 18 x GU10 max watt 18 x 28 W HES DIM	CHLEPL150G11

Ceiling lamp



Finishes

Body colours



White



Black



Matt gold


Central rod (optional)



Gold

Lampada in metallo/
Metal structure

Biemissione/
Uplight
and downlight



IP20



* on demand



CHARLIE

Un anello in metallo racchiude un cilindro in tessuto che come per magia si libra nell'aria. Sembra rubata alla luna piena la luce morbida e magnetica di Charlie, lampada a sospensione e soffitto dalle forme raffinate e confidenziali.

A metal ring encloses a fabric cylinder that floats in the air as if by magic. Charlie's soft, magnetic light seems to have been stolen from the moon, and the shapes of the hanging and ceiling lamps are both elegant and reassuringly familiar.








Lamp		Dimensions	Light source	Codes
Pendant lamp	Charlie 107	Ø 107 x 22 cm weight 25 kg	lamp type 4 x E27 max watt 4 x 105 W HES DIM	CARESP100C01
	Charlie 107 LED	Ø 107 x 22 cm weight 25 kg	lamp type 1 LED module 57 W luminous efficacy 8700 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	CARESP100C05
	Charlie 127	Ø 127 x 22 cm weight 35 kg	lamp type 4 x E27 max watt 4 x 105 W HES DIM	CARESP130C01
	Charlie 127 LED	Ø 127 x 22 cm weight 35 kg	lamp type 1 LED module 57 W luminous efficacy 8700 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	CARESP130C05
	Charlie 127 LED	Ø 127 x 22 cm weight 35 kg	lamp type 1 LED module 88,2 W luminous efficacy 11780 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	CARESP130C07

Pendant lamp



Finishes

Body colours



Graphite

Diffuser textiles



Cotton



Velvet



Wool

Diffusore in tessuto,
struttura in metallo/
Fabric lampshade,
metal structure

Biemissione/
Uplight
and downlight
(on demand)



IP20



*



**



*



*

* on demand

** cable on measure




Dettaglio rosone/
Ceiling rose detail



Lamp		Dimensions	Light source	Codes
Ceiling lamp	Charlie 107	Ø 107 x 25 cm weight 25 kg	lamp type 4 x E27 max watt 4 x 105 W HES DIM	CAREPL100C01
	Charlie 107 LED	Ø 107 x 25 cm weight 25 kg	lamp type 1 LED module 57 W luminous efficacy 8700 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	CAREPL100C05
	Charlie 127	Ø 127 x 25 cm weight 35 kg	lamp type 4 x E27 max watt 4 x 105 W HES DIM	CAREPL130C01
	Charlie 127 LED	Ø 127 x 25 cm weight 35 kg	lamp type 1 LED module 57 W luminous efficacy 8700 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	CAREPL130C05
	Charlie 127 LED	Ø 127 x 25 cm weight 35 kg	lamp type 1 LED module 88,2 W luminous efficacy 11780 Lm light colour 2700 K DIM DALI - push DIM CRI > 80	CAREPL130C07

Ceiling lamp



Finishes

Body colours



Graphite

Diffuser textiles



Cotton




Velvet



Wool

Diffusore in tessuto,
struttura in metallo/
Fabric lampshade,
metal structure

Biemissione/
Uplight
and downlight
(on demand)



IP20



*



*



*

* on demand



GECO

Si arrampica sulla parete con estrema naturalezza proprio come il piccolo rettile da cui prende ispirazione la lampada Geco. Disponibile in diversi colori e in due versioni, con paralume o con lampadina a vista.

Climbing up the wall with poise and aplomb, just like the small reptile from which it draws its inspiration, is Geco lamp. Available in a range of colours, and in two different versions, with lampshade or with an exposed bulb.








Lamp		Dimensions	Light source	Codes
Wall lamp with plug	Geco 155	Ø 13 x 15 x 155 weight 5 kg	lamp type 1 x E27 max watt 42 W HES DIM	GECEAP160G01
	Geco 165	Ø 30 x 21 x 165 weight 5 kg	lamp type 1 x E27 max watt 42 W HES DIM	GECEAP160C01
without plug	Geco 155	Ø 13 x 17 x 155 weight 5 kg	lamp type 1 x E27 max watt 42 W HES DIM	GECEAP160G11
	Geco 165	Ø 30 x 23 x 165 weight 5 kg	lamp type 1 x E27 max watt 42 W HES DIM	GECEAP160C11

Wall lamp



Finishes

Body colours



White



Black



Brick



Lime



Blu China



Matt gold

Diffuser textiles




Cotton

Diffusore in tessuto,
struttura in metallo/
Fabric lampshade,
metal structure

IP20



* on demand



Abbinamenti
cromatici
consigliati/
Suggested
colour matching



NUCLEO

Un disco luminoso, come il sole, si muove dentro un percorso ellittico in veste di archetipa fonte di luce. La sospensione Nucleo illumina lo spazio in modo dinamico, grazie a una sorgente LED che scorre all'interno della struttura in metallo che la ospita.

A bright disc glides along an elliptical course like the sun, playing the role of the archetypal light source. Nucleo hanging lamp dynamically illuminates its space, thanks to a LED source that slides within its metal frame.








Lamp		Dimensions	Light source	Codes
Pendant lamp Direct light	Nucleo 130	Ø 130 x 35 x 2 cm weight 8 kg	lamp type 1 panel LED 24 W luminous efficacy 2150 Lm light colour 2800 K DIM DALI /push DIM CRI > 85	NUCEDD130G01
	Nucleo 160	Ø 160 x 35 x 2 cm weight 12 kg	lamp type 2 panel LED 24 W luminous efficacy 4300 Lm light colour 2800 K DIM DALI /push DIM CRI > 85	NUCEDD160G01
Pendant lamp Uplight and downlight	Nucleo 130	Ø 130 x 35 x 2 cm weight 8 kg	lamp type 2 LED modules 24 W + 3 W luminous efficacy 2350 Lm light colour 2800 K DIM DALI /push DIM CRI > 85	NUCEDD130G11
	Nucleo 160	Ø 160 x 35 x 2 cm weight 12 kg	lamp type 4 LED modules 24 W + 3 W luminous efficacy 4500 Lm light colour 2800 K DIM DALI /push DIM CRI > 85	NUCEDD160G11

Pendant lamp



Raccordo
sospensione
1 cavo acciaio/
Connection
for suspension
1 steel cable

Finishes

Body colours



White



Graphite



Chrome

Diffuser



White



Graphite



Chrome



Copper



Brass

Luce diretta/
Direct light

Biemissione/
Uplight
and downlight



IP20



* on demand

** cable on measure



White

Dettaglio rosone L130/
Ceiling rose detail L130



Graphite




White

Dettaglio rosone L160/
Ceiling rose detail L160



Graphite



Il diffusore LED scorre all'interno della struttura/
LED source slides within its metal structure



Dettaglio biemissione/
Uplight and downlight emission detail








CARATTERISTICHE
TECNICHE /
TECHNICAL
SPECIFICATION

Sorgenti luminose	Light Sources
I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.	Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.
Temperatura colore Le lampade Modo Luce equipaggiate con sorgente LED vengono fornite di serie con temperatura di colore 2700 K. Sono disponibili su richiesta anche le versioni 3000 K e 4000 K.	Color temperature Modo Luce LED equipped products are supplied with 2700 K light colour as standard version. 3000 K and 4000 K are available on request.
Lumen L'indicazione del flusso luminale si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.	Lumen Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Legenda lampadine	Legend light bulbs
Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).	Light bulbs available for Modo Luce products (according to the models).

Tipo / Type	Simbolo / Symbol	Attacco / Socket
LED No Dim		Classic
		Globe Clair
		Dichroic
		Linear L 78
		Linear L 118
LED Dim		Classic
		Globe Clair
		Dichroic
		Linear L 78
		Linear L 118

Rosoni / Ceiling rose + Pendant lamp

 11 cm 4.33" 3.5 cm 1.38"	Chandelier Idea composition	 22 cm 8.66" 5.5 cm 2.16"	Charlie	 11 cm 4.33" 3.5 cm 1.38"	Peggy 60/80/100 Peggy Ball 60/80/100
 14.5 cm 5.71" 4 cm 1.57"	Chandelier ceiling lamp	 16 cm 6.30" 4 cm 1.57"	Idea single Peggy LED Peggy Ball LED		
 16 cm 6.30" 4 cm 1.57"	Chandelier Lounge	 16 cm 6.30" 4 cm 1.57"	Nucleo 130		
 16 cm 6.30" 4 cm 1.57"	Chandelier Lounge ceiling lamp	 16 cm 6.30" 4 cm 1.57"	Nucleo 160		

Modo Luce srl fornisce le sospensioni con i seguenti standard (misura utile):	Modo Luce srl delivers the following standard cables for the suspensions (useful measures):
– Cavo elettrico L 200 cm – Cavo elettrico L 250 cm per apparecchi con 2 o più cavi acciaio – Cavo acciaio L 200 cm	– Power wire L 200 cm / L 78.74" – Power wire L 250 cm / L 98.42" for fixtures with 2 or more steel cables – Steel cable L 200 cm / L 78.74"
** Disponibilità a misura su richiesta	** Other measures are available upon demand

Pesi / Weights				
Chandelier				
Pendant – ceiling lamp	Ø 100	10 kg	22.02 lb	
Pendant – ceiling lamp	Ø 100	12 kg	26.43 lb	
Wall lamp single	Ø 13	1 kg	2.20 lb	
Wall lamp double	Ø 35	2 kg	4.41 lb	
Chandelier Lounge				
Pendant – ceiling lamp	L 110	12 kg	26.43 lb	
Pendant – ceiling lamp	L 150	14 kg	30.83 lb	
Charlie				
Pendant – ceiling lamp	Ø 107	25 kg	55.06 lb	
Pendant – ceiling lamp	Ø 127	35 kg	77.09 lb	
Geco				
Wall lamp	Ø 13	5 kg	11.01 lb	
Wall lamp	Ø 30	5 kg	11.01 lb	
Idea				
Pendant – ceiling lamp	Ø 66	10 kg	22.02 lb	
Pendant – ceiling lamp	Ø 80	15 kg	33.04 lb	
Pendant – ceiling lamp	Ø 100	18 kg	39.65 lb	
Pendant – ceiling lamp	Ø 140	25 kg	55.06 lb	
Idea Composition				
Pendant – ceiling lamp	Ø 100	15 kg	33.04 lb	
Pendant – ceiling lamp	Ø 180	30 kg	66.14 lb	
Nucleo				
Pendant lamp	L 130	8 kg	17.66 lb	
Pendant lamp	L 160	12 kg	26.43 lb	
Peggy, Peggy LED, Peggy Ball				
Pendant – ceiling lamp	Ø 60	6 kg	13.25 lb	
Pendant – ceiling lamp	Ø 80	8,5 kg	18.76 lb	
Pendant – ceiling lamp	Ø 100	12 kg	26.49 lb	

Accessori a richiesta / Accessory on demand	Codici / Codes
Wiring power coaxial cable, FEP + PVC transparent extra flexible 2x0.5 to each linear meter	CAVCOA050000T02
Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000
Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04
Wiring, power cable round pvc, pvc white to each linear meter	CAVELE00000BT01
Wiring, power cable round pvc, pvc black to each linear meter	CAVELE00000NT01
Wiring, power cable round pvc, pvc grey to each linear meter	CAVELE00000GT01
Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05
Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05
Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN
Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000
Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000
Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000
Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000
Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000
Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000
Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000
Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000
DIM switch universal HES (40/160 W) + LED (4/100 W)	 DIMVAR0TA002000
DIM switch universal HES, LED (5/250 W)	 DIMVAR0PT003000
Uk plug adapter	 ADAUK240V001

Modo Luce – EELc Product List Global Energy Efficiently Label compatibility (EU Regulation 874/2012)

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.	The below information regarding the energy efficiency classes are not including all the bulbs available on European market.
Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l’etichetta energetica in conformità con il regolamento UE 874/2012.	Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.
Le etichette energetiche sono disponibili e scaricabili dal sito internet modoluce.com	Energy labels are available and downloaded from the webiste modoluce.com

Finiture diffusore / Diffuser finishes



Cotton

Cod. 300 Avorio / Ivory	Cod. 301 Bianco / White	Cod. 302 Sabbia / Sand	Cod. 303 Giallo oro / Golden yellow	Cod. 315 Arancio / Orange
Cod. 328 Zucca / Gourd	Cod. 305 Aragosta / Lobate pink	Cod. 306 Rosso / Red	Cod. 327 Provenza / Lavender	Cod. 320 Malva / Mallow
Cod. 321 Pervinca / Periwinkle	Cod. 326 Blu navy / Navy blue	Cod. 319 Ottanio / Teal	Cod. 316 Verde / Green	Cod. 323 Salvia / Sage
Cod. 318 Muschio / Moss	Cod. 317 Tortora / Dove colour	Cod. 324 Spago / Ecru	Cod. 314 Marrone / Brown	Cod. 312 Grigio / Grey
Cod. 310 Antracite / Anthracite	Cod. 313 Nero / Black			



Velvet

Cod. 450 Avorio / Ivory	Cod. 451 Polvere / Pastel purple	Cod. 452 Rosso antico / Old red	Cod. 453 Acquamare / Teal-Green	Cod. 454 Grigio / Grey



Wool

Cod. 650 Sabbia / Sand	Cod. 651 Arancio / Orange	Cod. 652 Verde / Green	Cod. 653 Giallo senape / Mustard yellow	Cod. 654 Viola / Purple
Cod. 655 Blu avio / Avio blue	Cod. 656 Grigio scuro / Dark grey			



Lycra

Cod. 250 Bianco / White	Cod. 263 Sabbia / Sand	Cod. 264 Giallo / Yellow	Cod. 252 Grigio / Grey	Cod. 262 Piombo / Gunmetal grey

I colori visualizzati sono puramente indicativi e possono variare rispetto alla realtà/
Colours shown are used for reference only and may look different in reality

Finiture struttura / Structure finishes

Metal

Chandelier, Peggy conic diffuser

Cod. 080 Bianco / White	Cod. 083 Nero / Black	Cod. 073 Oro opaco / Matt gold

Charlie

Cod. 094 Grafite/Graphite

Geco

Cod. 080 Bianco / White	Cod. 083 Nero / Black	Cod. 079 Mattone / Brick	Cod. 078 Lime	Cod. 077 Blu China / Blu China
Cod. 073 Oro opaco / Matt gold				

Idea, Nucleo

Cod. 080 Bianco / White

Nucleo

Cod. 094 Grafite/Graphite	Cod. 096 Cromo / Chrome

Nucleo diffuser

Cod. 080 Bianco / White	Cod. 094 Grafite/Graphite	Cod. 096 Cromo / Chrome	Cod. 097 Rame / Copper	Cod. 098 Ottone / Brass

Peggy metal disk

Cod. 080 Bianco / White

Peggy Spacer

Cod. 083 Nero / Black	Cod. 098 Ottone lucido / Polished brass

PMMA

Peggy

Bianco / White

Certificati / Certifications

	Tutti i prodotti Modo Luce sono certificati CE / All the Modo Luce products are CE certified		Indica la possibilità di fornire il prodotto con certificazione ETL / Designates the possibility to have a wiring system with ETL certification
---	---	---	--

Legenda / Legend

	Indoor		Plafoniera/ Ceiling lamp
	Sospensione / Pendant lamp		Comfort acustico / Acoustic comfort
	Indica il cablaggio elettrico CL1 / Designates the CL1 electric wiring		Cavo in acciaio ed elettrico a misura su richiesta / Metal and electrical wire on demand
	Indica il cablaggio elettrico CL2 / Designates the CL2 electric wiring		Biemissione / Uplight and downlight
	Indica che i materiali costituenti l'apparecchio superano la prova al filo incandescente alla temperatura indicata nell'icona secondo la norma IEC / Indique que les matériaux composant l'appareil passent le test au fil incandescent 650°, comme par règlement ICE 695-2-1		Curva fotometrica / Lighting data
	Dimmerabile / Dimmable		Comfort acustico / Acoustic comfort
			Modello depositato / Patent pending

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.
Tutti i diritti riservati.
Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente catalogo è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo catalogo sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente catalogo possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.
All rights reserved.
The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This catalogue is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the catalogue are forbidden.

Data contained in this catalogue is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo Luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this catalogue may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the catalogue and from batch to batch.

Art direction
Heads Collective

Print
Grafica Bieffe
Printed in October 2020



MODO LUCE SRL
via Venezia, 13
31028 Vazzola (TV) Italy

T +39 0438 488076
T +39 0438 488110

info@modoluce.com
modoluce.com
   