






INDICE / INDEX

<u>Abc</u>	01	<u>Diogene Outdoor</u>	60	<u>Multiball</u>	134
<u>Alco</u>	02	<u>Discovolante</u>	61	<u>Nucleo</u>	142
<u>Angelica</u>	10	<u>Disk</u>	75	<u>Olivia</u>	144
<u>Angelica Outdoor</u>	13	<u>Eva</u>	77	<u>Ombrella</u>	147
<u>Atollo</u>	14	<u>Florinda</u>	79	<u>Orb</u>	150
<u>Atollo Outdoor</u>	17	<u>Florinda Desnuda</u>	83	<u>Ottovolante</u>	158
<u>Aura</u>	20	<u>Geco</u>	86	<u>Peggy</u>	162
<u>Baobab</u>	21	<u>Hammer</u>	88	<u>Rettangolo</u>	168
<u>Bolla Ellisse</u>	23	<u>Icaro</u>	93	<u>Rettangolo Slim</u>	172
<u>Butterfly</u>	25	<u>Icaro Outdoor</u>	95	<u>Reverse</u>	176
<u>Campanone</u>	26	<u>Icaro ball</u>	98	<u>Righello</u>	178
<u>Campanone Outdoor</u>	27	<u>Icaro ball Outdoor</u>	100	<u>Ring</u>	180
<u>Chandelier</u>	28	<u>Idea</u>	103	<u>Ring Tonda</u>	182
<u>Chandelier Longue</u>	34	<u>Lost</u>	108	<u>Romeo</u>	184
<u>Charlie</u>	38	<u>Loto</u>	110	<u>Sestante</u>	187
<u>Cilindro</u>	43	<u>Lucilla</u>	114	<u>Sestante Outdoor</u>	190
<u>Circus</u>	52	<u>Lucilla Tonda</u>	118		
<u>Clip</u>	56	<u>Milleluci</u>	123		
<u>Coco'</u>	57	<u>Mood</u>	131		
<u>Corner</u>	59	<u>Mood Desnuda</u>	133		

Metal pendant lamp in three sizes, in white or lead grey colours and in Deluxe finishes: lime green, brick, blue China and matt gold.

Symbol index  → • / present - / absent OD / On Demand

A B C	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
	Pendant lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G41	265					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G42	330					
	Pendant lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G41	265					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G42	330					
	Pendant lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G41	265					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G42	330					
Accessory - Pendant lamp		Surcharge for ceiling rose in the same colour as Deluxe structure				ROS110003601	20					




Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F01	2.835					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F02	2.900					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F03	2.930					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E01	2.890					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E02	2.950					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E03	2.980					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L01	3.310					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L02	3.370					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L03	3.400					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I01	3.310					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I02	3.370					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I03	3.400					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F04	2.940					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F05	3.005					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F06	3.035					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E04	2.995					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E05	3.055					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E06	3.085					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L04	3.415					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L05	3.475					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L06	3.505					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I04	3.415					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I05	3.475					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I06	3.505					


PRODUCTS: Alco
DESIGN: Roberto Paoli 2017

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F01	3.120					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F02	3.180					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F03	3.215					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E01	3.225					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E02	3.285					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E03	3.320					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L01	3.600					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L02	3.665					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L03	3.695					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I01	3.780					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I02	3.845					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I03	3.875					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **5**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 		IP	CODE	€ EURO	 		IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F06	3.225					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F07	3.285					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F08	3.320					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E06	3.330					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E07	3.390					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E08	3.425					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L06	3.705					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L07	3.770					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L08	3.800					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I06	3.885					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I07	3.950					
Kvadrat fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I08	3.980					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F01	3.130					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F02	3.190					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F03	3.225					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E01	3.180					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E02	3.245					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E03	3.275					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L01	3.600					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L02	3.665					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L03	3.695					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I01	3.600					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I02	3.665					
Kvadrat fabric DIM DALI/Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I03	3.695					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F04	3.235					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F05	3.295					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F06	3.330					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E04	3.285					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E05	3.350					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E06	3.380					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L04	3.705					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L05	3.770					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L06	3.800					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I04	3.705					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I05	3.770					
Kvadrat fabric DIM DALI/Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I06	3.800					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F01	3.180					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F02	3.245					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F03	3.275					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E01	3.285					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E02	3.350					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E03	3.415					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L01	3.665					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L02	3.730					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L03	3.760					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I01	3.845					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I02	3.905					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I03	3.940					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F06	3.285					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F07	3.350					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F08	3.380					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E06	3.390					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E07	3.455					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E08	3.485					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L06	3.770					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L07	3.835					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L08	3.865					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I06	3.950					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I07	4.010					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I08	4.045					



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 120



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp L.120 white
cotton white

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135C01

725

Wall lamp L.120 black
cotton black

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135C02

725

Wall lamp L.120 white washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135T01

770

Wall lamp L.120 black washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP135T02

770

Wall lamp L.120 white wool
sand

1 x E27 70 W HES

•

OD

IP20

ANGEAP135E01

780

Wall lamp L.120 black wool
sand

1 x E27 70 W HES

•



OD

IP20

ANGEAP135E02

780

Wall lamp - L 170



Wall lamp L.170 white
cotton white

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180C01

760

Wall lamp L.170 black
cotton black

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180C02

760

Wall lamp L.170 white washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180T01

810

Wall lamp L.170 black washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP180T02

810

Wall lamp L.170 white wool
sand

1 x E27 70 W HES

•

OD

IP20

ANGEAP180E01

820

Wall lamp L.170 black wool
sand

1 x E27 70 W HES

•

OD

IP20

ANGEAP180E02

820



Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 200

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.200 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C01	810					
Wall lamp L.200 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C02	810					
Wall lamp L.200 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T01	855					
Wall lamp L.200 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T02	855					
Wall lamp L.200 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E01	865					
Wall lamp L.200 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E02	865					



Accessory - Wall lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

70



Accessory - Wall lamp

Fixing accessory for wall lamp - white


• OD IP20 DEJEAR000G01

105

Fixing accessory for wall lamp - black

• OD IP20 DEJEAR000G02

105





Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C01	1.240					
Floor lamp black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C02	1.240					
Floor lamp white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T01	1.300					
Floor lamp black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T02	1.300					
Floor lamp white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E01	1.315					
Floor lamp black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E02	1.315					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	90	
------------------------	---	--------------	----	--




Floor lamp with cantilever arm and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure. Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating. Lampshade in washable marble fabric. On demand, washable fabric lampshade available in different colours with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand

ANGELICA OUTDOOR

Wall lamp - L 170



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall lamp L.170 white washable marble

1 x E27 42 W HES

OD

-

IP44/55

AGOEAP170T01

1.315

Wall lamp L.170 black washable marble

1 x E27 42 W HES

OD

-

IP44/55

AGOEAP170T02

1.315

Accessory - Wall lamp

Fixing accessory for wall lamp - white

•

-

IP55

DEOEAP000G01

125

Fixing accessory for wall lamp - black


•

-

IP55

DEOEAP000G02

125



Floor lamp

Floor lamp white washable marble

1 x E27 42 W HES

OD

OD

IP44/55

AGOEPT230C01

1.575

Floor lamp black washable marble

1 x E27 42 W HES


OD

OD

IP44/55

AGOEPT230C02



1.575



Symbol index  → • / present - / absent OD / On Demand



ATOLLO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES	•	OD	IP31	ATIESO070D01	920					
With 3 steel cables	6 x E27 42 W HES	•	OD	IP31	ATIESO070D02	900					
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D41	1.315					
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D42	1.290					
With 1 steel cable DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D43	1.525					
With 3 steel cables DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	•	-	IP31	ATIESO070D44	1.500					

Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES	•	OD	IP31	ATIESO100D01	1.225					
With 4 steel cables	8 x E27 42 W HES	•	OD	IP31	ATIESO100D02	1.190					
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D41	1.735					
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D42	1.700					
With 1 steel cable DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D43	2.025					
With 4 steel cables DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	•	-	IP31	ATIESO100D44	1.995					



PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
White polyethylene diffuser.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES	•	OD	IP31	ATIESO150D01	2.050					
With 4 steel cables	12 x E27 42 W HES	•	OD	IP31	ATIESO150D02	1.995					
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D41	2.890					
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D42	2.835					
With 1 steel cable DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D43	3.255					
With 4 steel cables DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D44	3.205					


PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index   → • / present - / absent OD / On Demand

ATOLLO

Wall/ ceiling lamp - ø 70




DESCRIPTION

LIGHT SOURCE

Wall/ ceiling lamp	6 x E27 28 W HES
Wall/ ceiling lamp NO DIM	1 led strip 40 W - 7000 Lm - 3000 K
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP31	ATIEAP070D01	1.050					
•	-	IP31	ATIEAP070D41	1.440					
•	-	IP31	ATIEAP070D42	1.630					


Wall/ ceiling lamp - ø 100



Wall/ ceiling lamp	8 x E27 28 W HES
Wall/ ceiling lamp NO DIM	1 led strip 55 W - 9300 Lm - 3000 K
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K

• OD	IP31	ATIEAP100D01	1.420				
• -	IP31	ATIEAP100D41	1.930				
• -	IP31	ATIEAP100D42	2.155				

Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp	12 x E27 28 W HES
Wall/ ceiling lamp NO DIM	1 led strip 82 W - 14000 Lm - 3000 K
Wall/ ceiling lamp DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K

• OD	IP31	ATIEAP150D01	2.260				
• -	IP31	ATIEAP150D41	2.995				
• -	IP31	ATIEAP150D42	3.360				

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009



PAGE: 17

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand



ATOLLO OUTDOOR

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES				• - IP44	ATOESO070D01	975
With 3 steel cables	6 x E27 42 W HES				• - IP44	ATOESO070D02	955
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D41	1.395
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D42	1.375

Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES				• - IP44	ATOESO100D01	1.315
With 4 steel cables	8 x E27 42 W HES				• - IP44	ATOESO100D02	1.270
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D41	1.840
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D42	1.795

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009



PAGE: **18**

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES				• - IP44	ATOESO150D01	2.260
With 4 steel cables	12 x E27 42 W HES				• - IP44	ATOESO150D02	2.205
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D41	3.045
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D42	2.995

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009


PAGE: **19**

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Wall/ ceiling lamp - ø 70




DESCRIPTION	LIGHT SOURCE
Wall/ ceiling lamp	6 x E27 42 W HES

Wall/ ceiling lamp NO DIM	1 led strip 40 W - 7000 Lm - 3000 K
---------------------------	-------------------------------------

INDOOR				OUTDOOR					
		IP	CODE	€ EURO			IP	CODE	€ EURO
					•	-	IP44	ATOEAP070D01	1.155
					•	-	IP44	ATOEAP070D41	1.470

Wall/ ceiling lamp - ø 100




Wall/ ceiling lamp	8 x E27 42 W HES
--------------------	------------------

Wall/ ceiling lamp NO DIM	1 led strip 55 W - 9300 Lm - 3000 K
---------------------------	-------------------------------------

				•	-	IP44	ATOEAP100D01	1.545
				•	-	IP44	ATOEAP100D41	1.945

Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp	12 x E27 42 W HES
--------------------	-------------------

Wall/ ceiling lamp NO DIM	1 led strip 82 W - 14000 Lm - 3000 K
---------------------------	--------------------------------------

				•	-	IP44	ATOEAP150D01	2.415
				•	-	IP44	ATOEAP150D41	3.100


PRODUCTS: Aura
DESIGN: De Clercq & Geoffroy-Dechaume 2014

Table lamp with natural or raw hemp colour concrete base.
 Lampshade available in cotton, pleated, wool or Remix Kvadrat fabric.
 Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process
 and of this material, that make each product a unique and unrepeatable piece.

Symbol index   → • / present - / absent OD / On Demand


AURA

Table lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO		 	IP	CODE	€ EURO	
Natural grey base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C01	610					
Raw hemp base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C03	610					
Natural grey base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P01	630					
Raw hemp base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P03	630					
Natural grey base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E01	660					
Raw hemp base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E03	660					
Natural grey base Kvadrat fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065I01	730					
Raw hemp base Kvadrat fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065I03	730					

Accessories



Upper disc in opal PMMA	-	IP20	AUREPM000M01	105	
Upper disc in white PC	•	IP20	AUREPC000B01	115	

Accessory - Table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)			DIMVAR0TA002	70	
---	--	--	--------------	----	--



PRODUCTS: Baobab
DESIGN: Paolo Grasselli 2017


PAGE: **21**

Pendant and floor lamp with three or six arms.
 Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
 Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index   → • / present - / absent OD / On Demand


BAOBAB

Pendant lamp 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp 3 arms white or lead grey	3 x E27 42 W HES	•	OD	IP20	BAOESO003G01	820					
Pendant lamp 3 arms Deluxe	3 x E27 42 W HES	•	OD	IP20	BAOESO003G02	955					
Accessory:											
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT300	135					

Pendant lamp 6 arms




Pendant lamp 6 arms white or lead grey	6 x E27 42 W HES	•	OD	IP20	BAOESO006G01	1.115					
Pendant lamp 6 arms Deluxe	6 x E27 42 W HES	•	OD	IP20	BAOESO006G02	1.315					
Accessory:											
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT600	255					

Pendant and floor lamp with three or six arms.
Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index   → • / present - / absent OD / On Demand

BAOBAB

Floor lamp 3 arms



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Floor lamp white or lead grey 3 x E27 42 W HES

• OD IP20 BAOEPT195G01 1.050

Floor lamp Deluxe 3 x E27 42 W HES


• OD IP20 BAOEPT195G02 1.210

Accessory:

Kit 3 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

LMPLEDE27KIT300 135

Floor lamp 6 arms



Floor lamp white or lead grey 6 x E27 42 W HES

• OD IP20 BAOEPT200G01 1.345

Floor lamp Deluxe 6 x E27 42 W HES

• OD IP20 BAOEPT200G02 1.555

Accessory:

Kit 6 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

LMPLEDE27KIT600 255

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)

DIMVAROPT003

90




Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040C01	455					
Washable fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040T01	485					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040P01	525					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040R01	530					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO040M01	475					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO040M02	525					

Pendant lamp - ø 50



Cotton fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050C01	565					
Washable fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050T01	600					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050P01	625					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050R01	640					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO050M01	590					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO050M02	640					

Pendant lamp - ø 60




Cotton fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060C01	695					
Washable fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060T01	740					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060P01	770					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060R01	790					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO060M01	720					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLESO060M02	775					

Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index   → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060C01	600					
Washable fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060T01	620					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060P01	615					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060R01	625					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M01	610					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M02	650					

Pendant lamp - ø 80




Cotton fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080C01	850					
Washable fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080T01	875					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080P01	905					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080R01	915					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M01	880					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M02	935					

Metal wall lamp painted in white or lead grey colours and in Deluxe finishing matt gold or available in the version with half discs covered in wool fabric with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


BUTTERFLY

Wall lamp - ø 54



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal wall lamp white or lead grey NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G01	685					
Metal wall lamp Deluxe NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G02	790					
Wool fabric wall lamp NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054E01	1.050					
Metal wall lamp white or lead grey DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G05	715					
Metal wall lamp Deluxe DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G06	820					
Wool fabric wall lamp DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054E03	1.080					

Wall lamp - ø 75




Metal wall lamp white or lead grey NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G01	840			
Metal wall lamp Deluxe NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G02	975			
Wool fabric wall lamp NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075E01	1.420			
Metal wall lamp white or lead grey DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G05	870			
Metal wall lamp Deluxe DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G06	1.010			
Wool fabric wall lamp DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075E03	1.450			

A and B: option at the customer's choice upon installation (2 sets of brackets included)

Accessory recessed

Kit for recessed version - ø 54	•	IP20	BUTEDD054G01	55	
Kit for recessed version - ø 75	•	IP20	BUTEDD075G01	75	




PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Pendant lamp with diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Plex finishishing underneath available in opal polycarbonate too, in accordance with 650° normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE

Pendant lamp



DESCRIPTION

LIGHT SOURCE

Medium pendant lamp ø 33

1 x E27 42 W HES

Maxi pendant lamp ø 51

1 x E27 70 W HES

INDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO033D01

360

OUTDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO051D01

475


PRODUCTS: Campanone Outdoor
DESIGN: Paolo Grasselli 2005

Pendant and floor lamp available with power supply or rechargeable LED white kit.
 Diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE OUTDOOR


Pendant lamp



DESCRIPTION	LIGHT SOURCE
Medium pendant lamp ø 33	1 x E27 42 W HES

Maxi pendant lamp ø 51	1 x E27 70 W HES
------------------------	------------------


Floor lamp with power supply



Medium floor lamp ø 33	1 x E27 42 W HES
------------------------	------------------

Maxi floor lamp ø 51	1 x E27 70 W HES
----------------------	------------------

Rechargeable floor lamp



Medium floor lamp ø 33	1 kit led 6,4 W - 600 Lm - warm light
------------------------	---------------------------------------

Maxi floor lamp ø 51	1 kit led 6,4 W - 600 Lm - warm light
----------------------	---------------------------------------

IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C (with working temperature range from +7°C to 10°C battery life is decreasing of 20%):


Led 25% 1,6W 10h - Led 50% 3,2W 6h30' - Led 100% 6,4W 2h15' - It is recommended to recharge the kit in indoor - temperature > +15° C.

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white or black	12xE27 42W HES + 1xGU10 28W HES	•	OD	IP20	CHAESO100G01	1.440					
Pendant lamp Deluxe	12xE27 42W HES + 1xGU10 28W HES	•	OD	IP20	CHAESO100G02	1.595					
Pendant lamp white or black with gold rod	12xE27 42W HES + 1xGU10 28W HES	•	OD	IP20	CHAESO100G21	1.470					
Pendant lamp Deluxe with gold rod	12xE27 42W HES + 1xGU10 28W HES	•	OD	IP20	CHAESO100G22	1.630					
Accessory:											
Kit light bulbs: 12 x E27 Globe 125 LED 8W 2200K (NO DIM) + 1 x GU10 LED (NO DIM)		LMPLEDE27KIT011				345					
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2200K (DIM) + 1 x GU10 LED (DIM)		LMPLEDE27KIT012				515					

Pendant lamp - ø 100




Pendant lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAESO100G11	1.440					
Pendant lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAESO100G12	1.595					
Pendant lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAESO100G31	1.470					
Pendant lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAESO100G32	1.630					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	165					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	200					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Pendant lamp - ø 140



DESCRIPTION

LIGHT SOURCE

Pendant lamp white or black

12xE27 42W HES +
1xGU10 28W HES

Pendant lamp Deluxe

12xE27 42W HES +
1xGU10 28W HES

Pendant lamp white or black with
gold rod

12xE27 42W HES +
1xGU10 28W HES

Pendant lamp Deluxe with gold rod

12xE27 42W HES +
1xGU10 28W HES


Accessory:

Kit light bulbs: 12 x E27 Globe 125 LED 8W
2200K (NO DIM) + 1 x GU10 LED (NO DIM)

Kit light bulbs: 12 x E27 Globe 125 LED
7,5W 2200K (DIM) + 1 x GU10 LED (DIM)

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	CHAESO140G01	1.545					
•	OD	IP20	CHAESO140G02	1.720					
•	OD	IP20	CHAESO140G21	1.575					
•	OD	IP20	CHAESO140G22	1.755					
</									

Pendant lamp - ø 140



Pendant lamp white or black

13 x GU10 28 W HES

Pendant lamp Deluxe

13 x GU10 28 W HES

Pendant lamp white or black with
gold rod

13 x GU10 28 W HES

Pendant lamp Deluxe with gold rod

13 x GU10 28 W HES

Accessory:

Kit 13 light bulbs GU10 LED (NO DIM)

Kit 13 light bulbs GU10 LED (DIM)


• OD	IP20	CHAESO140G11	1.545				
• OD	IP20	CHAESO140G12	1.720				
• OD	IP20	CHAESO140G31	1.575				
• OD	IP20	CHAESO140G32	1.755				
Accessory:							
			LMPLEDGU10KIT11	165			
			LMPLEDGU10KIT12	200			

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G01	1.460					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G02	1.615					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G21	1.490					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G22	1.650					
Accessory:											
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)		LMPLEDE27KIT013					265				
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)		LMPLEDE27KIT014					355				

Ceiling lamp - ø 100




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G11	1.460					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G12	1.615					
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G31	1.490					
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G32	1.650					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	165					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	200					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 140



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G01	1.555					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G02	1.735					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G21	1.585					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G22	1.765					
Accessory:											
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)		LMPLEDE27KIT013					265				
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)		LMPLEDE27KIT014					355				

Ceiling lamp - ø 140




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G11	1.555					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G12	1.735					
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G31	1.585					
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G32	1.765					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	165					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	200					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – single



DESCRIPTION

LIGHT SOURCE

Wall lamp white or black 2 x E27 42 W HES

Wall lamp Deluxe 2 x E27 42 W HES

Accessory:

Kit 2 light bulbs E27 Globe 125 LED
8W 2200K (NO DIM)

Kit 2 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)


INDOOR				OUTDOOR					
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	CHAEAP010G01	265					
•	OD	IP20	CHAEAP010G02	305					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – double



DESCRIPTION

LIGHT SOURCE

Wall lamp white or black 4 x E27 42 W HES

Wall lamp Deluxe 4 x E27 42 W HES

Accessory:

Kit 4 light bulbs E27 Globe 125 LED
8W 2200K (NO DIM)

Kit 4 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)



IP

CODE

€ EURO

• OD IP20 CHAEAP035G01 460

• OD IP20 CHAEAP035G02 515

LMPLEDE27KIT003 135

LMPLEDE27KIT004 180

INDOOR

OUTDOOR




IP

CODE

€ EURO

Wall lamp – double



Wall lamp white or black 4 x GU10 28W HES

Wall lamp Deluxe 4 x GU10 28W HES

Accessory:

Kit 4 light bulbs GU10 LED (NO DIM)

Kit 4 light bulbs GU10 LED (DIM)

• OD IP20 CHAEAP035G11 460

• OD IP20 CHAEAP035G12 515

LMPLEDGU10KIT03 75


LMPLEDGU10KIT04 95

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE



Pendant lamp - L. 100



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G01	1.880
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G02	2.050
Pendant lamp white or black with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G21	1.930
Pendant lamp Deluxe with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G22	2.100
Accessory:			
Kit light bulbs: 16 x E27 Globe 125 LED 8W 2200K (NO DIM) + 2 x GU10 LED (NO DIM)		LMPLEDE27KIT016	475
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2200K (DIM) + 2 x GU10 LED (DIM)		LMPLEDE27KIT017	660

Pendant lamp - L. 100




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Pendant lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLESO100G11	1.880
Pendant lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLESO100G12	2.050
Pendant lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20 CHLESO100G31	1.930
Pendant lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20 CHLESO100G32	2.100
Accessory:			
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18	230
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19	295

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Pendant lamp - L. 150



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G01

1.945

Pendant lamp Deluxe

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G02

2.175

Pendant lamp white or black with
gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G21

2.005

Pendant lamp Deluxe with gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G22

2.235

Accessory:

Kit light bulbs: 16 x E27 Globe 125 LED 8W
2200K (NO DIM) + 2 x GU10 LED (NO DIM)

LMPLEDE27KIT016


475

Kit light bulbs: 16 x E27 Globe 125 LED
7,5W 2200K (DIM) + 2 x GU10 LED (DIM)

LMPLEDE27KIT017

660

Pendant lamp - L. 150



Pendant lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G11

1.945

Pendant lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G12

2.175

Pendant lamp white or black with
gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G31

2.005

Pendant lamp Deluxe with gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G32

2.235

Accessory:

Kit 18 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

230

Kit 18 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19

295

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE


Ceiling lamp - L. 100



110 cm	55 cm
43.31"	21.65"

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP CODE € EURO	 IP CODE € EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G01 1.840	
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G02 2.050	
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G21 1.890	
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G22 2.100	
Accessory:			
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)		LMPLEDE27KIT160 355	
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)		LMPLEDE27KIT170 475	

Ceiling lamp - L. 100



105 cm	48 cm
41.34"	18.9"


Ceiling lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLEPL100G11 1.840	
Ceiling lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLEPL100G12 2.050	
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20 CHLEPL100G31 1.890	
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20 CHLEPL100G32 2.100	
Accessory:			
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18 230	
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19 295	

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Ceiling lamp - L. 150



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL150G01	1.900					
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL150G02	2.165					
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL150G21	1.955					
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL150G22	2.215					
Accessory:											
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)					LMPLEDE27KIT160	355					
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)					LMPLEDE27KIT170	475					

Ceiling lamp - L. 150



Ceiling lamp white or black	18 x GU10 28 W HES	•	OD	IP20	CHLEPL150G11	1.900					
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD	IP20	CHLEPL150G12	2.165					
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	•	OD	IP20	CHLEPL150G31	1.955					
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	•	OD	IP20	CHLEPL150G32	2.215					
Accessory:											
Kit 18 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT18	230					
Kit 18 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT19	295					

PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.

Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.


On demand, lampshade available in wool and Remix Kvadrat fabric.

Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 107



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

DIRECT LIGHT

Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP100C01	1.755	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP100O01	1.965	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C05	2.060	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C04	2.100	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C06	2.155	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O05	2.270	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O04	2.195	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O06	2.365	

DOUBLE LIGHT EMISSION


Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C15	2.700	
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C14	2.805	
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C16	2.805	
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O15	2.910	
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O14	3.015	
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O16	3.015	

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP130C01	2.125					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP130O01	2.380					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C05	2.430					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C04	2.475					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C06	2.525					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O05	2.685					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O04	2.725					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O06	2.775					
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C07	2.520					
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C08	2.645					
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O07	2.770					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O08	2.900					

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
DOUBLE LIGHT EMISSION											
Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C15	3.065					
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C14	3.170					
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C16	3.170					
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O15	3.320					
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O14	3.425					
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O16	3.425					
Cotton NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C17	3.100					
Cotton DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C18	3.255					
Velvet NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O17	3.350					
Velvet DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O18	3.505					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

PAGE: **41**

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.

Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.


On demand, lampshade available in wool and Remix Kvadrat fabric.

Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 107



DESCRIPTION

LIGHT SOURCE

DIRECT LIGHT



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO


Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL100C01	1.630	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL100O01	1.840	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C05	1.910	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C04	1.955	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C06	2.005	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O05	2.120	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O04	2.165	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O06	2.215	

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 127



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

DIRECT LIGHT

Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL130C01	1.965	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL130O01	2.215	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C05	2.280	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C04	2.375	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C06	2.375	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O05	2.530	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O04	2.575	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O06	2.575	
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C07	2.340	
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C08	2.470	
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O07	2.595	
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O08	2.720	

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


Opal plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP060C01	465					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP060T01	520					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP060O01	535					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP060L01	540					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP060C02	550					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP060T02	605					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP060O02	620					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP060L02	625					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060P01	690					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060R01	705					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C06	705					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T06	755					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O06	770					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L06	775					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P05	840					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R05	855					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C09	765					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T09	820					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O09	835					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L09	840					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P09	905					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R09	920					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C08	775					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T08	830					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O08	845					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L08	850					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P07	915					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R07	930					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX060F01	135	
-----------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP070C01	530					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP070T01	620					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP070O01	645					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP070L01	630					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP070C02	600					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP070T02	690					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP070O02	715					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP070L02	700					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070P01	1.000					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070R01	1.025					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C06	775					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T06	865					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O06	895					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L06	875					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P05	1.175					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R05	1.200					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C09	840					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T09	930					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O09	955					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L09	940					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P09	1.240					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R09	1.265					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C08	875					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T08	965					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O08	990					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L08	975					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P07	1.275					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R07	1.300					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX070F01	180	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP100C01	1.040					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP100T01	1.165					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP100O01	1.200					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP100L01	1.175					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100P01	1.705					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100R01	1.750					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C08	1.145					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T08	1.270					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O08	1.305					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L08	1.280					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P08	1.810					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R08	1.855					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C09	1.210					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T09	1.335					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O09	1.370					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L09	1.345					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P09	1.875					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R09	1.915					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C10	1.245					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T10	1.370					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O10	1.405					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L10	1.380					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P10	1.910					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R10	1.955					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C13	1.420					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T13	1.545					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O13	1.580					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L13	1.555					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P13	2.085					
1 light pleated ribbon fabric NO DIM/ DIM 1-10V	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R13	2.125					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C14	1.480					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T14	1.605					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O14	1.645					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L14	1.615					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P14	2.145					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R14	2.190					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C15	1.515					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T15	1.645					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O15	1.680					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L15	1.655					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P15	2.185					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R15	2.225					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX100F01	400	
-----------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP120C01	1.555					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP120T01	1.710					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP120O01	1.755					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP120L01	1.700					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120P01	2.050					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120R01	2.100					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C08	1.655					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T08	1.810					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O08	1.855					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L08	1.765					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P08	2.110					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R08	2.165					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C09	1.715					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T09	1.875					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O09	1.915					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L09	1.825					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P09	2.175					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R09	2.225					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C10	1.735					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T10	1.890					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O10	1.930					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L10	1.845					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P10	2.190					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R10	2.240					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C11	2.050					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T11	2.205					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O11	2.245					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L11	2.160					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P11	2.505					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R11	2.555					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C12	2.110					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T12	2.270					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O12	2.310					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L12	2.220					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P12	2.565					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R12	2.620					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX120F01	440	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton	6 x E27 105 W HES	OD	OD	IP20	CILESP150C01	2.405					
6 lights washable	6 x E27 105 W HES	OD	OD	IP20	CILESP150T01	2.575					
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CILESP150O01	2.680					
6 lights pleated fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150P01	3.215					
6 lights pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150R01	3.275					
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C08	2.680					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T08	3.895					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O08	2.950					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P08	3.485					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R08	3.550					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C09	2.740					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T09	2.910					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O09	3.015					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P09	3.550					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R09	3.610					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CISESP070O02	1.680					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CISESP070E02	1.680					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O03	1.825					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O04	1.890					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O05	1.920					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E03	1.825					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E04	1.890					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E05	1.920					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX070F01	200	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP100O02	2.310					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP100E02	2.310					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O03	2.385					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O04	2.445					
1 light velvet DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O05	2.480					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E03	2.385					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E04	2.445					
1 light wool DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E05	2.480					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O08	2.650					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O09	2.715					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O10	2.750					
1 light wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E08	2.650					
1 light wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E09	2.715					
1 light wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E10	2.750					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX100F01	380	
-----------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP120O02	2.520					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP120E02	2.520					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O03	2.585					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O04	2.645					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O05	2.680					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E03	2.585					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E04	2.645					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E05	2.680					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O06	2.900					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O07	2.960					
1 light wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E06	2.900					
1 light wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E07	2.960					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX120F01	475	
-----------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 150



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

6 lights velvet

6 x E27 105 W HES

OD

OD

IP20

CISESP150O02

3.625

6 lights wool

6 x E27 105 W HES

OD

OD

IP20

CISESP150E02

3.625

1 light velvet NO DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150O06

4.095

1 light velvet DIM DALI-Push DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150O07

4.160

1 light wool NO DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150E06

4.095

1 light wool DIM DALI-Push DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150E07

4.160

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Clip
DESIGN: Baldessari e Baldessari 2018

Oblong shape pendant lamp with double light emission. Metal structure painted sand or lead grey colours and in Deluxe finishes: caramel or matt gold.
 Upper diffuser in white polycarbonate.
 Double light emission: L 130 Up 5120 lm - Down 2560 lm / L 170 Up 7040 lm - Down 2560 lm

Symbol index   → • / present - / absent OD / On Demand


CLIP

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp sand or lead grey NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G01	1.840					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G03	1.900					
Pendant lamp Deluxe NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G02	1.985					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G04	2.050					

Pendant lamp - L 170



Pendant lamp sand or lead grey NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G01	2.020					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G03	2.085					
Pendant lamp Deluxe NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G02	2.185					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G04	2.245					

PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


COCO'

Pendant lamp D.60

DESCRIPTION Pendant lamp pleated fabric

LIGHT SOURCE 2 x E27 42 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	COCESP060P01	1.030					




Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P05	1.125	
Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P07	1.155	
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P06	1.225	

Pendant lamp D.80

Pendant lamp pleated fabric

3 x E27 70 W HES

OD	OD	IP20	COCESP080P01	1.450	
----	----	------	--------------	-------	--




Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P05	1.650	
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P07	1.735	
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P06	1.735	

Pendant lamp in hand-finished pleated fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp pleated fabric 4 x E27 70 W HES

OD

OD

IP20

COCESP100P01

1.910

Pendant lamp pleated fabric NO DIM 1 led module 23 W - 3628 Lm - 2700 K

OD

OD

IP20

COCESP100P05

2.050

Pendant lamp pleated fabric DIM TRIAC 1 led module 23 W - 3628 Lm - 2700 K

OD

OD

IP20

COCESP100P09

2.130

Pendant lamp pleated fabric DIM DALI-Push DIM 1 led module 23 W - 3628 Lm - 2700 K

OD

OD

IP20

COCESP100P06

2.130

Pendant lamp pleated fabric NO DIM 1 led module 57 W - 8750 Lm - 2700 K

OD

OD

IP20

COCESP100P12

2.325

Pendant lamp pleated fabric DIM TRIAC 1 led module 57 W - 8750 Lm - 2700 K

OD

OD

IP20

COCESP100P13

2.390

Pendant lamp pleated fabric DIM DALI-Push DIM 1 led module 57 W - 8750 Lm - 2700 K

OD

OD

IP20

COCESP100P14

2.420


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm. Embossed white or black painted metal structure.
Rotating lampshade (adjustable 30°) available in cotton fabric in the same colour as the metal structure or in washable marble fabric. (On demand, also available in wool fabric).
One side frosted plex finishing underneath.
On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


CORNER

Floor lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton white DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C07	1.355					
Metal black cotton black DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C08	1.355					
Metal white washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T07	1.420					
Metal black washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T08	1.420					

Floor lamp - ø 80



Metal white cotton white DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C09	1.680					
Metal black cotton black DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C10	1.680					
Metal white washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T09	1.735					
Metal black washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T10	1.735					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Metal structure painted white, graphite or rust effect. On demand, different RAL colours available (minimum quantity 10 pcs).
 Cylindric diffuser in opal PC.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

DIOGENE OUTDOOR

Table/ floor/ pendant lamp

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Version with power supply

1 x E27 70 W HES

•

-

IP44

DIOETA030G42

475

Rechargeable version

1 kit led 6,4 W - 600 Lm -
warm light



•

-

IP65

DIOETA030G12

650



IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 25% 1,6W 10h

Led 50% 3,2W 6h 30'

Led 100% 6,4W 2h 15'

With working temperature range from +7 C° to 10°C battery life is decreasing of 20%.


(It is recommended to recharge the kit in indoor - temperature > +15° C).

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	DISESP040C02	420					
2 lights washable	2 x E27 42 W HES	OD	OD	IP20	DISESP040T02	440					
2 lights velvet	2 x E27 42 W HES	OD	OD	IP20	DISESP040O02	445					
2 lights cotton+lycra	2 x E27 42 W HES	OD	OD	IP20	DISESP040L02	485					
2 lights pleated fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040P02	505					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040R02	515					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C06	525					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T06	545					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O06	550					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L06	590					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P06	610					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R06	620					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C07	545					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T07	565					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O07	570					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L07	610					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P07	630					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R07	640					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C08	610					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T08	630					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O08	635					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L08	670					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P08	695					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R08	705					

Accessory

Top protective disk in opal plex	OD	IP20	DISEPX040F01	65	
----------------------------------	----	------	--------------	----	--




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISESP060C02	590					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISESP060T02	625					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISESP060O02	635					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISESP060L02	655					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060P02	695					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060R02	710					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C06	775					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T06	815					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O06	825					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L06	845					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P06	880					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R06	900					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C07	830					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T07	865					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O07	875					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L07	900					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P07	935					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R07	950					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C08	850					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T08	885					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O08	900					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L08	920					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P08	1.025					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R08	1.040					

PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004


PAGE: **63**

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C11	985					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T11	1.025					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O11	1.035					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L11	1.055					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P11	1.160					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R11	1.175					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C13	1.040					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T13	1.075					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O13	1.085					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L13	1.110					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P13	1.145					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R13	1.160					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C12	1.070					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T12	1.110					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O12	1.120					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L12	1.140					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P12	1.245					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R12	1.260					


Accessory

Top protective disk in opal plex



Accessory

Jointed arm for ø 40 - 60 - 80 - 100




(price valid only if ordered at the same time as the pendant lamp)

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP080C02	800					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP080T02	845					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP080O02	860					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP080L02	880					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080P02	980					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080R02	1.005					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C16	1.135					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T16	1.180					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O16	1.195					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L16	1.220					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P16	1.320					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R16	1.340					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C10	1.185					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T10	1.235					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O10	1.250					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L10	1.270					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P10	1.370					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R10	1.390					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C17	1.250					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T17	1.295					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O17	1.315					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L17	1.335					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P17	1.435					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R17	1.455					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE

Pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C13	1.365					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T13	1.410					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O13	1.430					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080L13	1.450					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P13	1.550					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R13	1.570					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C15	1.450					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T15	1.495					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O15	1.510					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080L15	1.535					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P15	1.635					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R15	1.655					

Accessory	Top protective disk in opal plex	OD	IP20	DISEPX080F01	160	
------------------	----------------------------------	----	------	--------------	-----	--



Accessory	Jointed arm for ø 40 - 60 - 80 - 100	•	IP20		230	
------------------	--------------------------------------	---	------	--	-----	--




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP100C02	945					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP100T02	1.005					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP100O02	1.020					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP100L02	1.040					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100P02	1.270					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100R02	1.295					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C17	1.280					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T17	1.340					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O17	1.355					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L17	1.375					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P17	1.605					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R17	1.635					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C19	1.335					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T19	1.390					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O19	1.405					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L19	1.430					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P19	1.660					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R19	1.685					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C18	1.395					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T18	1.455					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O18	1.470					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L18	1.490					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P18	1.720					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R18	1.750					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C13	1.575					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T13	1.635					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O13	1.650					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L13	1.670					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P13	1.900					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R13	1.925					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C15	1.660					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T15	1.715					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O15	1.735					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L15	1.755					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P15	1.985					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R15	2.010					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100C16	1.995					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100T16	2.055					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100O16	2.070					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100L16	2.090					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100P16	2.320					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100R16	2.345					


Accessory

Top protective disk in opal plex



Accessory

Jointed arm for ø 40 - 60 - 80 - 100





NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 40





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 28 W HES	OD	OD	IP20	DISEAP040C02	380					
2 lights washable	2 x E27 28 W HES	OD	OD	IP20	DISEAP040T02	400					
2 lights velvet	2 x E27 28 W HES	OD	OD	IP20	DISEAP040O02	405					
2 lights cotton+lycra	2 x E27 28 W HES	OD	OD	IP20	DISEAP040L02	440					
2 lights pleated fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040P02	460					
2 lights pleated ribbon fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040R02	475					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C06	495					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T06	515					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O06	520					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L06	555					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P06	580					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R06	590					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C07	515					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T07	535					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O07	540					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L07	580					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P07	600					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R07	610					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C08	580					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T08	600					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O08	605					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L08	640					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P08	660					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R08	670					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISEAP060C02	580					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISEAP060T02	615					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISEAP060O02	625					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISEAP060L02	645					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060P02	685					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060R02	700					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C06	735					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T06	770					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O06	780					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L06	805					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P06	840					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R06	855					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C07	790					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T07	825					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O07	835					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L07	855					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P07	895					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R07	910					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C08	810					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T08	845					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O08	855					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L08	875					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	915					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R08	930					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).



One side frosted plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60



13 cm
5.12"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C11	945					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T11	980					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O11	990					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L11	1.015					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P11	1.050					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R11	1.065					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C09	1.010					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T09	1.045					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O09	1.055					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L09	1.075					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P09	1.115					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R09	1.130					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C12	1.045					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T12	1.080					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O12	1.090					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L12	1.115					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P12	1.150					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R12	1.165					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL080C02	790					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL080T02	835					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL080O02	850					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL080L02	870					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080P02	970					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080R02	990					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C16	1.125					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T16	1.170					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O16	1.185					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L16	1.210					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P16	1.305					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R16	1.330					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C10	1.185					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T10	1.235					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O10	1.295					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L10	1.270					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P10	1.370					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R10	1.390					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C17	1.225					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T17	1.270					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O17	1.285					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L17	1.305					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R17	1.405					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P17	1.430					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C13	1.325					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T13	1.370					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O13	1.385					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L13	1.405					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P13	1.505					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R13	1.530					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C15	1.385					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T15	1.435					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O15	1.450					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L15	1.470					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P15	1.570					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R15	1.590					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL100C02	955					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL100T02	1.015					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL100O02	1.030					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL100L02	1.050					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100P02	1.280					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100R02	1.305					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C17	1.280					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T17	1.340					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O17	1.355					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L17	1.375					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P17	1.605					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R17	1.635					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C19	1.335					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T19	1.390					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O19	1.405					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L19	1.430					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P19	1.660					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R19	1.685					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C18	1.395					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T18	1.455					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O18	1.470					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L18	1.490					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P18	1.720					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R18	1.750					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C13	1.490					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T13	1.550					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O13	1.565					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L13	1.585					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P13	1.815					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R13	1.845					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C15	1.545					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T15	1.600					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O15	1.615					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L15	1.640					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P15	1.870					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R15	1.895					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100C16	1.945					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100T16	2.000					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100O16	2.015					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100L16	2.035					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100P16	2.270					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100R16	2.295					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
 43 cm 16.93" 65 cm 25.59"	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C01	735					
	1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T01	775					
	1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I01	865					
	1 light black / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C02	735					
	1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T02	775					
	1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I02	865					
Accessory - Table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	70					



Reading lamp		1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C01	895	
 43 cm 16.93" 155 cm 61.02"		1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T01	935	
		1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I01	1.025	
		1 light black / cotton black	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C02	895	
		1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T02	935	
		1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I02	1.025	


Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights white / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C01	1.105					
2 lights white / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T01	1.175					
2 lights white / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I01	1.330					
2 lights black / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C02	1.105					
2 lights black / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T02	1.175					
2 lights black / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I02	1.330					

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)

DIMVAROPT003

90




PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013

Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
 Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
 On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


EVA

EVA mini - Pendant lamp ø 11



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H41	235					
Diffuser Deluxe ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H51	245					
Diffuser dark brown cotto	1 x GU10 20 W HES	•	OD	IP20	EVAESO011N41	245					

EVA medium - Pendant lamp ø 18




Diffuser matt white ceramic	1 x E27 52 W HES	•	OD	IP20	EVAESO018H01	380					
Diffuser Deluxe ceramic	1 x E27 52 W HES	•	OD	IP20	EVAESO018H51	390					
Diffuser dark brown cotto	1 x E27 52 W HES	•	OD	IP20	EVAESO018N01	390					

Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


EVA

EVA maxi - Pendant lamp ø 27



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H01	620					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H51	650					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO027N01	650					

EVA mega - Pendant lamp ø 38




Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H01	1.155					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H51	1.185					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO037N01	1.230					

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 1 - Pendant lamp



DESCRIPTION

LIGHT SOURCE

1 lampshade pleated fabric


1 x E27 70 W HES

1 lampshade pleated ribbon fabric

1 x E27 70 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	FLOESO001P01	420					
OD	OD	IP20	FLOESO001R01	430					

Florinda 3 - Pendant lamp



3 lampshades pleated fabric

3 x E27 70 W HES

3 lampshades pleated ribbon fabric

3 x E27 70 W HES


•	OD	IP20	FLOESO003P01	1.335						
OD	OD	IP20	FLOESO003R01	1.365						

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Pendant lamp



DESCRIPTION

LIGHT SOURCE

6+1 lampshades pleated fabric
(double lighting)


6xE27 70 W + 1xE14 42
W HES

6+1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	FLOESO006P01	2.670					
OD	OD	IP20	FLOESO006R01	2.740					

Florinda 12 - Pendant lamp



12+1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

12+1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES


OD	OD	IP20	FLOESO012P02	6.720						
OD	OD	IP20	FLOESO012R02	6.880						

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

FLORINDA

Florinda 3 - Ceiling lamp



DESCRIPTION

LIGHT SOURCE

3 lampshades pleated fabric

3 x E27 70 W HES

3 lampshades pleated ribbon fabric

3 x E27 70 W HES



IP

CODE

€ EURO

•

OD

IP20

FLOEPL003P01

1.340

OD

OD

IP20

FLOEPL003R01

1.370

INDOOR

OUTDOOR




IP

CODE

€ EURO

Florinda 6 - Ceiling lamp



6 +1 lampshades pleated fabric
(double lighting)

6xE27 70 W + 1xE14 42
W HES

6 +1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

•

OD

IP20

FLOEPL006P01

2.620

OD

OD

IP20

FLOEPL006R01


2.690

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 12 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE

12 +1 lampshades pleated fabric
(double lighting)


12xE27 70 W HES + 3xE27
42 W HES

12 +1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	FLOEPL012P02	6.820					
OD	OD	IP20	FLOEPL012R02	6.975					

Florinda – Wall lamp



Wall lamp pleated fabric

2 x E27 42 W HES

• OD IP20 FLOEAP002P01 335

Wall lamp pleated ribbon fabric

2 x E27 42 W HES


OD OD IP20 FLOEAP002R01 345

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 1 - Pendant lamp



DESCRIPTION LIGHT SOURCE

1 lampshade - matt white 9010 1 x E27 70 W HES

1 lampshade - matt black 1 x E27 70 W HES


1 lampshade - glossy chrome finishing 1 x E27 70 W HES

1 lampshade - glossy copper finishing 1 x E27 70 W HES

1 lampshade - glossy brass finishing 1 x E27 70 W HES

INDOOR						OUTDOOR				
 	IP	CODE	€ EURO			 	IP	CODE	€ EURO	
•	OD IP20	FLDESO001G01	240							
•	OD IP20	FLDESO001G02	240							
•	OD IP20	FLDESO001G04	300							
•	OD IP20	FLDESO001G05	300							
•	OD IP20	FLDESO001G06	300							

Florinda Desnuda 3 - Pendant lamp



3 lampshades - matt white 9010 3 x E27 70 W HES

3 lampshades - matt black 3 x E27 70 W HES

3 lampshades - glossy chrome finishing 3 x E27 70 W HES

3 lampshades - glossy copper finishing 3 x E27 70 W HES

3 lampshades - glossy brass finishing 3 x E27 70 W HES


•	OD IP20	FLDESO003G01	775							
•	OD IP20	FLDESO003G02	775							
•	OD IP20	FLDESO003G04	1.165							
•	OD IP20	FLDESO003G05	1.165							
•	OD IP20	FLDESO003G06	1.165							

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 6 - Pendant lamp



DESCRIPTION LIGHT SOURCE

6 lampshades - matt white 9010 6 x E27 70 W HES

6 lampshades - matt black 6 x E27 70 W HES


6 lampshades - glossy chrome finishing 6 x E27 70 W HES

6 lampshades - glossy copper finishing 6 x E27 70 W HES

6 lampshades - glossy brass finishing 6 x E27 70 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	FLDESO006G01	1.470					
•	OD	IP20	FLDESO006G02	1.470					
•	OD	IP20	FLDESO006G04	2.365					
•	OD	IP20	FLDESO006G05	2.365					
•	OD	IP20	FLDESO006G06	2.365					

Florinda Desnuda 12 - Pendant lamp



12 lampshades - matt white 9010 12 x E27 70 W HES

12 lampshades - matt black 12 x E27 70 W HES

12 lampshades - glossy chrome finishing 12 x E27 70 W HES

12 lampshades - glossy copper finishing 12 x E27 70 W HES


12 lampshades - glossy brass finishing 12 x E27 70 W HES


• OD	IP20	FLDESO012G01	3.310						
• OD	IP20	FLDESO012G02	3.310						
• OD	IP20	FLDESO012G04	5.775						
• OD	IP20	FLDESO012G05	5.775						
• OD	IP20	FLDESO012G06	5.775						


Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

	Florinda Desnuda 3 - Ceiling lamp	3 lampshades - matt white 9010	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G01	795	
		3 lampshades - matt black	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G02	795	
		3 lampshades - glossy chrome finishing	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G04	1.180	
		3 lampshades - glossy copper finishing	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G05	1.180	
		3 lampshades - glossy brass finishing	3 x E27 70 W HES	•	OD	IP20	FLDEPL003G06	1.180	

Florinda Desnuda 6 - Ceiling lamp	6 lampshades - matt white 9010	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G01	1.420					
	6 lampshades - matt black	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G02	1.420					
	6 lampshades - glossy chrome finishing	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G04	2.310					
	6 lampshades - glossy copper finishing	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G05	2.310					
	6 lampshades - glossy brass finishing	6 x E27 70 W HES	•	OD	IP20	FLDEPL006G06	2.310					


Florinda Desnuda 12 - Ceiling lamp	12 lampshades - matt white 9010	12 x E27 70 W HES	•	OD	IP20	FLDEPLO012G01	3.570					
	12 lampshades - matt black	12 x E27 70 W HES	•	OD	IP20	FLDEPLO012G02	3.570					
	12 lampshades - glossy chrome finishing	12 x E27 70 W HES	•	OD	IP20	FLDEPLO012G04	6.195					
	12 lampshades - glossy copper finishing	12 x E27 70 W HES	•	OD	IP20	FLDEPLO012G05	6.195					
	12 lampshades - glossy brass finishing	12 x E27 70 W HES	•	OD	IP20	FLDEPLO012G06	6.195					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


GECO

Wall lamp 155 - without lampshade



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G01	370					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G02	370					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G03	440					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G04	440					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G05	440					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G06	440					

Wall lamp 165 - with lampshade




Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C01	515					
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C02	515					
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C03	590					
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C04	590					
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C05	590					
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C06	590					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


GECO

Wall lamp – without plug 155 – without lampshade



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G11	380					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G12	380					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G13	450					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G14	450					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G15	450					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G16	450					

Wall lamp – without plug 165 – with lampshade




Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C11	525					
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C12	525					
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C13	600					
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C14	600					
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C15	600					
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C16	600					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Pendant lamp Ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G11	320					
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G12	390					
Pendant lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G01	360					
Pendant lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G02	430					
Pendant lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G05	425					
Pendant lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G06	495					
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G03	450					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G04	520					

Pendant lamp Ø 18



Pendant lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G11	330					
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G12	405					
Pendant lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G01	390					
Pendant lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G02	460					
Pendant lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G05	460					
Pendant lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G06	535					
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G03	490					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G04	560					


Accessory - Pendant lamp Ø 15 e Ø 18	Surcharge for ceiling rose in the same colour as Deluxe structure	ROS110003601	20	
--------------------------------------	---	--------------	----	--

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand

HAMMER

Pendant lamp ø 30




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G01	525					
Pendant lamp Deluxe NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G02	650					
Pendat lamp white or lead grey DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G05	650					
Pendant lamp Deluxe DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G06	775					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G03	705					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G04	830					
Accessory - Pendant lamp ø 30	Surcharge for ceiling rose in the same colour as Deluxe structure				ROS160004201	25					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Spotlight ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G11	245					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G12	315					
Spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G01	295					
Spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G02	360					
Spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G05	360					
Spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G06	430					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G03	390					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G04	455					

Spotlight ø 18




Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G11	265					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G12	335					
Spotlight white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G01	310					
Spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G02	385					
Spotlight white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G05	370					
Spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G06	440					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G03	395					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G04	465					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Ceiling lamp ø 15



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G11	295					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G12	345					
Ceiling lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G01	330					
Ceiling lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G02	385					
Ceiling lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G05	395					
Ceiling lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G06	445					
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G03	420					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G04	475					

Ceiling lamp ø 18




Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G11	300					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G12	350					
Ceiling lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G01	335					
Ceiling lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G02	395					
Ceiling lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G05	400					
Ceiling lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G06	455					
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G03	425					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G04	485					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Recessed spotlight ø 15




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G11	210					
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G12	250					
Recessed spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G01	220					
Recessed spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G02	265					
Recessed spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G05	300					
Recessed spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G06	340					
Recessed spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G03	325					
Recessed spotlight Deluxe DIM DALI- Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G04	370					

Recessed spotlight ø 18




Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G11	220					
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G12	270					
Recessed spotlight white or lead grey	1 led module 12 W - NO DIM	•	-	IP20	HAMEIN018G01	230					
Recessed spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G02	280					
Recessed spotlight white or lead grey	1 led module 12 W - DIM TRIAC	•	-	IP20	HAMEIN018G05	310					
Recessed spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G06	355					
Recessed spotlight white or lead grey	1 led module 12 W - DIM DALI-Push DIM	•	-	IP20	HAMEIN018G03	335					
Recessed spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G04	385					

Recessed spotlight ø 15



Recessed spotlight ø 18



PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

PAGE: **93**

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 22

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E14 42 W HES

•

OD

IP20

ICIESO022G01

425


Accessory:

Coloured stripe in cotton fabric ø 22

OD

ICIEFS022C01

25



Pendant lamp - ø 50

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

ICIESO050G01

715


Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30




PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 75



DESCRIPTION

Pendant lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

CODE

€ EURO

•

OD

IP20

ICIESO075G01

980

INDOOR

OUTDOOR



IP

CODE

€ EURO

Accessory:


Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 100



Pendant lamp

1 x E27 70 W HES

•

OD

IP20

ICIESO100G01

1.450

Accessory:

Coloured stripe in cotton fabric ø 100

OD

ICIEFS100C01

40

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: 95


Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in an hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES				• - IP44/64	ICOESO050G01	810
---------------------	--------------	------------------	--	--	--	-------------	--------------	-----




Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD ICIEFS050T01 35

Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES				• - IP44/64	ICOESO075G01	1.080
---------------------	--------------	------------------	--	--	--	-------------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD ICIEFS050T01 35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: 96

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in an hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

Pendant lamp - ø 100

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 70 W HES


•

-

IP44/64

ICOESO100G01

1.565



Accessory:

Coloured stripe in washable fabric
 ø 100

OD

ICIEFS100T01

55

Floor lamp - ø 50

Floor lamp

1 x E27 42 W HES


•

-

IP44/64

ICOETA050G01

775



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD

ICIEFS050T01

35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: 97


Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in an hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Floor lamp - ø 75	Floor lamp	1 x E27 42 W HES				• - IP44/64	ICOETA075G01	1.010
-------------------	------------	------------------	--	--	--	-------------	--------------	-------




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

Floor lamp - ø 100	Floor lamp	1 x E27 70 W HES				• - IP44/64	ICOETA100G01	1.395
--------------------	------------	------------------	--	--	--	-------------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø 100

OD ICIEFS100T01 55

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

IBIESO050G01

715

Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30



Pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

IBIESO060G01

980

Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30



PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

PAGE: **99**

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 75



DESCRIPTION

Pendant lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

IBIESO075G01

1.050



IP

OUTDOOR

CODE

€ EURO

Accessory:


Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 90



DESCRIPTION

Pendant lamp

LIGHT SOURCE

1 x E27 70 W HES

•

OD

IP20

IBIESO090G01

1.525

•

OD

IP20

IBIESO090G01

1.525

Accessory:

Coloured stripe in cotton fabric ø 90

OD

ICIEFS090C01

40

Pendant and floor lamp with structure in painted steel wire white and black matt.
Light bulb enclosed in a hermetic IP64 glass diffuser.
On demand, cover in removable washable fabric stripe available (see accessory in the price list).
Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO050G01

780


Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35



Pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO060G01

1.070

Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35



PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: **101**

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO075G01

1.135



200 cm
78.74"
70 cm
27.56"

75 cm
29.53"

Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD

ICIEFS050T01

35

Pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES

•

-

IP44/64

IBOESO090G01

1.595



200 cm
78.74"
82 cm
32.28"

90 cm
35.43"

Accessory:

Coloured stripe in washable fabric ø 90

OD

ICIEFS090T01

55

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: 102

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Floor lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Floor lamp

1 x E27 42 W HES


•

-

IP44/64

IBOETA075G01

1.010



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Floor lamp - ø 90

Floor lamp

1 x E27 70 W HES


•

-

IP44/64

IBOETA090G01

1.450



Accessory:

Coloured stripe in washable fabric
ø 90




OD

ICIEFS090T01

55

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp Ø 66 	Pendant lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L01	975					
	Pendant lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L02	975					
	Pendant lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L03	1.195					
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L04	1.195					
Pendant lamp Ø 80 	Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L01	1.135					
	Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L02	1.135					
	Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L03	1.315					
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L04	1.315					
Pendant lamp Ø 100 	Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L01	1.365					
	Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L02	1.365					
	Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L03	1.585					
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L04	1.585					

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L01	1.945					
Pendant lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L02	1.945					
Pendant lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L03	2.155					
Pendant lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L04	2.155					

Pendant lamp - Composition L.180



Structure only white or graphite		•	OD	IP20	IDEECM180G01	1.900					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	1.105					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.595					



NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand



IDEA

Wall/ ceiling lamp Ø 66



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L01	1.020					
Wall/ ceiling lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L02	1.020					
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L03	1.240					
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L04	1.240					

Wall/ ceiling lamp Ø 80





Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L01	1.155					
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L02	1.155					
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L03	1.335					
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L04	1.335					

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall/ ceiling lamp white NO DIM

1 led module 24 W
- 2150 lm - 2800 K

•

OD

IP20

IDEEPL100L01

1.405

Wall/ ceiling lamp graphite NO DIM

1 led module 24 W
- 2150 lm - 2800 K

•

OD

IP20

IDEEPL100L02

1.405

Wall/ ceiling lamp white DIM DALI-Push DIM

1 led module 24 W
- 2150 lm - 2800 K

•

OD

IP20

IDEEPL100L03

1.630

Wall/ ceiling lamp graphite DIM DALI-Push DIM

1 led module 24 W
- 2150 lm - 2800 K

•



OD

IP20

IDEEPL100L04

1.630

Wall/ ceiling lamp Ø 140



Wall/ ceiling lamp white NO DIM

1 led module 30W
- 2400 lm - 2800 K

•

OD

IP20

IDEEPL140L01

1.975

Wall/ ceiling lamp graphite NO DIM

1 led module 30W
- 2400 lm - 2800 K

•

OD

IP20

IDEEPL140L02

1.975

Wall/ ceiling lamp white DIM DALI-Push DIM

1 led module 30W
- 2400 lm - 2800 K

•

OD

IP20

IDEEPL140L03

2.205

Wall/ ceiling lamp graphite DIM DALI-Push DIM

1 led module 30W
- 2400 lm - 2800 K

•

OD

IP20

IDEEPL140L04

2.205

Accessory - Wall/ ceiling lamp

Anti-glare lens 9W, 12W,
18W, 24W, 30W

IDEEAC00012G080

100



PRODUCTS:Idea
DESIGN:Paolo Grasselli 2019


PAGE: **107**

Single or in composition pendant, wall/ ceiling lamp
 Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
 Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp
 - Composition L.180



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	IDEEPL180G11	1.975					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	1.105					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.595					

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Accessory - Composition wall/ ceiling lamp	Kit anti-glare lens 12W+18W+24W	IDEEAC00180G080	300	
--	---------------------------------	-----------------	-----	--




Pendant lamp and small table, table, floor lamp.
Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST

Pendant lamp - ø 25



DESCRIPTION

1 light cotton

LIGHT SOURCE

1 x E27 105 W HES



IP

INDOOR

CODE

€ EURO

440



IP

OUTDOOR

CODE

€ EURO

6 lights cotton

6 x E27 28 W HES

OD


OD

IP20

LOSESO130C02

630

Pendant lamp - ø 40



7 lights cotton

7 x E27 42 W

OD

OD

IP20

LOSESO160C02

870

Pendant lamp - ø 40



7 lights cotton

7 x E27 42 W

OD

OD

IP20


LOSESO190C02

1.020

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

Pendant lamp and small table, table, floor lamp.
 Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST	DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
					IP	CODE	€ EURO			IP	CODE	€ EURO
Small table lamp	Small table lamp cotton	1 x E14 28 W	OD	OD	IP20	LOSETP032C01	235					
 15 cm 5.90"												
Table lamp	Table lamp cotton	1 x E27 42 W HES	OD	OD	IP20	LOSETA046C01	305					
 18 cm 7.09"												
Accessory - Table and small table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002		70				
												
Floor lamp	Floor lamp cotton	6 x E27 28 W HES	OD	OD	IP20	LOSEPT175C01	895					
 30 cm 11.81"												
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAROPT003		90				
												

PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).


Symbol index  → • / present - / absent OD / On Demand

LOTO

	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
					IP	CODE	€ EURO			IP
Mini pendant lamp - ø 16 without plex	Pendant lamp pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTESE016P01	250			
	Pendant lamp pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTESE016R01	265			



Pendant lamp - ø 43	Pendant lamp pleated fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043P01	635	
	Pendant lamp pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043R01	645	
	Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P02	770	
	Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P03	805	
	Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P04	845	
	Pendant lamp pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R02	780	
	Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R03	815	
	Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R04	855	




PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand


LOTO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp pleated fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060P01	910					
Pendant lamp pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060R01	930					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P08	1.050					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P09	1.135					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P10	1.135					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R08	1.070					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R09	1.155					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R10	1.155					

Pendant lamp - ø 80



Pendant lamp pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080P01	1.430					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080R01	1.470					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P05	1.525					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P06	1.605					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P07	1.605					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R05	1.565					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R06	1.650					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R07	1.650					


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index   → • / present - / absent OD / On Demand

LOTO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100P01	1.785					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100R01	1.840					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P08	1.840					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P09	1.920					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P10	1.920					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R08	1.890					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R09	1.975					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R10	1.975					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P13	2.050					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P14	2.130					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P15	2.165					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R13	2.100					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R14	2.185					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R15	2.215					


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand

LOTO


Pendant lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp pleated fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140P01	3.780					
Pendant lamp pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140R01	3.885					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P08	4.150					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P09	4.200					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R08	4.255					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R09	4.305					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Wall lamp without switch



Wall lamp pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P01	325					
Wall lamp pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R01	335					

Wall lamp with switch



Wall lamp pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P02	345					
Wall lamp pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R02	355					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA

Small table lamp




17 cm
6.69"

45 cm
17.72"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C01	275					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C02	275					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C03	295					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P01	310					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P02	310					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P03	330					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R01	315					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R02	315					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R03	335					

Console lamp



17 cm
6.69"

55 cm
21.65"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C01	275					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C02	275					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C03	295					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P01	310					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P02	310					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P03	335					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R01	315					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R02	315					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R03	335					

PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: **115**

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA


Office lamp - without switch



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C01	205					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C02	205					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C03	215					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P01	240					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P02	240					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P03	250					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R01	245					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R02	245					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R03	255					

Table lamp



24 cm
9.45"

Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C01	315					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C02	315					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C03	335					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P01	350					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P02	350					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P03	375					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R01	360					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R02	360					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R03	385					

Accessory - Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	70				
---	--------------	----	--	--	--	--




PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C01	545					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C02	545					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C03	605					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P01	585					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P02	585					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P03	640					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R01	595					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R02	595					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R03	650					

Floor lamp



Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C01	580					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C02	580					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C03	645					
Metal white pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P01	640					
Metal black pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P02	640					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P03	710					
Metal white pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R01	655					
Metal black pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R02	655					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R03	725					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	90				
---	--------------	----	--	--	--	--



PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: 117

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C01	250					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C02	250					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C03	275					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P01	290					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P02	290					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P03	310					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R01	295					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R02	295					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R03	315					

Wall lamp with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C06	275					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C07	275					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C08	295					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P06	310					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P07	310					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P08	330					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R06	315					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R07	315					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R08	335					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.


Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
Pendant lamp - ø 19 without plex	1 light cotton	1 x E14 42 W HES	OD	OD	IP20	LUTESO019C01	220					
	1 light washable	1 x E14 42 W HES	OD	OD	IP20	LUTESO019T01	235					
	1 light wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTESO019E01	240					



Pendant lamp - ø 34 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO034C01	280					
	1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO034T01	305					
	1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO034E01	310					



Pendant lamp - ø 43 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO043C01	315					
	1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO043T01	355					
	1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO043E01	375					



PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018


PAGE: **119**

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


Small table lamp



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C01	305					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C02	305					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C03	325					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T01	320					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T02	320					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T03	340					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E01	325					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E02	325					
Metal brushed nickel wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E03	345					

Console lamp



19 cm
7.48"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C01	305					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C02	305					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C03	325					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T01	320					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T02	320					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T03	340					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E01	325					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E02	325					
Metal brushed nickel wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E03	345					

PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018


PAGE: 120

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA TONDA

Office lamp – without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C01	235					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C02	235					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C03	245					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T01	250					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T02	250					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T03	265					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E01	255					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E02	255					
Metal brushed nickel wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E03	270					

Table lamp



Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C01	325					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C02	325					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C03	345					
Metal white washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T01	345					
Metal black washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T02	345					
Metal brushed nickel washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T03	370					
Metal white wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E01	355					
Metal black wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E02	355					
Metal brushed nickel wool fabric	1 x E27 52 W HES	OD	OD	IP20	LUTETA068E03	380					

Accessory – Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	70				
---	--------------	----	--	--	--	--




Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, washable and wool fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA TONDA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C01	580					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C02	580					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C03	635					
Metal white washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T01	605					
Metal black washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T02	605					
Metal brushed nickel washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T03	660					
Metal white wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E01	610					
Metal black wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E02	610					
Metal brushed nickel wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E03	665					

Floor lamp



Metal white cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C01	630					
Metal black cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C02	630					
Metal brushed nickel cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C03	700					
Metal white washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T01	670					
Metal black washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T02	670					
Metal brushed nickel washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T03	740					
Metal white wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E01	690					
Metal black wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E02	690					
Metal brushed nickel wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E03	755					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	90				
---	--------------	----	--	--	--	--




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA TONDA

Wall lamp - without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C01	265					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C02	265					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C03	285					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T01	280					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T02	280					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T03	300					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E01	285					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E02	285					
Metal brushed nickel wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E03	305					

Wall lamp - with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C06	285					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C07	285					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C08	305					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T06	300					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T07	300					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T08	320					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E06	305					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E07	305					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E08	325					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP	CODE
		€ EURO	€ EURO
Pendant lamp cotton	1 x E27 42 W HES	OD OD IP20 MILESP040C01	315
Pendant lamp wool	1 x E27 42 W HES	OD OD IP20 MILESP040E01	370
Pendant lamp pleated fabric	1 x E27 42 W HES	OD OD IP20 MILESP040P01	375
Pendant lamp pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20 MILESP040R01	385

Pendant lamp - ø 80




Pendant lamp cotton	4 x E27 70 W HES	OD OD IP20 MILESP080C01	1.005
Pendant lamp wool	4 x E27 70 W HES	OD OD IP20 MILESP080E01	1.160
Pendant lamp pleated fabric	4 x E27 70 W HES	OD OD IP20 MILESP080P01	1.450
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD OD IP20 MILESP080R01	1.485
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080C05	1.090
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080C06	1.175
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080C07	1.175
Pendant lamp wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080E05	1.250
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080E06	1.335
Pendant lamp wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080E07	1.335
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080P05	1.540
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080P06	1.620
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080P07	1.620
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080R05	1.575
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080R06	1.660
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080R07	1.660
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD OD IP20 MILESP080R07	1.660

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP035C01	1.155					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP035E01	1.285					
Pendant lamp pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035P01	1.725					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035R01	1.775					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C08	1.210					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C09	1.290					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C10	1.290					
Pendant lamp wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E08	1.340					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E09	1.425					
Pendant lamp wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E10	1.425					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P08	1.780					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P09	1.865					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P10	1.865					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R08	1.825					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R09	1.910					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R10	1.910					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C13	1.470					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C14	1.535					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C15	1.565					
Pendant lamp wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E13	1.600					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E14	1.665					
Pendant lamp wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E15	1.695					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P13	2.040					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P14	2.105					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P15	2.135					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R13	2.090					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R14	2.155					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R15	2.185					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP060C01	1.230					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP060E01	1.545					
Pendant lamp pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060P01	1.840					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060R01	1.890					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C08	1.295					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C09	1.380					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C10	1.380					
Pendant lamp wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E08	1.610					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E09	1.695					
Pendant lamp wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E10	1.695					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P08	1.905					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P09	1.990					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P10	1.990					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R08	1.960					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R09	2.040					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R10	2.040					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C13	1.560					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C14	1.620					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C15	1.655					
Pendant lamp wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E13	1.875					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E14	1.935					
Pendant lamp wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E15	1.970					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P13	2.170					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P14	2.230					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P15	2.265					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R13	2.220					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R14	2.285					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R15	2.315					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP120C01	1.870					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP120E01	2.290					
Pendant lamp pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120P01	2.500					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120R01	2.575					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C08	1.915					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C09	2.000					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C10	2.000					
Pendant lamp wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E08	2.335					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E09	2.420					
Pendant lamp wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E10	2.420					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P08	2.545					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P09	2.630					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P10	2.630					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R08	2.620					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R09	2.705					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R10	2.705					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C11	2.365					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C12	2.425					
Pendant lamp wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E11	2.785					
Pendant lamp wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E12	2.845					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P11	2.995					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P12	3.055					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R11	3.065					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R12	3.130					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 150 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp pleated fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150P01	3.360					
Pendant lamp pleated ribbon fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150R01	3.465					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P06	3.675					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P07	3.730					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R06	3.780					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R07	3.835					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Mood
DESIGN: Romano + Menegon 2014

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P04	1.650					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P05	1.710					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P06	1.745					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R04	1.680					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R05	1.745					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R06	1.775					

Pendant lamp - ø 120




1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P04	1.920				
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P05	1.985				
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P06	2.015				
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R04	1.965				
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R05	2.025				
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R06	2.060				

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P04	2.435					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P05	2.500					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P06	2.530					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R04	2.540					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R05	2.605					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R06	2.635					

Wall/ ceiling lamp - ø 100



1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P04	1.630					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P05	1.690					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P06	1.720					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R04	1.660					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R05	1.720					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R06	1.755					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Mood Desnuda
DESIGN: Romano + Menegon 2018

Pendant lamp. Matt black or white painted metal frame.

Symbol index  → • / present - / absent OD / On Demand

MOOD DESNUDA

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
-------------	--------------	--------	---------

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
Pendant lamp - ø 60	1 light black/ matt white	1 x E27 70 W HES	

Pendant lamp - ø 100	1 light black/ matt white	1 x E27 70 W HES	
----------------------	---------------------------	------------------	--

--	--	--	--

Pendant lamp - ø 120	1 light black/ matt white	1 x E27 70 W HES	
----------------------	---------------------------	------------------	--

--	--	--	--

Pendant lamp - ø 150	1 light black/ matt white	1 x E27 70 W HES	
----------------------	---------------------------	------------------	--

--	--	--	--

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Pendant lamp - globe - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 36	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M10	315					
Pendant lamp h 46	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M20	315					
Pendant lamp h 56	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M30	315					
Pendant lamp h 66	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M40	315					
Pendant lamp h 76	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M50	320					
Pendant lamp h 86	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M60	320					
Pendant lamp h 96	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M70	320					
Pendant lamp h 106	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M80	320					

Pendant lamp - globe - ø 30




Pendant lamp h 41	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M10	325					
Pendant lamp h 51	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M20	325					
Pendant lamp h 61	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M30	325					
Pendant lamp h 71	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M40	325					
Pendant lamp h 81	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M50	330					
Pendant lamp h 91	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M60	330					
Pendant lamp h 101	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M70	330					
Pendant lamp h 111	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M80	330					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


Pendant lamp - globe - ø 35



35 cm
13.78"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 46	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M10	370					
Pendant lamp h 56	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M20	370					
Pendant lamp h 66	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M30	370					
Pendant lamp h 76	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M40	370					
Pendant lamp h 86	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M50	375					
Pendant lamp h 96	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M60	375					
Pendant lamp h 106	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M70	375					
Pendant lamp h 116	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M80	375					

Pendant lamp - globe - ø 40



40 cm
15.75"


Pendant lamp h 51	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M10	390					
Pendant lamp h 61	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M20	390					
Pendant lamp h 71	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M30	390					
Pendant lamp h 81	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M40	390					
Pendant lamp h 91	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M50	395					
Pendant lamp h 101	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M60	395					
Pendant lamp h 111	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M70	395					
Pendant lamp h 121	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M80	395					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Pendant lamp - globe - ø 45



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 56	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M10	450					
Pendant lamp h 66	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M20	450					
Pendant lamp h 76	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M30	450					
Pendant lamp h 86	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M40	450					
Pendant lamp h 96	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M50	455					
Pendant lamp h 106	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M60	455					
Pendant lamp h 116	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M70	455					
Pendant lamp h 126	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M80	455					

Accessories - Cable/s cover white or black matt painted

Connection cables L 40 (electric cable included)	•	OD	IP20	MBLEAS000G01	60	
Connection cables L 80 (electric cable included)	•	OD	IP20	MBLEAS000G02	95	



Separate ceiling rose attachment	•	OD	IP20	MBLEAR000G01	130	
----------------------------------	---	----	------	--------------	-----	--

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 1 - (3 globes)




DESCRIPTION

LIGHT SOURCE

Composition with h 56 maximum
encumbrance

(1 pcs d.25 h46 – 1 pcs d.35 h56 – 1 pcs d.30 h41 – 2 connection cables)


INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	MBLECM056M03	1.125					



Composition with h 66 maximum
encumbrance

(1 pcs d.25 h56 – 1 pcs d.35 h66 – 1 pcs d.30 h51 – 2 connection cables)


OD	OD	IP20	MBLECM066M03	1.125					
----	----	------	--------------	-------	--	--	--	--	--



Composition with h 76 maximum
encumbrance

(1 pcs d.25 h66 – 1 pcs d.35 h76 – 1 pcs d.30 h61 – 2 connection cables)


OD	OD	IP20	MBLECM076M03	1.125					
----	----	------	--------------	-------	--	--	--	--	--



Composition with h 86 maximum
encumbrance

(1 pcs d.25 h76 – 1 pcs d.35 h86 – 1 pcs d.30 h71 – 2 connection cables)


OD	OD	IP20	MBLECM086M03	1.135					
----	----	------	--------------	-------	--	--	--	--	--



Composition with h 96 maximum
encumbrance

(1 pcs d.25 h86 – 1 pcs d.35 h96 – 1 pcs d.30 h81 – 2 connection cables)

OD	OD	IP20	MBLECM096M03	1.140					
----	----	------	--------------	-------	--	--	--	--	--



Composition with h 106 maximum
encumbrance

(1 pcs d.25 h96 – 1 pcs d.35 h106 – 1 pcs d.30 h91 – 2 connection cables)


OD	OD	IP20	MBLECM106M03	1.140					
----	----	------	--------------	-------	--	--	--	--	--

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 2 - (5 globes)



DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(1 pcs d.30 h41 - 1 pcs d.35 h66 - 1 pcs d.45 h66 - 1 pcs d.40 h51 - 1 pcs d.25 h56 - 4 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM066M05


2.080



IP

CODE

€ EURO



Composition with h 76 maximum
encumbrance

(1 pcs d.30 h51 - 1 pcs d.35 h76 - 1 pcs d.45 h76 - 1 pcs d.40 h61 - 1 pcs d.25 h66 - 4 connection cables)


OD

OD

IP20

MBLECM076M05

2.080



Composition with h 86 maximum
encumbrance

(1 pcs d.30 h61 - 1 pcs d.35 h86 - 1 pcs d.45 h86 - 1 pcs d.40 h71 - 1 pcs d.25 h76- 4 connection cables)


OD

OD

IP20

MBLECM086M05

2.090



Composition with h 96 maximum
encumbrance

(1pcs d.30 h71 - 1 pcs d.35 h96 - 1 pcs d.45 h96 - 1 pcs d.40 h81 - 1 pcs d.25 h86- 4 connection cables)


OD

OD

IP20

MBLECM096M05

2.095



Composition with h 106 maximum
encumbrance

(1 pcs d.30 h81 - 1 pcs d.35 h106 - 1 pcs d.45 h106 - 1 pcs d.40 h91 - 1 pcs d.25 h96- 4 connection cables)


OD

OD

IP20

MBLECM106M05

2.105



Composition with h 116 maximum
encumbrance

(1 pcs d.30 h91 - 1 pcs d.35 h116 - 1 pcs d.45 h116 - 1 pcs d.40 h101 - 1 pcs d.25 h106- 4 connection cables)

OD

OD

IP20

MBLECM116M05


2.105

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 3 - (8 globes)



66 cm - 25.98"

DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(1 pcs d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pcs d.35 h66 - 7 connection cables)



IP

INDOOR

CODE

€ EURO

OD

OD

IP20

MBLECM066M08

3.420




IP

OUTDOOR

CODE

€ EURO



76 cm - 29.92"

Composition with h 76 maximum
encumbrance

(1 pcs d.25 h66 - 2 pcs d.40 h61 - 2 pcs d.45 h76 - 2 pcs d.30 h51 - 1 pcs d.35 h76 - 7 connection cables)


OD

OD

IP20

MBLECM076M08

3.420



86 cm - 33.86"

Composition with h 86 maximum
encumbrance

(1 pcs d.25 h76 - 2 pcs d.40 h71 - 2 pcs d.45 h86 - 2 pcs d.30 h61 - 1 pcs d.35 h86 - 7 connection cables)

OD

OD

IP20

MBLECM086M08

3.430



96 cm - 37.79"

Composition with h 96 maximum
encumbrance

(1 pcs d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pcs d.35 h96 - 7 connection cables)

OD

OD

IP20

MBLECM096M08

3.440



106 cm - 41.73"

Composition with h 106 maximum
encumbrance

(1 pcs d.25 h96 - 2 pcs d.40 h91 - 2 pcs d.45 h106 - 2 pcs d.30 h81 - 1 pcs d.35 h106 - 7 connection cables)

OD

OD

IP20

MBLECM106M08

3.460



116 cm - 45.67"

Composition with h 116 maximum
encumbrance

(1 pcs d.25 h106 - 2 pcs d.40 h101 - 2 pcs d.45 h116 - 2 pcs d.30 h91 - 1 pcs d.35 h116 - 7 connection cables)

OD

OD

IP20

MBLECM116M08


3.460

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 4 - (12 globes)



66 cm - 25.98"

DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(2 pcs d.25 h66 - 3 pcs d.40 h51 - 2 pcs d.30 h41 - 3 pcs d.45 h66 - 2 pcs d.35 h66 - 11 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM066M12


5.170



IP

CODE

€ EURO



76 cm - 29.92"

Composition with h 76 maximum
encumbrance

(2 pcs d.25 h66 - 3 pcs d.40 h61 - 2 pcs d.30 h51 - 3 pcs d.45 h76 - 2 pcs d.35 h76 - 11 connection cables)


OD

OD

IP20

MBLECM076M12

5.170



86 cm - 33.86"

Composition with h 86 maximum
encumbrance

(2 pcs d.25 h76 - 3 pcs d.40 h71 - 2 pcs d.30 h61 - 3 pcs d.45 h86 - 2 pcs d.35 h86 - 11 connection cables)

OD

OD

IP20

MBLECM086M12

5.190



96 cm - 37.79"

Composition with h 96 maximum
encumbrance

(2 pcs d.25 h86 - 3 pcs d.40 h81 - 2 pcs d.30 h71 - 3 pcs d.45 h96 - 2 pcs d.35 h96 - 11 connection cables)

OD

OD

IP20

MBLECM096M12

5.210



106 cm - 41.73"

Composition with h 106 maximum
encumbrance

(2 pcs d.25 h96 - 3 pcs d.40 h91 - 2 pcs d.30 h81 - 3 pcs d.45 h106 - 2 pcs d.35 h106 - 11 connection cables)

OD

OD

IP20

MBLECM106M12

5.235



116 cm - 45.67"

Composition with h 116 maximum
encumbrance

(2 pcs d.25 h106 - 3 pcs d.40 h101 - 2 pcs d.30 h91 - 3 pcs d.45 h116 - 2 pcs d.35 h116 - 11 connection cables)

OD

OD

IP20

MBLECM116M12

5.235

PRODUCTS: Multiball
DESIGN: Roberto Paoli 2013


PAG: **141**

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




- 1 — Ø 25
- 2 — Ø 35
- 3 — Ø 30
- Cables connections L 40

Composition type 2-A




Composition type 2-B




- Ø globes**
- 1 — Ø 30
- 2 — Ø 35
- 3 — Ø 45
- 4 — Ø 40
- 5 — Ø 25
- Cables connections L 40

Composition type 3-A




Composition type 3-B




- Ø globes**
- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 45
- 4 — Ø 30
- 5 — Ø 45
- 6 — Ø 35
- 7 — Ø 40
- 8 — Ø 30
- Cables connections L 40

Composition type 4-A



Composition type 4-B





- Ø globes**
- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 30
- 4 — Ø 45
- 5 — Ø 35
- 6 — Ø 40
- 7 — Ø 45
- 8 — Ø 35
- 9 — Ø 25
- 10 — Ø 45
- 11 — Ø 40
- 12 — Ø 30
- Cables connections L 40

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	NUCESO130G01	650					
Structure only chrome		•	OD	IP20	NUCESO130G02	1.210					
DIRECT LIGHT											
Kit 1 light white or graphite NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G01	485					
Kit 1 light chrome, brass, copper NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G02	675					
Kit 1 light white or graphite DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G03	640					
Kit 1 light chrome, brass, copper DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G04	835					
Kit 1 light white or graphite DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G06	670					
Kit 1 light chrome, brass, copper DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G07	865					
DOUBLE LIGHT EMISSION											
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G11	735					
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G12	930					
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G16	790					
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G17	980					

NOTE: to calculate the price of the pendant lamp add the structure to the kit 1 o 2 lights.


Connection single cable ceiling attachment available on demand

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 160



DESCRIPTION

LIGHT SOURCE

Structure only white or graphite

Structure only chrome

DIRECT LIGHT

Kit 2 lights white or graphite NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K
Kit 2 lights chrome, brass, copper NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K


Kit 2 lights white or graphite DIM TRIAC (installed) 2 led module 24W - 4300 Lm - 2800 K
Kit 2 lights chrome, brass, copper DIM TRIAC (installed) 2 led module 24W - 4300 Lm - 2800 K

Kit 2 lights white or graphite DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

DOUBLE LIGHT EMISSION

Kit 4 lights white or graphite NO DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K
Kit 4 lights chrome, brass, copper NO DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K

Kit 4 lights white or graphite DIM DALI Push-DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K
Kit 4 lights chrome, brass, copper DIM DALI Push-DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K



NOTE: to calculate the price of the pendant lamp add the structure to the kit 2 or 4 lights.

Connection single cable ceiling attachment available on demand

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
•	OD	IP20	NUCESO160G01	735						
•	OD	IP20	NUCESO160G02	1.335						


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P42	645					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P43	675					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P44	675					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P45	675					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R42	660					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R43	695					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R44	695					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R45	695					

Pendant lamp D.42



Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P01	715					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P03	850					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R01	730					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R03	865					

PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand

OLIVIA

Pendant lamp D.60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P42	875					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P43	945					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P44	945					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P45	945					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R42	900					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R43	965					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R44	965					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R45	965					

Pendant lamp D.60



Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P01	1.040					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P03	1.225					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R01	1.060					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R03	1.245					

PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Ceiling lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042P41	650					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042R41	665					
Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P01	735					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P03	870					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R01	750					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R03	885					

Ceiling lamp D.60



Pleated fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060P41	895					
Pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060R41	915					
Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P01	1.050					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P03	1.235					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R01	1.070					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R03	1.255					


PRODUCTS: Umbrella
DESIGN: Paolo Grasselli 1915

Pendant, ceiling lamp in matt white painted metal.
 Upper disc available also with Deluxe finishing gold leaf, with surcharge.
 Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index   → • / present - / absent OD / On Demand

OMBRELLA


Pendant lamp D.60



22 cm
8.66"
60 cm
23.63"

DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	UMBESO060G01	550				
Pendant lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	UMBESO060G04	580				
Pendant lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	UMBESO060G11	660				
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	UMBESO060G03	620				
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	UMBESO060G05	635				
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	UMBESO060G13	730				
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	• OD	IP20	FLTCON0SP001	65				
Surcharge gold leaf finish				UMBORO060G01	135				

Pendant lamp D.80



33 cm
13"
80 cm
31.49"


Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	UMBESO080G01	940				
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	UMBESO080G04	1.010				
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	UMBESO080G11	1.050				
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	UMBESO080G03	1.050				
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	UMBESO080G05	1.120				
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	UMBESO080G13	1.160				
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	• OD	IP20	FLTCON0SP011	85				
Surcharge gold leaf finish				UMBORO080G01	200				

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Pendant lamp D.100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G01	1.080					
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G04	1.150					
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G11	1.190					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G03	1.190					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G05	1.260					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G13	1.300					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					
Surcharge gold leaf finish					UMBORO100G01	265					

Ceiling lamp D.60




Ceiling lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G01	580					
Ceiling lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G04	595					
Ceiling lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G11	690					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G03	645					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G05	660					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G13	755					
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	65					
Surcharge gold leaf finish					UMBORO060G01	135					

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Ceiling lamp D.80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G01	960					
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G04	1.030					
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G11	1.070					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G03	1.070					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G05	1.140					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G13	1.180					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					
Surcharge gold leaf finish					UMBORO080G01	200					

Ceiling lamp D.100




Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G01	1.105					
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G04	1.170					
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G11	1.215					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G03	1.215					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G05	1.280					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G13	1.325					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	85					
Surcharge gold leaf finish					UMBORO100G01	265					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M01	450					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M02	450					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M03	535					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M04	535					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M05	535					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M06	525					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M07	525					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M08	610					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M09	610					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M10	610					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M11	580					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M12	580					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M13	660					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M14	660					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M15	660					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 25 -
ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M01	925				
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M02	925				
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M03	1.050				
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M04	1.050				
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M05	1.050				
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M06	975				
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M07	975				
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M08	1.105				
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M09	1.105				
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M10	1.105				
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M11	1.020				
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M12	1.020				
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M13	1.145				
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M14	1.145				
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD IP20	ORBES002M15	1.145				

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M01	685					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M02	685					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M03	895					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M04	895					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M05	895					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M06	735					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M07	735					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M08	945					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M09	945					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M10	945					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M11	760					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M12	760					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M13	970					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M14	970					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M15	970					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 40 -
 ceiling rose in the same colour as structure




		INDOOR					OUTDOOR				
DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M01	1.260					
Composition black NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M02	1.260					
Composition chrome NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M03	1.680					
Composition copper NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M04	1.680					
Composition brass NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M05	1.680					
Composition white DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M06	1.315					
Composition black DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M07	1.315					
Composition chrome DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M08	1.785					
Composition copper DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M09	1.785					
Composition brass DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M10	1.785					
Composition white DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M11	1.365					
Composition black DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M12	1.365					
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M13	1.840					
Composition copper DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M14	1.840					
Composition brass DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	-	OD	IP20	ORBES040M15	1.840					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K01	595				
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K02	595				
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K03	660				
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K04	660				
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K05	660				
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K06	625				
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K07	625				
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K08	695				
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K09	695				
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K10	695				
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K11	690				
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K12	690				
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K13	755				
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K14	755				
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD IP20	ORBESO025K15	755				


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 25 - ceiling
 rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K01	1.135				
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K02	1.135				
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K03	1.270				
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K04	1.270				
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K05	1.270				
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K06	1.195				
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K07	1.195				
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K08	1.335				
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K09	1.335				
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K10	1.335				
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K11	1.250				
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K12	1.250				
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K13	1.385				
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K14	1.385				
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	• OD	IP20	ORBEC002K15	1.385				


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K01	920					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K02	920					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K03	1.145					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K04	1.145					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K05	1.145					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K06	950					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K07	950					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K08	1.175					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K09	1.175					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K10	1.175					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K11	1.015					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K12	1.015					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K13	1.240					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K14	1.240					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K15	1.240					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 40 - ceiling
 rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K01	1.840				
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K02	1.840				
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K03	2.290				
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K04	2.290				
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K05	2.290				
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K06	1.900				
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K07	1.900				
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K08	2.350				
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K09	2.350				
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K10	2.350				
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K11	2.025				
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K12	2.025				
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K13	2.480				
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K14	2.480				
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBES040K15	2.480				

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTESP100C05	945					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTESP100T05	1.015					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTESP100E05	1.030					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100P05	1.095					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100R05	1.130					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C06	1.070					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T06	1.140					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E06	1.155					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P06	1.225					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R06	1.255					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C07	1.105					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T07	1.170					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E07	1.185					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P07	1.255					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R07	1.285					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C08	1.175					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T08	1.245					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E08	1.260					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P08	1.330					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R08	1.360					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 150




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPESP150C05	1.365					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPESP150T05	1.445					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPESP150E05	1.465					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150P05	1.530					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150R05	1.580					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C06	1.565					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T06	1.645					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E06	1.665					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P06	1.725					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R06	1.780					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C07	1.605					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T07	1.685					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E07	1.705					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P07	1.770					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R07	1.820					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C08	1.765					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T08	1.845					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E08	1.865					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P08	1.925					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R08	1.980					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100C05	925					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100T05	990					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100E05	1.010					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100P05	1.075					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100R05	1.110					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C06	1.030					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T06	1.095					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E06	1.115					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P06	1.180					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R06	1.215					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C07	1.060					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T07	1.130					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E07	1.145					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P07	1.215					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R07	1.245					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C08	1.135					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T08	1.200					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E08	1.220					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P08	1.285					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R08	1.320					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150C05	1.355					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150T05	1.435					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150E05	1.455					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150P05	1.515					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150R05	1.570					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C06	1.535					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T06	1.610					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E06	1.635					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P06	1.695					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R06	1.750					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C07	1.575					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T07	1.655					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E07	1.675					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P07	1.740					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R07	1.770					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C08	1.690					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T08	1.770					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E08	1.790					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P08	1.855					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R08	1.905					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Metal disk white or black		•	OD IP20	PEGEDD060G01	175				
Wool disk fabric		•	OD IP20	PEGEDD060E01	385				
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G01	495				
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G11	545				
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G02	815				
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G12	865				
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G03	865				
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G13	920				

Pendant lamp - D. 60




Metal disk white or black		•	OD IP20	PEGEDD060G01	175				
Wool disk fabric		•	OD IP20	PEGEDD060E01	385				
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD IP20	PEBESO060M01	560				

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version




		OD	IP20	PEGEPX040B01	65				
--	--	----	------	--------------	----	--	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD080G01	275					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	600					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGESO080G01	535					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGESO080G11	590					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGESO080G02	930					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGESO080G12	980					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGESO080G03	1.000					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGESO080G13	1.050					

Pendant lamp - D. 80




Metal disk white or black		•	OD	IP20	PEGEDD080G01	275					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	600					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBESO080M01	610					

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version




OD	IP20	PEGEPX040B01	65			
----	------	--------------	----	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
Metal disk white or black		•	OD IP20	PEGEDD100G01	345				
Wool disk fabric		•	OD IP20	PEGEDD100E01	765				
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO100G01	630				
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO100G11	705				
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G02	1.000				
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G12	1.070				
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G03	1.065				
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD IP20	PEGESO100G13	1.140				


Pendant lamp - D. 100



Metal disk white or black		•	OD IP20	PEGEDD100G01	345				
Wool disk fabric		•	OD IP20	PEGEDD100E01	765				
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD IP20	PEBESO100M01	710				

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory




Top polycarbonate disk cover for R7S version		OD	IP20	PEGEPX040B01	65				
--	--	----	------	--------------	----	--	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 60



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD060G01	175					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	385					
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G01	495					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G11	545					
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G02	865					
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G12	920					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G03	920					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G13	970					

Ceiling lamp Ball – D. 60



Metal disk white or black		•	OD	IP20	PEGEDD060G01	175					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	385					
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD	IP20	PEBEPL060M01	530					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD080G01	275					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	600					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G01	600					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G11	650					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G02	980					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G12	1.035					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G03	1.050					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G13	1.105					

Ceiling lamp Ball – D. 80



Metal disk white or black		•	OD	IP20	PEGEDD080G01	275					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	600					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL080M01	635					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD100G01	345					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	765					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G01	685					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G11	755					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G02	1.040					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G12	1.115					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G03	1.110					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G13	1.180					

Ceiling lamp Ball – D. 100



Metal disk white or black		•	OD	IP20	PEGEDD100G01	345					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	765					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL100M01	725					

NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand


RETTANGOLO

Pendant lamp - L 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	3 x E27 42 W HES	OD	OD	IP20	RETESP090C01	805					
Pleated fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090P01	955					
Pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090R01	1.010					

Pendant lamp - L 120



Cotton	4 x E27 42 W HES	OD	OD	IP20	RETESP120C01	920					
Pleated fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120P01	1.245					
Pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120R01	1.305					


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand

RETTANGOLO

Pendant lamp - L 150




DESCRIPTION Pleated fabric **LIGHT SOURCE** 6 x E27 52 W

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	RETESP150P02	2.335					
OD	OD	IP20	RETESP150R02	2.395					

Pleated ribbon fabric 6 x E27 52 W

Pendant lamp - L 300



Pleated fabric 12 x E27 52 W

OD	OD	IP20	RETESP300P02	4.465						
OD	OD	IP20	RETESP300R02	4.545						

Pleated ribbon fabric 12 x E27 52 W

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO

Wall lamp - L 25 x H 24



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
			
		CODE	€ EURO
Cotton	1 x E27 28 W HES	OD OD IP20 QUAEAP024C01	185
Pleated fabric	1 x E27 28 W HES	• OD IP20 QUAEAP024P01	220
Pleated ribbon fabric	1 x E27 28 W HES	OD OD IP20 QUAEAP024R01	225

Wall lamp - L 25 x H 40



1 light cotton	1 x E27 42 W HES	OD OD IP20 RETEAP040C01	230
1 light pleated fabric	1 x E27 42 W HES	• OD IP20 RETEAP040P01	245
1 light pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20 RETEAP040R01	255
2 lights cotton	2 x E27 42 W HES	OD OD IP20 RETEAP040C02	240
2 lights pleated fabric	2 x E27 42 W HES	• OD IP20 RETEAP040P02	255
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 RETEAP040R02	270

Wall lamp - L 40 x H 25




1 light cotton	1 x E27 42 W HES	OD OD IP20 RETEAP025C01	240
1 light pleated fabric	1 x E27 42 W HES	• OD IP20 RETEAP025P01	255
1 light pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20 RETEAP025R01	270
2 lights cotton	2 x E27 42 W HES	OD OD IP20 RETEAP025C02	250
2 lights pleated fabric	2 x E27 42 W HES	• OD IP20 RETEAP025P02	270
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 RETEAP025R02	280

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Wall lamp - L 40 x H 40




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP	CODE
		€ EURO	€ EURO
Cotton	2 x E27 42 W HES	OD OD IP20	QUAEAP040C01 285
Pleated fabric	2 x E27 42 W HES	• OD IP20	QUAEAP040P01 350
Pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20	QUAEAP040R01 360

Wall lamp - L 30 x H 60



Cotton	2 x E27 42 W HES	OD OD IP20	RETEAP060C01 295
Pleated fabric	2 x E27 42 W HES	• OD IP20	RETEAP060P01 390
Pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20	RETEAP060R01 405

Applique - L 160 x H 25




6 lights cotton	6 x E27 42 W HES	OD OD IP20	RETEAP160C13 935
6 lights pleated fabric	6 x E27 42 W HES	OD OD IP20	RETEAP160P13 1.210
6 lights pleated ribbon fabric	6 x E27 42 W HES	OD OD IP20	RETEAP160R13 1.260
Cotton	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20	RETEAP160C10 1.260
Pleated fabric	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20	RETEAP160P10 1.535
Pleated ribbon fabric	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20	RETEAP160R10 1.585

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 100 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - 100 x 50	Cotton	OD	OD	IP20	RESESP100C01	990					
	Pleated fabric	OD	OD	IP20	RESESP100P01	1.200					
	Pleated ribbon fabric	OD	OD	IP20	RESESP100R01	1.230					
	Cotton NO DIM	OD	OD	IP20	RESESP100C05	1.165					
	Cotton DIM TRIAC	OD	OD	IP20	RESESP100C06	1.195					
	Cotton DIM DALI-Push DIM	OD	OD	IP20	RESESP100C07	1.240					
	Pleated fabric NO DIM	OD	OD	IP20	RESESP100P05	1.375					
	Pleated fabric DIM TRIAC	OD	OD	IP20	RESESP100P06	1.405					
	Pleated fabric DIM DALI-Push DIM	OD	OD	IP20	RESESP100P07	1.450					
	Pleated ribbon fabric NO DIM	OD	OD	IP20	RESESP100R05	1.400					
	Pleated ribbon fabric DIM TRIAC	OD	OD	IP20	RESESP100R06	1.435					
	Pleated ribbon fabric DIM DALI-Push DIM	OD	OD	IP20	RESESP100R07	1.475					

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 150 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESESP150C01	1.260					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150P01	1.650					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150R01	1.680					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C05	1.440					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C06	1.480					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C07	1.595					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P05	1.825					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P06	1.870					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P07	1.985					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R05	1.860					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R06	1.900					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R07	2.015					

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 100 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	RESEPL100C01	990					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100P01	1.200					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100R01	1.230					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C05	1.155					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C06	1.185					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C07	1.230					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P05	1.365					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P06	1.395					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P07	1.440					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R05	1.390					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R06	1.425					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R07	1.465					


PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 150 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESEPL150C01	1.280					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150P01	1.670					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150R01	1.700					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C05	1.375					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C06	1.420					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C07	1.535					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P05	1.765					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P06	1.805					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P07	1.920					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R05	1.795					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R06	1.840					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R07	1.995					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C04	1.115					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C05	1.130					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C06	1.180					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P04	1.260					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P05	1.275					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P06	1.345					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R04	1.220					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R05	1.235					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R06	1.285					

BASIC B - ø 60



Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C04	1.135					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C06	1.150					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C05	1.200					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P04	1.260					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P05	1.275					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P06	1.330					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R04	1.220					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R05	1.235					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R06	1.285					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C07	1.420					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C08	1.485					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C09	1.490					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P07	1.575					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P08	1.645					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P09	1.650					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R07	1.535					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R08	1.600					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R09	1.605					

BASIC B - ø 80



Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C07	1.450					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C08	1.515					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C09	1.525					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P07	1.605					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P08	1.675					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P09	1.680					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R07	1.565					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R08	1.635					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R09	1.640					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand

RIGHELLO

Pendant lamp - L 125



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wool NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125E01

1.420

Wool DIM DALI-Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125E02

1.470

Soft textile NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125L01

1.840

Pendant lamp soft textile DIM DALI-
Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•


OD

IP20

RIGESO125L02

1.890

Pendant lamp - L 160



Wool NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160E01

1.605

Wool DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160E02

1.660

Soft textile NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160L01

2.100

Soft textile DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160L02

2.155


PRODUCTS: Righello
DESIGN: Arturo Bellese 2018

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand


RIGHELLO

Wall lamp - L 125



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				CODE	€ EURO			CODE	€ EURO
Wall lamp wool NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125E01	1.000			
Wall lamp wool DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125E02	1.050			
Soft textile NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125L01	1.210			
Soft textile DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125L02	1.260			

Wall lamp - L 160




Wool NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160E01	1.120			
Wool DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160E02	1.170			
Soft textile NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160L01	1.365			
Soft textile DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160L02	1.420			

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Pendant lamp - L 85



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L04	1.010					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L05	1.075					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L06	1.115					
Lycra cover only		•			RINERR085L01	285					

Pendant lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINESO125L07	1.535					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINESO125L08	1.690					
Lycra cover only		•			RINERR125L01	335					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Wall/ ceiling lamp - L 85



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L04	915					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L05	980					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L06	1.010					
Lycra cover only		•			RINERR085L01	285					

Wall/ ceiling lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINEAP125L07	1.430					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINEAP125L08	1.585					
Lycra cover only		•			RINERR125L01	335					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Pendant lamp - D. 65




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITESO065L04	1.040					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITESO065L05	1.110					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITESO065L06	1.195					
Lycra cover only		•			RITERR065L01	190					

Pendant lamp - D. 85



1 light lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITESO085L09	1.315					
1 light lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITESO085L11	1.375					
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITESO085L10	1.470					
Lycra cover only		•			RITERR085L01	285					

Pendant lamp - D. 110



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RITESO110L07	1.670					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RITESO110L08	1.845					
Lycra cover only		•			RITERR110L01	335					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Wall/ ceiling lamp – D. 65




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L04	925					
1 light lycra DIM TRIAC	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L05	990					
1 light lycra DIM DALI-Push DIM	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L06	1.080					
Lycra cover only		•			RITERR065L01	190					

Wall/ ceiling lamp – D. 85



1 light lycra NO DIM	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L09	1.210					
1 light lycra DIM TRIAC	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L11	1.270					
1 light lycra DIM DALI-push DIM	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L10	1.325					
Lycra cover only		•			RITERR085L01	285					

Wall/ ceiling lamp – D. 110



1 light lycra NO DIM	1 led module 88,2 W – 12380 Lm – 2700 K	•	OD	IP20	RITEAP110L07	1.525					
1 light lycra DIM DALI-push DIM	1 led module 88,2 W – 12380 Lm – 2700 K	•	OD	IP20	RITEAP110L08	1.695					
Lycra cover only		•			RITERR110L01	335					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index   → • / present - / absent OD / On Demand


ROMEO

Pendant lamp - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025C01	265					
Cotton with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025C01	300					
Pleated fabric without plex	1 x E27 42 W HES	•	OD	IP20	ROMESO025P01	285					
Pleated fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025P01	325					
Pleated ribbon fabric without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025R01	295					
Pleated ribbon fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025R01	335					

Pendant lamp - ø 40



Cotton without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040C01	305					
Cotton with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040C01	345					
Pleated fabric without plex	1 x E27 70 W HES	•	OD	IP20	ROMESO040P01	420					
Pleated fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040P01	450					
Pleated ribbon fabric without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040R01	445					
Pleated ribbon fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040R01	480					

Pendant lamp - ø 70



Cotton 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070C02	885					
Pleated fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070P02	1.255					
Pleated ribbon fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070R02	1.260					

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Small table lamp



16 cm
6.30"

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP CODE € EURO	  IP CODE € EURO
Metal brushed nickel cotton	1 x E14 42 W HES	OD OD IP20 ROMETP045C01 205	
Metal brushed nickel pleated fabric	1 x E14 42 W HES	• OD IP20 ROMETP045P01 240	
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD OD IP20 ROMETP045R01 250	

Table lamp



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD OD IP20 ROMETA070C01 385	
Metal brushed nickel pleated fabric	1 x E27 70 W HES	• OD IP20 ROMETA070P01 495	
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD OD IP20 ROMETA070R01 515	

Accessory - Table and small table lamp



Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002 70	
---	-----------------	--

Reading lamp - lighting pull



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD OD IP20 ROMEPT160C01 515	
Metal brushed nickel pleated fabric	1 x E27 70 W HES	• OD IP20 ROMEPT160P01 625	
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD OD IP20 ROMEPT160R01 645	

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index   → • / present - / absent OD / On Demand


ROMEO

Medium floor lamp - lighting pull



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	610					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT180P01	710					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180R01	735					
Metal brushed nickel cotton	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180C11	730					
Metal brushed nickel pleated fabric	3 x E27 42 W HES	•	OD	IP20	ROMEPT180P11	830					
Metal brushed nickel pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180R11	855					

Maxi floor lamp



Metal brushed nickel cotton	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212C01	1.155					
Metal brushed nickel pleated fabric	4 x E27 70 W HES	•	OD	IP20	ROMEPT212P01	1.460					
Metal brushed nickel pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212R01	1.465					

Accessory - Reading and floor lamp	Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	90					
------------------------------------	---	--	--	--	--------------	----	--	--	--	--	--




Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
Aluminium diffuser or lampshade available in cotton and washable fabric.


Symbol index   → • / present - / absent OD / On Demand

SESTANTE

Wall lamp small - L 170 > 260



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C01	1.155					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C05	1.155					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C03	1.315					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C06	1.315					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T01	1.290					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T05	1.290					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T03	1.450					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T06	1.450					




Wall lamp white aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G02	1.470					
Wall lamp black aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G04	1.470					
Wall lamp lime aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G06	1.710					
Wall lamp blue China aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G08	1.710					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.


Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Wall lamp - L 250 > 380



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C01	1.210					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C05	1.210					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C03	1.420					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C06	1.420					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T01	1.345					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T05	1.345					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T03	1.555					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T06	1.555					




Wall lamp white aluminium diffuser	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G02	1.525					
Wall lamp black aluminium diffuser	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G04	1.525					
Wall lamp lime aluminium diffuser	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G06	1.815					
Wall lamp blue China aluminium diffuser DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G08	1.815					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Accessory to compose the floor lamp



DESCRIPTION

LIGHT SOURCE

White structure/ base to be fixed on wall lamp (kg 20)
Black structure/ base to be fixed on wall lamp (kg 20)

INDOOR



IP

CODE

€ EURO

•	OD	IP20	SEIEAT059G01	650
•	OD	IP20	SEIEAT059G02	650

OUTDOOR







IP

CODE

€ EURO

Examples of compositions:




Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Wall lamp small - L 170>260



DESCRIPTION	LIGHT SOURCE	 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G01	1.555
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G02	1.630
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G03	1.555
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G04	1.630
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G05	1.870
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G06	1.945
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G07	1.870
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	- IP44/55	SEOEAP170G08	1.945

Wall lamp - L 240>370



Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G01 1.605
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G02 1.680
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G03 1.605
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G04 1.680
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G05 1.975
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G06 2.050
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G07 1.975
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K					•	-	IP44/55	SEOEAP220G08 2.050


PRODUCTS: Sestante Outdoor
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Accessory to compose the floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
White structure/ base to be fixed on wall lamp (kg 20)					• - IP44/55	SEOEAT059G01	650
Black structure/ base to be fixed on wall lamp (kg 20)					• - IP44/55	SEOEAT059G02	650

Examples of compositions:



**Modo Luce srl fornisce le sospensioni
con i seguenti standard (misura utile):**

- Cavo elettrico L 200 cm
- Cavo elettrico L 250 cm
per apparecchi con 2 o più cavi acciaio
- Cavo elettrico in tessuto per serie EVA L 130 cm
- Cavo acciaio L 200 cm

** Disponibilità a misura su richiesta

**Modo Luce srl delivers the following
standard cables for the suspensions (useful measures):**

- Power wire L 200 cm / L 78.74"
- Power wire L 250 cm / L 98.42"
for fixtures with 2 or more steel cables
- Power wire in fabric for EVA line products L 130 cm / 51,18"
- Steel cable L 200 cm / L 78.74"

** Other measures are available upon demand

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Cavo elettrico teflon/ pvc trasparente 2 / 3 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	7,50
Cavo elettrico teflon/ pvc trasparente 4 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	12,50
Cavo elettrico tondo pvc/ pvc bianco al mt lineare Wiring, power cable round pvc, pvc white to each linear meter	CAVELE000000BT01	2,00
Cavo elettrico tondo pvc/ pvc nero al mt lineare Wiring, power cable round pvc, pvc black to each linear meter	CAVELE000000NT01	2,00
Cavo elettrico teflon/ pvc DIMMERABILE bianco o nero per sospensione al mt lineare Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05	9,50
Cavo elettrico teflon/ pvc DIMMERABILE trasparente per sospensione al mt lineare Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05	21,00
Cavo elettrico outdoor tondo 2 x 0,75 H05RN-F nero al mt lineare Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN	4,00
Cavo elettrico a calza in tessuto per sospensione (oltre misura standard) al mt lineare Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000	16,00
Cavo acciaio di sostegno Ø 1,2 x h 2000 mm Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000	4,50
Cavo acciaio di sostegno Ø 1,2 x h 3000 mm Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000	12,50
Cavo acciaio di sostegno Ø 1,2 x h 6000 mm Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000	17,00
Cavo acciaio di sostegno Ø 1,2 x h 10000 mm Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000	31,50
Cavo acciaio di sostegno Ø 1,6 x h 2000 mm Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000	5,00
Cavo acciaio di sostegno Ø 1,6 x h 3000 mm Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000	12,50
Cavo acciaio di sostegno Ø 1,6 x h 8000 mm Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000	31,50
Maggiorazione per rosone cilindrico in finitura galvanica (cromo - ottone - rame): Price increase for cylindrical ceiling rose in galvanized finishes (chrome - brass - copper):		
Rosone cilindrico Ø 110 mm Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	26,50
Rosone cilindrico Ø 145 mm Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	37,00
Rosone cilindrico Ø 160 mm Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	42,00

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Maggiorazione per rosone decentrato: Lateral ceiling attachment surcharge:		
Rosone A Ceiling rose A	ROSDEC110001	37,00
Rosone B Ceiling rose B	ROSDEC110002	48,00
Rosone C Ceiling rose C	ROSDEC110003	37,00
Adattatore per spina inglese Uk plug adapter	 ADAUK240V001	17,00
Variatore da tavolo/tavolino universale per Alogene (40/160W) + LED (4/100W) DIM switch for table/small table lamp universal HES (40/160W) + LED (4/100W)	 DIMVAR0TA002000	70,00
Variatore da lettura/terra universale per Alogene + LED (5/250W) DIM switch for reading/floor lamp universal HES + LED (5/250W)	 DIMVAROPT003000	90,00
SCHERMO SUPERIORE SOSPENSIONE (RICAMBIO) UPPER DISK FOR SUSPENSIONS (SPARE PART)		
Schermo di chiusura superiore in plex opal per Discovolante Ø 40 Top protective disk in opal plex for Discovolante Ø 40	DISEPX040F01	105,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 60 Top protective disk in opal plex for Cilindro and Discovolante Ø 60	CILEPX060F01	160,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 70 Top protective disk in opal plex for Cilindro Ø 70	CILEPX070F01	190,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 80 Top protective disk in opal plex for Discovolante Ø 80	DISEPX080F01	210,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 100 Top protective disk in opal plex for Cilindro Ø 100	CILEPX100F01	430,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 100 Top protective disk in opal plex for Discovolante Ø 100	DISEPX100F01	315,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 120 Top protective disk in opal plex for Cilindro and Discovolante Ø 120	CILEPX120F01	505,00

Sorgenti luminose

I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

Temperatura colore

Le lampade Modo Luce equipaggiate con sorgente LED vengono fornite generalmente con temperatura di colore 2700K. Sono disponibili su richiesta anche le versioni 3000K e 4000K.

Lumen

L'indicazione del flusso luminoso si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.

Legenda lampadine

Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).

Light Sources

Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.

Color temperature

Modo Luce LED equipped products are normally supplied with 2700K light colour as standard version. 3000K and 4000K are available on request.

Lumen

Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Legend light bulbs

Light bulbs available for Modo Luce products (according to the models).

Modo Luce - EELc Product List Global Energy

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012.

Le etichette energetiche sono disponibili e scaricabili dal sito internet **modoluce.com**

Efficiency Label compatibility (EU Regulation 874/2012)

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.

Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.

Energy labels are available and downloaded from the webiste **modoluce.com**

Tipo / Type		Simbolo / Symbol	Attacco / Socket	Potenza / Power		Codice / Code	€ EURO
Led No Dim		Sphere	E14	5 W	2700K	LMPLEDE14S00	21,00
		Classic	E27	9 W	2700K	LMPLEDE27G00	20,00
		Globe Clair	E27	8 W	2700K	LMPLEDE27GL4W125	31,50
		Dichroic	GU10	6 W	2700K	LMPLEDE27GU10	16,00
		Linear L 78	R7S	4 W	2700K	LMPLEDR7S078NOD	21,00
		Linear L 118	R7S	8 W	2700K	LMPLEDR7S118NOD	29,50
Led Dim		Classic	E27	10 W	2700K	LMPLEDE27GDO	31,50
		Globe Clair	E27	7.5 W	2200K	LMPLEDE27DIM125	47,00
		Pear Share	E27	7.5 W	2300K	LMPLEDE27KIT01P	42,00
		Dichroic	GU10	6W	2700K	LMPLEDGU10DIM06	18,00

Pesi / Weights

ABC			
Pendant lamp A	Ø 12	1 kg	2.20 lb
Pendant lamp B	Ø 17	1 kg	2.20 lb
Pendant lamp C	Ø 22	1,5 kg	3.30 lb

Alco			
Pendant lamp	Ø 90	23 kg	50.77 lb
Pendant lamp	Ø 120	36 kg	79.47 lb
Ceiling lamp	Ø 90	23 kg	50.77 lb
Ceiling lamp	Ø 120	36 kg	79.47 lb

Angelica indoor			
Wall lamp		5 kg	11.33 lb

Angelica outdoor			
Wall lamp		7 kg	15.42 lb

Atollo indoor / outdoor			
Pendant lamp	Ø 70	13 Kg	28.66 lb.
Pendant lamp	Ø 100	3 kg	6.61 lb.
Pendant lamp	Ø 150	5 kg	11.03 lb.
Ceiling-wall lamp	Ø 70	15 Kg	33.07 lb.
Ceiling-wall lamp	Ø 100	33 Kg	72.75 lb.
Ceiling-wall lamp	Ø 150	53 Kg	116.84 lb.

Baobab			
Pendant lamp 3	Ø 80	2 kg	4.41 lb
Pendant lamp 6	Ø 80	3,5 kg	7.72 lb

Bolla Elissee			
Pendant lamp Bolla	Ø 40	3 kg	6.61 lb
Pendant lamp Bolla	Ø 50	3,5 kg	7.71 lb
Pendant lamp Bolla	Ø 60	6 kg	13.21 lb
Pendant lamp Elissee	Ø 60	3 kg	6.60 lb
Pendant lamp Elissee	Ø 80	5 kg	11.01 lb

Butterfly			
Wall lamp	Ø 54	8 kg	17.66 lb
Wall lamp	Ø 75	10 kg	22.02 lb

Campanone indoor / outdoor			
Pendant lamp	Ø 33	3,5 kg	7.71 lb
Pendant lamp	Ø 51	5 kg	11.01 lb

Chandelier			
Pendant – ceiling lamp	Ø 100	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.43 lb
Wall lamp single	Ø 13	1 kg	2.20 lb
Wall lamp double	Ø 35	2 kg	4.41 lb

Chandelier Longue			
Pendant – ceiling lamp	L 110	12 kg	26.43 lb
Pendant – ceiling lamp	L 150	14 kg	30.83 lb

Charlie			
Pendant – ceiling lamp	Ø 107	25 kg	55.06 lb
Pendant – ceiling lamp	Ø 127	35 kg	77.09 lb

Cilindro			
Pendant lamp	Ø 60	2,2 kg	4.86 lb
Pendant lamp	Ø 70	3,5 kg	7.71 lb
Pendant lamp	Ø 100	7 kg	14.31 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	20 kg	44.05 lb

Circus			
Pendant lamp	Ø 70	4 kg	8.81 lb
Pendant lamp	Ø 100	9 kg	19.82 lb
Pendant lamp	Ø 120	17 kg	37.44 lb
Pendant lamp	Ø 150	30 kg	66.08 lb

Clip			
Pendant lamp	L 130	5 kg	11.03 lb
Pendant lamp	L 170	8 kg	17.66 lb

Cocò			
Pendant lamp	Ø 60	4 kg	8.80 lb
Pendant lamp	Ø 80	7 kg	15.40 lb
Pendant lamp	Ø 100	9 kg	19.82 lb

Diogene			
Pendant lamp	Ø 30	3,5 kg	7.72 lb

Discovolante			
Pendant-ceiling-wall lamp	Ø 40	2 kg	4.41 lb
Pendant-ceiling-wall lamp	Ø 60	4 kg	8.81 lb
Pendant-ceiling lamp	Ø 80	5 kg	11.03 lb
Pendant-ceiling lamp	Ø 100	7 kg	15.41 lb

Eva			
Pendant lamp	Ø 11	0,3 kg	0.66 lb
Pendant lamp brown cotto	Ø 11	0,7 kg	1.54 lb
Pendant lamp	Ø 18	1,1 kg	2.44 lb
Pendant lamp brown cotto	Ø 18	1,7 kg	3.77 lb
Pendant lamp	Ø 27	4 kg	8.81 lb
Pendant lamp brown cotto	Ø 27	7 kg	15.42 lb
Pendant lamp	Ø 38	8 kg	17.66 lb
Pendant lamp brown cotto	Ø 38	12 kg	26.43 lb

Florinda			
Pendant lamp 1	Ø 31	2 kg	4.41 lb
Pendant lamp 3	Ø 63	7 kg	15.41 lb
Pendant lamp 6	Ø 94	10 kg	22.02 lb
Pendant lamp 12	Ø 153	35 kg	77.09 lb
Ceiling lamp 3	Ø 63	7 kg	15.41 lb
Ceiling lamp 6	Ø 94	10 kg	22.02 lb
Ceiling lamp 12	Ø 153	35 kg	77.09 lb
Wall lamp	Ø 31,5	0,4 kg	0.88 lb

Florinda Desnuda			
Pendant lamp 1	Ø 31	1,5kg	3.30 lb
Pendant lamp 3	Ø 63	5 kg	11.03 lb
Pendant lamp 6	Ø 94	8 kg	17.66 lb
Pendant lamp 12	Ø 153	27 kg	59.40 lb
Ceiling lamp 3	Ø 63	6 kg	13.20 lb
Ceiling lamp 6	Ø 94	10 kg	22.00 lb
Ceiling lamp 12	Ø 153	30 kg	66.00 lb

Geco			
Wall lamp	Ø 13	5 kg	11.01 lb
Wall lamp	Ø 30	5 kg	11.01 lb

Hammer			
Pendant lamp	Ø 15	1,5 kg	3.31 lb
Pendant lamp	Ø 18	2 kg	4.41 lb
Pendant lamp	Ø 30	2,5 kg	5.50 lb
Spotlight	Ø 15	1 kg	2.20 lb
Spotlight	Ø 18	1,5 kg	3.31 lb
Ceiling Lamp	Ø 15 / 21	1 kg	2.20 lb
Ceiling Lamp	Ø 18 / 24	1,5 kg	3.31 lb
Recessed spotlight	Ø 15 / 21	1 kg	2.20 lb
Recessed spotlight	Ø 18 / 24	1,5 kg	3.31 lb

Icaro indoor / outdoor			
Pendant lamp	Ø 22	2,5 kg	6.60 lb
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 75	10 kg	22.03 lb
Pendant lamp	Ø 100	20 kg	44.05 lb

Icaro Ball indoor / outdoor			
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 60	10 kg	22.03 lb
Pendant lamp	Ø 75	15 kg	33.04 lb
Pendant lamp	Ø 90	25 kg	55.06 lb

Idea			
Pendant – ceiling lamp	Ø 66	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 80	15 kg	33.04 lb
Pendant – ceiling lamp	Ø 100	18 kg	39.65 lb
Pendant – ceiling lamp	Ø 140	25 kg	55.06 lb

Idea composition			
Pendant – ceiling lamp	Ø 180	30 kg	66.14 lb

Lost			
Pendant lamp	Ø 25	5 kg	11.01 lb
Pendant lamp	Ø 40	8 kg	17.66 lb

Loto			
Pendant lamp	Ø 16	0,7 kg	1.54 lb
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 60	3 kg	6.61 lb
Pendant lamp	Ø 80	5 kg	11.01 lb
Pendant lamp	Ø 100	7 kg	15.41 lb
Pendant lamp	Ø 140	20 kg	44.05 lb
Wall lamp	Ø 16	0,45 kg	0.99 lb

Lucilla			
Wall lamp	Ø 17	0,4 kg	0.88 lb

Lucilla Tonda			
Pendant lamp	Ø 19	0,3 kg	0.66 lb
Pendant lamp	Ø 34	0,5 kg	1.10 lb
Pendant lamp	Ø 43	1 kg	2.20 lb
Wall Lamp	Ø 21	0,5 kg	1.10 lb

Milleluci			
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 80	6 kg	13.21 lb
Pendant lamp	Ø 100 H 35	7 kg	15.41 lb
Pendant lamp	Ø 100 H 60	9 kg	19.82 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	18 kg	39.65 lb

Mood			
Pendant lamp	Ø 100	5 kg	11.01 lb
Pendant lamp	Ø 120	6 kg	13.21 lb
Pendant lamp	Ø 150	10 kg	22.02 lb
Ceiling-wall lamp	Ø 100	6 kg	13.21 lb

Mood Desnuda			
Pendant lamp	Ø 60	2 kg	4.41 lb
Pendant lamp	Ø 100	3 kg	6.61 lb
Pendant lamp	Ø 120	4 kg	8.81 lb
Pendant lamp	Ø 150	6 kg	13.20 lb

Multiball			
Pendant lamp	Ø 25 / 30 / 35	1,7 kg	3.74 lb
Pendant lamp	Ø 40 / 45	2 kg	4.41 lb

Nucleo			
Pendant lamp	L 130	8 kg	17.66 lb
Pendant lamp	L 160	12 kg	26.43 lb

Olivia			
Pendant lamp	Ø 42	3 kg	6.60 lb
Pendant lamp	Ø 60	6 kg	13.24 lb
Ceiling lamp	Ø 42	5 kg	11.03 lb
Ceiling lamp	Ø 60	10 kg	22.07 lb

Ombrella			
Pendant-ceiling lamp	Ø 60	3 kg	6.6 lb
Pendant-ceiling lamp	Ø 80	6 kg	13.20 lb
Pendant-ceiling lamp	Ø 100	10 kg	22.00 lb

Orb			
Pendant lamp (PMMA)	Ø 25	2 kg	4.41 lb
Pendant lamp (PMMA)	Ø 40	3,5 kg	7.72 lb
Pendant lamp (glass)	Ø 25	3 kg	6.62 lb
Pendant lamp (glass)	Ø 40	6 kg	13.24 lb

Ottovolante			
Pendant-ceiling lamp	L 100	8 kg	17.66 lb
Pendant-ceiling lamp	L 150	11 kg	24.23 lb

Peggy			
Pendant – ceiling lamp	Ø 60	6 kg	13.25 lb
Pendant – ceiling lamp	Ø 80	8,5 kg	18.76 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.49 lb

Rettangolo			
Pendant lamp	L 90	4 kg	8.81 lb
Pendant lamp	L 120	4,5 kg	9.91 lb
Pendant lamp	L 150	10 kg	22.00 lb
Pendant lamp	L 300	25 kg	55.06 lb
Wall lamp	L 25 / 40	0,5 kg	1.10 lb
Wall lamp	L 25 x 24	0,2 kg	0.44 lb
Wall lamp	L 30	1 kg	2.20 lb
Wall lamp	L 40 x 40	0,5 kg	1.10 lb
Wall lamp	L 160	5 kg	11.01 lb

Rettangolo Slim			
Pendant-ceiling lamp	Ø 100	8 kg	17.66 lb
Pendant-ceiling lamp	Ø 150	11 kg	24.23 lb

Reverse			
Pendant lamp	Ø 60	5 kg	11.00 lb
Pendant lamp	Ø 80	7 kg	15.40 lb





















Righello			
Pendant lamp	L 125	5 kg	11.03 lb
Pendant lamp	L 160	8 kg	17.66 lb
Wall Lamp	L 125	4 kg	8.83 lb
Wall Lamp	L 160	7 kg	15.45 lb

Ring			
Pendant-ceiling-wall lamp	L 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	L 125	10 kg	22.00 lb

Ring Tonda			
Pendant-ceiling-wall lamp	Ø 65	5 kg	11.00 lb
Pendant-ceiling-wall lamp	Ø 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	Ø 110	10 kg	22.00 lb

Romeo			
Pendant lamp	Ø 25	1,3 kg	2.86 lb
Pendant lamp	Ø 40	1,9 kg	4.18 lb
Pendant lamp	Ø 70	5 kg	11.01 lb

Sestante indoor / outdoor			
Wall Lamp		20 kg	44.15 lb

	Eva 11 Loto 16 Rettangolo 90 / 120 / 150 / 300 Rettangolo Slim 100 / 150		Nucleo 160 Orb 25 / 40 (2 globes)	
	ABC Baobab Chandelier Eva 18 Florinda Desnuda 1 Hammer 15 / 18 Lucilla Tonda Ottovolante Rettangolo Rettangolo Slim		LED lamps Alco Cilindro Circus Cocò Discovolante Idea Loto Milleluci Olivia Ombrella Orb 25 (dim) Orb 40 Peggy	
	Atollo 70 / 100 / 150 (3-4 steel cables) Cilindro 150 Idea composition Milleluci 150 Ottovolante (LED) Rettangolo Slim (LED)			
	Atollo 70 / 100 (1 steel cable) Bolla 40 / 50 / 60 Campanone indoor / outdoor Cilindro 60 / 70 Circus 70 / 100 / 120 Cocò 60 / 80 / 100 Discovolante 40 / 60 / 80 / 100 Ellisse 60 / 80 Florinda 1 / 3 / 6 Florinda Desnuda 3 / 6 Icaro 22 / 50 / 75 Icaro Ball 50 / 60 / 75 Lost 25 / 40 Loto 43 / 60 / 80 Milleluci 40 / 80 Mood Desnuda Olivia 43 / 60 Orb 25 Romeo 25 / 40 / 70 Peggy 60 / 80 / 100		Chandelier Longue	
			Icaro 100 Icaro Ball 90 Mood Reverse Ring Ring Tonda	
	Cilindro 100 / 120 Eva 27 Eva 38 Loto 100 / 140 Milleluci 100 / 120		Multiball	
	Hammer 15 / 18 / 30 (LED-dim) Nucleo 130		Charlie	
				

GENERAL SALES TERMS

Price list
Vat excluded

LIGHT BULBS

Modo Luce products equipped with GU10, E14 and E27 sockets are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price. Goods are packed in carton boxes.

RULES

The products manufactured by Modo Luce comply with the European Standards and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

NOTES

1
The cotton fabric used by Modo Luce can be available fireproof, in compliance with CL1 rules, **on demand and with 3% surcharge**, ONLY for the ivory 300, white 301 and sand 302 colours. For orders, when/ if this regulation will be enforced and only on request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The cotton fabric complies with Glow-Wire Test 650°.

2
The pleated fabric used by Modo Luce for the standard production is fireproof in compliance with CL1 rules. For orders, when/ if this regulation will be enforced and only on

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo Luce's approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes to models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo Luce does not accept claims after 4 days from receipt of goods. Modo Luce's previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modo Luce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The pleated fabric complies with Glow-Wire Test 650° by request. The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, on demand and **with surcharge**, for quantity to be defined.

3
Modo Luce can also produce lampshades with Customer cotton fabric, **with 5% surcharge**.

4
The lycra-covers used by Modo Luce are fireproof in compliance with CL1 rules. They are removable and washable in water at max 30° and mild soap.

TRANSPORT

Goods are delivered ex-factory/ ex-works (Vazzola - Treviso - Italy) Goods travel at customer's own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods.

In every case, customer must accept the goods by writing in the document of transport of the forwarder "accepted with checking reserve" and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can't be attributed to Modo Luce.

5
Seams of the fabric covers of models: ALCO, CIRCUS, PEGGY, RIGHELLO, RING and RING TONDA are handmade and may present some little imperfections, characteristics of a handcrafted production.

6
Diffusers of model Eva and base of model Aura and Baobab are handmade and may present some little imperfections, characteristics of a handcrafted production.

WARRANTY

Modo Luce warrants its products to be free from defects in workmanship.

This warranty is exclusively applicable to the party who have purchased the product directly from Modo Luce.

The warranty runs from the date of the invoice with which the product was acquired from Modo Luce and ends after 24 months.

Uses of the warranty must be notified and sent to Modo Luce office within 60 days from discovering the defect, specifying the following information:

- date and number of invoice
- detailed description of problem and quantity of defective product/s
- photographs or video of the defect

During this warranty period Modo Luce will repair, replace or supply spare parts, at its discretion.

This warranty does NOT apply to damages resulting from: transport, accident, alteration, tempering, misuse, incorrect installation or improper use, incorrect storage, negligence or abuse, natural events.

This warranty does NOT apply to consumable parts or elements subject to normal wear and tear, as batteries, light sources etc.

9
The technical characteristic of the materials used by Modo Luce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour's shade from a batch to another.

10
The products **ETL wired and certified** are available with a **10% surcharge**. The products wired with ETL certified components (it means **in compliance with but NOT ETL certified**) will have anyway the same **10% surcharge**.

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente listino è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo listino sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente listino possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel listino e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This price list is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the price list are forbidden.

Data contained in this price list is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this price list may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the price list and from batch to batch.