









INDICE / INDEX

<u>Abc</u>	01	<u>Diogene Outdoor</u>	60	<u>Multiball</u>	134
<u>Alco</u>	02	<u>Discovolante</u>	61	<u>Nucleo</u>	142
<u>Angelica</u>	10	<u>Disk</u>	75	<u>Olivia</u>	144
<u>Angelica Outdoor</u>	13	<u>Eva</u>	77	<u>Ombrella</u>	147
<u>Atollo</u>	14	<u>Florinda</u>	79	<u>Orb</u>	150
<u>Atollo Outdoor</u>	17	<u>Florinda Desnuda</u>	83	<u>Ottovolante</u>	158
<u>Aura</u>	20	<u>Geco</u>	86	<u>Peggy</u>	162
<u>Baobab</u>	21	<u>Hammer</u>	88	<u>Rettangolo</u>	168
<u>Bolla Ellisse</u>	23	<u>Icaro</u>	93	<u>Rettangolo Slim</u>	172
<u>Butterfly</u>	25	<u>Icaro Outdoor</u>	95	<u>Reverse</u>	176
<u>Campanone</u>	26	<u>Icaro ball</u>	98	<u>Righello</u>	178
<u>Campanone Outdoor</u>	27	<u>Icaro ball Outdoor</u>	100	<u>Ring</u>	180
<u>Chandelier</u>	28	<u>Idea</u>	103	<u>Ring Tonda</u>	182
<u>Chandelier Longue</u>	34	<u>Lost</u>	108	<u>Romeo</u>	184
<u>Charlie</u>	38	<u>Loto</u>	110	<u>Sestante</u>	187
<u>Cilindro</u>	43	<u>Lucilla</u>	114	<u>Sestante Outdoor</u>	190
<u>Circus</u>	52	<u>Lucilla Tonda</u>	118		
<u>Clip</u>	56	<u>Milleluci</u>	123		
<u>Coco'</u>	57	<u>Mood</u>	131		
<u>Corner</u>	59	<u>Mood Desnuda</u>	133		

Metal pendant lamp in three sizes, in white or lead grey colours and in Deluxe finishes: lime green, brick, blue China and matt gold.

Symbol index  → • / present - / absent OD / On Demand

A B C	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
	Pendat lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G41	280					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G42	345					
	Pendat lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G41	280					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G42	345					
	Pendat lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G41	280					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G42	345					
Accessory - Pendant lamp		Surcharge for ceiling rose in the same colour as Deluxe structure				ROS110003601	20					




Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F01	2.975					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F02	3.045					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F03	3.075					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E01	3.035					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E02	3.100					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E03	3.130					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L01	3.475					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L02	3.540					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L03	3.570					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I01	3.475					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I02	3.540					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I03	3.570					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **3**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F04	3.085					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F05	3.155					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F06	3.185					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E04	3.145					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E05	3.210					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E06	3.240					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L04	3.585					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L05	3.650					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L06	3.680					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I04	3.585					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I05	3.650					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I06	3.680					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **4**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F01	3.275					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F02	3.340					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F03	3.375					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E01	3.385					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E02	3.450					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E03	3.485					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L01	3.780					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L02	3.850					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L03	3.880					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I01	3.970					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I02	4.035					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I03	4.070					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **5**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F06	3.385					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F07	3.450					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F08	3.485					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E06	3.495					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E07	3.560					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E08	3.595					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L06	3.890					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L07	3.960					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L08	3.990					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I06	4.080					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I07	4.150					
Kvadrat fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I08	4.180					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **6**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F01	3.285					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F02	3.350					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F03	3.385					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E01	3.340					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E02	3.405					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E03	3.440					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L01	3.780					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L02	3.850					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L03	3.880					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I01	3.780					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I02	3.850					
Kvadrat fabric DIM DALI/Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I03	3.880					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: 7

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F04	3.395					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F05	3.460					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F06	3.495					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E04	3.450					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E05	3.520					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E06	3.550					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L04	3.890					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L05	3.960					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L06	3.990					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I04	3.890					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I05	3.960					
Kvadrat fabric DIM DALI/Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I06	3.990					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: 8

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F01	3.340					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F02	3.405					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F03	3.440					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E01	3.450					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E02	3.520					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E03	3.585					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L01	3.850					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L02	3.915					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L03	3.950					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I01	4.035					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I02	4.100					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I03	4.135					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F06	3.450					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F07	3.520					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F08	3.550					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E06	3.560					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E07	3.630					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E08	3.670					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L06	3.960					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L07	4.025					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L08	4.060					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I06	4.150					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I07	4.210					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I08	4.245					



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand



ANGELICA

Wall lamp - L 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.120 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135C01	760					
Wall lamp L.120 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135C02	760					
Wall lamp L.120 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135T01	810					
Wall lamp L.120 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135T02	810					
Wall lamp L.120 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP135E01	820					
Wall lamp L.120 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP135E02	820					

Wall lamp - L 170



Wall lamp L.170 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180C01	800					
Wall lamp L.170 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180C02	800					
Wall lamp L.170 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180T01	850					
Wall lamp L.170 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180T02	850					
Wall lamp L.170 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP180E01	860					
Wall lamp L.170 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP180E02	860					



Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 200

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.200 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C01	850					
Wall lamp L.200 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C02	850					
Wall lamp L.200 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T01	900					
Wall lamp L.200 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T02	900					
Wall lamp L.200 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E01	910					
Wall lamp L.200 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E02	910					



Accessory - Wall lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

75



Accessory - Wall lamp

Fixing accessory for wall lamp - white


• OD IP20 DEJEAR000G01

110

Fixing accessory for wall lamp - black

• OD IP20 DEJEAR000G02

110





Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C01	1.300					
Floor lamp black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C02	1.300					
Floor lamp white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T01	1.365					
Floor lamp black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T02	1.365					
Floor lamp white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E01	1.380					
Floor lamp black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E02	1.380					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	95	
------------------------	---	--------------	----	--




Floor lamp with cantilever arm and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure. Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating. Lampshade in washable marble fabric. On demand, washable fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA OUTDOOR

Wall lamp - L 170



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall lamp L.170 white washable marble

1 x E27 42 W HES

OD

-

IP44/55

AGOEAP170T01

1.380

Wall lamp L.170 black washable marble

1 x E27 42 W HES

OD

-

IP44/55

AGOEAP170T02

1.380

Accessory - Wall lamp

Fixing accessory for wall lamp - white

•

-

IP55

DEOEAP000G01

130

Fixing accessory for wall lamp - black


•

-


IP55

DEOEAP000G02

130



Floor lamp



Floor lamp white washable marble

1 x E27 42 W HES

OD

OD

IP44/55

AGOEPT230C01

1.655

Floor lamp black washable marble

1 x E27 42 W HES

OD

OD



IP44/55

AGOEPT230C02

1.655



ATOLLO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES	• OD IP31	ATIESO070D01	965			
With 3 steel cables	6 x E27 42 W HES	• OD IP31	ATIESO070D02	945			
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D41	1.380			
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D42	1.355			
With 1 steel cable DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D43	1.600			
With 3 steel cables DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D44	1.575			

Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES	• OD IP31	ATIESO100D01	1.285			
With 4 steel cables	8 x E27 42 W HES	• OD IP31	ATIESO100D02	1.250			
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D41	1.820			
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D42	1.785			
With 1 steel cable DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D43	2.125			
With 4 steel cables DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D44	2.095			


PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index   → • / present - / absent OD / On Demand

ATOLLO


Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES	•	OD	IP31	ATIESO150D01	2.155			
With 4 steel cables	12 x E27 42 W HES	•	OD	IP31	ATIESO150D02	2.095			
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D41	3.035			
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D42	2.975			
With 1 steel cable DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D43	3.420			
With 4 steel cables DIM DALI-Push DIM	1 led strip 82 W - 14000 Lm - 3000 K	•	-	IP31	ATIESO150D44	3.365			

ATOLLO

Wall/ ceiling lamp - ø 70



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall/ ceiling lamp

6 x E27 28 W HES

•

OD

IP31

ATIEAP070D01

1.105

Wall/ ceiling lamp NO DIM

1 led strip 40 W -
7000 Lm - 3000 K

•

-

IP31

ATIEAP070D41

1.510

Wall/ ceiling lamp DIM DALI-Push DIM

1 led strip 40 W -
7000 Lm - 3000 K

•


-

IP31

ATIEAP070D42

1.710

Wall/ ceiling lamp - ø 100



Wall/ ceiling lamp

8 x E27 28 W HES

•

OD

IP31

ATIEAP100D01

1.490

Wall/ ceiling lamp NO DIM

1 led strip 55 W -
9300 Lm - 3000 K

•

-

IP31

ATIEAP100D41

2.025

Wall/ ceiling lamp DIM DALI-Push DIM

1 led strip 55 W -
9300 Lm - 3000 K

•


-

IP31

ATIEAP100D42

2.265

Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp

12 x E27 28 W HES

•

OD

IP31

ATIEAP150D01

2.375

Wall/ ceiling lamp NO DIM

1 led strip 82 W -
14000 Lm - 3000 K

•

-

IP31

ATIEAP150D41

3.145

Wall/ ceiling lamp DIM DALI-Push DIM

1 led strip 82 W -
14000 Lm - 3000 K

•

-

IP31

ATIEAP150D42

3.530

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009



PAGE: 17

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand



ATOLLO OUTDOOR

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES				• - IP44	ATOESO070D01	1.025
With 3 steel cables	6 x E27 42 W HES				• - IP44	ATOESO070D02	1.005
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D41	1.465
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D42	1.445

Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES				• - IP44	ATOESO100D01	1.380
With 4 steel cables	8 x E27 42 W HES				• - IP44	ATOESO100D02	1.335
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D41	1.930
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D42	1.885

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009



PAGE: **18**

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES				• - IP44	ATOESO150D01	2.375
With 4 steel cables	12 x E27 42 W HES				• - IP44	ATOESO150D02	2.315
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D41	3.195
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D42	3.145

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009


PAGE: **19**

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Wall/ ceiling lamp - ø 70



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall/ ceiling lamp

6 x E27 42 W HES

•

-

IP44

ATOEAP070D01

1.215

Wall/ ceiling lamp NO DIM

1 led strip 40 W -
7000 Lm - 3000 K

•


-

IP44

ATOEAP070D41

1.545

Wall/ ceiling lamp - ø 100



Wall/ ceiling lamp

8 x E27 42 W HES

•

-

IP44

ATOEAP100D01

1.620

Wall/ ceiling lamp NO DIM

1 led strip 55 W -
9300 Lm - 3000 K

•


-

IP44

ATOEAP100D41

2.040

Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp

12 x E27 42 W HES

•

-

IP44

ATOEAP150D01

2.535

Wall/ ceiling lamp NO DIM

1 led strip 82 W -
14000 Lm - 3000 K

•

-

IP44

ATOEAP150D41

3.255


PRODUCTS: Aura
DESIGN: De Clercq & Geoffroy-Dechaume 2014

Table lamp with natural or raw hemp colour concrete base.
 Lampshade available in cotton, pleated, wool or Remix Kvadrat fabric.
 Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process
 and of this material, that make each product a unique and unrepeatable piece.

Symbol index   → • / present - / absent OD / On Demand


AURA

Table lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO		 	IP	CODE	€ EURO	
Natural grey base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C01	640					
Raw hemp base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C03	640					
Natural grey base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P01	660					
Raw hemp base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P03	660					
Natural grey base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E01	695					
Raw hemp base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E03	695					
Natural grey base Kvadrat fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065I01	765					
Raw hemp base Kvadrat fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065I03	765					

Accessories



Upper disc in opal PMMA	-	IP20	AUREPM000M01	110	
Upper disc in white PC	•	IP20	AUREPC000B01	120	

Accessory - Table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)			DIMVAR0TA002	75	
---	--	--	--------------	----	--




Pendant and floor lamp with three or six arms.
 Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
 Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index   → • / present - / absent OD / On Demand


BAOBAB

Pendant lamp 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP CODE € EURO	  IP CODE € EURO
Pendant lamp 3 arms white or lead grey	3 x E27 42 W HES	• OD IP20 BAOESO003G01 860	
Pendant lamp 3 arms Deluxe	3 x E27 42 W HES	• OD IP20 BAOESO003G02 1.005	
Accessory:			
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)		LMPLEDE27KIT300 140	

Pendant lamp 6 arms




Pendant lamp 6 arms white or lead grey	6 x E27 42 W HES	• OD IP20 BAOESO006G01 1.170	
Pendant lamp 6 arms Deluxe	6 x E27 42 W HES	• OD IP20 BAOESO006G02 1.380	
Accessory:			
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)		LMPLEDE27KIT600 270	

Pendant and floor lamp with three or six arms.
Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index  → • / present - / absent OD / On Demand


BAOBAB

Floor lamp 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white or lead grey	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G01	1.105					
Floor lamp Deluxe	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G02	1.270					
Accessory:											
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT300	140					

Floor lamp 6 arms



Floor lamp white or lead grey	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G01	1.410					
Floor lamp Deluxe	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G02	1.635					
Accessory:											
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT600	270					

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	95									
---	--------------	----	--	--	--	--	--	--	--	--	--




Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLES0040C01	480					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLES0040T01	510					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0040P01	550					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0040R01	555					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0040M01	500					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0040M02	550					

Pendant lamp - ø 50



Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLES0050C01	595					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLES0050T01	630					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0050P01	655					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0050R01	670					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0050M01	620					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0050M02	670					

Pendant lamp - ø 60




Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLES0060C01	730					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLES0060T01	775					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0060P01	810					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0060R01	830					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0060M01	755					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0060M02	815					

Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	-	OD	IP20	ELLES0060C01	630					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLES0060T01	650					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060P01	645					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060R01	655					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M01	640					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M02	685					

Pendant lamp - ø 80




Cotton	1 x E27 42 W HES	-	OD	IP20	ELLES0080C01	895					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLES0080T01	920					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080P01	950					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080R01	960					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M01	925					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M02	980					

Metal wall lamp painted in white or lead grey colours and in Deluxe finishing matt gold or available in the version with half discs covered in wool fabric with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


BUTTERFLY

Wall lamp - ø 54



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal wall lamp white or lead grey NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G01	720					
Metal wall lamp Deluxe NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G02	830					
Wool fabric wall lamp NO DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054E01	1.105					
Metal wall lamp white or lead grey DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G05	750					
Metal wall lamp Deluxe DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054G06	860					
Wool fabric wall lamp DIM DALI - Push DIM	1 led module 19,8W - 3420 Lm - 3000 K	•	-	IP20	BUTEAP054E03	1.135					

Wall lamp - ø 75




Metal wall lamp white or lead grey NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G01	880			
Metal wall lamp Deluxe NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G02	1.025			
Wool fabric wall lamp NO DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075E01	1.490			
Metal wall lamp white or lead grey DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G05	915			
Metal wall lamp Deluxe DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075G06	1.060			
Wool fabric wall lamp DIM DALI - Push DIM	1 led module 29,8W - 5132 Lm - 3000 K	•	-	IP20	BUTEAP075E03	1.525			

A and B: option at the customer's choice upon installation (2 sets of brackets included)

Accessory recessed

Kit for recessed version - ø 54	•	IP20	BUTEDD054G01	60	
Kit for recessed version - ø 75	•	IP20	BUTEDD075G01	80	




PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Pendant lamp with diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Plex finishishing underneath available in opal polycarbonate too, in accordance with 650° normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE

Pendant lamp



DESCRIPTION

LIGHT SOURCE

Medium pendant lamp ø 33

1 x E27 42 W HES

Maxi pendant lamp ø 51

1 x E27 70 W HES

INDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO033D01

380

OUTDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO051D01

500

PRODUCTS: Campanone Outdoor
DESIGN: Paolo Grasselli 2005


PAGE: 27

Pendant and floor lamp available with power supply or rechargeable LED white kit.
 Diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE OUTDOOR

Pendant lamp



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Medium pendant lamp ø 33

1 x E27 42 W HES

OD

OD

IP65

CAOESO033D02

475

Maxi pendant lamp ø 51

1 x E27 70 W HES

OD


OD

IP65

CAOESO051D02

570

Floor lamp with power supply



Medium floor lamp ø 33

1 x E27 42 W HES

•

-

IP44

CAOETP033D03

390

Maxi floor lamp ø 51

1 x E27 70 W HES

•


-

IP44

CAOETA051D03

485

Rechargeable floor lamp



Medium floor lamp ø 33

1 kit led 6,4 W - 600 Lm - warm light

•

-

IP65

CAOETP033D13

620

Maxi floor lamp ø 51

1 kit led 6,4 W - 600 Lm - warm light

•

-

IP65

CAOETA051D13

705

IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C (with working temperature range from +7°C to 10°C battery life is decreasing of 20%):


Led 25% 1,6W 10h - Led 50% 3,2W 6h30' - Led 100% 6,4W 2h15' - It is recommended to recharge the kit in indoor - temperature > +15° C.

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP CODE € EURO	IP CODE € EURO
Pendant lamp white or black	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G01 1.510	
Pendant lamp Deluxe	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G02 1.675	
Pendant lamp white or black with gold rod	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G21 1.545	
Pendant lamp Deluxe with gold rod	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G22 1.710	
Accessory:			
Kit light bulbs: 12 x E27 Globe 125 LED 8W 2200K (NO DIM) + 1 x GU10 LED (NO DIM)		LMPLEDE27KIT011 360	
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2200K (DIM) + 1 x GU10 LED (DIM)		LMPLEDE27KIT012 540	

Pendant lamp - ø 100




Pendant lamp white or black	13 x GU10 28 W HES	• OD IP20 CHAESO100G11 1.510	
Pendant lamp Deluxe	13 x GU10 28 W HES	• OD IP20 CHAESO100G12 1.675	
Pendant lamp white or black with gold rod	13 x GU10 28 W HES	• OD IP20 CHAESO100G31 1.545	
Pendant lamp Deluxe with gold rod	13 x GU10 28 W HES	• OD IP20 CHAESO100G32 1.710	
Accessory:			
Kit 13 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT11 175	
Kit 13 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT12 210	

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Pendant lamp - ø 140



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G01

1.620

Pendant lamp Deluxe

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G02

1.805

Pendant lamp white or black with
gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G21

1.655

Pendant lamp Deluxe with gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G22

1.845

Accessory:

Kit light bulbs: 12 x E27 Globe 125 LED 8W
2200K (NO DIM) + 1 x GU10 LED (NO DIM)

LMPLEDE27KIT011


360

Kit light bulbs: 12 x E27 Globe 125 LED
7,5W 2200K (DIM) + 1 x GU10 LED (DIM)

LMPLEDE27KIT012

540

Pendant lamp - ø 140



Pendant lamp white or black

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G11

1.620

Pendant lamp Deluxe

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G12

1.805

Pendant lamp white or black with
gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G31

1.655

Pendant lamp Deluxe with gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G32

1.845

Accessory:

Kit 13 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT11

175

Kit 13 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT12


210

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO	
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G01	1.535						
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G02	1.695						
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G21	1.565						
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G22	1.735						
Accessory:												
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)		LMPLEDE27KIT013					280					
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)		LMPLEDE27KIT014					375					

Ceiling lamp - ø 100




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G11	1.535					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G12	1.695					
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G31	1.565					
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G32	1.735					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	175					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	210					

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 140



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G01	1.635					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G02	1.820					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G21	1.665					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL140G22	1.855					
Accessory:											
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)					LMPLEDE27KIT013	280					
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)					LMPLEDE27KIT014	375					

Ceiling lamp - ø 140




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G11	1.635					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G12	1.820					
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G31	1.665					
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL140G32	1.855					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	175					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	210					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – single



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white or black 2 x E27 42 W HES

• OD IP20 CHAEAP010G01 280

Wall lamp Deluxe 2 x E27 42 W HES

• OD IP20 CHAEAP010G02 320

Accessory:


Kit 2 light bulbs E27 Globe 125 LED
8W 2200K (NO DIM)

LMPLEDE27KIT001 80

Kit 2 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

LMPLEDE27KIT002 100

Wall lamp – single



Wall lamp white or black 2 x GU10 28W HES

• OD IP20 CHAEAP010G11 280

Wall lamp Deluxe 2 x GU10 28W HES

• OD IP20 CHAEAP010G12 320

Accessory:

Kit 2 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT01 35

Kit 2 light bulbs GU10 LED (DIM)


LMPLEDGU10KIT02 45

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp - double



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall lamp white or black 4 x E27 42 W HES

• OD IP20 CHAEAP035G01 485

Wall lamp Deluxe 4 x E27 42 W HES

• OD IP20 CHAEAP035G02 540

Accessory:


Kit 4 light bulbs E27 Globe 125 LED
8W 2200K (NO DIM)

LMPLEDE27KIT003 140

Kit 4 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

LMPLEDE27KIT004 190

Wall lamp - double



Wall lamp white or black 4 x GU10 28W HES

• OD IP20 CHAEAP035G11 485

Wall lamp Deluxe 4 x GU10 28W HES

• OD IP20 CHAEAP035G12 540

Accessory:

Kit 4 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT03 80

Kit 4 light bulbs GU10 LED (DIM)


LMPLEDGU10KIT04 100

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Pendant lamp - L. 100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G01

1.975

Pendant lamp Deluxe

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G02

2.155

Pendant lamp white or black with
gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G21

2.025

Pendant lamp Deluxe with gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G22

2.205

Accessory:

Kit light bulbs: 16 x E27 Globe 125 LED 8W
2200K (NO DIM) + 2 x GU10 LED (NO DIM)

LMPLEDE27KIT016


500

Kit light bulbs: 16 x E27 Globe 125 LED
7,5W 2200K (DIM) + 2 x GU10 LED (DIM)

LMPLEDE27KIT017

695

Pendant lamp - L. 100



Pendant lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G11

1.975

Pendant lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G12

2.155

Pendant lamp white or black with
gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G31

2.025

Pendant lamp Deluxe with gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G32

2.205

Accessory:

Kit 18 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

240

Kit 18 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19


310

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Pendant lamp - L. 150



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G01

2.040

Pendant lamp Deluxe

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G02

2.285

Pendant lamp white or black with
gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G21

2.105

Pendant lamp Deluxe with gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G22

2.345

Accessory:

Kit light bulbs: 16 x E27 Globe 125 LED 8W
2200K (NO DIM) + 2 x GU10 LED (NO DIM)

LMPLEDE27KIT016


500

Kit light bulbs: 16 x E27 Globe 125 LED
7,5W 2200K (DIM) + 2 x GU10 LED (DIM)

LMPLEDE27KIT017

695

Pendant lamp - L. 150



Pendant lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G11

2.040

Pendant lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G12

2.285

Pendant lamp white or black with
gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G31

2.105

Pendant lamp Deluxe with gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G32

2.345

Accessory:

Kit 18 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

240

Kit 18 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19


310

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE


Ceiling lamp - L. 100




110 cm	55 cm
43.31"	21.65"

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G01	1.930
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G02	2.155
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G21	1.985
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G22	2.205
Accessory:			
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)		LMPLEDE27KIT160	375
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)		LMPLEDE27KIT170	500

Ceiling lamp - L. 100



105 cm	48 cm
41.34"	18.9"


DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Ceiling lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLEPL100G11	1.930
Ceiling lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLEPL100G12	2.155
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20 CHLEPL100G31	1.985
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20 CHLEPL100G32	2.205
Accessory:			
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18	240
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19	310

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Ceiling lamp - L. 150



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G01	1.995				
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G02	2.275				
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G21	2.055				
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G22	2.325				
Accessory:									
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)				LMPLEDE27KIT160	375				
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)				LMPLEDE27KIT170	500				

Ceiling lamp - L. 150



Ceiling lamp white or black	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G11	1.995				
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G12	2.275				
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G31	2.055				
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G32	2.325				
Accessory:									
Kit 18 light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT18	240				
Kit 18 light bulbs GU10 LED (DIM)				LMPLEDGU10KIT19	310				


PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 107




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP100C01	1.845					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP100O01	2.065					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C05	2.165					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C04	2.205					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C06	2.265					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O05	2.385					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O04	2.425					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O06	2.485					
DOUBLE LIGHT EMISSION											
Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C15	2.835					
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C14	2.945					
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C16	2.945					
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O15	3.055					
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O14	3.165					
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O16	3.165					

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP130C01	2.230					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP130O01	2.500					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C05	2.550					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C04	2.600					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C06	2.650					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O05	2.820					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O04	2.860					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O06	2.915					
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C07	2.645					
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C08	2.775					
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O07	2.910					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O08	3.045					

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
DOUBLE LIGHT EMISSION											
Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C15	3.220					
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C14	3.330					
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C16	3.330					
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O15	3.485					
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O14	3.595					
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O16	3.595					
Cotton NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C17	3.255					
Cotton DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C18	3.420					
Velvet NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O17	3.520					
Velvet DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O18	3.680					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

PAGE: **41**

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.

Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.


On demand, lampshade available in wool and Remix Kvadrat fabric.

Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 107



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

DIRECT LIGHT

Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL100C01	1.710	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL100O01	1.930	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C05	2.005	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C04	2.055	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C06	2.105	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O05	2.225	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O04	2.275	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O06	2.325	

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.

Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.


On demand, lampshade available in wool and Remix Kvadrat fabric.

Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 127



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

DIRECT LIGHT

Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL130C01	2.065	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL130O01	2.325	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C05	2.395	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C04	2.495	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C06	2.545	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O05	2.655	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O04	2.705	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O06	2.755	
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C07	2.455	
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C08	2.595	
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O07	2.725	
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O08	2.855	

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


Opal plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP060C01	490					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP060T01	545					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP060O01	560					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP060L01	565					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP060C02	580					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP060T02	635					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP060O02	650					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP060L02	655					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060P01	725					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060R01	740					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C06	740					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T06	795					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O06	810					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L06	815					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P05	880					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R05	900					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C09	805					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T09	860					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O09	875					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L09	880					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P09	950					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R09	965					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C08	815					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T08	870					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O08	885					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L08	895					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P07	960					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R07	975					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX060F01	140	
-----------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP070C01	555					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP070T01	650					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP070O01	675					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP070L01	660					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP070C02	630					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP070T02	725					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP070O02	750					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP070L02	735					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070P01	1.050					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070R01	1.075					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C06	815					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T06	910					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O06	940					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L06	920					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P05	1.235					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R05	1.260					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C09	880					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T09	975					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O09	1.005					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L09	985					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P09	1.300					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R09	1.330					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C08	920					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T08	1.015					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O08	1.040					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L08	1.025					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P07	1.340					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R07	1.365					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX070F01	190	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP100C01	1.090					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP100T01	1.225					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP100O01	1.260					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP100L01	1.235					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100P01	1.790					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100R01	1.840					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C08	1.200					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T08	1.335					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O08	1.370					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L08	1.345					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P08	1.900					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R08	1.950					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C09	1.270					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T09	1.400					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O09	1.440					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L09	1.410					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P09	1.970					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R09	2.010					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C10	1.305					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T10	1.440					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O10	1.475					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L10	1.450					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P10	2.005					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R10	2.055					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C13	1.490					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T13	1.620					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O13	1.660					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L13	1.635					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P13	2.190					
1 light pleated ribbon fabric NO DIM/ DIM 1-10V	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R13	2.230					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C14	1.555					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T14	1.685					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O14	1.725					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L14	1.695					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P14	2.250					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R14	2.300					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C15	1.590					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T15	1.725					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O15	1.765					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L15	1.740					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P15	2.295					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R15	2.335					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX100F01	420	
-----------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP120C01	1.635					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP120T01	1.795					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP120O01	1.845					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP120L01	1.785					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120P01	2.155					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120R01	2.205					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C08	1.740					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T08	1.900					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O08	1.950					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L08	1.855					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P08	2.215					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R08	2.275					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C09	1.800					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T09	1.970					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O09	2.010					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L09	1.915					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P09	2.285					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R09	2.335					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C10	1.820					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T10	1.985					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O10	2.025					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L10	1.935					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P10	2.300					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R10	2.350					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C11	2.155					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T11	2.315					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O11	2.355					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L11	2.270					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P11	2.630					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R11	2.685					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C12	2.215					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T12	2.385					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O12	2.425					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L12	2.330					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P12	2.695					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R12	2.750					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX120F01	460	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton	6 x E27 105 W HES	OD	OD	IP20	CILESP150C01	2.525					
6 lights washable	6 x E27 105 W HES	OD	OD	IP20	CILESP150T01	2.705					
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CILESP150O01	2.815					
6 lights pleated fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150P01	3.375					
6 lights pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150R01	3.440					
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C08	2.815					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T08	2.985					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O08	3.100					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P08	3.660					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R08	3.730					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C09	2.875					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T09	3.055					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O09	3.165					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P09	3.730					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R09	3.790					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CISESP070O02	1.765					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CISESP070E02	1.765					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O03	1.915					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O04	1.985					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O05	2.015					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E03	1.915					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E04	1.985					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E05	2.015					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX070F01	210	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP100O02	2.425					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP100E02	2.425					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O03	2.505					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O04	2.565					
1 light velvet DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O05	2.605					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E03	2.505					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E04	2.565					
1 light wool DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E05	2.605					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O08	2.785					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O09	2.850					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O10	2.890					
1 light wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E08	2.785					
1 light wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E09	2.850					
1 light wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E10	2.890					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX100F01	400	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP120O02	2.645					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP120E02	2.645					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O03	2.715					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O04	2.775					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O05	2.815					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E03	2.715					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E04	2.775					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E05	2.815					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O06	3.045					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O07	3.110					
1 light wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E06	3.045					
1 light wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E07	3.110					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX120F01	500	
-----------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 150



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

6 lights velvet

6 x E27 105 W HES

OD

OD

IP20

CISESP150O02

3.805

6 lights wool

6 x E27 105 W HES

OD

OD

IP20

CISESP150E02

3.805

1 light velvet NO DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150O06

4.300

1 light velvet DIM DALI-Push DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150O07

4.370

1 light wool NO DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150E06

4.300

1 light wool DIM DALI-Push DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150E07

4.370

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Clip
DESIGN: Baldessari e Baldessari 2018


PAGE: **56**

Oblong shape pendant lamp with double light emission. Metal structure painted sand or lead grey colours and in Deluxe finishes: caramel or matt gold.
 Upper diffuser in white polycarbonate.
 Double light emission: L 130 Up 5120 lm - Down 2560 lm / L 170 Up 7040 lm - Down 2560 lm

Symbol index  → • / present - / absent OD / On Demand


CLIP

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp sand or lead grey NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G01	1.930					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G03	1.995					
Pendant lamp Deluxe NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G02	2.085					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G04	2.155					

Pendant lamp - L 170



Pendant lamp sand or lead grey NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G01	2.120					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G03	2.190					
Pendant lamp Deluxe NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G02	2.295					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G04	2.355					

PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.60

DESCRIPTION

LIGHT SOURCE



IP

CODE


€ EURO



IP

CODE

€ EURO



Pendant lamp pleated fabric NO DIM 1 led module 18,7 W - 3000 Lm - 2700 K

OD

OD

IP20

COCESP060P05

1.180

Pendant lamp pleated fabric DIM TRIAC 1 led module 18,7 W - 3000 Lm - 2700 K

OD

OD

IP20

COCESP060P07

1.215

Pendant lamp pleated fabric DIM DALI-Push DIM 1 led module 18,7 W - 3000 Lm - 2700 K

OD

OD

IP20

COCESP060P06

1.285

Pendant lamp D.80

Pleated fabric

3 x E27 70 W HES


OD

OD

IP20

COCESP080P01

1.525



Pendant lamp pleated fabric NO DIM 1 led module 23 W - 3628 Lm - 2700 K

OD

OD

IP20

COCESP080P05

1.735

Pendant lamp pleated fabric DIM TRIAC 1 led module 23 W - 3628 Lm - 2700 K

OD

OD

IP20

COCESP080P07

1.820

Pendant lamp pleated fabric DIM DALI-Push DIM 1 led module 23 W - 3628 Lm - 2700 K

OD

OD

IP20

COCESP080P06


1.820

Pendant lamp in hand-finished pleated fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

INDOOR

OUTDOOR

Pleated fabric

4 x E27 70 W HES

OD

OD

IP20

COCESP100P01

2.005

Pendant lamp pleated fabric NO DIM

1 led module 23 W -
3628 Lm - 2700 K

OD

OD

IP20

COCESP100P05

2.155

Pendant lamp pleated fabric DIM
TRIAC

1 led module 23 W -
3628 Lm - 2700 K

OD

OD

IP20

COCESP100P09

2.235

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 23 W -
3628 Lm - 2700 K

OD

OD

IP20

COCESP100P06

2.235

Pendant lamp pleated fabric NO DIM

1 led module 57 W -
8750 Lm - 2700 K

OD

OD

IP20

COCESP100P12

2.440

Pendant lamp pleated fabric DIM
TRIAC

1 led module 57 W -
8750 Lm - 2700 K

OD

OD

IP20

COCESP100P13

2.510

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 57 W -
8750 Lm - 2700 K

OD

OD

IP20

COCESP100P14

2.540

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


Floor lamp with cantilever arm. Embossed white or black painted metal structure.
Rotating lampshade (adjustable 30°) available in cotton fabric in the same colour as the metal structure or in washable marble fabric. (On demand, also available in wool fabric).
One side frosted plex finishing underneath.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


CORNER

Floor lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton white DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C07	1.425					
Metal black cotton black DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C08	1.425					
Metal white washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T07	1.490					
Metal black washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T08	1.490					

Floor lamp - ø 80



Metal white cotton white DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C09	1.765					
Metal black cotton black DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C10	1.765					
Metal white washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T09	1.820					
Metal black washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T10	1.820					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Metal structure painted white, graphite or rust effect. On demand, different RAL colours available (minimum quantity 10 pcs).
 Cylindric diffuser in opal PC.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

DIOGENE OUTDOOR

Table/ floor/ pendant lamp

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Version with power supply

1 x E27 70 W HES

•

-

IP44

DIOETA030G42

500

Rechargeable version

1 kit led 6,4 W - 600 Lm -
warm light



•

-

IP65

DIOETA030G12

685



IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 25% 1,6W 10h

Led 50% 3,2W 6h 30'

Led 100% 6,4W 2h 15'

With working temperature range from +7 C° to 10°C battery life is decreasing of 20%.

(It is recommended to recharge the kit in indoor - temperature > +15° C).

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


One side frosted plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	DISESP040C02	440					
2 lights washable	2 x E27 42 W HES	OD	OD	IP20	DISESP040T02	460					
2 lights velvet	2 x E27 42 W HES	OD	OD	IP20	DISESP040O02	465					
2 lights cotton+lycra	2 x E27 42 W HES	OD	OD	IP20	DISESP040L02	510					
2 lights pleated fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040P02	530					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040R02	540					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C06	550					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T06	570					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O06	580					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L06	620					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P06	640					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R06	650					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C07	570					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T07	595					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O07	600					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L07	640					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P07	660					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R07	670					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C08	640					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T08	660					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O08	665					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L08	705					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P08	730					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R08	740					

Accessory

Top protective disk in opal plex	OD	IP20	DISEPX040F01	70	
----------------------------------	----	------	--------------	----	--




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISESP060C02	620					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISESP060T02	655					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISESP060O02	665					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISESP060L02	690					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060P02	730					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060R02	745					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C06	815					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T06	855					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O06	865					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L06	885					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P06	925					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R06	945					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C07	870					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T07	910					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O07	920					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L07	945					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P07	980					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R07	1.000					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C08	895					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T08	930					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O08	945					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L08	965					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P08	1.075					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R08	1.090					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C11	1.035					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T11	1.075					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O11	1.085					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L11	1.110					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P11	1.220					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R11	1.235					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C13	1.090					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T13	1.130					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O13	1.140					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L13	1.165					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P13	1.200					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R13	1.220					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C12	1.125					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T12	1.165					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O12	1.175					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L12	1.195					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P12	1.305					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R12	1.325					


Accessory

Top protective disk in opal plex



Accessory

Jointed arm for ø 40 - 60 - 80 - 100




(price valid only if ordered at the same time as the pendant lamp)

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP080C02	840					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP080T02	885					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP080O02	905					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP080L02	925					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080P02	1.030					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080R02	1.055					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C16	1.190					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T16	1.240					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O16	1.255					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L16	1.280					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P16	1.385					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R16	1.405					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C10	1.245					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T10	1.295					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O10	1.315					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L10	1.335					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P10	1.440					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R10	1.460					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C17	1.315					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T17	1.360					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O17	1.380					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L17	1.400					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P17	1.505					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R17	1.530					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


One side frosted plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE

Pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
				IP	CODE				IP	CODE	
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C13	1.435					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T13	1.480					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O13	1.500					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080L13	1.525					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P13	1.630					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R13	1.650					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C15	1.525					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T15	1.570					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O15	1.585					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080L15	1.610					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P15	1.715					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R15	1.740					

Accessory	Top protective disk in opal plex	OD	IP20	DISEPX080F01	170	
------------------	----------------------------------	----	------	--------------	-----	--



Accessory	Jointed arm for ø 40 - 60 - 80 - 100	•	IP20		240	
------------------	--------------------------------------	---	------	--	-----	--




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP100C02	990					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP100T02	1.055					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP100O02	1.070					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP100L02	1.090					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100P02	1.335					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100R02	1.360					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C17	1.345					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T17	1.405					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O17	1.425					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L17	1.445					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P17	1.685					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R17	1.715					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C19	1.400					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T19	1.460					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O19	1.475					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L19	1.500					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P19	1.745					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R19	1.770					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C18	1.465					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T18	1.530					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O18	1.545					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L18	1.565					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P18	1.805					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R18	1.840					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C13	1.655					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T13	1.715					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O13	1.735					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L13	1.755					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P13	1.995					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R13	2.020					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C15	1.745					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T15	1.800					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O15	1.820					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L15	1.845					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P15	2.085					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R15	2.110					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100C16	2.095					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100T16	2.160					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100O16	2.175					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100L16	2.195					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100P16	2.435					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100R16	2.460					


Accessory

Top protective disk in opal plex



Accessory

Jointed arm for ø 40 - 60 - 80 - 100



(price valid only if ordered at the same time as the pendant lamp)



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 40





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 28 W HES	OD	OD	IP20	DISEAP040C02	400					
2 lights washable	2 x E27 28 W HES	OD	OD	IP20	DISEAP040T02	420					
2 lights velvet	2 x E27 28 W HES	OD	OD	IP20	DISEAP040O02	425					
2 lights cotton+lycra	2 x E27 28 W HES	OD	OD	IP20	DISEAP040L02	460					
2 lights pleated fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040P02	485					
2 lights pleated ribbon fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040R02	500					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C06	520					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T06	540					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O06	545					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L06	585					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P06	610					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R06	620					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C07	540					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T07	560					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O07	565					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L07	610					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P07	630					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R07	640					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C08	610					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T08	630					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O08	635					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L08	670					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P08	695					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R08	705					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISEAP060C02	610					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISEAP060T02	645					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISEAP060O02	655					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISEAP060L02	675					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060P02	720					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060R02	735					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C06	770					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T06	810					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O06	820					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L06	845					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P06	880					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R06	900					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C07	830					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T07	865					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O07	875					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L07	900					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P07	940					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R07	955					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C08	850					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T08	885					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O08	900					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L08	920					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	960					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R08	975					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60



13 cm
5.12"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C11	990					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T11	1.030					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O11	1.040					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L11	1.065					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P11	1.105					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R11	1.120					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C09	1.060					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T09	1.095					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O09	1.110					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L09	1.130					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P09	1.170					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R09	1.185					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C12	1.095					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T12	1.135					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O12	1.145					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L12	1.170					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P12	1.210					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R12	1.225					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL080C02	830					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL080T02	875					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL080O02	895					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL080L02	915					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080P02	1.020					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080R02	1.040					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C16	1.180					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T16	1.230					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O16	1.245					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L16	1.270					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P16	1.370					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R16	1.395					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C10	1.245					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T10	1.295					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O10	1.360					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L10	1.335					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P10	1.440					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R10	1.460					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C17	1.285					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T17	1.335					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O17	1.350					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L17	1.370					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R17	1.475					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P17	1.500					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C13	1.390					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T13	1.440					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O13	1.455					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L13	1.475					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P13	1.580					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R13	1.605					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C15	1.455					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T15	1.505					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O15	1.525					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L15	1.545					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P15	1.650					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R15	1.670					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL100C02	1.005					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL100T02	1.065					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL100O02	1.080					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL100L02	1.105					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100P02	1.345					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100R02	1.370					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C17	1.345					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T17	1.405					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O17	1.425					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L17	1.445					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P17	1.685					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R17	1.715					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C19	1.400					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T19	1.460					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O19	1.475					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L19	1.500					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P19	1.745					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R19	1.770					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C18	1.465					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T18	1.530					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O18	1.545					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L18	1.565					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P18	1.805					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R18	1.840					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C13	1.565					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T13	1.630					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O13	1.645					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L13	1.665					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P13	1.905					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R13	1.935					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C15	1.620					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T15	1.680					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O15	1.695					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L15	1.720					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P15	1.965					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R15	1.990					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100C16	2.040					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100T16	2.100					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100O16	2.115					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100L16	2.135					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100P16	2.385					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100R16	2.410					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
 43 cm 16.93"	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C01	770					
	1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T01	815					
	1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I01	910					
	1 light black / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C02	770					
	1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T02	815					
	1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I02	910					
Accessory - Table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	75					



 43 cm 16.93"	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C01	940					
	1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T01	980					
	1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I01	1.075					
	1 light black / cotton black	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C02	940					
	1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T02	980					
	1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I02	1.075					

PRODUCTS: Disk
DESIGN: Roberto Paoli 2014

PAGE: **76**


Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights white / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C01	1.160					
2 lights white / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T01	1.235					
2 lights white / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I01	1.395					
2 lights black / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C02	1.160					
2 lights black / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T02	1.235					
2 lights black / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I02	1.395					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	95	
-------------------------------	---	--------------	----	--




PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013

Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
 Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
 On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand


EVA

EVA mini - Pendant lamp ø 11



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H41	245					
Diffuser Deluxe ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H51	255					
Diffuser dark brown cotto	1 x GU10 20 W HES	•	OD	IP20	EVAESO011N41	255					

EVA medium - Pendant lamp ø 18




Diffuser matt white ceramic	1 x E27 52 W HES	•	OD IP20	EVAESO018H01	400					
Diffuser Deluxe ceramic	1 x E27 52 W HES	•	OD IP20	EVAESO018H51	410					
Diffuser dark brown cotto	1 x E27 52 W HES	•	OD IP20	EVAESO018N01	410					

Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


EVA

EVA maxi - Pendant lamp ø 27



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H01	650					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H51	685					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO027N01	685					

EVA mega - Pendant lamp ø 38




Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H01	1.215					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H51	1.245					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO037N01	1.290					

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 1 - Pendant lamp



DESCRIPTION

LIGHT SOURCE

1 lampshade pleated fabric


1 x E27 70 W HES

1 lampshade pleated ribbon fabric

1 x E27 70 W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
•	OD	IP20	FLOESO001P01	440						
OD	OD	IP20	FLOESO001R01	450						

Florinda 3 - Pendant lamp



3 lampshades pleated fabric

3 x E27 70 W HES

3 lampshades pleated ribbon fabric

3 x E27 70 W HES


•	OD	IP20	FLOESO003P01	1.400	
OD	OD	IP20	FLOESO003R01	1.435	

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Pendant lamp



DESCRIPTION

LIGHT SOURCE

6+1 lampshades pleated fabric
(double lighting)


6xE27 70 W + 1xE14 42
W HES

6+1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	FLOESO006P01	2.805					
OD	OD	IP20	FLOESO006R01	2.875					

Florinda 12 - Pendant lamp



12+1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

12+1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES


OD	OD	IP20	FLOESO012P02	7.055						
OD	OD	IP20	FLOESO012R02	7.225						

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 3 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE

3 lampshades pleated fabric

3 x E27 70 W HES

3 lampshades pleated ribbon fabric

3 x E27 70 W HES



IP

CODE

€ EURO

•

OD

IP20

FLOEPL003P01

1.405

OD

OD

IP20

FLOEPL003R01

1.440

INDOOR

OUTDOOR




IP

CODE

€ EURO

Florinda 6 – Ceiling lamp



6 +1 lampshades pleated fabric
(double lighting)

6xE27 70 W + 1xE14 42
W HES

6 +1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

•

OD

IP20

FLOEPL006P01

2.750

OD

OD

IP20

FLOEPL006R01


2.825

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 12 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE

12 +1 lampshades pleated fabric (double lighting)


12xE27 70 W HES + 3xE27 42 W HES

12 +1 lampshades pleated ribbon fabric (double lighting)

12xE27 70 W HES + 3xE27 42 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	FLOEPL012P02	7.160					
OD	OD	IP20	FLOEPL012R02	7.325					

Florinda – Wall lamp



Wall lamp pleated fabric

2 x E27 42 W HES

• OD IP20 FLOEAP002P01 350

Wall lamp pleated ribbon fabric

2 x E27 42 W HES


OD OD IP20 FLOEAP002R01 360

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 1 - Pendant lamp



DESCRIPTION LIGHT SOURCE

1 lampshade - matt white 9010 1 x E27 70 W HES

1 lampshade - matt black 1 x E27 70 W HES

1 lampshade - glossy chrome finishing 1 x E27 70 W HES

1 lampshade - glossy copper finishing 1 x E27 70 W HES

1 lampshade - glossy brass finishing 1 x E27 70 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

FLDESO001G01

250

•

OD

IP20

FLDESO001G02

250

•

OD

IP20

FLDESO001G04

315

•

OD

IP20

FLDESO001G05

315

•

OD

IP20

FLDESO001G06

315




IP

OUTDOOR

CODE

€ EURO

Florinda Desnuda 3 - Pendant lamp



3 lampshades - matt white 9010 3 x E27 70 W HES

3 lampshades - matt black 3 x E27 70 W HES

3 lampshades - glossy chrome finishing 3 x E27 70 W HES

3 lampshades - glossy copper finishing 3 x E27 70 W HES

3 lampshades - glossy brass finishing 3 x E27 70 W HES

•

OD

IP20

FLDESO003G01

815

•

OD

IP20

FLDESO003G02

815

•

OD

IP20

FLDESO003G04

1.225

•

OD

IP20

FLDESO003G05

1.225

•

OD

IP20

FLDESO003G06


1.225

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 6 - Pendant lamp



DESCRIPTION LIGHT SOURCE

6 lampshades - matt white 9010 6 x E27 70 W HES

6 lampshades - matt black 6 x E27 70 W HES

6 lampshades - glossy chrome finishing 6 x E27 70 W HES

6 lampshades - glossy copper finishing 6 x E27 70 W HES

6 lampshades - glossy brass finishing 6 x E27 70 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

FLDESO006G01

1.545

•

OD

IP20

FLDESO006G02

1.545

•

OD

IP20

FLDESO006G04

2.485

•

OD

IP20

FLDESO006G05

2.485

•

OD

IP20

FLDESO006G06

2.485




IP

OUTDOOR

CODE

€ EURO

Florinda Desnuda 12 - Pendant lamp



12 lampshades - matt white 9010 12 x E27 70 W HES

12 lampshades - matt black 12 x E27 70 W HES

12 lampshades - glossy chrome finishing 12 x E27 70 W HES

12 lampshades - glossy copper finishing 12 x E27 70 W HES

12 lampshades - glossy brass finishing 12 x E27 70 W HES

•

OD

IP20

FLDESO012G01

3.475

•

OD

IP20

FLDESO012G02

3.475

•

OD

IP20

FLDESO012G04

6.065

•

OD

IP20

FLDESO012G05

6.065

•

OD

IP20

FLDESO012G06


6.065

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 3 - Ceiling lamp



DESCRIPTION LIGHT SOURCE

3 lampshades - matt white 9010 3 x E27 70 W HES

3 lampshades - matt black 3 x E27 70 W HES

3 lampshades - glossy chrome finishing 3 x E27 70 W HES

3 lampshades - glossy copper finishing 3 x E27 70 W HES

3 lampshades - glossy brass finishing 3 x E27 70 W HES



IP

INDOOR

CODE

€ EURO



IP

FLDEPL003G01

835



IP

FLDEPL003G02

835



IP

FLDEPL003G04

1.240



IP

FLDEPL003G05

1.240




IP

FLDEPL003G06

1.240

Florinda Desnuda 6 - Ceiling lamp



6 lampshades - matt white 9010 6 x E27 70 W HES

6 lampshades - matt black 6 x E27 70 W HES

6 lampshades - glossy chrome finishing 6 x E27 70 W HES

6 lampshades - glossy copper finishing 6 x E27 70 W HES

6 lampshades - glossy brass finishing 6 x E27 70 W HES



IP

FLDEPL006G01

1.490



IP

FLDEPL006G02

1.490



IP

FLDEPL006G04

2.425



IP

FLDEPL006G05

2.425




IP

FLDEPL006G06

2.425

Florinda Desnuda 12 - Ceiling lamp



12 lampshades - matt white 9010 12 x E27 70 W HES

12 lampshades - matt black 12 x E27 70 W HES

12 lampshades - glossy chrome finishing 12 x E27 70 W HES

12 lampshades - glossy copper finishing 12 x E27 70 W HES

12 lampshades - glossy brass finishing 12 x E27 70 W HES



IP

FLDEPL0012G01

3.750



IP

FLDEPL0012G02

3.750



IP

FLDEPL0012G04

6.505



IP

FLDEPL0012G05

6.505



IP

FLDEPL0012G06


6.505

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


GECO

Wall lamp 155 - without lampshade



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G01	390					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G02	390					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G03	460					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G04	460					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G05	460					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G06	460					

Wall lamp 165 - with lampshade




Wall lamp white cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C01	540	
Wall lamp black cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C02	540	
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C03	620	
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C04	620	
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C05	620	
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD IP20	GECEAP160C06	620	

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand

GECO

Wall lamp - without plug 155 - without lampshade




17 cm
6.69"

13 cm
5.11"

DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G11	400					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G12	400					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G13	475					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G14	475					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G15	475					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G16	475					

Wall lamp - without plug 165 - with lampshade



23 cm
9.05"

30 cm
11.81"


Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C11	550				
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C12	550				
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C13	630				
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C14	630				
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C15	630				
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C16	630				

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Pendant lamp Ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Pendant lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G11	335			
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G12	410			
Pendant lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G01	380			
Pendant lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G02	450			
Pendant lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G05	445			
Pendant lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G06	520			
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G03	475			
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G04	545			

Pendant lamp Ø 18



Pendant lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G11	345			
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G12	425			
Pendant lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G01	410			
Pendant lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G02	485			
Pendant lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G05	485			
Pendant lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G06	560			
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G03	515			
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G04	590			


Accessory - Pendant lamp Ø 15 e Ø 18	Surcharge for ceiling rose in the same colour as Deluxe structure	ROS110003601	20	
--------------------------------------	---	--------------	----	--

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand

HAMMER

Pendant lamp ø 30




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G01	550					
Pendant lamp Deluxe NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G02	685					
Pendat lamp white or lead grey DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G05	685					
Pendant lamp Deluxe DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G06	815					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G03	740					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G04	870					
Accessory - Pendant lamp ø 30	Surcharge for ceiling rose in the same colour as Deluxe structure				ROS160004201	25					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Spotlight ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G11	255					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G12	330					
Spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G01	310					
Spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G02	380					
Spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G05	380					
Spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G06	450					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G03	410					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G04	480					

Spotlight ø 18




Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G11	280					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G12	350					
Spotlight white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G01	325					
Spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G02	405					
Spotlight white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G05	390					
Spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G06	460					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G03	415					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G04	490					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Ceiling lamp ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G11	310					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G12	360					
Ceiling lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G01	345					
Ceiling lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G02	405					
Ceiling lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G05	415					
Ceiling lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G06	465					
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G03	440					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G04	500					

Ceiling lamp ø 18




Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G11	315					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G12	370					
Ceiling lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G01	350					
Ceiling lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G02	415					
Ceiling lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G05	420					
Ceiling lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G06	480					
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G03	445					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G04	510					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand

HAMMER

Recessed spotlight ø 15



DESCRIPTION

LIGHT SOURCE

Recessed spotlight white or lead grey 1 x GU10 20 W HES

Recessed spotlight Deluxe 1 x GU10 20 W HES

Recessed spotlight white or lead grey 1 led module 9 W - NO DIM 830 Lm - 2800 K

Recessed spotlight Deluxe NO DIM 1 led module 9 W - 830 Lm - 2800 K

Recessed spotlight white or lead grey 1 led module 9 W - DIM TRIAC 830 Lm - 2800 K

Recessed spotlight Deluxe DIM TRIAC 1 led module 9 W - 830 Lm - 2800 K

Recessed spotlight white or lead grey DIM DALI-Push DIM 1 led module 9 W - 830 Lm - 2800 K

Recessed spotlight Deluxe DIM DALI-Push DIM 1 led module 9 W - 830 Lm - 2800 K



IP

CODE

€ EURO



IP20

HAMEIN015G11

220



IP20

HAMEIN015G12

265



IP20

HAMEIN015G01

230



IP20

HAMEIN015G02

280



IP20

HAMEIN015G05

315



IP20

HAMEIN015G06

355



IP20

HAMEIN015G03

340




IP20

HAMEIN015G04

390

Recessed spotlight ø 18



Recessed spotlight white or lead grey 1 x GU10 20 W HES

Recessed spotlight Deluxe 1 x GU10 20 W HES

Recessed spotlight white or lead grey 1 led module 12 W - NO DIM 1110 Lm - 2800 K

Recessed spotlight Deluxe NO DIM 1 led module 12 W - 1110 Lm - 2800 K

Recessed spotlight white or lead grey 1 led module 12 W - DIM TRIAC 1110 Lm - 2800 K

Recessed spotlight Deluxe DIM TRIAC 1 led module 12 W - 1110 Lm - 2800 K

Recessed spotlight white or lead grey DIM DALI-Push DIM 1 led module 12 W - 1110 Lm - 2800 K

Recessed spotlight Deluxe DIM DALI-Push DIM 1 led module 12 W - 1110 Lm - 2800 K



IP20

HAMEIN018G11

230



IP20

HAMEIN018G12

285



IP20

HAMEIN018G01

240



IP20

HAMEIN018G02

295



IP20

HAMEIN018G05

325



IP20

HAMEIN018G06

375



IP20

HAMEIN018G03

350





IP20



HAMEIN018G04

405

Recessed spotlight ø 15



Recessed spotlight ø 18



Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 22

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E14 42 W HES

•

OD

IP20

ICIESO022G01

445


Accessory:

Coloured stripe in cotton fabric ø 22

OD

ICIEFS022C01

25



Pendant lamp - ø 50

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

ICIESO050G01

750


Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30



PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011


PAGE: **94**

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 75



DESCRIPTION

Pendant lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

ICIESO075G01

1.030



IP

OUTDOOR

CODE

€ EURO

Accessory:


Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 100



Pendant lamp

1 x E27 70 W HES

•

OD

IP20

ICIESO100G01

1.525

Accessory:

Coloured stripe in cotton fabric ø 100

OD

ICIEFS100C01

40

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: **95**


Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES				• - IP44/64	ICOESO050G01	850
---------------------	--------------	------------------	--	--	--	-------------	--------------	-----




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES				• - IP44/64	ICOESO075G01	1.135
---------------------	--------------	------------------	--	--	--	-------------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: **96**


Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Pendant lamp - ø 100	Pendant lamp	1 x E27 70 W HES				• - IP44/64	ICOESO100G01	1.645
----------------------	--------------	------------------	--	--	--	-------------	--------------	-------




Accessory:

Coloured stripe in washable fabric
 ø 100

OD ICIEFS100T01 60

Floor lamp - ø 50	Floor lamp	1 x E27 42 W HES				• - IP44/64	ICOETA050G01	815
-------------------	------------	------------------	--	--	--	-------------	--------------	-----



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD ICIEFS050T01 35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011


PAGE: 97

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.


Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Floor lamp - ø 75	Floor lamp	1 x E27 42 W HES				•	-	IP44/64	ICOETA075G01	1.060
			Accessory:							
Coloured stripe in washable fabric ø 50/60/75						OD			ICIEFS050T01	35

Floor lamp - ø 100	Floor lamp	1 x E27 70 W HES				•	- IP44/64	ICOETA100G01	1.465
---------------------------	------------	------------------	--	--	--	---	-----------	--------------	-------

	Accessory:					
Coloured stripe in washable fabric ø 100				OD	ICIEFS100T01	60

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

IBIESO050G01

750



Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

IBIESO060G01

1.030



Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

PAGE: **99**

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

IBIESO075G01

1.105



Accessory:

Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES


•

OD

IP20

IBIESO090G01

1.600



Accessory:

Coloured stripe in cotton fabric ø 90

OD

ICIEFS090C01

40

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: 100

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

-

IP44/64

IBOESO050G01

820



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO060G01

1.125



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: **101**

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO075G01

1.190



Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD

ICIEFS050T01

35

Pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES


•

-

IP44/64

IBOESO090G01

1.675



Accessory:

Coloured stripe in washable fabric ø 90

OD

ICIEFS090T01

60

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: 102

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Floor lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Floor lamp

1 x E27 42 W HES


•

-

IP44/64

IBOETA075G01

1.060



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Floor lamp - ø 90

Floor lamp

1 x E27 70 W HES


•

-

IP44/64

IBOETA090G01

1.525



Accessory:

Coloured stripe in washable fabric
ø 90

OD

ICIEFS090T01


60

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 66




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L01	1.025					
Pendant lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L02	1.025					
Pendant lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L03	1.255					
Pendant lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L04	1.255					

Pendant lamp Ø 80



Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L01	1.190					
Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L02	1.190					
Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L03	1.380					
Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L04	1.380					

Pendant lamp Ø 100




Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L01	1.435					
Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L02	1.435					
Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L03	1.665					
Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L04	1.665					

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L01	2.040				
Pendant lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L02	2.040				
Pendant lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L03	2.265				
Pendant lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD IP20	IDEESO140L04	2.265				

Pendant lamp - Composition L.180



Structure only white or graphite		•	OD IP20	IDEECM180G01	1.995				
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD IP20	IDEEDD180L03	1.160				
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD IP20	IDEEDD180L04	1.675				



NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand



IDEA

Wall/ ceiling lamp Ø 66



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Wall/ ceiling lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L01	1.070			
Wall/ ceiling lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L02	1.070			
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L03	1.300			
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L04	1.300			

Wall/ ceiling lamp Ø 80





Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L01	1.215			
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L02	1.215			
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L03	1.400			
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L04	1.400			

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall/ ceiling lamp white NO DIM 1 led module 24 W
- 2150 Lm - 2800 K



OD

IP20

IDEEPL100L01

1.475

Wall/ ceiling lamp graphite NO DIM 1 led module 24 W
- 2150 Lm - 2800 K



OD

IP20

IDEEPL100L02

1.475

Wall/ ceiling lamp white DIM DALI-Push DIM 1 led module 24 W
- 2150 Lm - 2800 K



OD

IP20

IDEEPL100L03

1.710

Wall/ ceiling lamp graphite DIM DALI-Push DIM 1 led module 24 W
- 2150 Lm - 2800 K





OD

IP20

IDEEPL100L04

1.710

Wall/ ceiling lamp Ø 140



Wall/ ceiling lamp white NO DIM 1 led module 30W
- 2400 lm - 2800 K



OD

IP20

IDEEPL140L01

2.075

Wall/ ceiling lamp graphite NO DIM 1 led module 30W
- 2400 lm - 2800 K



OD

IP20

IDEEPL140L02

2.075

Wall/ ceiling lamp white DIM DALI-Push DIM 1 led module 30W
- 2400 lm - 2800 K



OD

IP20

IDEEPL140L03

2.315

Wall/ ceiling lamp graphite DIM DALI-Push DIM 1 led module 30W
- 2400 lm - 2800 K



OD

IP20

IDEEPL140L04

2.315

Accessories - Wall/ ceiling lamp

Anti-glare lens 9W, 12W,
18W, 24W, 30W

IDEEAC00012G080

105




Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp - Composition L.180



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	IDEEPL180G11	2.075					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	1.160					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.675					

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Accessory - Composition wall/ ceiling lamp	Kit anti-glare lens 12W+18W+24W	IDEEAC00180G080	315	
--	---------------------------------	-----------------	-----	--



Pendant lamp and small table, table, floor lamp.
Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST

Pendant lamp - ø 25

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

1 light cotton

1 x E27 105 W HES

OD

OD

IP20

LOSESO130C01

460

6 lights cotton

6 x E27 28 W HES


OD

OD

IP20

LOSESO130C02

660



Pendant lamp - ø 40

7 lights cotton

7 x E27 42 W


OD

OD

IP20

LOSESO160C02

915



Pendant lamp - ø 40

7 lights cotton

7 x E27 42 W


OD

OD

IP20

LOSESO190C02

1.070






PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

PAGE: 109

Pendant lamp and small table, table, floor lamp.
 Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST

			INDOOR					OUTDOOR				
	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Small table lamp	Small table lamp cotton	1 x E14 28 W	OD	OD	IP20	LOSETP032C01	245					
												
Table lamp	Table lamp cotton	1 x E27 42 W HES	OD	OD	IP20	LOSETA046C01	320					
												
Accessory - Table and small table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	75					
												
Floor lamp	Floor lamp cotton	6 x E27 28 W HES	OD	OD	IP20	LOSEPT175C01	940					
												
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	95					
												


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).


Symbol index  → • / present - / absent OD / On Demand

LOTO

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Mini pendant lamp - ø 16 without plex	Pleated fabric	1	E14	42 W HES	•	OD	IP20	LOTESE016P01	265		
	Pleated ribbon fabric	1	E14	42 W HES	OD	OD	IP20	LOTESE016R01	280		



Pendant lamp - ø 43	Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043P01	665	
	Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043R01	675	
	Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P02	810	
	Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P03	845	
	Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P04	885	
	Pendant lamp pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R02	820	
	Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R03	855	
	Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R04	900	




PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index   → • / present - / absent OD / On Demand


LOTO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060P01	955					
Pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060R01	975					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P08	1.105					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P09	1.190					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P10	1.190					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R08	1.125					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R09	1.215					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R10	1.215					

Pendant lamp - ø 80




Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080P01	1.500			
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080R01	1.545			
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P05	1.600			
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P06	1.685			
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P07	1.685			
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R05	1.645			
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R06	1.735			
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R07	1.735			

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand

LOTO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100P01	1.875					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100R01	1.930					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P08	1.930					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P09	2.015					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P10	2.015					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R08	1.985					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R09	2.075					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R10	2.075					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P13	2.155					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P14	2.235					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P15	2.275					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R13	2.205					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R14	2.295					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R15	2.325					


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand

LOTO


Pendant lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140P01	3.970					
Pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140R01	4.080					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P08	4.360					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P09	4.410					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R08	4.470					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R09	4.520					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Wall lamp without switch



Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P01	340					
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R01	350					

Wall lamp with switch



Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P02	360					
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R02	375					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA


Small table lamp



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C01	290					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C02	290					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C03	310					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P01	325					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P02	325					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P03	345					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R01	330					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R02	330					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R03	350					

Console lamp



17 cm
6.69"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C01	290					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C02	290					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C03	310					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P01	325					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P02	325					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P03	350					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R01	330					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R02	330					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R03	350					

PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: **115**

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA


Office lamp - without switch



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C01	215					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C02	215					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C03	225					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P01	250					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P02	250					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P03	265					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R01	255					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R02	255					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R03	270					

Table lamp



24 cm
9.45"

Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C01	330					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C02	330					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C03	350					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P01	370					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P02	370					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P03	395					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R01	380					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R02	380					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R03	405					

Accessory - Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

75



PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: **116**

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C01	570					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C02	570					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C03	635					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P01	615					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P02	615					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P03	670					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R01	625					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R02	625					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R03	685					

Floor lamp



Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C01	610					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C02	610					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C03	675					
Metal white pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P01	670					
Metal black pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P02	670					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P03	745					
Metal white pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R01	690					
Metal black pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R02	690					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R03	760					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	95				
---	--------------	----	--	--	--	--



PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: 117

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C01	265					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C02	265					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C03	290					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P01	305					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P02	305					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P03	325					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R01	310					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R02	310					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R03	330					

Wall lamp with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C06	290					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C07	290					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C08	310					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P06	325					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P07	325					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P08	345					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R06	330					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R07	330					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R08	350					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.


Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
Pendant lamp - ø 19 without plex	1 light cotton	1 x E14 42 W HES	OD	OD	IP20	LUTESO019C01	230					
	1 light washable	1 x E14 42 W HES	OD	OD	IP20	LUTESO019T01	245					
	1 light wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTESO019E01	250					



Pendant lamp - ø 34 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO034C01	295					
	1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO034T01	320					
	1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO034E01	325					



Pendant lamp - ø 43 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO043C01	330					
	1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO043T01	375					
	1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO043E01	395					



PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018


PAGE: **119**

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


Small table lamp



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C01	320					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C02	320					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C03	340					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T01	335					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T02	335					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T03	355					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E01	340					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E02	340					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E03	360					

Console lamp



19 cm
7.48"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C01	320					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C02	320					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C03	340					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T01	335					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T02	335					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T03	355					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E01	340					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E02	340					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E03	360					

PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018


PAGE: 120

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index  → • / present - / absent OD / On Demand


LUCILLA TONDA

Office lamp – without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C01	245					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C02	245					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C03	255					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T01	265					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T02	265					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T03	280					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E01	270					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E02	270					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E03	285					

Table lamp



Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C01	340					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C02	340					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C03	360					
Metal white washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T01	360					
Metal black washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T02	360					
Metal brushed nickel washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T03	390					
Metal white wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E01	375					
Metal black wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E02	375					
Metal brushed nickel Wool fabric	1 x E27 52 W HES	OD	OD	IP20	LUTETA068E03	400					

Accessory – Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	75				
---	--------------	----	--	--	--	--




Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, washable and wool fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C01	610					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C02	610					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C03	665					
Metal white washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T01	635					
Metal black washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T02	635					
Metal brushed nickel washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T03	695					
Metal white wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E01	640					
Metal black wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E02	640					
Metal brushed nickel Wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E03	700					

Floor lamp



Metal white cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C01	660					
Metal black cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C02	660					
Metal brushed nickel cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C03	735					
Metal white washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T01	705					
Metal black washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T02	705					
Metal brushed nickel washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T03	775					
Metal white wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E01	725					
Metal black wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E02	725					
Metal brushed nickel Wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E03	795					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	95				
---	--------------	----	--	--	--	--




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA TONDA

Wall lamp - without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C01	280					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C02	280					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C03	300					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T01	295					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T02	295					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T03	315					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E01	300					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E02	300					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E03	320					

Wall lamp - with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C06	300					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C07	300					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C08	320					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T06	315					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T07	315					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T08	335					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E06	320					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E07	320					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E08	340					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	MILESP040C01	330					
Pendant lamp wool	1 x E27 42 W HES	OD	OD	IP20	MILESP040E01	390					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040P01	395					
Pendant lamp pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040R01	405					

Pendant lamp - ø 80




Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP080C01	1.055					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP080E01	1.220					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080P01	1.525					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080R01	1.560					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C05	1.145					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C06	1.235					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C07	1.235					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E05	1.315					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E06	1.400					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E07	1.400					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P05	1.615					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P06	1.700					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P07	1.700					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R05	1.655					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R06	1.745					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	1.745					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	1.745					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - ø 100 x h 35	Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP035C01	1.215				
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP035E01	1.350					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035P01	1.810					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035R01	1.865					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C08	1.270					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C09	1.355					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C10	1.355					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E08	1.405					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E09	1.495					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E10	1.495					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P08	1.870					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P09	1.960					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P10	1.960					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R08	1.915					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R09	2.005					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R10	2.005					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C13	1.545					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C14	1.610					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C15	1.645					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E13	1.680					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E14	1.750					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E15	1.780					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P13	2.140					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P14	2.210					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P15	2.240					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R13	2.195					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R14	2.265					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R15	2.295					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP060C01	1.290					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP060E01	1.620					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060P01	1.930					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060R01	1.985					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C08	1.360					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C09	1.450					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C10	1.450					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E08	1.690					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E09	1.780					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E10	1.780					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P08	2.000					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P09	2.090					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P10	2.090					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R08	2.060					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R09	2.140					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R10	2.140					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C13	1.640					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C14	1.700					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C15	1.740					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E13	1.970					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E14	2.030					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E15	2.070					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P13	2.280					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P14	2.340					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P15	2.380					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R13	2.330					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R14	2.400					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R15	2.430					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP120C01	1.965					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP120E01	2.405					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120P01	2.625					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120R01	2.705					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C08	2.010					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C09	2.100					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C10	2.100					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E08	2.450					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E09	2.540					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E10	2.540					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P08	2.670					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P09	2.760					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P10	2.760					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R08	2.750					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R09	2.840					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R10	2.840					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C11	2.485					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C12	2.545					
Wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E11	2.925					
Wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E12	2.985					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P11	3.145					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P12	3.210					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R11	3.220					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R12	3.285					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 150 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150P01	3.530					
Pleated ribbon fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150R01	3.640					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P06	3.860					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P07	3.915					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R06	3.970					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R07	4.025					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P04	1.735					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P05	1.795					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P06	1.830					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R04	1.765					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R05	1.830					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R06	1.865					

Pendant lamp - ø 120




1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P04	2.015					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P05	2.085					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P06	2.115					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R04	2.065					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R05	2.125					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R06	2.165					

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P04	2.555					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P05	2.625					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P06	2.655					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R04	2.665					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R05	2.735					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R06	2.765					

Wall/ ceiling lamp - ø 100



1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P04	1.710					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P05	1.775					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P06	1.805					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R04	1.745					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R05	1.805					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R06	1.845					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Mood Desnuda
 DESIGN: Romano + Menegon 2018


Pendant lamp. Matt black or white painted metal frame.

Symbol index  → • / present - / absent OD / On Demand


MOOD DESNUDA

Pendant lamp - ø 60	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODES0060G02	450
----------------------------	---------------------------	------------------	---	----	------	--------------	-----


Pendant lamp - ø 60	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO060G02	450					
---------------------	---------------------------	------------------	---	----	------	--------------	-----	--	--	--	--	--




Pendant lamp - ø 100	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO100G02	650					
----------------------	---------------------------	------------------	---	----	------	--------------	-----	--	--	--	--	--



Pendant lamp - ø 120	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO120G02	755					
----------------------	---------------------------	------------------	---	----	------	--------------	-----	--	--	--	--	--



Pendant lamp - ø 150	1 light black/ matt white	1 x E27 70 W HES	•	OD	IP20	MODESO150G02	940					
----------------------	---------------------------	------------------	---	----	------	--------------	-----	--	--	--	--	--




Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


MULTIBALL

Pendant lamp - globe - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 36	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M10	330					
Pendant lamp h 46	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M20	330					
Pendant lamp h 56	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M30	330					
Pendant lamp h 66	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M40	330					
Pendant lamp h 76	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M50	335					
Pendant lamp h 86	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M60	335					
Pendant lamp h 96	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M70	335					
Pendant lamp h 106	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M80	335					

Pendant lamp - globe - ø 30




Pendant lamp h 41	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M10	340					
Pendant lamp h 51	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M20	340					
Pendant lamp h 61	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M30	340					
Pendant lamp h 71	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M40	340					
Pendant lamp h 81	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M50	345					
Pendant lamp h 91	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M60	345					
Pendant lamp h 101	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M70	345					
Pendant lamp h 111	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M80	345					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


Pendant lamp - globe - ø 35



35 cm
13.78"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 46	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M10	390					
Pendant lamp h 56	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M20	390					
Pendant lamp h 66	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M30	390					
Pendant lamp h 76	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M40	390					
Pendant lamp h 86	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M50	395					
Pendant lamp h 96	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M60	395					
Pendant lamp h 106	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M70	395					
Pendant lamp h 116	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M80	395					

Pendant lamp - globe - ø 40



40 cm
15.75"


Pendant lamp h 51	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M10	410					
Pendant lamp h 61	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M20	410					
Pendant lamp h 71	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M30	410					
Pendant lamp h 81	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M40	410					
Pendant lamp h 91	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M50	415					
Pendant lamp h 101	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M60	415					
Pendant lamp h 111	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M70	415					
Pendant lamp h 121	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M80	415					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Pendant lamp - globe - ø 45



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 56	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M10	475					
Pendant lamp h 66	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M20	475					
Pendant lamp h 76	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M30	475					
Pendant lamp h 86	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M40	475					
Pendant lamp h 96	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M50	480					
Pendant lamp h 106	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M60	480					
Pendant lamp h 116	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M70	480					
Pendant lamp h 126	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M80	480					

Accessories - Cable/s cover white or black matt painted

Connection cables L 40 (electric cable included)	•	OD	IP20	MBLEAS000G01	65	
Connection cables L 80 (electric cable included)	•	OD	IP20	MBLEAS000G02	100	




Separate ceiling rose attachment	•	OD	IP20	MBLEAR000G01	135	
----------------------------------	---	----	------	--------------	-----	--

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 1 - (3 globes)



DESCRIPTION

LIGHT SOURCE

Composition with h 56 maximum
encumbrance

(1 pcs d.25 h46 – 1 pcs d.35 h56 – 1 pcs d.30 h41 – 2 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM056M03


1.180



IP

CODE

€ EURO



Composition with h 66 maximum
encumbrance

(1 pcs d.25 h56 – 1 pcs d.35 h66 – 1 pcs d.30 h51 – 2 connection cables)


OD

OD

IP20

MBLECM066M03

1.180



Composition with h 76 maximum
encumbrance

(1 pcs d.25 h66 – 1 pcs d.35 h76 – 1 pcs d.30 h61 – 2 connection cables)


OD

OD

IP20

MBLECM076M03

1.180



Composition with h 86 maximum
encumbrance

(1 pcs d.25 h76 – 1 pcs d.35 h86 – 1 pcs d.30 h71 – 2 connection cables)


OD

OD

IP20

MBLECM086M03

1.190



Composition with h 96 maximum
encumbrance

(1 pcs d.25 h86 – 1 pcs d.35 h96 – 1 pcs d.30 h81 – 2 connection cables)


OD

OD

IP20

MBLECM096M03

1.195



Composition with h 106 maximum
encumbrance

(1 pcs d.25 h96 – 1 pcs d.35 h106 – 1 pcs d.30 h91 – 2 connection cables)

OD

OD

IP20

MBLECM106M03


1.195

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 2 - (5 globes)



DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(1 pcs d.30 h41 - 1 pcs d.35 h66 - 1 pcs d.45 h66 - 1 pcs d.40 h51 - 1 pcs d.25 h56 - 4 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM066M05


2.185



IP

CODE

€ EURO



Composition with h 76 maximum
encumbrance

(1 pcs d.30 h51 - 1 pcs d.35 h76 - 1 pcs d.45 h76 - 1 pcs d.40 h61 - 1 pcs d.25 h66 - 4 connection cables)


OD

OD

IP20

MBLECM076M05

2.185



Composition with h 86 maximum
encumbrance

(1 pcs d.30 h61 - 1 pcs d.35 h86 - 1 pcs d.45 h86 - 1 pcs d.40 h71 - 1 pcs d.25 h76- 4 connection cables)


OD

OD

IP20

MBLECM086M05

2.195



Composition with h 96 maximum
encumbrance

(1pcs d.30 h71 - 1 pcs d.35 h96 - 1 pcs d.45 h96 - 1 pcs d.40 h81 - 1 pcs d.25 h86- 4 connection cables)


OD

OD

IP20

MBLECM096M05

2.200



Composition with h 106 maximum
encumbrance

(1 pcs d.30 h81 - 1 pcs d.35 h106 - 1 pcs d.45 h106 - 1 pcs d.40 h91 - 1 pcs d.25 h96- 4 connection cables)


OD

OD

IP20

MBLECM106M05

2.210



Composition with h 116 maximum
encumbrance

(1 pcs d.30 h91 - 1 pcs d.35 h116 - 1 pcs d.45 h116 - 1 pcs d.40 h101 - 1 pcs d.25 h106- 4 connection cables)

OD

OD

IP20

MBLECM116M05


2.210

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 3 - (8 globes)



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Composition with h 66 maximum
encumbrance

OD

OD

IP20

MBLECM066M08

3.590

(1 pcs d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pcs d.35 h66 - 7 connection cables)

Composition with h 76 maximum
encumbrance

OD


OD

IP20

MBLECM076M08

3.590

(1 pcs d.25 h66 - 2 pcs d.40 h61 - 2 pcs d.45 h76 - 2 pcs d.30 h51 - 1 pcs d.35 h76 - 7 connection cables)



Composition with h 86 maximum
encumbrance

OD


OD

IP20

MBLECM086M08

3.600

(1 pcs d.25 h76 - 2 pcs d.40 h71 - 2 pcs d.45 h86 - 2 pcs d.30 h61 - 1 pcs d.35 h86 - 7 connection cables)



Composition with h 96 maximum
encumbrance

OD


OD

IP20

MBLECM096M08

3.610

(1 pcs d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pcs d.35 h96 - 7 connection cables)



Composition with h 106 maximum
encumbrance

OD


OD

IP20

MBLECM106M08

3.635

(1 pcs d.25 h96 - 2 pcs d.40 h91 - 2 pcs d.45 h106 - 2 pcs d.30 h81 - 1 pcs d.35 h106 - 7 connection cables)



Composition with h 116 maximum
encumbrance

OD


OD

IP20

MBLECM116M08

3.635

(1 pcs d.25 h106 - 2 pcs d.40 h101 - 2 pcs d.45 h116 - 2 pcs d.30 h91 - 1 pcs d.35 h116 - 7 connection cables)




Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


Composition type 4 - (12 globes)



66 cm - 25.98"

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP	IP
		CODE	CODE
		€ EURO	€ EURO
Composition with h 66 maximum encumbrance		OD OD IP20 MBLECM066M12 5.430	


(2 pcs d.25 h66 - 3 pcs d.40 h51 - 2 pcs d.30 h41 - 3 pcs d.45 h66 - 2 pcs d.35 h66 - 11 connection cables)



76 cm - 29.92"

Composition with h 76 maximum encumbrance		OD OD IP20 MBLECM076M12 5.430	
---	--	-------------------------------	--


(2 pcs d.25 h66 - 3 pcs d.40 h61 - 2 pcs d.30 h51 - 3 pcs d.45 h76 - 2 pcs d.35 h76 - 11 connection cables)



86 cm - 33.86"

Composition with h 86 maximum encumbrance		OD OD IP20 MBLECM086M12 5.450	
---	--	-------------------------------	--


(2 pcs d.25 h76 - 3 pcs d.40 h71 - 2 pcs d.30 h61 - 3 pcs d.45 h86 - 2 pcs d.35 h86 - 11 connection cables)



96 cm - 37.79"

Composition with h 96 maximum encumbrance		OD OD IP20 MBLECM096M12 5.470	
---	--	-------------------------------	--


(2 pcs d.25 h86 - 3 pcs d.40 h81 - 2 pcs d.30 h71 - 3 pcs d.45 h96 - 2 pcs d.35 h96 - 11 connection cables)



106 cm - 41.73"

Composition with h 106 maximum encumbrance		OD OD IP20 MBLECM106M12 5.495	
--	--	-------------------------------	--

(2 pcs d.25 h96 - 3 pcs d.40 h91 - 2 pcs d.30 h81 - 3 pcs d.45 h106 - 2 pcs d.35 h106 - 11 connection cables)



116 cm - 45.67"

Composition with h 116 maximum encumbrance		OD OD IP20 MBLECM116M12 5.495	
--	--	-------------------------------	--


(2 pcs d.25 h106 - 3 pcs d.40 h101 - 2 pcs d.30 h91 - 3 pcs d.45 h116 - 2 pcs d.35 h116 - 11 connection cables)

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




- 1 — $\varnothing$ 25
- 2 — $\varnothing$ 35
- 3 — $\varnothing$ 30
- Cables connections L 40

Composition type 2-A




Composition type 2-B




- Ø globes**
- 1 — $\varnothing$ 30
- 2 — $\varnothing$ 35
- 3 — $\varnothing$ 45
- 4 — $\varnothing$ 40
- 5 — $\varnothing$ 25
- Cables connections L 40

Composition type 3-A




Composition type 3-B




- Ø globes**
- 1 — $\varnothing$ 25
- 2 — $\varnothing$ 35
- 3 — $\varnothing$ 45
- 4 — $\varnothing$ 30
- 5 — $\varnothing$ 45
- 6 — $\varnothing$ 35
- 7 — $\varnothing$ 40
- 8 — $\varnothing$ 30
- Cables connections L 40

Composition type 4-A



Composition type 4-B





- Ø globes**
- 1 — $\varnothing$ 25
- 2 — $\varnothing$ 40
- 3 — $\varnothing$ 30
- 4 — $\varnothing$ 45
- 5 — $\varnothing$ 35
- 6 — $\varnothing$ 40
- 7 — $\varnothing$ 45
- 8 — $\varnothing$ 35
- 9 — $\varnothing$ 25
- 10 — $\varnothing$ 45
- 11 — $\varnothing$ 40
- 12 — $\varnothing$ 30
- Cables connections L 40

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	NUCESO130G01	685					
Structure only chrome		•	OD	IP20	NUCESO130G02	1.270					
DIRECT LIGHT											
Kit 1 light white or graphite NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G01	510					
Kit 1 light chrome, brass, copper NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G02	710					
Kit 1 light white or graphite DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G03	670					
Kit 1 light chrome, brass, copper DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G04	875					
Kit 1 light white or graphite DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G06	705					
Kit 1 light chrome, brass, copper DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G07	910					
DOUBLE LIGHT EMISSION											
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G11	770					
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G12	975					
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G16	830					
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G17	1.030					

NOTE: to calculate the price of the pendant lamp add the structure to the kit 1 o 2 lights.



Connection single cable ceiling attachment available on demand

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 160



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Structure only white or graphite

• OD IP20 NUCESO160G01 770

Structure only chrome

• OD IP20 NUCESO160G02 1.400

DIRECT LIGHT

Kit 2 lights white or graphite NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G01 950

Kit 2 lights chrome, brass, copper NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G02 1.380

Kit 2 lights white or graphite DIM TRIAC (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G03 1.190

Kit 2 lights chrome, brass, copper DIM TRIAC (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G04 1.620

Kit 2 lights white or graphite DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G06 1.190

Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

• OD IP20 NUCEDD160G07 1.620

DOUBLE LIGHT EMISSION

Kit 4 lights white or graphite NO DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K

• OD IP20 NUCEDD160G11 1.435

Kit 4 lights chrome, brass, copper NO DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K

• OD IP20 NUCEDD160G12 1.655

Kit 4 lights white or graphite DIM DALI Push-DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K

• OD IP20 NUCEDD160G16 1.490

Kit 4 lights chrome, brass, copper DIM DALI Push-DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K

• OD IP20 NUCEDD160G17 1.685

NOTE: to calculate the price of the pendant lamp add the structure to the kit 2 or 4 lights.


Connection single cable ceiling attachment available on demand

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P42	675					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P43	710					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P44	710					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P45	710					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R42	695					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R43	730					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R44	730					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R45	730					

Pendant lamp D.42



Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P01	750					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P03	895					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R01	765					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R03	910					


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P42	920					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P43	990					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P44	990					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P45	990					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R42	945					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R43	1.015					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R44	1.015					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R45	1.015					

Pendant lamp D.60




Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P01	1.090					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P03	1.285					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R01	1.115					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R03	1.305					

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Ceiling lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042P41	685					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042R41	700					
Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P01	770					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P03	915					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R01	790					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R03	930					

Ceiling lamp D.60



Pleated fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060P41	940					
Pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060R41	960					
Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P01	1.105					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P03	1.295					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R01	1.125					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R03	1.320					


PRODUCTS: Umbrella
DESIGN: Paolo Grasselli 2015

Pendant, ceiling lamp in matt white painted metal.
 Upper disc available also with Deluxe finishing gold leaf, with surcharge.
 Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index   → • / present - / absent OD / On Demand

OMBRELLA


Pendant lamp D.60



22 cm
8.66"
60 cm
23.63"

DESCRIPTION	LIGHT SOURCE			IP	INDOOR				IP	OUTDOOR	
					CODE	€ EURO				CODE	€ EURO
Pendant lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G01	580					
Pendant lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G04	610					
Pendant lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G11	695					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G03	650					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G05	665					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G13	765					
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	70					
Surcharge gold leaf finish					UMBORO060G01	140					

Pendant lamp D.80



33 cm
13"
80 cm
31.49"


Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G01	985					
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G04	1.060					
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G11	1.105					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G03	1.105					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G05	1.175					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G13	1.220					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	90					
Surcharge gold leaf finish					UMBORO080G01	210					

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Pendant lamp D.100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G01	1.135					
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G04	1.210					
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G11	1.250					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G03	1.250					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G05	1.325					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G13	1.365					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	90					
Surcharge gold leaf finish					UMBORO100G01	280					

Ceiling lamp D.60




Ceiling lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G01	610								
Ceiling lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G04	625								
Ceiling lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G11	725								
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G03	675								
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G05	695								
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPLO60G13	795								
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	70								
Surcharge gold leaf finish					UMBORO060G01	140								

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Ceiling lamp D.80



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G01	1.010					
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G04	1.080					
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G11	1.125					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G03	1.125					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G05	1.195					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G13	1.240					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	90					
Surcharge gold leaf finish					UMBORO080G01	210					

Ceiling lamp D.100




Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G01	1.160								
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G04	1.230								
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G11	1.275								
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G03	1.275								
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G05	1.345								
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G13	1.390								
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	90								
Surcharge gold leaf finish					UMBORO100G01	280								

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 25




DESCRIPTION	LIGHT SOURCE			IP	INDOOR				IP	OUTDOOR	
					CODE	€ EURO				CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M01	475					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M02	475					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M03	560					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M04	560					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M05	560					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M06	550					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M07	550					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M08	640					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M09	640					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M10	640					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M11	610					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M12	610					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M13	695					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M14	695					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M15	695					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 25 -
ceiling rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M01	970					
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M02	970					
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M03	1.105					
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M04	1.105					
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M05	1.105					
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M06	1.025					
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M07	1.025					
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M08	1.160					
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M09	1.160					
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M10	1.160					
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M11	1.070					
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M12	1.070					
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M13	1.200					
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M14	1.200					
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M15	1.200					

PRODUCTS: Orb
DESIGN: Büro Famos 2015


PAGE: **152**

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M01	720					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M02	720					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M03	940					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M04	940					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M05	940					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M06	770					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M07	770					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M08	990					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M09	990					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M10	990					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M11	800					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M12	800					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M13	1.020					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M14	1.020					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M15	1.020					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 40 -
 ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M01	1.325				
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M02	1.325				
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M03	1.765				
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M04	1.765				
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M05	1.765				
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M06	1.380				
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M07	1.380				
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M08	1.875				
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M09	1.875				
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M10	1.875				
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M11	1.435				
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M12	1.435				
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M13	1.930				
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M14	1.930				
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBEC040M15	1.930				

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K01	625					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K02	625					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K03	695					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K04	695					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K05	695					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K06	655					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K07	655					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K08	730					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K09	730					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K10	730					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K11	725					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K12	725					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K13	795					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K14	795					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K15	795					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 25 - ceiling
rose in the same colour as structure



		INDOOR					OUTDOOR				
DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K01	1.190					
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K02	1.190					
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K03	1.335					
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K04	1.335					
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K05	1.335					
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K06	1.255					
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K07	1.255					
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K08	1.400					
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K09	1.400					
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K10	1.400					
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K11	1.315					
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K12	1.315					
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K13	1.455					
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K14	1.455					
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD	IP20	ORBES002K15	1.455					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K01	965					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K02	965					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K03	1.200					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K04	1.200					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K05	1.200					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K06	1.000					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K07	1.000					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K08	1.235					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K09	1.235					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K10	1.235					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K11	1.065					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K12	1.065					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K13	1.300					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K14	1.300					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K15	1.300					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 40 - ceiling
rose in the same colour as structure



		INDOOR					OUTDOOR				
DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K01	1.930					
Composition black NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K02	1.930					
Composition chrome NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K03	2.405					
Composition copper NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K04	2.405					
Composition brass NO DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K05	2.405					
Composition white DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K06	1.995					
Composition black DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K07	1.995					
Composition chrome DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K08	2.470					
Composition copper DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K09	2.470					
Composition brass DIM TRIAC	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K10	2.470					
Composition white DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K11	2.125					
Composition black DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K12	2.125					
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K13	2.605					
Composition copper DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K14	2.605					
Composition brass DIM DALI-Push DIM	2 led module 16,2 W – 2x2400 Lm – 3000 K	•	OD	IP20	ORBECs040K15	2.605					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTESP100C05	990					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTESP100T05	1.065					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTESP100E05	1.080					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100P05	1.150					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100R05	1.185					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C06	1.125					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T06	1.195					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E06	1.215					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P06	1.285					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R06	1.320					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C07	1.160					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T07	1.230					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E07	1.245					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P07	1.320					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R07	1.350					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C08	1.235					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T08	1.305					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E08	1.325					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P08	1.395					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R08	1.430					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 150




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPESP150C05	1.435					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPESP150T05	1.515					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPESP150E05	1.540					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150P05	1.605					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150R05	1.660					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C06	1.645					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T06	1.725					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E06	1.750					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P06	1.810					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R06	1.870					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C07	1.685					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T07	1.770					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E07	1.790					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P07	1.860					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R07	1.910					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C08	1.855					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T08	1.935					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E08	1.960					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P08	2.020					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R08	2.080					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100C05	970					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100T05	1.040					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100E05	1.060					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100P05	1.130					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100R05	1.165					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C06	1.080					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T06	1.150					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E06	1.170					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P06	1.240					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R06	1.275					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C07	1.115					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T07	1.185					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E07	1.200					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P07	1.275					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R07	1.305					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C08	1.190					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T08	1.260					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E08	1.280					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P08	1.350					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R08	1.385					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150C05	1.425					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150T05	1.505					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150E05	1.530					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150P05	1.590					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150R05	1.650					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C06	1.610					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T06	1.690					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E06	1.715					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P06	1.780					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R06	1.840					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C07	1.655					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T07	1.740					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E07	1.760					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P07	1.825					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R07	1.860					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C08	1.775					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T08	1.860					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E08	1.880					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P08	1.950					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R08	2.000					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 60



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD060G01	185					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	405					
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGESO060G01	520					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGESO060G11	570					
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGESO060G02	855					
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGESO060G12	910					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGESO060G03	910					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGESO060G13	965					

Pendant lamp - D. 60




Metal disk white or black		•	OD	IP20	PEGEDD060G01	185					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	405					
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD	IP20	PEBESO060M01	590					

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version

OD IP20 PEGEPX040B01 70




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

PEGGY

Pendant lamp - D. 80



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Metal disk white or black

•

OD

IP20

PEGEDD080G01

290

Wool disk fabric

•

OD

IP20

PEGEDD080E01

630

Kit cone white or black

1xE27 42W HES + 3xR7S 105W

•

OD

IP20

PEGESO080G01

560

Kit cone Deluxe

1xE27 42W HES + 3xR7S 105W

•

OD

IP20

PEGESO080G11

620

Kit cone white or black NO DIM

2 led module 15W + 16W
- 4675 Lm - 2700 K

•

OD

IP20

PEGESO080G02

975

Kit cone Deluxe NO DIM

2 led module 15W + 16W
- 4675 Lm - 2700 K

•

OD

IP20

PEGESO080G12

1.030

Kit cone white or black DIM DALI Push-DIM

2 led module 15W + 16W
- 4675 Lm - 2700 K

•

OD

IP20

PEGESO080G03

1.050

Kit cone Deluxe DIM DALI Push-DIM

2 led module 15W + 16W
- 4675 Lm - 2700 K

•


OD

IP20

PEGESO080G13

1.105

Pendant lamp - D. 80



Metal disk white or black

•

OD

IP20

PEGEDD080G01

290

Wool disk fabric

•

OD

IP20

PEGEDD080E01

630

Kit globe in opal PMMA

1xE27 42W HES + 3xR7S 105W

OD

OD

IP20

PEBESO080M01

640

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory


Top polycarbonate disk cover for R7S version

OD

IP20

PEGEPX040B01

70




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

PEGGY

Pendant lamp - D. 100



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Metal disk white or black

• OD IP20 PEGEDD100G01 360

Wool disk fabric

• OD IP20 PEGEDD100E01 805

Kit cone white or black

1xE27 42W HES + 3xR7S 105W

• OD IP20 PEGESO100G01 660

Kit cone Deluxe

1xE27 42W HES + 3xR7S 105W

• OD IP20 PEGESO100G11 740

Kit cone white or black NO DIM

2 led module 15W + 16W
- 4796 Lm - 2700 K

• OD IP20 PEGESO100G02 1.050

Kit cone Deluxe NO DIM

2 led module 15W + 16W
- 4796 Lm - 2700 K

• OD IP20 PEGESO100G12 1.125

Kit cone white or black DIM DALI Push-DIM

2 led module 15W + 16W
- 4796 Lm - 2700 K


• OD IP20 PEGESO100G03 1.120

Kit cone Deluxe DIM DALI Push-DIM

2 led module 15W + 16W
- 4796 Lm - 2700 K

• OD IP20 PEGESO100G13 1.195

Pendant lamp - D. 100



Metal disk white or black

• OD IP20 PEGEDD100G01 360

Wool disk fabric

• OD IP20 PEGEDD100E01 805

Kit globe in opal PMMA

1xE27 42W HES + 3xR7S 105W


OD OD IP20 PEBESO100M01 745

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S
version

OD IP20 PEGEPX040B01 70




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD060G01	185					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	405					
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G01	520					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G11	570					
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G02	910					
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G12	965					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G03	965					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G13	1.020					

Ceiling lamp Ball – D. 60



Metal disk white or black		•	OD	IP20	PEGEDD060G01	185					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	405					
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD	IP20	PEBEPL060M01	555					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp - D. 80



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD080G01	290					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	630					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G01	630					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G11	685					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G02	1.030					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G12	1.085					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G03	1.105					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G13	1.160					

Ceiling lamp Ball - D. 80



Metal disk white or black		•	OD	IP20	PEGEDD080G01	290					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	630					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL080M01	665					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD100G01	360					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	805					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G01	720					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G11	795					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G02	1.090					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G12	1.170					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G03	1.165					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G13	1.240					

Ceiling lamp Ball – D. 100



Metal disk white or black		•	OD	IP20	PEGEDD100G01	360					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	805					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL100M01	760					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Pendant lamp - L 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	3 x E27 42 W HES	OD	OD	IP20	RETESP090C01	845					
Pleated fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090P01	1.005					
Pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090R01	1.060					

Pendant lamp - L 120



Cotton	4 x E27 42 W HES	OD	OD	IP20	RETESP120C01	965					
Pleated fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120P01	1.305					
Pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120R01	1.370					


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand

RETTANGOLO

Pendant lamp - L 150



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pleated fabric

6 x E27 52 W

OD

OD

IP20

RETESP150P02

2.450

Pleated ribbon fabric

6 x E27 52 W

OD


OD

IP20

RETESP150R02

2.515

Pendant lamp - L 300



Pleated fabric

12 x E27 52 W

OD

OD

IP20

RETESP300P02

4.690

Pleated ribbon fabric

12 x E27 52 W

OD

OD

IP20

RETESP300R02

4.770


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO

Wall lamp - L 25 x H 24




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		  IP CODE € EURO	  IP CODE € EURO
Cotton	1 x E27 28 W HES	OD OD IP20 QUAEAP024C01 195	
Pleated fabric	1 x E27 28 W HES	• OD IP20 QUAEAP024P01 230	
Pleated ribbon fabric	1 x E27 28 W HES	OD OD IP20 QUAEAP024R01 235	

Wall lamp - L 25 x H 40



1 light cotton	1 x E27 42 W HES	OD OD IP20 RETEAP040C01 240	
1 light pleated fabric	1 x E27 42 W HES	• OD IP20 RETEAP040P01 255	
1 light pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20 RETEAP040R01 270	
2 lights cotton	2 x E27 42 W HES	OD OD IP20 RETEAP040C02 250	
2 lights pleated fabric	2 x E27 42 W HES	• OD IP20 RETEAP040P02 270	
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 RETEAP040R02 285	

Wall lamp - L 40 x H 25




1 light cotton	1 x E27 42 W HES	OD OD IP20 RETEAP025C01 250	
1 light pleated fabric	1 x E27 42 W HES	• OD IP20 RETEAP025P01 270	
1 light pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20 RETEAP025R01 285	
2 lights cotton	2 x E27 42 W HES	OD OD IP20 RETEAP025C02 265	
2 lights pleated fabric	2 x E27 42 W HES	• OD IP20 RETEAP025P02 285	
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 RETEAP025R02 295	

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Wall lamp - L 40 x H 40




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP	CODE
		€ EURO	€ EURO
Cotton	2 x E27 42 W HES	OD OD IP20 QUAEAP040C01	300
Pleated fabric	2 x E27 42 W HES	• OD IP20 QUAEAP040P01	370
Pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 QUAEAP040R01	380

Wall lamp - L 30 x H 60



Cotton	2 x E27 42 W HES	OD OD IP20 RETEAP060C01	310
Pleated fabric	2 x E27 42 W HES	• OD IP20 RETEAP060P01	410
Pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 RETEAP060R01	425

Wall lamp - L 160 x H 25




6 lights cotton	6 x E27 42 W HES	OD OD IP20 RETEAP160C13	980
6 lights pleated fabric	6 x E27 42 W HES	OD OD IP20 RETEAP160P13	1.270
6 lights pleated ribbon fabric	6 x E27 42 W HES	OD OD IP20 RETEAP160R13	1.325
Cotton	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20 RETEAP160C10	1.325
Pleated fabric	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20 RETEAP160P10	1.610
Pleated ribbon fabric	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20 RETEAP160R10	1.665

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 100 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - 100 x 50	Cotton	6 x E27 42 W HES	OD	OD	IP20	RESESP100C01	1.040				
	Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100P01	1.260				
	Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100R01	1.290				
	Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C05	1.225				
	Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C06	1.255				
	Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C07	1.300				
	Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P05	1.445				
	Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P06	1.475				
	Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P07	1.525				
	Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R05	1.470				
	Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R06	1.505				
	Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R07	1.550				

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 150 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESESP150C01	1.325					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150P01	1.735					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150R01	1.765					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C05	1.510					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C06	1.555					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C07	1.675					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P05	1.915					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P06	1.965					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P07	2.085					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R05	1.955					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R06	1.995					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R07	2.115					

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 100 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	RESEPL100C01	1.040					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100P01	1.260					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100R01	1.290					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C05	1.215					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C06	1.245					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C07	1.290					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P05	1.435					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P06	1.465					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P07	1.510					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R05	1.460					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R06	1.495					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R07	1.540					


PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 150 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESEPL150C01	1.345					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150P01	1.755					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150R01	1.785					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C05	1.445					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C06	1.490					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C07	1.610					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P05	1.855					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P06	1.895					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P07	2.015					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R05	1.885					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R06	1.930					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R07	2.095					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C04	1.170					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C05	1.185					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C06	1.240					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P04	1.325					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P05	1.340					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P06	1.410					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R04	1.280					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R05	1.295					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R06	1.350					

BASIC B - ø 60



Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C04	1.190					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C06	1.210					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C05	1.210					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P04	1.325					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P05	1.340					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P06	1.395					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R04	1.280					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R05	1.295					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R06	1.350					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C07	1.490					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C08	1.560					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C09	1.565					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P07	1.655					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P08	1.725					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P09	1.735					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R07	1.610					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R08	1.680					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R09	1.685					

BASIC B - ø 80



Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C07	1.525					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C08	1.590					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C09	1.600					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P07	1.685					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P08	1.760					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P09	1.765					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R07	1.645					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R08	1.715					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R09	1.720					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand


RIGHELLO

Pendant lamp - L 125



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wool NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGESO125E01	1.490					
Wool DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGESO125E02	1.545					
Soft textile NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGESO125L01	1.930					
Pendant lamp soft textile DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGESO125L02	1.985					

Pendant lamp - L 160



Wool NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGESO160E01	1.685					
Wool DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGESO160E02	1.745					
Soft textile NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGESO160L01	2.205					
Soft textile DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGESO160L02	2.265					

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand

RIGHELLO

Wall lamp - L 125



125 cm
49.21"

13 cm
5.11"

DESCRIPTION

LIGHT SOURCE



INDOOR

CODE

€ EURO



OUTDOOR

CODE

€ EURO

Wool NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGEAP125E01

1.050

Wool DIM DALI-Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGEAP125E02

1.105

Soft textile NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGEAP125L01

1.270

Soft textile DIM DALI-Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•


OD

IP20

RIGEAP125L02

1.325

Wall lamp - L 160



160 cm
62.99"

13 cm
5.11"

Wool NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGEAP160E01

1.175

Wool DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGEAP160E02

1.230

Soft textile NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGEAP160L01

1.435

Soft textile DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGEAP160L02


1.490

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Pendant lamp - L 85



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L04	1.060					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L05	1.130					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L06	1.170					
Lycra cover only		•			RINERR085L01	300					

Pendant lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINESO125L07	1.610					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINESO125L08	1.775					
Lycra cover only		•			RINERR125L01	350					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Wall/ ceiling lamp - L 85



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L04	960					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L05	1.030					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L06	1.060					
Lycra cover only		•			RINERR085L01	300					

Wall/ ceiling lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINEAP125L07	1.500					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINEAP125L08	1.665					
Lycra cover only		•			RINERR125L01	350					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index   → • / present - / absent OD / On Demand


RING TONDA

Pendant lamp - D. 65




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITESO065L04	1.090					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITESO065L05	1.165					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RITESO065L06	1.255					
Lycra cover only		•			RITERR065L01	200					

Pendant lamp - D. 85



1 light lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITESO085L09	1.380					
1 light lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITESO085L11	1.445					
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD	IP20	RITESO085L10	1.545					
Lycra cover only		•			RITERR085L01	300					

Pendant lamp - D. 110



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RITESO110L07	1.755					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RITESO110L08	1.935					
Lycra cover only		•			RITERR110L01	350					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index   → • / present - / absent OD / On Demand


RING TONDA

Wall/ ceiling lamp – D. 65




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L04	970					
1 light lycra DIM TRIAC	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L05	1.040					
1 light lycra DIM DALI-Push DIM	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L06	1.135					
Lycra cover only		•			RITERR065L01	200					

Wall/ ceiling lamp – D. 85



1 light lycra NO DIM	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L09	1.270					
1 light lycra DIM TRIAC	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L11	1.335					
1 light lycra DIM DALI-push DIM	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L10	1.390					
Lycra cover only		•			RITERR085L01	300					

Wall/ ceiling lamp – D. 110



1 light lycra NO DIM	1 led module 88,2 W – 12380 Lm – 2700 K	•	OD	IP20	RITEAP110L07	1.600					
1 light lycra DIM DALI-push DIM	1 led module 88,2 W – 12380 Lm – 2700 K	•	OD	IP20	RITEAP110L08	1.780					
Lycra cover only		•			RITERR110L01	350					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Pendant lamp - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025C01	280					
Cotton with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025C01	315					
Pleated fabric without plex	1 x E27 42 W HES	•	OD	IP20	ROMESO025P01	300					
Pleated fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025P01	340					
Pleated ribbon fabric without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025R01	310					
Pleated ribbon fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025R01	350					

Pendant lamp - ø 40



Cotton without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040C01	320					
Cotton with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040C01	360					
Pleated fabric without plex	1 x E27 70 W HES	•	OD	IP20	ROMESO040P01	440					
Pleated fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040P01	475					
Pleated ribbon fabric without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040R01	465					
Pleated ribbon fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040R01	505					

Pendant lamp - ø 70



Cotton 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070C02	930					
Pleated fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070P02	1.320					
Pleated ribbon fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070R02	1.325					

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Small table lamp



16 cm
6.30"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	ROMETP045C01	215					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	ROMETP045P01	250					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	ROMETP045R01	265					

Table lamp



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMETA070C01	405					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMETA070P01	520					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMETA070R01	540					

Accessory - Table and small table lamp



Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	75									
---	--------------	----	--	--	--	--	--	--	--	--	--

Reading lamp - lighting pull



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160C01	540					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT160P01	655					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160R01	675					

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Medium floor lamp - lighting pull



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	640					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT180P01	745					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180R01	770					
Metal brushed nickel cotton	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180C11	765					
Metal brushed nickel pleated fabric	3 x E27 42 W HES	•	OD	IP20	ROMEPT180P11	870					
Metal brushed nickel pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180R11	900					

Maxi floor lamp



Metal brushed nickel cotton	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212C01	1.215					
Metal brushed nickel pleated fabric	4 x E27 70 W HES	•	OD	IP20	ROMEPT212P01	1.535					
Metal brushed nickel pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212R01	1.540					

Accessory - Reading and floor lamp	Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	95					
------------------------------------	---	--	--	--	--------------	----	--	--	--	--	--





Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index   → • / present - / absent OD / On Demand

SESTANTE

Wall lamp small - L 170 > 260




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C01	1.215					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C05	1.215					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C03	1.380					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C06	1.380					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T01	1.355					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T05	1.355					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T03	1.525					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T06	1.525					
Wall lamp white diffuser in aluminium	1 led module 16,2 W - DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G02	1.545					
Wall lamp black diffuser in aluminium	1 led module 16,2 W - DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G04	1.545					
Wall lamp lime diffuser in aluminium	1 led module 16,2 W - NO DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G06	1.820					
Wall lamp blue China diffuser in aluminium	1 led module 16,2 W - NO DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP170G08	1.820					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.


Symbol index   → • / present - / absent OD / On Demand

SESTANTE

Wall lamp - L 250 > 380



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C01	1.270					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C05	1.270					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C03	1.490					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C06	1.490					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T01	1.410					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T05	1.410					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T03	1.635					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T06	1.635					




Wall lamp white diffuser in aluminium	1 led module 16,2 W - DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G02	1.600					
Wall lamp black diffuser in aluminium	1 led module 16,2 W - DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G04	1.600					
Wall lamp lime diffuser in aluminium	1 led module 16,2 W - NO DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G06	1.905					
Wall lamp blue China diffuser in aluminium	1 led module 16,2 W - NO DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G08	1.905					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Accessory to compose the floor lamp



60 cm
23.62"

DESCRIPTION

LIGHT SOURCE

White structure/ base to be fixed on wall lamp (kg 20)

Black structure/ base to be fixed on wall lamp (kg 20)

INDOOR



IP

CODE

€ EURO

• OD IP20 SEIEAT059G01 685

• OD IP20 SEIEAT059G02 685

OUTDOOR







IP

CODE

€ EURO

Examples of compositions:




Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Wall lamp small - L 170>260



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G01	1.635
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G02	1.710
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G03	1.635
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G04	1.710
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G05	1.945
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G06	2.015
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G07	1.945
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP170G08	2.015

Wall lamp - L 240>370



Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G01	1.685
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G02	1.765
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G03	1.685
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G04	1.765
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G05	1.995
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G06	2.075
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G07	1.995
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-		IP44/55	SEOEAP220G08	2.075


PRODUCTS: Sestante Outdoor
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Accessory to compose the floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
White structure/ base to be fixed on wall lamp (kg 20)						•	-	IP44/55 SEOEAT059G01	685
Black structure/ base to be fixed on wall lamp (kg 20)						•	-	IP44/55 SEOEAT059G02	685

Examples of compositions:



**Modo Luce srl fornisce le sospensioni
con i seguenti standard (misura utile):**

- Cavo elettrico L 200 cm
- Cavo elettrico L 250 cm
per apparecchi con 2 o più cavi acciaio
- Cavo elettrico in tessuto per serie EVA L 130 cm
- Cavo acciaio L 200 cm

** Disponibilità a misura su richiesta

**Modo Luce srl delivers the following
standard cables for the suspensions (useful measures):**

- Power wire L 200 cm / L 78.74"
- Power wire L 250 cm / L 98.42"
for fixtures with 2 or more steel cables
- Power wire in fabric for EVA line products L 130 cm / 51,18"
- Steel cable L 200 cm / L 78.74"

** Other measures are available upon demand

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Cavo elettrico teflon/ pvc trasparente 2 / 3 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	8,50
Cavo elettrico teflon/ pvc trasparente 4 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	13,50
Cavo elettrico tondo pvc/ pvc bianco al mt lineare Wiring, power cable round pvc, pvc white to each linear meter	CAVELE000000BT01	2,00
Cavo elettrico tondo pvc/ pvc nero al mt lineare Wiring, power cable round pvc, pvc black to each linear meter	CAVELE000000NT01	2,00
Cavo elettrico teflon/ pvc DIMMERABILE bianco o nero per sospensione al mt lineare Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05	10,50
Cavo elettrico teflon/ pvc DIMMERABILE trasparente per sospensione al mt lineare Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05	22,00
Cavo elettrico outdoor tondo 2 x 0,75 H05RN-F nero al mt lineare Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN	4,00
Cavo elettrico a calza in tessuto per sospensione (oltre misura standard) al mt lineare Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000	17,00
Cavo acciaio di sostegno Ø 1,2 x h 2000 mm Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000	5,00
Cavo acciaio di sostegno Ø 1,2 x h 3000 mm Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000	13,50
Cavo acciaio di sostegno Ø 1,2 x h 6000 mm Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000	18,00
Cavo acciaio di sostegno Ø 1,2 x h 10000 mm Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000	32,00
Cavo acciaio di sostegno Ø 1,6 x h 2000 mm Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000	5,00
Cavo acciaio di sostegno Ø 1,6 x h 3000 mm Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000	13,50
Cavo acciaio di sostegno Ø 1,6 x h 8000 mm Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000	32,00
Maggiorazione per rosone cilindrico in finitura galvanica (cromo - ottone - rame): Price increase for cylindrical ceiling rose in galvanized finishes (chrome - brass - copper):		
Rosone cilindrico Ø 110 mm Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	27,00
Rosone cilindrico Ø 145 mm Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	38,00
Rosone cilindrico Ø 160 mm Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	43,00

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Maggiorazione per rosone decentrato: Lateral ceiling attachment surcharge:		
Rosone A Ceiling rose A	ROSDEC110001	38,00
Rosone B Ceiling rose B	ROSDEC110002	48,00
Rosone C Ceiling rose C	ROSDEC110003	38,00
Adattatore per spina inglese Uk plug adapter	 ADAUK240V001	18,00
Variatore da tavolo/tavolino universale per Alogene (40/160W) + LED (4/100W) DIM switch for table/small table lamp universal HES (40/160W) + LED (4/100W)	 DIMVAR0TA002000	70,00
Variatore da lettura/terra universale per Alogene + LED (5/250W) DIM switch for reading/floor lamp universal HES + LED (5/250W)	 DIMVAROPT003000	95,00
SCHERMO SUPERIORE SOSPENSIONE (RICAMBIO) UPPER DISK FOR SUSPENSIONS (SPARE PART)		
Schermo di chiusura superiore in plex opal per Discovolante Ø 40 Top protective disk in opal plex for Discovolante Ø 40	DISEPX040F01	110,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 60 Top protective disk in opal plex for Cilindro and Discovolante Ø 60	CILEPX060F01	165,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 70 Top protective disk in opal plex for Cilindro Ø 70	CILEPX070F01	195,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 80 Top protective disk in opal plex for Discovolante Ø 80	DISEPX080F01	220,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 100 Top protective disk in opal plex for Cilindro Ø 100	CILEPX100F01	450,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 100 Top protective disk in opal plex for Discovolante Ø 100	DISEPX100F01	330,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 120 Top protective disk in opal plex for Cilindro and Discovolante Ø 120	CILEPX120F01	530,00

Sorgenti luminose

I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

Temperatura colore

Le lampade Modo Luce equipaggiate con sorgente LED vengono fornite generalmente con temperatura di colore 2700K. Sono disponibili su richiesta anche le versioni 3000K e 4000K.

Lumen

L'indicazione del flusso luminoso si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.

Legenda lampadine

Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).

Light Sources

Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.

Color temperature

Modo Luce LED equipped products are normally supplied with 2700K light colour as standard version. 3000K and 4000K are available on request.

Lumen

Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Legend light bulbs

Light bulbs available for Modo Luce products (according to the models).

Modo Luce - EELc Product List Global Energy

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012.

Le etichette energetiche sono disponibili e scaricabili dal sito internet **modoluce.com**

Efficiency Label compatibility (EU Regulation 874/2012)

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.

Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.

Energy labels are available and downloaded from the webiste **modoluce.com**

Tipo / Type		Simbolo / Symbol	Attacco / Socket	Potenza / Power		Codice / Code	€ EURO
Led No Dim		Sphere	E14	5 W	2700K	LMPLEDE14S00	22,00
		Classic	E27	9 W	2700K	LMPLEDE27G00	21,00
		Globe Clair	E27	8 W	2700K	LMPLEDE27GL4W125	32,00
		Dichroic	GU10	6 W	2700K	LMPLEDE27GU10	17,00
		Linear L 78	R7S	4 W	2700K	LMPLEDR7S078NOD	22,00
		Linear L 118	R7S	8 W	2700K	LMPLEDR7S118NOD	30,00
Led Dim		Classic	E27	10 W	2700K	LMPLEDE27GDO	32,00
		Globe Clair	E27	7.5 W	2200K	LMPLEDE27DIM125	49,00
		Pear Share	E27	7.5 W	2300K	LMPLEDE27KIT01P	44,00
		Dichroic	GU10	6W	2700K	LMPLEDGU10DIM06	19,00

Pesi / Weights

PAGE: 195

ABC			
Pendant lamp A	Ø 12	1 kg	2.20 lb
Pendant lamp B	Ø 17	1 kg	2.20 lb
Pendant lamp C	Ø 22	1,5 kg	3.30 lb

Alco			
Pendant lamp	Ø 90	23 kg	50.77 lb
Pendant lamp	Ø 120	36 kg	79.47 lb
Ceiling lamp	Ø 90	23 kg	50.77 lb
Ceiling lamp	Ø 120	36 kg	79.47 lb

Angelica indoor			
Wall lamp		5 kg	11.33 lb

Angelica outdoor			
Wall lamp		7 kg	15.42 lb

Atollo indoor / outdoor			
Pendant lamp	Ø 70	13 Kg	28.66 lb.
Pendant lamp	Ø 100	3 kg	66.14 lb.
Pendant lamp	Ø 150	5 kg	110.23 lb.
Ceiling-wall lamp	Ø 70	15 Kg	33.07 lb.
Ceiling-wall lamp	Ø 100	33 Kg	72.75 lb.
Ceiling-wall lamp	Ø 150	53 Kg	116.84 lb.

Baobab			
Pendant lamp 3	Ø 80	2 kg	4.41 lb
Pendant lamp 6	Ø 80	3,5 kg	7.72 lb

Bolla Elissee			
Pendant lamp Bolla	Ø 40	3 kg	6.61 lb
Pendant lamp Bolla	Ø 50	3,5 kg	7.71 lb
Pendant lamp Bolla	Ø 60	6 kg	13.21 lb
Pendant lamp Elissee	Ø 60	3 kg	6.60 lb
Pendant lamp Elissee	Ø 80	5 kg	11.01 lb

Butterfly			
Wall lamp	Ø 54	8 kg	17.66 lb
Wall lamp	Ø 75	10 kg	22.02 lb

Campanone indoor / outdoor			
Pendant lamp	Ø 33	3,5 kg	7.71 lb
Pendant lamp	Ø 51	5 kg	11.01 lb

Chandelier			
Pendant – ceiling lamp	Ø 100	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.43 lb
Wall lamp single	Ø 13	1 kg	2.20 lb
Wall lamp double	Ø 35	2 kg	4.41 lb

Chandelier Longue			
Pendant – ceiling lamp	L 110	12 kg	26.43 lb
Pendant – ceiling lamp	L 150	14 kg	30.83 lb

Charlie			
Pendant – ceiling lamp	Ø 107	25 kg	55.06 lb
Pendant – ceiling lamp	Ø 127	35 kg	77.09 lb

Cilindro			
Pendant lamp	Ø 60	2,2 kg	4.86 lb
Pendant lamp	Ø 70	3,5 kg	7.71 lb
Pendant lamp	Ø 100	7 kg	14.31 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	20 kg	44.05 lb

Circus			
Pendant lamp	Ø 70	4 kg	8.81 lb
Pendant lamp	Ø 100	9 kg	19.82 lb
Pendant lamp	Ø 120	17 kg	37.44 lb
Pendant lamp	Ø 150	30 kg	66.08 lb

Clip			
Pendant lamp	L 130	5 kg	11.03 lb
Pendant lamp	L 170	8 kg	17.66 lb

Cocò			
Pendant lamp	Ø 60	4 kg	8.80 lb
Pendant lamp	Ø 80	7 kg	15.40 lb
Pendant lamp	Ø 100	9 kg	19.82 lb

Diogene			
Pendant lamp	Ø 30	3,5 kg	7.72 lb

Discovolante			
Pendant-ceiling-wall lamp	Ø 40	2 kg	4.41 lb
Pendant-ceiling-wall lamp	Ø 60	4 kg	8.81 lb
Pendant-ceiling lamp	Ø 80	5 kg	11.03 lb
Pendant-ceiling lamp	Ø 100	7 kg	15.41 lb

Eva			
Pendant lamp	Ø 11	0,3 kg	0.66 lb
Pendant lamp brown cotto	Ø 11	0,7 kg	1.54 lb
Pendant lamp	Ø 18	1,1 kg	2.44 lb
Pendant lamp brown cotto	Ø 18	1,7 kg	3.77 lb
Pendant lamp	Ø 27	4 kg	8.81 lb
Pendant lamp brown cotto	Ø 27	7 kg	15.42 lb
Pendant lamp	Ø 38	8 kg	17.66 lb
Pendant lamp brown cotto	Ø 38	12 kg	26.43 lb

Florinda			
Pendant lamp 1	Ø 31	2 kg	4.41 lb
Pendant lamp 3	Ø 63	7 kg	15.41 lb
Pendant lamp 6	Ø 94	10 kg	22.02 lb
Pendant lamp 12	Ø 153	35 kg	77.09 lb
Ceiling lamp 3	Ø 63	7 kg	15.41 lb
Ceiling lamp 6	Ø 94	10 kg	22.02 lb
Ceiling lamp 12	Ø 153	35 kg	77.09 lb
Wall lamp	Ø 31,5	0,4 kg	0.88 lb

Florinda Desnuda			
Pendant lamp 1	Ø 31	1,5kg	3.30 lb
Pendant lamp 3	Ø 63	5 kg	11.03 lb
Pendant lamp 6	Ø 94	8 kg	17.66 lb
Pendant lamp 12	Ø 153	27 kg	59.40 lb
Ceiling lamp 3	Ø 63	6 kg	13.20 lb
Ceiling lamp 6	Ø 94	10 kg	22.00 lb
Ceiling lamp 12	Ø 153	30 kg	66.00 lb

Geco			
Wall lamp	Ø 13	5 kg	11.01 lb
Wall lamp	Ø 30	5 kg	11.01 lb

Hammer			
Pendant lamp	Ø 15	1,5 kg	3.31 lb
Pendant lamp	Ø 18	2 kg	4.41 lb
Pendant lamp	Ø 30	2,5 kg	5.50 lb
Spotlight	Ø 15	1 kg	2.20 lb
Spotlight	Ø 18	1,5 kg	3.31 lb
Ceiling Lamp	Ø 15 / 21	1 kg	2.20 lb
Ceiling Lamp	Ø 18 / 24	1,5 kg	3.31 lb
Recessed spotlight	Ø 15 / 21	1 kg	2.20 lb
Recessed spotlight	Ø 18 / 24	1,5 kg	3.31 lb

Icaro indoor / outdoor			
Pendant lamp	Ø 22	2,5 kg	6.60 lb
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 75	10 kg	22.03 lb
Pendant lamp	Ø 100	20 kg	44.05 lb

Icaro Ball indoor / outdoor			
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 60	10 kg	22.03 lb
Pendant lamp	Ø 75	15 kg	33.04 lb
Pendant lamp	Ø 90	25 kg	55.06 lb

Idea			
Pendant – ceiling lamp	Ø 66	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 80	15 kg	33.04 lb
Pendant – ceiling lamp	Ø 100	18 kg	39.65 lb
Pendant – ceiling lamp	Ø 140	25 kg	55.06 lb

Idea composition			
Pendant – ceiling lamp	Ø 180	30 kg	66.14 lb

Lost			
Pendant lamp	Ø 25	5 kg	11.01 lb
Pendant lamp	Ø 40	8 kg	17.66 lb

Loto			
Pendant lamp	Ø 16	0,7 kg	1.54 lb
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 60	3 kg	6.61 lb
Pendant lamp	Ø 80	5 kg	11.01 lb
Pendant lamp	Ø 100	7 kg	15.41 lb
Pendant lamp	Ø 140	20 kg	44.05 lb
Wall lamp	Ø 16	0,45 kg	0.99 lb

Lucilla			
Wall lamp	Ø 17	0,4 kg	0.88 lb

Lucilla Tonda			
Pendant lamp	Ø 19	0,3 kg	0.66 lb
Pendant lamp	Ø 34	0,5 kg	1.10 lb
Pendant lamp	Ø 43	1 kg	2.20 lb
Wall Lamp	Ø 21	0,5 kg	1.10 lb

Milleluci			
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 80	6 kg	13.21 lb
Pendant lamp	Ø 100 H 35	7 kg	15.41 lb
Pendant lamp	Ø 100 H 60	9 kg	19.82 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	18 kg	39.65 lb

Mood			
Pendant lamp	Ø 100	5 kg	11.01 lb
Pendant lamp	Ø 120	6 kg	13.21 lb
Pendant lamp	Ø 150	10 kg	22.02 lb
Ceiling-wall lamp	Ø 100	6 kg	13.21 lb

Mood Desnuda			
Pendant lamp	Ø 60	2 kg	4.41 lb
Pendant lamp	Ø 100	3 kg	6.61 lb
Pendant lamp	Ø 120	4 kg	8.81 lb
Pendant lamp	Ø 150	6 kg	13.20 lb

Multiball			
Pendant lamp	Ø 25 / 30 / 35	1,7 kg	3.74 lb
Pendant lamp	Ø 40 / 45	2 kg	4.41 lb

Nucleo			
Pendant lamp	L 130	8 kg	17.66 lb
Pendant lamp	L 160	12 kg	26.43 lb

Olivia			
Pendant lamp	Ø 42	3 kg	6.60 lb
Pendant lamp	Ø 60	6 kg	13.24 lb
Ceiling lamp	Ø 42	5 kg	11.03 lb
Ceiling lamp	Ø 60	10 kg	22.07 lb

Ombrella			
Pendant-ceiling lamp	Ø 60	3 kg	6.6 lb
Pendant-ceiling lamp	Ø 80	6 kg	13.20 lb
Pendant-ceiling lamp	Ø 100	10 kg	22.00 lb

Orb			
Pendant lamp (PMMA)	Ø 25	2 kg	4.41 lb
Pendant lamp (PMMA)	Ø 40	3,5 kg	7.72 lb
Pendant lamp (glass)	Ø 25	3 kg	6.62 lb
Pendant lamp (glass)	Ø 40	6 kg	13.24 lb

Ottovolante			
Pendant-ceiling lamp	L 100	8 kg	17.66 lb
Pendant-ceiling lamp	L 150	11 kg	24.23 lb

Peggy			
Pendant – ceiling lamp	Ø 60	6 kg	13.25 lb
Pendant – ceiling lamp	Ø 80	8,5 kg	18.76 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.49 lb

Rettangolo			
Pendant lamp	L 90	4 kg	8.81 lb
Pendant lamp	L 120	4,5 kg	9.91 lb
Pendant lamp	L 150	10 kg	22.00 lb
Pendant lamp	L 300	25 kg	55.06 lb
Wall lamp	L 25 / 40	0,5 kg	1.10 lb
Wall lamp	L 25 x 24	0,2 kg	0.44 lb
Wall lamp	L 30	1 kg	2.20 lb
Wall lamp	L 40 x 40	0,5 kg	1.10 lb
Wall lamp	L 160	5 kg	11.01 lb

Rettangolo Slim			
Pendant-ceiling lamp	Ø 100	8 kg	17.66 lb
Pendant-ceiling lamp	Ø 150	11 kg	24.23 lb

Reverse			
Pendant lamp	Ø 60	5 kg	11.00 lb
Pendant lamp	Ø 80	7 kg	15.40 lb

Righello			
Pendant lamp	L 125	5 kg	11.03 lb
Pendant lamp	L 160	8 kg	17.66 lb
Wall Lamp	L 125	4 kg	8.83 lb
Wall Lamp	L 160	7 kg	15.45 lb

Ring			
Pendant-ceiling-wall lamp	L 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	L 125	10 kg	22.00 lb

Ring Tonda			
Pendant-ceiling-wall lamp	Ø 65	5 kg	11.00 lb
Pendant-ceiling-wall lamp	Ø 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	Ø 110	10 kg	22.00 lb

Romeo			
Pendant lamp	Ø 25	1,3 kg	2.86 lb
Pendant lamp	Ø 40	1,9 kg	4.18 lb
Pendant lamp	Ø 70	5 kg	11.01 lb

Sestante indoor / outdoor			
Wall Lamp		20 kg	44.15 lb

	Eva 11 Loto 16 Rettangolo 90 / 120 / 150 / 300 Rettangolo Slim 100 / 150
	ABC Baobab Chandelier Eva 18 Florinda Desnuda 1 Hammer 15 / 18 Lucilla Tonda Ottovolante Rettangolo Rettangolo Slim
	Atollo 70 / 100 / 150 (3-4 steel cables) Cilindro 150 Idea composition Milleluci 150 Ottovolante (LED) Rettangolo Slim (LED)
	Atollo 70 / 100 (1 steel cable) Bolla 40 / 50 / 60 Campanone indoor / outdoor Cilindro 60 / 70 Circus 70 / 100 / 120 Cocò 60 / 80 / 100 Discovolante 40 / 60 / 80 / 100 Ellisse 60 / 80 Florinda 1 / 3 / 6 Florinda Desnuda 3 / 6 Icaro 22 / 50 / 75 Icaro Ball 50 / 60 / 75 Lost 25 / 40 Loto 43 / 60 / 80 Milleluci 40 / 80 Mood Desnuda Olivia 43 / 60 Orb 25 Romeo 25 / 40 / 70 Peggy 60 / 80 / 100
	Cilindro 100 / 120 Eva 27 Eva 38 Loto 100 / 140 Milleluci 100 / 120
	Hammer 15 / 18 / 30 (LED-dim) Nucleo 130

	Nucleo 160 Orb 25 / 40 (2 globes)
	LED lamps Alco Cilindro Circus Cocò Discovolante Idea Loto Milleluci Olivia Ombrella Orb 25 (dim) Orb 40 Peggy
	E27 + LED lamps Atollo 150 Florinda 12 Florinda Desnuda 12
	Chandelier Longue
	Icaro 100 Icaro Ball 90 Mood Reverse Ring Ring Tonda
	Multiball
	Charlie

	Clip Righello
	Chandelier Longue (ceiling lamp)
	Chandelier (ceiling lamp)
	Ombrella (ceiling lamp) Peggy 60 LED (ceiling lamp) Peggy 80 / 100 (ceiling lamp)
	Peggy 60 (ceiling lamp)
	Lateral ceiling attachment A
	B
	C

GENERAL SALES TERMS

Price list
Vat excluded

LIGHT BULBS

Modo Luce products equipped with GU10, E14 and E27 sockets are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price. Goods are packed in carton boxes.

RULES

The products manufactured by Modo Luce comply with the European Standards and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

NOTES

1
The cotton fabric used by Modo Luce can be available fireproof, in compliance with CL1 rules, **on demand and with 3% surcharge**, ONLY for the ivory 300, white 301 and sand 302 colours. For orders, when/ if this regulation will be enforced and only on request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The cotton fabric complies with Glow-Wire Test 650°.

2
The pleated fabric used by Modo Luce for the standard production is fireproof in compliance with CL1 rules. For orders, when/ if this regulation will be enforced and only on

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo Luce's approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes to models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo Luce does not accept claims after 4 days from receipt of goods. Modo Luce's previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modo Luce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The pleated fabric complies with Glow-Wire Test 650° by request. The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, on demand and **with surcharge**, for quantity to be defined.

3
Modo Luce can also produce lampshades with Customer cotton fabric, **with 5% surcharge**.

4
The lycra-covers used by Modo Luce are fireproof in compliance with CL1 rules. They are removable and washable in water at max 30° and mild soap.

TRANSPORT

Goods are delivered ex-factory/ ex-works (Vazzola - Treviso - Italy) Goods travel at customer's own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods.

In every case, customer must accept the goods by writing in the document of transport of the forwarder "accepted with checking reserve" and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can't be attributed to Modo Luce.

5
Seams of the fabric covers of models: ALCO, CIRCUS, PEGGY, RIGHELLO, RING and RING TONDA are handmade and may present some little imperfections, characteristics of a handcrafted production.

6
Diffusers of model Eva and base of model Aura and Baobab are handmade and may present some little imperfections, characteristics of a handcrafted production.

WARRANTY

Modo Luce warrants its products to be free from defects in workmanship. This warranty is exclusively applicable to the party who have purchased the product directly from Modo Luce. The warranty runs from the date of the invoice with which the product was acquired from Modo Luce and ends after 24 months. Uses of the warranty must be notified and sent to Modo Luce office within 60 days from discovering the defect, specifying the following information:
- date and number of invoice
- detailed description of problem and quantity of defective product/s
- photographs or video of the defect

7
Globes and lamp diffusers and details in PMMA or PC are injection moulding, some little imperfections of the products are due to this type of processing. They must be clean only with a soft cloth (ex. microfibre) using neutral detergent and water or cleanig spray without aggressive solvents as: alcohol, solvent and trichloroethylene.

8
The products made in rotomoulded polyethylene can have some little imperfections to be accepted as technical characteristic of this type of processing.

During this warranty period Modo Luce will repair, replace or supply spare parts, at its discretion. This warranty does NOT apply to damages resulting from: transport, accident, alteration, tempering, misuse, incorrect installation or improper use, incorrect storage, negligence or abuse, natural events. This warranty does NOT apply to consumable parts or elements subject to normal wear and tear, as batteries, light sources etc.

9
The technical characteristic of the materials used by Modo Luce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour's shade from a batch to another.

10
The products **ETL wired and certified** are available with a **10% surcharge**. The products wired with ETL certified components (it means **in compliance with but NOT ETL certified**) will have anyway the same **10% surcharge**.

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente listino è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo listino sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente listino possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel listino e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This price list is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the price list are forbidden.

Data contained in this price list is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this price list may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the price list and from batch to batch.