





INDICE / INDEX

<u>Abc</u>	01	<u>Diogene Outdoor</u>	60	<u>Mood</u>	135
<u>Alco</u>	02	<u>Discovolante</u>	61	<u>Mood Desnuda</u>	137
<u>Angelica</u>	10	<u>Disk</u>	75	<u>Multiball</u>	138
<u>Angelica Outdoor</u>	13	<u>Eva</u>	77	<u>Nucleo</u>	146
<u>Atollo</u>	14	<u>Florinda</u>	79	<u>Olivia</u>	148
<u>Atollo Outdoor</u>	17	<u>Florinda Desnuda</u>	83	<u>Ombrella</u>	151
<u>Aura</u>	20	<u>Galileo</u>	86	<u>Orb</u>	154
<u>Baobab</u>	21	<u>Galileo Longue</u>	88	<u>Ottovolante</u>	162
<u>Bolla Ellisse</u>	23	<u>Geco</u>	90	<u>Peggy</u>	166
<u>Butterfly</u>	25	<u>Hammer</u>	92	<u>Rettangolo</u>	172
<u>Campanone</u>	26	<u>Icaro</u>	97	<u>Rettangolo Slim</u>	176
<u>Campanone Outdoor</u>	27	<u>Icaro Outdoor</u>	99	<u>Reverse</u>	180
<u>Chandelier</u>	28	<u>Icaro ball</u>	102	<u>Righello</u>	182
<u>Chandelier Longue</u>	34	<u>Icaro ball Outdoor</u>	104	<u>Ring</u>	184
<u>Charlie</u>	38	<u>Idea</u>	107	<u>Ring Tonda</u>	186
<u>Cilindro</u>	43	<u>Lost</u>	112	<u>Romeo</u>	188
<u>Circus</u>	52	<u>Loto</u>	114	<u>Sestante</u>	191
<u>Clip</u>	56	<u>Lucilla</u>	118	<u>Sestante Outdoor</u>	194
<u>Coco'</u>	57	<u>Lucilla Tonda</u>	122		
<u>Corner</u>	59	<u>Milleluci</u>	127		

Metal pendant lamp in three sizes, in white or lead grey colours and in Deluxe finishes: lime green, brick, blue China and matt gold.

Symbol index  → • / present - / absent OD / On Demand


A B C	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
	Pendat lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G41	295					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	AAAESO012G42	360					
	Pendat lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G41	295					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	BBBESO017G42	360					
	Pendat lamp white or lead grey	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G41	295					
	Pendant lamp Deluxe	1 x GU10 28 W HES	•	OD	IP20	CCCESO022G42	360					
Accessory - Pendant lamp		Surcharge for ceiling rose in the same colour as Deluxe structure				ROS110003601	20					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F01	3.125					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F02	3.195					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090F03	3.230					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E01	3.185					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E02	3.255					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E03	3.285					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L01	3.650					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L02	3.715					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L03	3.750					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I01	3.650					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I02	3.715					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I03	3.750					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F04	3.240					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F05	3.315					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090F06	3.345					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E04	3.300					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E05	3.370					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E06	3.400					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L04	3.765					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L05	3.835					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L06	3.865					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I04	3.765					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I05	3.835					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I06	3.865					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **4**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F01	3.440					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F02	3.505					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120F03	3.545					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E01	3.555					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E02	3.625					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E03	3.660					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L01	3.970					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L02	4.045					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L03	4.075					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I01	4.170					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I02	4.235					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I03	4.275					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **5**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F06	3.555					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F07	3.625					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120F08	3.660					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E06	3.670					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E07	3.740					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E08	3.775					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L06	4.085					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L07	4.160					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L08	4.190					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I06	4.285					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I07	4.360					
Kvadrat fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I08	4.390					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: **6**

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F01	3.450					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F02	3.520					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090F03	3.555					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E01	3.505					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E02	3.575					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E03	3.610					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L01	3.970					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L02	4.045					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L03	4.075					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I01	3.970					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I02	4.045					
Kvadrat fabric DIM DALI/Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I03	4.075					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F04	3.565					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F05	3.635					
Tailor fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090F06	3.670					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E04	3.625					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E05	3.695					
Wool fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E06	3.730					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L04	4.085					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L05	4.160					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L06	4.190					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I04	4.085					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I05	4.160					
Kvadrat fabric DIM DALI/Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I06	4.190					

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017


PAGE: 8

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F01	3.505					
Tailor fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F02	3.575					
Tailor fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120F03	3.610					
Wool fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E01	3.625					
Wool fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E02	3.695					
Wool fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E03	3.765					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L01	4.045					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L02	4.110					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L03	4.150					
Kvadrat fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I01	4.235					
Kvadrat fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I02	4.305					
Kvadrat fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I03	4.340					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by tailor, wool, soft textile or Remix Kvadrat fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Tailor fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F06	3.625					
Tailor fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F07	3.695					
Tailor fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120F08	3.730					
Wool fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E06	3.740					
Wool fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E07	3.810					
Wool fabric DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E08	3.855					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L06	4.160					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L07	4.225					
Soft textile DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L08	4.265					
Kvadrat fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I06	4.360					
Kvadrat fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I07	4.420					
Kvadrat fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I08	4.455					



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand



ANGELICA

Wall lamp - L 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.120 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135C01	800					
Wall lamp L.120 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135C02	800					
Wall lamp L.120 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135T01	850					
Wall lamp L.120 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135T02	850					
Wall lamp L.120 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP135E01	860					
Wall lamp L.120 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP135E02	860					

Wall lamp - L 170



Wall lamp L.170 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180C01	840					
Wall lamp L.170 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180C02	840					
Wall lamp L.170 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180T01	895					
Wall lamp L.170 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180T02	895					
Wall lamp L.170 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP180E01	905					
Wall lamp L.170 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP180E02	905					

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 200

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp L.200 white
cotton white

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200C01

895

Wall lamp L.200 black
cotton black

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200C02

895

Wall lamp L.200 white washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200T01

945

Wall lamp L.200 black washable
marble

1 x E27 70 W HES

OD

OD

IP20

ANGEAP200T02

945

Wall lamp L.200 white wool
sand

1 x E27 70 W HES

•

OD

IP20

ANGEAP200E01

955

Wall lamp L.200 black wool
sand

1 x E27 70 W HES



•

OD

IP20

ANGEAP200E02

955



Accessory - Wall lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

80



Accessory - Wall lamp

Fixing accessory for wall
lamp - white

•

OD

IP20

DEJEAR000G01

115

Fixing accessory for wall
lamp - black


•

OD

IP20

DEJEAR000G02

115





Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C01	1.365					
Floor lamp black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C02	1.365					
Floor lamp white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T01	1.435					
Floor lamp black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T02	1.435					
Floor lamp white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E01	1.450					
Floor lamp black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E02	1.450					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	100	
------------------------	---	--------------	-----	--




Floor lamp with cantilever arm and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure. Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating. Lampshade in washable marble fabric. On demand, washable fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA OUTDOOR

Wall lamp - L 170



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall lamp L.170 white washable marble

1 x E27 42 W HES

OD

-

IP44/55

AGOEAP170T01

1.450

Wall lamp L.170 black washable marble

1 x E27 42 W HES

OD


-

IP44/55

AGOEAP170T02

1.450

Accessory - Wall lamp



Fixing accessory for wall lamp - white

•

-

IP55

DEOEAP000G01

135

Fixing accessory for wall lamp - black

•


-

IP55

DEOEAP000G02

135

Floor lamp



Floor lamp white washable marble

1 x E27 42 W HES

OD

OD

IP44/55

AGOEPT230C01

1.740

Floor lamp black washable marble

1 x E27 42 W HES

OD

OD

IP44/55



AGOEPT230C02

1.740

Symbol index  → • / present - / absent OD / On Demand



ATOLLO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES	• OD IP31	ATIESO070D01	1.015			
With 3 steel cables	6 x E27 42 W HES	• OD IP31	ATIESO070D02	990			
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D41	1.450			
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D42	1.425			
With 1 steel cable DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D43	1.680			
With 3 steel cables DIM DALI-Push DIM	1 led strip 40 W - 7000 Lm - 3000 K	• - IP31	ATIESO070D44	1.655			

Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES	• OD IP31	ATIESO100D01	1.350			
With 4 steel cables	8 x E27 42 W HES	• OD IP31	ATIESO100D02	1.315			
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D41	1.910			
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D42	1.875			
With 1 steel cable DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D43	2.230			
With 4 steel cables DIM DALI-Push DIM	1 led strip 55 W - 9300 Lm - 3000 K	• - IP31	ATIESO100D44	2.200			


PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES	•	OD	IP31	ATIESO150D01	2.265					
With 4 steel cables	12 x E27 42 W HES	•	OD	IP31	ATIESO150D02	2.200					
With 1 steel cable NO DIM	1 led strip 82 W – 14000 Lm – 3000 K	•	–	IP31	ATIESO150D41	3.185					
With 4 steel cables NO DIM	1 led strip 82 W – 14000 Lm – 3000 K	•	–	IP31	ATIESO150D42	3.125					
With 1 steel cable DIM DALI-Push DIM	1 led strip 82 W – 14000 Lm – 3000 K	•	–	IP31	ATIESO150D43	3.590					
With 4 steel cables DIM DALI-Push DIM	1 led strip 82 W – 14000 Lm – 3000 K	•	–	IP31	ATIESO150D44	3.535					


PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.

Symbol index   → • / present - / absent OD / On Demand

ATOLLO

Wall/ ceiling lamp - ø 70



DESCRIPTION **LIGHT SOURCE**

Wall/ ceiling lamp 6 x E27 28 W HES

Wall/ ceiling lamp NO DIM 1 led strip 40 W - 7000 Lm - 3000 K

Wall/ ceiling lamp DIM DALI-Push DIM 1 led strip 40 W - 7000 Lm - 3000 K



IP

CODE

€ EURO

•

OD

IP31

ATIEAP070D01

1.160

•

-

IP31

ATIEAP070D41

1.585

•


-

IP31

ATIEAP070D42

1.795

Wall/ ceiling lamp - ø 100



Wall/ ceiling lamp 8 x E27 28 W HES

Wall/ ceiling lamp NO DIM 1 led strip 55 W - 9300 Lm - 3000 K

Wall/ ceiling lamp DIM DALI-Push DIM 1 led strip 55 W - 9300 Lm - 3000 K

•

OD

IP31

ATIEAP100D01

1.565

•

-

IP31

ATIEAP100D41

2.125

•


-

IP31

ATIEAP100D42

2.380

Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp 12 x E27 28 W HES

Wall/ ceiling lamp NO DIM 1 led strip 82 W - 14000 Lm - 3000 K

Wall/ ceiling lamp DIM DALI-Push DIM 1 led strip 82 W - 14000 Lm - 3000 K

•

OD

IP31

ATIEAP150D01

2.495

•

-

IP31

ATIEAP150D41

3.300

•

-

IP31

ATIEAP150D42

3.705

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009



PAGE: 17

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand



ATOLLO OUTDOOR

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	6 x E27 42 W HES				• - IP44	ATOESO070D01	1.075
With 3 steel cables	6 x E27 42 W HES				• - IP44	ATOESO070D02	1.055
With 1 steel cable NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D41	1.540
With 3 steel cables NO DIM	1 led strip 40 W - 7000 Lm - 3000 K				• - IP44	ATOESO070D42	1.515

Pendant lamp - ø 100



With 1 steel cable	8 x E27 42 W HES				• - IP44	ATOESO100D01	1.450
With 4 steel cables	8 x E27 42 W HES				• - IP44	ATOESO100D02	1.400
With 1 steel cable NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D41	2.025
With 4 steel cables NO DIM	1 led strip 55 W - 9300 Lm - 3000 K				• - IP44	ATOESO100D42	1.980

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009



PAGE: **18**

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
With 1 steel cable	12 x E27 42 W HES				• - IP44	ATOESO150D01	2.495
With 4 steel cables	12 x E27 42 W HES				• - IP44	ATOESO150D02	2.430
With 1 steel cable NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D41	3.355
With 4 steel cables NO DIM	1 led strip 82 W - 14000 Lm - 3000 K				• - IP44	ATOESO150D42	3.300

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009


PAGE: **19**

Pendant and wall/ ceiling lamp.
 White polyethylene diffuser.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO OUTDOOR

Wall/ ceiling lamp - ø 70



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Wall/ ceiling lamp

6 x E27 42 W HES


• - IP44 ATOEAP070D01 1.275

Wall/ ceiling lamp NO DIM

1 led strip 40 W -
7000 Lm - 3000 K

• - IP44 ATOEAP070D41 1.620

Wall/ ceiling lamp - ø 100



Wall/ ceiling lamp

8 x E27 42 W HES


• - IP44 ATOEAP100D01 1.700

Wall/ ceiling lamp NO DIM

1 led strip 55 W -
9300 Lm - 3000 K

• - IP44 ATOEAP100D41 2.140

Wall/ ceiling lamp - ø 150



Wall/ ceiling lamp

12 x E27 42 W HES

• - IP44 ATOEAP150D01 2.660

Wall/ ceiling lamp NO DIM

1 led strip 82 W -
14000 Lm - 3000 K

• - IP44 ATOEAP150D41 3.420


PRODUCTS: Aura
DESIGN: De Clercq & Geoffroy-Dechaume 2014

Table lamp with natural or raw hemp colour concrete base.
 Lampshade available in cotton, pleated, wool or Remix Kvadrat fabric.
 Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process
 and of this material, that make each product a unique and unrepeatable piece.

Symbol index   → • / present - / absent OD / On Demand


AURA

Table lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO		 	IP	CODE	€ EURO	
Natural grey base cotton fabric	1 x E27 70 W HES	OD	- IP20	AURETA065C01	670						
Raw hemp base cotton fabric	1 x E27 70 W HES	OD	- IP20	AURETA065C03	670						
Natural grey base pleated fabric	1 x E27 70 W HES	•	- IP20	AURETA065P01	695						
Raw hemp base pleated fabric	1 x E27 70 W HES	•	- IP20	AURETA065P03	695						
Natural grey base wool fabric	1 x E27 70 W HES	•	- IP20	AURETA065E01	730						
Raw hemp base wool fabric	1 x E27 70 W HES	•	- IP20	AURETA065E03	730						
Natural grey base Kvadrat fabric	1 x E27 70 W HES	OD	- IP20	AURETA065I01	805						
Raw hemp base Kvadrat fabric	1 x E27 70 W HES	OD	- IP20	AURETA065I03	805						

Accessories



Upper disc in opal PMMA	-	IP20	AUREPM000M01	115	
Upper disc in white PC	•	IP20	AUREPC000B01	125	

Accessory - Table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)			DIMVAR0TA002	80	
---	--	--	--------------	----	--




Pendant and floor lamp with three or six arms.
 Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
 Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index  → • / present - / absent OD / On Demand


BAOBAB

Pendant lamp 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
			
		IP	IP
		CODE	CODE
		€ EURO	€ EURO
Pendant lamp 3 arms white or lead grey	3 x E27 42 W HES	• OD IP20 BAOESO003G01	905
Pendant lamp 3 arms Deluxe	3 x E27 42 W HES	• OD IP20 BAOESO003G02	1.055
Accessory:			
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)		LMPLEDE27KIT300	145

Pendant lamp 6 arms




Pendant lamp 6 arms white or lead grey	6 x E27 42 W HES	• OD IP20 BAOESO006G01	1.230
Pendant lamp 6 arms Deluxe	6 x E27 42 W HES	• OD IP20 BAOESO006G02	1.450
Accessory:			
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)		LMPLEDE27KIT600	285

Pendant and floor lamp with three or six arms.
Metal structure painted in white or lead grey colours and in Deluxe finishes: caramel and matt gold.
Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index  → • / present - / absent OD / On Demand


BAOBAB

Floor lamp 3 arms



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white or lead grey	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G01	1.160					
Floor lamp Deluxe	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G02	1.335					
Accessory:											
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT300	145					

Floor lamp 6 arms



Floor lamp white or lead grey	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G01	1.480					
Floor lamp Deluxe	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G02	1.715					
Accessory:											
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT600	285					

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	100									
---	--------------	-----	--	--	--	--	--	--	--	--	--




Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLES0040C01	505					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLES0040T01	535					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0040P01	580					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0040R01	585					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0040M01	525					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0040M02	580					

Pendant lamp - ø 50



Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLES0050C01	625					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLES0050T01	660					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0050P01	690					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0050R01	705					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0050M01	650					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0050M02	705					

Pendant lamp - ø 60




Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLES0060C01	765					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLES0060T01	815					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0060P01	850					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLES0060R01	870					
Opal PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0060M01	795					
Coloured PC	1 x E27 42 W HES	OD	OD	IP20	BOLES0060M02	855					

Pendant lamp in transparent PMMA. Inner diffuser in opal or colored PC orange and red or in cotton, washable, pleated and pleated ribbon fabric.
On demand, outer globe available in transparent polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	-	OD	IP20	ELLES0060C01	660					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLES0060T01	685					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060P01	675					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0060R01	690					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M01	670					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0060M02	720					

Pendant lamp - ø 80




Cotton	1 x E27 42 W HES	-	OD	IP20	ELLES0080C01	940					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLES0080T01	965					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080P01	1.000					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLES0080R01	1.010					
Opal PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M01	970					
Coloured PC	1 x E27 42 W HES	-	OD	IP20	ELLES0080M02	1.030					

Metal wall lamp painted in white or lead grey colours and in Deluxe finishing matt gold or available in the version with half discs covered in wool fabric with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

BUTTERFLY

Wall lamp - ø 54



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO

Metal wall lamp white or lead grey NO DIM

1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G01

755

Metal wall lamp Deluxe NO DIM

1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G02

870

Wool fabric wall lamp NO DIM

1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054E01

1.160

Metal wall lamp white or lead grey DIM DALI - Push DIM

1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G05

790

Metal wall lamp Deluxe DIM DALI - Push DIM

1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G06

905

Wool fabric wall lamp DIM DALI - Push DIM

1 led module 19,8W - 3420 Lm - 3000 K

•


-

IP20

BUTEAP054E03

1.190

Wall lamp - ø 75



Metal wall lamp white or lead grey NO DIM

1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G01

925

Metal wall lamp Deluxe NO DIM

1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G02

1.075

Wool fabric wall lamp NO DIM

1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075E01

1.565

Metal wall lamp white or lead grey DIM DALI - Push DIM

1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G05

960

Metal wall lamp Deluxe DIM DALI - Push DIM

1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G06

1.115

Wool fabric wall lamp DIM DALI - Push DIM

1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075E03

1.600

A and B: option at the customer's choice upon installation (2 sets of brackets included)

Accessory recessed

Kit for recessed version - ø 54

•

IP20

BUTEDD054G01

65


Kit for recessed version - ø 75

•

IP20

BUTEDD075G01

85




PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Pendant lamp with diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Plex finishishing underneath available in opal polycarbonate too, in accordance with 650° normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE

Pendant lamp



DESCRIPTION

LIGHT SOURCE

Medium pendant lamp ø 33

1 x E27 42 W HES

Maxi pendant lamp ø 51

1 x E27 70 W HES

INDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO033D01

400

OUTDOOR



IP

CODE

€ EURO

OD

OD

IP31

CAIESO051D01


525

Pendant and floor lamp available with power supply or rechargeable LED white kit.
 Diffuser in white polyethylene or colored on the mix available in the following colours: orange, red, lime green, turquoise and deep grey.
 Opal plex finishing underneath.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE OUTDOOR

Pendant lamp



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Medium pendant lamp ø 33

1 x E27 42 W HES

OD

OD

IP65

CAOESO033D02

500

Maxi pendant lamp ø 51

1 x E27 70 W HES

OD


OD

IP65

CAOESO051D02

600

Floor lamp with power supply



Medium floor lamp ø 33

1 x E27 42 W HES

•

-

IP44

CAOETP033D03

410

Maxi floor lamp ø 51

1 x E27 70 W HES

•


-

IP44

CAOETA051D03

510

Rechargeable floor lamp



Medium floor lamp ø 33

1 kit led 6,4 W - 600 Lm - warm light

•

-

IP65

CAOETP033D13

650

Maxi floor lamp ø 51

1 kit led 6,4 W - 600 Lm - warm light

•

-

IP65

CAOETA051D13

740

IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C (with working temperature range from +7°C to 10°C battery life is decreasing of 20%):


Led 25% 1,6W 10h - Led 50% 3,2W 6h30' - Led 100% 6,4W 2h15' - It is recommended to recharge the kit in indoor - temperature > +15° C.

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Pendant lamp - ø 100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO100G01

1.585

Pendant lamp Deluxe

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO100G02

1.760

Pendant lamp white or black with
gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO100G21

1.620

Pendant lamp Deluxe with gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO100G22

1.795

Accessory:

Kit light bulbs: 12 x E27 Globe 125 LED 8W
2200K (NO DIM) + 1 x GU10 LED (NO DIM)

LMPLEDE27KIT011


380

Kit light bulbs: 12 x E27 Globe 125 LED
7,5W 2200K (DIM) + 1 x GU10 LED (DIM)

LMPLEDE27KIT012

565

Pendant lamp - ø 100



Pendant lamp white or black

13 x GU10 28 W HES

•

OD

IP20

CHAESO100G11

1.585

Pendant lamp Deluxe

13 x GU10 28 W HES

•

OD

IP20

CHAESO100G12

1.760

Pendant lamp white or black with
gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO100G31

1.620

Pendant lamp Deluxe with gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO100G32

1.795

Accessory:

Kit 13 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT11

185

Kit 13 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT12


220

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Pendant lamp - ø 140



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G01

1.700

Pendant lamp Deluxe

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G02

1.895

Pendant lamp white or black with
gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G21

1.740

Pendant lamp Deluxe with gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G22

1.935

Accessory:

Kit light bulbs: 12 x E27 Globe 125 LED 8W
2200K (NO DIM) + 1 x GU10 LED (NO DIM)

LMPLEDE27KIT011


380

Kit light bulbs: 12 x E27 Globe 125 LED
7,5W 2200K (DIM) + 1 x GU10 LED (DIM)

LMPLEDE27KIT012

565

Pendant lamp - ø 140



Pendant lamp white or black

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G11

1.700

Pendant lamp Deluxe

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G12

1.895

Pendant lamp white or black with
gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G31

1.740

Pendant lamp Deluxe with gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G32

1.935

Accessory:

Kit 13 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT11

185

Kit 13 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT12


220

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G01	1.610					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G02	1.780					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G21	1.645					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G22	1.820					
Accessory:											
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)						LMPLEDE27KIT013	295				
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)						LMPLEDE27KIT014	395				

Ceiling lamp - ø 100




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G11	1.610					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G12	1.780					
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G31	1.645					
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G32	1.820					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	185					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	220					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	• OD IP20 CHAEPL140G01	1.715
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	• OD IP20 CHAEPL140G02	1.910
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	• OD IP20 CHAEPL140G21	1.750
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	• OD IP20 CHAEPL140G22	1.950
Accessory:			
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2200K (NO DIM) + 7 x GU10 LED (NO DIM)		LMPLEDE27KIT013	295
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)		LMPLEDE27KIT014	395

Ceiling lamp - ø 140




Ceiling lamp white or black	13 x GU10 28 W HES	• OD IP20 CHAEPL140G11	1.715
Ceiling lamp Deluxe	13 x GU10 28 W HES	• OD IP20 CHAEPL140G12	1.910
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	• OD IP20 CHAEPL140G31	1.750
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	• OD IP20 CHAEPL140G32	1.950
Accessory:			
Kit 13 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT11	185
Kit 13 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT12	220

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – single



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white or black 2 x E27 42 W HES

• OD IP20 CHAEAP010G01 295

Wall lamp Deluxe 2 x E27 42 W HES

• OD IP20 CHAEAP010G02 335

Accessory:


Kit 2 light bulbs E27 Globe 125 LED
8W 2200K (NO DIM)

LMPLEDE27KIT001 85

Kit 2 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

LMPLEDE27KIT002 105

Wall lamp – single



Wall lamp white or black 2 x GU10 28W HES

• OD IP20 CHAEAP010G11 295

Wall lamp Deluxe 2 x GU10 28W HES

• OD IP20 CHAEAP010G12 335

Accessory:

Kit 2 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT01 35

Kit 2 light bulbs GU10 LED (DIM)


LMPLEDGU10KIT02 45

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – double



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wall lamp white or black 4 x E27 42 W HES

• OD IP20 CHAEAP035G01 510

Wall lamp Deluxe 4 x E27 42 W HES

• OD IP20 CHAEAP035G02 565

Accessory:


Kit 4 light bulbs E27 Globe 125 LED
8W 2200K (NO DIM)

LMPLEDE27KIT003 145

Kit 4 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

LMPLEDE27KIT004 200

Wall lamp – double



Wall lamp white or black 4 x GU10 28W HES

• OD IP20 CHAEAP035G11 510

Wall lamp Deluxe 4 x GU10 28W HES

• OD IP20 CHAEAP035G12 565

Accessory:

Kit 4 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT03 85

Kit 4 light bulbs GU10 LED (DIM)


LMPLEDGU10KIT04 105

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE



Pendant lamp - L. 100



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G01	2.075
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G02	2.265
Pendant lamp white or black with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G21	2.125
Pendant lamp Deluxe with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO100G22	2.315
Accessory:			
Kit light bulbs: 16 x E27 Globe 125 LED 8W 2200K (NO DIM) + 2 x GU10 LED (NO DIM)		LMPLEDE27KIT016	525
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2200K (DIM) + 2 x GU10 LED (DIM)		LMPLEDE27KIT017	730

Pendant lamp - L. 100




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Pendant lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLESO100G11	2.075
Pendant lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLESO100G12	2.265
Pendant lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20 CHLESO100G31	2.125
Pendant lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20 CHLESO100G32	2.315
Accessory:			
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18	250
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19	325

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Pendant lamp - L. 150



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G01

2.140

Pendant lamp Deluxe

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G02

2.400

Pendant lamp white or black with
gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G21

2.210

Pendant lamp Deluxe with gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO150G22

2.460

Accessory:

Kit light bulbs: 16 x E27 Globe 125 LED 8W
2200K (NO DIM) + 2 x GU10 LED (NO DIM)

LMPLEDE27KIT016


525

Kit light bulbs: 16 x E27 Globe 125 LED
7,5W 2200K (DIM) + 2 x GU10 LED (DIM)

LMPLEDE27KIT017

730

Pendant lamp - L. 150



Pendant lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G11

2.140

Pendant lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G12

2.400

Pendant lamp white or black with
gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G31

2.210

Pendant lamp Deluxe with gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO150G32

2.460

Accessory:

Kit 18 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

250

Kit 18 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19


325

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE


Ceiling lamp - L. 100



110 cm	55 cm
43.31"	21.65"

DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G01	2.025
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G02	2.265
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G21	2.085
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	• OD IP20 CHLEPL100G22	2.315
Accessory:			
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)		LMPLEDE27KIT160	395
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)		LMPLEDE27KIT170	525

Ceiling lamp - L. 100



105 cm	48 cm
41.34"	18.9"


Ceiling lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLEPL100G11	2.025
Ceiling lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLEPL100G12	2.265
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20 CHLEPL100G31	2.085
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20 CHLEPL100G32	2.315
Accessory:			
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18	250
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19	325

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Ceiling lamp - L. 150



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G01	2.095				
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G02	2.390				
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G21	2.160				
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD IP20	CHLEPL150G22	2.440				
Accessory:									
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2200K (NO DIM) + 10 x GU10 LED (NO DIM)				LMPLEDE27KIT160	395				
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)				LMPLEDE27KIT170	525				

Ceiling lamp - L. 150



Ceiling lamp white or black	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G11	2.095				
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G12	2.390				
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G31	2.160				
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	•	OD IP20	CHLEPL150G32	2.440				
Accessory:									
Kit 18 light bulbs GU10 LED (NO DIM)				LMPLEDGU10KIT18	250				
Kit 18 light bulbs GU10 LED (DIM)				LMPLEDGU10KIT19	325				


PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 107



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

DIRECT LIGHT

Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP100C01	1.935	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP100O01	2.170	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C05	2.275	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C04	2.315	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C06	2.380	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O05	2.505	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O04	2.545	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100O06	2.610	

DOUBLE LIGHT EMISSION


Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C15	2.975	
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C14	3.090	
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100C16	3.090	
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O15	3.210	
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O14	3.325	
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP100O16	3.325	

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP130C01	2.340					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CARESP130O01	2.625					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C05	2.680					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C04	2.730					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C06	2.785					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O05	2.960					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O04	3.005					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130O06	3.060					
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C07	2.775					
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130C08	2.915					
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O07	3.055					
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CARESP130O08	3.195					

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Pendant lamp - ø 127



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
DOUBLE LIGHT EMISSION											
Cotton NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C15	3.380					
Cotton DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C14	3.495					
Cotton DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130C16	3.495					
Velvet NO DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O15	3.660					
Velvet DIM TRIAC	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O14	3.775					
Velvet DIM DALI-Push DIM	2 led module 57W + 17W - 11250 Lm - 2700K	OD	OD	IP20	CARESP130O16	3.775					
Cotton NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C17	3.420					
Cotton DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130C18	3.590					
Velvet NO DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O17	3.695					
Velvet DIM DALI-Push DIM	2 led module 88W + 17W - 14880 Lm - 2700K	OD	OD	IP20	CARESP130O18	3.865					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019


PAGE: **41**

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
 Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
 On demand, lampshade available in wool and Remix Kvadrat fabric.
 Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 107




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
DIRECT LIGHT											
Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL100C01	1.795					
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL100O01	2.025					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C05	2.105					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C04	2.160					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C06	2.210					
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O05	2.335					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O04	2.390					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100O06	2.440					

Large pendant or ceiling lamp with direct light or double light emission. Opal plex finishing underneath.
Upper perimetral graphite painted metal ring, lampshade in cotton or velvet fabric.
On demand, lampshade available in wool and Remix Kvadrat fabric.
Double light emission versions: D.107 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 8750 lm / D.127 Up 2500 lm - Down 12380 lm

Symbol index  → • / present - / absent OD / On Demand

CHARLIE

Ceiling lamp - ø 127



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

DIRECT LIGHT

Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL130C01	2.170	
Velvet	4 x E27 105 W HES	OD	OD	IP20	CAREPL130O01	2.440	
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C05	2.515	
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C04	2.620	
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C06	2.670	
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O05	2.790	
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O04	2.840	
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130O06	2.895	
Cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C07	2.580	
Cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130C08	2.725	
Velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O07	2.860	
Velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CAREPL130O08	3.000	

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


Opal plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP060C01	515					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP060T01	570					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP060O01	590					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP060L01	595					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP060C02	610					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP060T02	665					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP060O02	685					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP060L02	690					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060P01	760					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060R01	775					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C06	775					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T06	835					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O06	850					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L06	855					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P05	925					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R05	945					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C09	845					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T09	905					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O09	920					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L09	925					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P09	1.000					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R09	1.015					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C08	855					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T08	915					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O08	930					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060L08	940					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P07	1.010					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R07	1.025					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX060F01	145	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP070C01	585					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP070T01	685					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP070O01	710					
1 light cotton+lycra	1 x E27 70 W HES	OD	OD	IP20	CILESP070L01	695					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP070C02	660					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP070T02	760					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP070O02	790					
3 lights cotton+lycra	3 x E27 70 W HES	OD	OD	IP20	CILESP070L02	770					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070P01	1.105					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070R01	1.130					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C06	855					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T06	955					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O06	985					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L06	965					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P05	1.295					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R05	1.325					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C09	925					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T09	1.025					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O09	1.055					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L09	1.035					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P09	1.365					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R09	1.395					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C08	965					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T08	1.065					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O08	1.090					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070L08	1.075					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P07	1.405					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R07	1.435					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX070F01	200	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP100C01	1.145					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP100T01	1.285					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP100O01	1.325					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP100L01	1.295					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100P01	1.880					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100R01	1.930					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C08	1.260					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T08	1.400					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O08	1.440					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L08	1.410					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P08	1.995					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R08	2.050					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C09	1.335					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T09	1.470					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O09	1.510					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L09	1.480					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P09	2.070					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R09	2.110					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C10	1.370					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T10	1.510					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O10	1.550					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100L10	1.525					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P10	2.105					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R10	2.160					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C13	1.565					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T13	1.700					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O13	1.745					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L13	1.715					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P13	2.300					
1 light pleated ribbon fabric NO DIM/ DIM 1-10V	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R13	2.340					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C14	1.635					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T14	1.770					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O14	1.810					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L14	1.780					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P14	2.365					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R14	2.415					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C15	1.670					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T15	1.810					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O15	1.855					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100L15	1.825					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P15	2.410					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R15	2.450					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX100F01	440	
-----------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP120C01	1.715					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP120T01	1.885					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP120O01	1.935					
4 lights cotton+lycra	4 x E27 105 W HES	OD	OD	IP20	CILESP120L01	1.875					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120P01	2.265					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120R01	2.315					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C08	1.825					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T08	1.995					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O08	2.050					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L08	1.950					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P08	2.325					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R08	2.390					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C09	1.890					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T09	2.070					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O09	2.110					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L09	2.010					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P09	2.400					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R09	2.450					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C10	1.910					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T10	2.085					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O10	2.125					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120L10	2.030					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P10	2.415					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R10	2.470					

Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C11	2.265					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T11	2.430					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O11	2.475					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L11	2.385					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P11	2.760					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R11	2.820					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C12	2.325					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T12	2.505					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O12	2.545					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120L12	2.445					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P12	2.830					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R12	2.890					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX120F01	485	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton	6 x E27 105 W HES	OD	OD	IP20	CILESP150C01	2.650					
6 lights washable	6 x E27 105 W HES	OD	OD	IP20	CILESP150T01	2.840					
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CILESP150O01	2.955					
6 lights pleated fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150P01	3.545					
6 lights pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150R01	3.610					
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C08	2.955					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T08	3.135					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O08	3.255					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P08	3.845					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R08	3.915					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C09	3.020					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T09	3.210					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O09	3.325					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P09	3.915					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R09	3.980					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CISESP070O02	1.855					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CISESP070E02	1.855					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O03	2.010					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O04	2.085					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O05	2.115					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E03	2.010					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E04	2.085					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E05	2.115					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX070F01	220	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP100O02	2.545					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP100E02	2.545					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O03	2.630					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O04	2.695					
1 light velvet DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O05	2.735					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E03	2.630					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E04	2.695					
1 light wool DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E05	2.735					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O08	2.925					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O09	2.995					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O10	3.035					
1 light wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E08	2.925					
1 light wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E09	2.995					
1 light wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E10	3.035					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX100F01	420	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP120O02	2.775					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP120E02	2.775					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O03	2.850					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O04	2.915					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O05	2.955					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E03	2.850					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E04	2.915					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E05	2.955					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O06	3.195					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O07	3.265					
1 light wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E06	3.195					
1 light wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E07	3.265					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX120F01	525	
-----------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort in velvet and wool fabric (on demand, also available in Remix Kvadrat fabric).
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 150



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

6 lights velvet

6 x E27 105 W HES

OD

OD

IP20

CISESP150O02

3.995

6 lights wool

6 x E27 105 W HES

OD

OD

IP20

CISESP150E02

3.995

1 light velvet NO DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150O06

4.515

1 light velvet DIM DALI-Push DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150O07

4.590

1 light wool NO DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150E06

4.515

1 light wool DIM DALI-Push DIM

1 led module 88,2 W -
12380 Lm - 2700 K

OD

OD

IP20

CISESP150E07

4.590

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Clip
DESIGN: Baldessari e Baldessari 2018


PAGE: **56**

Oblong shape pendant lamp with double light emission. Metal structure painted sand or lead grey colours and in Deluxe finishes: caramel or matt gold.
 Upper diffuser in white polycarbonate.
 Double light emission: L 130 Up 5120 lm - Down 2560 lm / L 170 Up 7040 lm - Down 2560 lm

Symbol index  → • / present - / absent OD / On Demand


CLIP

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp sand or lead grey NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G01	2.025					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G03	2.095					
Pendant lamp Deluxe NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G02	2.190					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G04	2.265					

Pendant lamp - L 170



Pendant lamp sand or lead grey NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G01	2.225					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G03	2.300					
Pendant lamp Deluxe NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G02	2.410					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G04	2.475					

PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015


Pendant lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.60


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	COCESP060P01	1.135					



Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P05	1.240					
Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P07	1.275					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P06	1.350					

Pendant lamp D.80

Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	COCESP080P01	1.600					
----------------	------------------	----	----	------	--------------	-------	--	--	--	--	--




Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P05	1.820					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P07	1.910					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P06	1.910					

Pendant lamp in hand-finished pleated fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pleated fabric

4 x E27 70 W HES

OD

OD

IP20

COCESP100P01

2.105

Pendant lamp pleated fabric NO DIM

1 led module 23 W -
3628 Lm - 2700 K

OD

OD

IP20

COCESP100P05

2.265

Pendant lamp pleated fabric DIM
TRIAC

1 led module 23 W -
3628 Lm - 2700 K

OD

OD

IP20

COCESP100P09

2.345

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 23 W -
3628 Lm - 2700 K

OD

OD

IP20

COCESP100P06

2.345

Pendant lamp pleated fabric NO DIM

1 led module 57 W -
8750 Lm - 2700 K

OD

OD

IP20

COCESP100P12

2.560

Pendant lamp pleated fabric DIM
TRIAC

1 led module 57 W -
8750 Lm - 2700 K

OD

OD

IP20

COCESP100P13

2.635

Pendant lamp pleated fabric DIM DALI-
Push DIM

1 led module 57 W -
8750 Lm - 2700 K

OD

OD

IP20

COCESP100P14

2.665

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


Floor lamp with cantilever arm. Embossed white or black painted metal structure.
Rotating lampshade (adjustable 30°) available in cotton fabric in the same colour as the metal structure or in washable marble fabric. (On demand, also available in wool fabric).
One side frosted plex finishing underneath.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


CORNER

Floor lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton white DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C07	1.495					
Metal black cotton black DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060C08	1.495					
Metal white washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T07	1.565					
Metal black washable marble DIM	1 led module 25 W - 4425 Lm - 3000 K	OD	OD	IP20	COREPT060T08	1.565					

Floor lamp - ø 80



Metal white cotton white DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C09	1.855					
Metal black cotton black DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080C10	1.855					
Metal white washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T09	1.910					
Metal black washable marble DIM	1 led module 35 W - 6040 Lm - 3000 K	OD	OD	IP20	COREPT080T10	1.910					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Metal structure painted white, graphite or rust effect. On demand, different RAL colours available (minimum quantity 10 pcs).
 Cylindric diffuser in opal PC.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

DIOGENE OUTDOOR

Table/ floor/ pendant lamp

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Version with power supply

1 x E27 70 W HES

•

-

IP44

DIOETA030G42

525

Rechargeable version

1 kit led 6,4 W - 600 Lm -
warm light



•

-

IP65

DIOETA030G12

720



IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 25% 1,6W 10h

Led 50% 3,2W 6h 30'

Led 100% 6,4W 2h 15'

With working temperature range from +7 C° to 10°C battery life is decreasing of 20%.


(It is recommended to recharge the kit in indoor - temperature > +15° C).

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	DISESP040C02	460					
2 lights washable	2 x E27 42 W HES	OD	OD	IP20	DISESP040T02	485					
2 lights velvet	2 x E27 42 W HES	OD	OD	IP20	DISESP040O02	490					
2 lights cotton+lycra	2 x E27 42 W HES	OD	OD	IP20	DISESP040L02	535					
2 lights pleated fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040P02	555					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040R02	565					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C06	580					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T06	600					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O06	610					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L06	650					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P06	670					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R06	685					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C07	600					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T07	625					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O07	630					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L07	670					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P07	695					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R07	705					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C08	670					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T08	695					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O08	700					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040L08	740					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P08	765					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R08	775					

Accessory

Top protective disk in opal plex	OD	IP20	DISEPX040F01	75	
----------------------------------	----	------	--------------	----	--




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISESP060C02	650					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISESP060T02	690					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISESP060O02	700					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISESP060L02	725					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060P02	765					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060R02	780					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C06	855					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T06	900					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O06	910					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L06	930					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P06	970					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R06	990					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C07	915					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T07	955					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O07	965					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L07	990					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P07	1.030					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R07	1.050					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C08	940					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T08	975					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O08	990					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060L08	1.015					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P08	1.130					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R08	1.145					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C11	1.085					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T11	1.130					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O11	1.140					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L11	1.165					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P11	1.280					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R11	1.295					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C13	1.145					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T13	1.185					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O13	1.195					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L13	1.225					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P13	1.260					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R13	1.280					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C12	1.180					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T12	1.225					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O12	1.235					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060L12	1.255					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P12	1.370					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R12	1.390					


Accessory

Top protective disk in opal plex



Accessory

Jointed arm for ø 40 - 60 - 80 - 100




(price valid only if ordered at the same time as the pendant lamp)

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP080C02	880					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP080T02	930					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP080O02	950					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP080L02	970					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080P02	1.080					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080R02	1.110					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C16	1.250					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T16	1.300					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O16	1.320					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L16	1.345					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P16	1.455					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R16	1.475					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C10	1.305					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T10	1.360					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O10	1.380					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L10	1.400					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P10	1.510					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R10	1.535					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C17	1.380					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T17	1.430					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O17	1.450					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080L17	1.470					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P17	1.580					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R17	1.605					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).


One side frosted plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE

Pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C13	1.505					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T13	1.555					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O13	1.575					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080L13	1.600					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P13	1.710					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R13	1.735					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C15	1.600					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T15	1.650					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O15	1.665					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080L15	1.690					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P15	1.800					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R15	1.825					

Accessory	Top protective disk in opal plex	OD	IP20	DISEPX080F01	180	
------------------	----------------------------------	----	------	--------------	-----	--



Accessory	Jointed arm for ø 40 - 60 - 80 - 100	•	IP20		250	
------------------	--------------------------------------	---	------	--	-----	--




Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP100C02	1.040					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP100T02	1.110					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP100O02	1.125					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISESP100L02	1.145					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100P02	1.400					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100R02	1.430					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C17	1.410					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T17	1.475					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O17	1.495					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L17	1.515					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P17	1.770					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R17	1.800					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C19	1.470					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T19	1.535					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O19	1.550					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L19	1.575					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P19	1.830					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R19	1.860					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C18	1.540					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T18	1.605					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O18	1.620					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100L18	1.645					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P18	1.895					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R18	1.930					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C13	1.740					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T13	1.800					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O13	1.820					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L13	1.845					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P13	2.095					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R13	2.120					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C15	1.830					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T15	1.890					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O15	1.910					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100L15	1.935					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P15	2.190					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R15	2.215					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100C16	2.200					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100T16	2.270					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100O16	2.285					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100L16	2.305					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100P16	2.555					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISESP100R16	2.585					


Accessory

Top protective disk in opal plex



Accessory

Jointed arm for ø 40 - 60 - 80 - 100



(price valid only if ordered at the same time as the pendant lamp)



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 40





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 28 W HES	OD	OD	IP20	DISEAP040C02	420					
2 lights washable	2 x E27 28 W HES	OD	OD	IP20	DISEAP040T02	440					
2 lights velvet	2 x E27 28 W HES	OD	OD	IP20	DISEAP040O02	445					
2 lights cotton+lycra	2 x E27 28 W HES	OD	OD	IP20	DISEAP040L02	485					
2 lights pleated fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040P02	510					
2 lights pleated ribbon fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040R02	525					
1 light cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C06	545					
1 light washable NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T06	565					
1 light velvet NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O06	570					
1 light cotton+lycra NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L06	615					
1 light pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P06	640					
1 light pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R06	650					
1 light cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C07	565					
1 light washable DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T07	590					
1 light velvet DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O07	595					
1 light cotton+lycra DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L07	640					
1 light pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P07	660					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R07	670					
1 light cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C08	640					
1 light washable DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T08	660					
1 light velvet DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O08	665					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040L08	705					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P08	730					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R08	740					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISEAP060C02	640					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISEAP060T02	675					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISEAP060O02	690					
3 lights cotton+lycra	3 x E27 42 W HES	OD	OD	IP20	DISEAP060L02	710					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060P02	755					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060R02	770					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C06	810					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T06	850					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O06	860					
1 light cotton+lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L06	885					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P06	925					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R06	945					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C07	870					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T07	910					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O07	920					
1 light cotton+lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L07	945					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P07	985					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R07	1.005					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C08	895					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T08	930					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O08	945					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060L08	965					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	1.010					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R08	1.025					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).



One side frosted plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60



13 cm
5.12"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C11	1.040					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T11	1.080					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O11	1.090					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L11	1.120					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P11	1.160					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R11	1.175					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C09	1.115					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T09	1.150					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O09	1.165					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L09	1.185					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P09	1.230					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R09	1.245					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C12	1.150					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T12	1.190					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O12	1.200					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060L12	1.230					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P12	1.270					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R12	1.285					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL080C02	870					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL080T02	920					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL080O02	940					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL080L02	960					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080P02	1.070					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080R02	1.090					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C16	1.240					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T16	1.290					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O16	1.305					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L16	1.335					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P16	1.440					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R16	1.465					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C10	1.305					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T10	1.360					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O10	1.430					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L10	1.400					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P10	1.510					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R10	1.535					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C17	1.350					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T17	1.400					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O17	1.420					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080L17	1.440					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R17	1.550					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P17	1.575					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
 One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C13	1.460					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T13	1.510					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O13	1.530					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L13	1.550					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P13	1.660					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R13	1.685					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C15	1.530					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T15	1.580					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O15	1.600					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080L15	1.620					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P15	1.735					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R15	1.755					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL100C02	1.055					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL100T02	1.120					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL100O02	1.135					
4 lights cotton+lycra	4 x E27 42 W HES	OD	OD	IP20	DISEPL100L02	1.160					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100P02	1.410					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100R02	1.440					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C17	1.410					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T17	1.475					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O17	1.495					
1 light cotton+lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L17	1.515					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P17	1.770					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R17	1.800					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C19	1.470					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T19	1.535					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O19	1.550					
1 light cotton+lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L19	1.575					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P19	1.830					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R19	1.860					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C18	1.540					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T18	1.605					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O18	1.620					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100L18	1.645					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P18	1.895					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R18	1.930					

Pendant, wall/ ceiling lamp available in cotton, washable, velvet, lycra, pleated and pleated ribbon fabric (on demand, also available in wool and Remix Kvadrat fabric).
One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C13	1.645					
1 light washable NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T13	1.710					
1 light velvet NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O13	1.725					
1 light cotton+lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L13	1.750					
1 light pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P13	2.000					
1 light pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R13	2.030					
1 light cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C15	1.700					
1 light washable DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T15	1.765					
1 light velvet DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O15	1.780					
1 light cotton+lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100L15	1.805					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P15	2.065					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R15	2.090					
1 light cotton NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100C16	2.140					
1 light washable NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100T16	2.205					
1 light velvet NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100O16	2.220					
1 light cotton+lycra NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100L16	2.240					
1 light pleated fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100P16	2.505					
1 light pleated ribbon fabric NO DIM/ DIM DALI-Push DIM	1 led module 104 W - 17420 Lm - 2700 K	OD	OD	IP20	DISEPL100R16	2.530					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
 43 cm 16.93" 65 cm 25.59"	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C01	810					
	1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T01	855					
	1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I01	955					
	1 light black / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C02	810					
	1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T02	855					
	1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I02	955					
Accessory - Table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	80					



	Reading lamp	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C01	985	
		1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T01	1.030	
		1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I01	1.130	
		1 light black / cotton black	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C02	985	
		1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T02	1.030	
		1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I02	1.130	

PRODUCTS: Disk
DESIGN: Roberto Paoli 2014


Table, reading and floor lamp. Lampshade in cotton (same colour as metal structure), washable marble or Remix Kvadrat fabric (on demand, also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade. Bottom cap in thermoformed opal PMMA with soft touch finishing.

On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights white / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C01	1.220					
2 lights white / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T01	1.295					
2 lights white / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I01	1.465					
2 lights black / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C02	1.220					
2 lights black / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T02	1.295					
2 lights black / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I02	1.465					

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)

DIMVAROPT003

100




Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


EVA

EVA mini - Pendant lamp ø 11



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H41	255					
Diffuser Deluxe ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H51	270					
Diffuser dark brown cotto	1 x GU10 20 W HES	•	OD	IP20	EVAESO011N41	270					

EVA medium - Pendant lamp ø 18



Diffuser matt white ceramic	1 x E27 52 W HES	•	OD	IP20	EVAESO018H01	420					
Diffuser Deluxe ceramic	1 x E27 52 W HES	•	OD	IP20	EVAESO018H51	430					
Diffuser dark brown cotto	1 x E27 52 W HES	•	OD	IP20	EVAESO018N01	430					


PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013

Pendant lamp with diffuser in white matt ceramic and in Deluxe finishes: lead grey, caramel, matt gold or dark brown.
 Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
 On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


EVA

EVA maxi - Pendant lamp ø 27



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
			IP	CODE	€ EURO			IP	CODE	€ EURO	
Diffuser matt white ceramic	1 x E27 70 W HES	•	OD IP20	EVAESO027H01	685						
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD IP20	EVAESO027H51	720						
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD IP20	EVAESO027N01	720						

EVA mega - Pendant lamp ø 38




Diffuser matt white ceramic	1 x E27 70 W HES	•	OD IP20	EVAESO037H01	1.275						
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD IP20	EVAESO037H51	1.305						
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD IP20	EVAESO037N01	1.355						

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 1 - Pendant lamp



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

1 lampshade pleated fabric

1 x E27 70 W HES

•

OD

IP20

FLOESO001P01

460

1 lampshade pleated ribbon fabric

1 x E27 70 W HES

OD


OD

IP20

FLOESO001R01

475

Florinda 3 - Pendant lamp



3 lampshades pleated fabric

3 x E27 70 W HES

•

OD

IP20

FLOESO003P01

1.470

3 lampshades pleated ribbon fabric

3 x E27 70 W HES

OD

OD

IP20

FLOESO003R01


1.505

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Pendant lamp



DESCRIPTION

LIGHT SOURCE

6+1 lampshades pleated fabric
(double lighting)


6xE27 70 W + 1xE14 42
W HES

6+1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	FLOESO006P01	2.945					
OD	OD	IP20	FLOESO006R01	3.020					

Florinda 12 - Pendant lamp



12+1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

12+1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES


OD	OD	IP20	FLOESO012P02	7.410						
OD	OD	IP20	FLOESO012R02	7.585						

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 3 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

3 lampshades pleated fabric

3 x E27 70 W HES

•

OD

IP20

FLOEPL003P01

1.475

3 lampshades pleated ribbon fabric

3 x E27 70 W HES

OD


OD

IP20

FLOEPL003R01

1.510

Florinda 6 – Ceiling lamp



6 +1 lampshades pleated fabric
(double lighting)

6xE27 70 W + 1xE14 42
W HES

•

OD

IP20

FLOEPL006P01

2.890

6 +1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

OD

OD

IP20

FLOEPL006R01


2.965

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 12 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE

12 +1 lampshades pleated fabric (double lighting)


12xE27 70 W HES + 3xE27 42 W HES

12 +1 lampshades pleated ribbon fabric (double lighting)

12xE27 70 W HES + 3xE27 42 W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
OD	OD	IP20	FLOEPL012P02	7.520						
OD	OD	IP20	FLOEPL012R02	7.690						

Florinda – Wall lamp



Wall lamp pleated fabric

2 x E27 42 W HES

• OD IP20 FLOEAP002P01 370

Wall lamp pleated ribbon fabric

2 x E27 42 W HES


OD OD IP20 FLOEAP002R01 380

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand


FLORINDA DESNUDA

Florinda Desnuda 1 - Pendant lamp



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
1 lampshade - matt white 9010	1 x E27 70 W HES	•	OD IP20	FLDESO001G01	265				
1 lampshade - matt black	1 x E27 70 W HES	•	OD IP20	FLDESO001G02	265				
1 lampshade - glossy chrome finishing	1 x E27 70 W HES	•	OD IP20	FLDESO001G04	330				
1 lampshade - glossy copper finishing	1 x E27 70 W HES	•	OD IP20	FLDESO001G05	330				
1 lampshade - glossy brass finishing	1 x E27 70 W HES	•	OD IP20	FLDESO001G06	330				

Florinda Desnuda 3 - Pendant lamp




3 lampshades - matt white 9010	3 x E27 70 W HES	•	OD IP20	FLDESO003G01	855				
3 lampshades - matt black	3 x E27 70 W HES	•	OD IP20	FLDESO003G02	855				
3 lampshades - glossy chrome finishing	3 x E27 70 W HES	•	OD IP20	FLDESO003G04	1.285				
3 lampshades - glossy copper finishing	3 x E27 70 W HES	•	OD IP20	FLDESO003G05	1.285				
3 lampshades - glossy brass finishing	3 x E27 70 W HES	•	OD IP20	FLDESO003G06	1.285				

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 6 - Pendant lamp



DESCRIPTION LIGHT SOURCE

6 lampshades - matt white 9010 6 x E27 70 W HES

6 lampshades - matt black 6 x E27 70 W HES


6 lampshades - glossy chrome finishing 6 x E27 70 W HES

6 lampshades - glossy copper finishing 6 x E27 70 W HES

6 lampshades - glossy brass finishing 6 x E27 70 W HES

INDOOR				OUTDOOR			
 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
•	OD	IP20	FLDESO006G01	1.620			
•	OD	IP20	FLDESO006G02	1.620			
•	OD	IP20	FLDESO006G04	2.610			
•	OD	IP20	FLDESO006G05	2.610			
•	OD	IP20	FLDESO006G06	2.610			

Florinda Desnuda 12 - Pendant lamp



12 lampshades - matt white 9010 12 x E27 70 W HES

12 lampshades - matt black 12 x E27 70 W HES

12 lampshades - glossy chrome finishing 12 x E27 70 W HES

12 lampshades - glossy copper finishing 12 x E27 70 W HES

12 lampshades - glossy brass finishing 12 x E27 70 W HES


•	OD	IP20	FLDESO012G01	3.650			
•	OD	IP20	FLDESO012G02	3.650			
•	OD	IP20	FLDESO012G04	6.370			
•	OD	IP20	FLDESO012G05	6.370			
•	OD	IP20	FLDESO012G06	6.370			

Pendant and ceiling lamp. Metal structure in matt white or black and in galvanic finishes: chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA

Florinda Desnuda 3 - Ceiling lamp



DESCRIPTION LIGHT SOURCE

3 lampshades - matt white 9010 3 x E27 70 W HES

3 lampshades - matt black 3 x E27 70 W HES

3 lampshades - glossy chrome finishing 3 x E27 70 W HES

3 lampshades - glossy copper finishing 3 x E27 70 W HES

3 lampshades - glossy brass finishing 3 x E27 70 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

FLDEPL003G01

875

•

OD

IP20

FLDEPL003G02

875

•

OD

IP20

FLDEPL003G04

1.300

•

OD

IP20

FLDEPL003G05

1.300

•

OD

IP20

FLDEPL003G06

1.300




IP

OUTDOOR

CODE

€ EURO

Florinda Desnuda 6 - Ceiling lamp



6 lampshades - matt white 9010 6 x E27 70 W HES

6 lampshades - matt black 6 x E27 70 W HES

6 lampshades - glossy chrome finishing 6 x E27 70 W HES

6 lampshades - glossy copper finishing 6 x E27 70 W HES

6 lampshades - glossy brass finishing 6 x E27 70 W HES

•

OD

IP20

FLDEPL006G01

1.565

•

OD

IP20

FLDEPL006G02

1.565

•

OD

IP20

FLDEPL006G04

2.545

•

OD

IP20

FLDEPL006G05

2.545

•


OD

IP20

FLDEPL006G06

2.545

Florinda Desnuda 12 - Ceiling lamp



12 lampshades - matt white 9010 12 x E27 70 W HES

12 lampshades - matt black 12 x E27 70 W HES

12 lampshades - glossy chrome finishing 12 x E27 70 W HES

12 lampshades - glossy copper finishing 12 x E27 70 W HES

12 lampshades - glossy brass finishing 12 x E27 70 W HES

•

OD

IP20

FLDEPL0012G01

3.940

•

OD

IP20

FLDEPL0012G02

3.940

•

OD

IP20

FLDEPL0012G04

6.830

•

OD

IP20

FLDEPL0012G05

6.830

•

OD

IP20

FLDEPL0012G06


6.830

Pendant lamp, wall lamp and floor lamp.
White, lead grey or matt gold painted metal structure.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand


GALILEO

Pendant lamp - D. 80 x L.125



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALES0080G01	1.435					
Pendant lamp matt gold NO DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALES0080G02	1.895					
Pendat lamp white or lead grey DIM TRIAC	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALES0080G03	1.580					
Pendant lamp matt gold DIM TRIAC	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALES0080G04	2.040					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALES0080G05	1.580					
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALES0080G06	2.040					

Pendant lamp - D. 100 x L.156




Pendant lamp white or lead grey NO DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G01	1.655					
Pendant lamp matt gold NO DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G02	2.195					
Pendant lamp white or lead grey DIM TRIAC	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G03	1.800					
Pendant lamp matt gold DIM TRIAC	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G04	2.340					
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G05	1.800					
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G06	2.340					

Pendant lamp, wall lamp and floor lamp.
White, lead grey or matt gold painted metal structure.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand


GALILEO

Wall lamp - D. 80 x L.125



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white or lead grey DIM Plug	1 led module 29W - 3670 Lm - 3000 K	•	OD	IP20	GALEAP080G01	1.325					
Wall lamp matt gold DIM Plug	1 led module 29W - 3670 Lm - 3000 K	•	OD	IP20	GALEAP080G02	1.785					
Wall lamp white or lead grey NO DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G03	1.325					
Wall lamp matt gold NO DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G04	1.785					
Wall lamp matt gold DIM TRIAC Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G05	1.390					
Wall lamp matt gold DIM TRIAC Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G06	1.855					
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G07	1.390					
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G08	1.855					

Floor lamp - H. 180




Floor lamp white or lead grey DIM Plug	1 led module 22W - 2755 Lm - 3000 K	•	OD	IP20	GALEPT180G01	1.215					
Floor lamp matt gold DIM Plug	1 led module 22W - 2755 Lm - 3000 K	•	OD	IP20	GALEPT180G02	1.675					

Pendant lamp, wall lamp and floor lamp.
White, lead grey or matt gold painted metal structure.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand


GALILEO LONGUE

DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD	IP20	GLLES0145G01	1.435					
Pendat lamp matt gold NO DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD	IP20	GLLES0145G02	1.895					
Pendat lamp white or lead grey DIM TRIAC	1 led module 40W - 5000 Lm - 3000 K	•	OD	IP20	GLLES0145G03	1.580					
Pendat lamp matt gold DIM TRIAC	1 led module 40W - 5000 Lm - 3000 K	•	OD	IP20	GLLES0145G04	2.040					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD	IP20	GLLES0145G05	1.580					
Pendat lamp matt gold DIM DALI-Push DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD	IP20	GLLES0145G06	2.040					



Wall lamp - L. 75

Wall lamp white or lead grey NO DIM Remote	1 led module 10W - 1230 Lm - 3000 K	•	OD	IP20	GLLEAP075G01	550					
Wall lamp matt gold NO DIM Remote	1 led module 10W - 1230 Lm - 3000 K	•	OD	IP20	GLLEAP075G02	750					
Wall lamp white or lead grey DIM TRIAC Remote	1 led module 10W - 1230 Lm - 3000 K	•	OD	IP20	GLLEAP075G03	620					
Wall lamp matt gold DIM TRIAC Remote	1 led module 10W - 1230 Lm - 3000 K	•	OD	IP20	GLLEAP075G04	820					
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 10W - 1230 Lm - 3000 K	•	OD	IP20	GLLEAP075G05	620					
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 10W - 1230 Lm - 3000 K	•	OD	IP20	GLLEAP075G06	820					




Pendant lamp, wall lamp and floor lamp.
White, lead grey or matt gold painted metal structure.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand

GALILEO LONGUE

Wall lamp - L. 145




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white or lead grey NO DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G01	715					
Wall lamp matt gold NO DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G02	945					
Wall lamp matt gold DIM TRIAC Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G03	780					
Wall lamp matt gold DIM TRIAC Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G04	1.015					
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G05	780					
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 20W - 2500 Lm - 3000 K	•	OD	IP20	GLLEAP145G06	1.015					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


GECO

Wall lamp 155 - without lampshade



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G01	410					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G02	410					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G03	485					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G04	485					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G05	485					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G06	485					

Wall lamp 165 - with lampshade




Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C01	565					
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C02	565					
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C03	650					
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C04	650					
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C05	650					
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C06	650					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand

GECO

Wall lamp - without plug 155 - without lampshade




17 cm
6.69"

13 cm
5.11"

DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G11	420					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G12	420					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G13	500					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G14	500					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G15	500					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G16	500					

Wall lamp - without plug 165 - with lampshade



23 cm
9.05"

30 cm
11.81"


Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C11	580				
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C12	580				
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C13	660				
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C14	660				
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C15	660				
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C16	660				

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Pendant lamp Ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Pendant lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G11	350			
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G12	430			
Pendant lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G01	400			
Pendant lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G02	475			
Pendant lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G05	465			
Pendant lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G06	545			
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G03	500			
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMESO015G04	570			

Pendant lamp Ø 18



Pendant lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G11	360			
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G12	445			
Pendant lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G01	430			
Pendant lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G02	510			
Pendant lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G05	510			
Pendant lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G06	590			
Pendant lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G03	540			
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMESO018G04	620			


Accessory - Pendant lamp Ø 15 e Ø 18	Surcharge for ceiling rose in the same colour as Deluxe structure	ROS110003601	20	
--------------------------------------	---	--------------	----	--

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand

HAMMER

Pendant lamp ø 30



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G01	580					
Pendant lamp Deluxe NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G02	720					
Pendat lamp white or lead grey DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G05	720					
Pendant lamp Deluxe DIM TRIAC	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G06	855					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G03	775					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	HAMESO030G04	915					


Accessory - Pendant lamp ø 30	Surcharge for ceiling rose in the same colour as Deluxe structure	ROS160004201	25	
-------------------------------	---	--------------	----	--

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Spotlight ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G11	270					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G12	345					
Spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G01	325					
Spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G02	400					
Spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G05	400					
Spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G06	475					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G03	430					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEFA015G04	505					

Spotlight ø 18




Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G11	295					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G12	370					
Spotlight white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G01	340					
Spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G02	425					
Spotlight white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G05	410					
Spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G06	485					
Spotlight white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G03	435					
Spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEFA018G04	515					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Ceiling lamp ø 15



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G11	325					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL015G12	380					
Ceiling lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G01	360					
Ceiling lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G02	425					
Ceiling lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G05	435					
Ceiling lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G06	490					
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G03	460					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	OD	IP20	HAMEPL015G04	525					

Ceiling lamp ø 18




Ceiling lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G11	330					
Ceiling lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEPL018G12	390					
Ceiling lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G01	370					
Ceiling lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G02	435					
Ceiling lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G05	440					
Ceiling lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G06	505					
Ceiling lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G03	465					
Ceiling lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	OD	IP20	HAMEPL018G04	535					

Pendant, spotlight, ceiling lamp and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Recessed spotlight ø 15




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G11	230					
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G12	280					
Recessed spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G01	240					
Recessed spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G02	295					
Recessed spotlight white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G05	330					
Recessed spotlight Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G06	375					
Recessed spotlight white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G03	355					
Recessed spotlight Deluxe DIM DALI- Push DIM	1 led module 9 W - 830 Lm - 2800 K	•	-	IP20	HAMEIN015G04	410					

Recessed spotlight ø 18




Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G11	240			
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G12	300			
Recessed spotlight white or lead grey	1 led module 12 W - NO DIM	•	-	IP20	HAMEIN018G01	250			
Recessed spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G02	310			
Recessed spotlight white or lead grey	1 led module 12 W - DIM TRIAC	•	-	IP20	HAMEIN018G05	340			
Recessed spotlight Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G06	395			
Recessed spotlight white or lead grey	1 led module 12 W - DIM DALI-Push DIM	•	-	IP20	HAMEIN018G03	370			
Recessed spotlight Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	•	-	IP20	HAMEIN018G04	425			

Recessed spotlight ø 15



Recessed spotlight ø 18



PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 22

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E14 42 W HES

•

OD

IP20

ICIESO022G01

465


Accessory:

Coloured stripe in cotton fabric ø 22

OD

ICIEFS022C01

25



Pendant lamp - ø 50

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

ICIESO050G01

790


Accessory:

Coloured stripe in cotton fabric ø
50/60/75

OD

ICIEFS050C01

30



PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011


PAGE: 98

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 75



DESCRIPTION

Pendant lamp

LIGHT SOURCE

1 x E27 42 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

ICIESO075G01

1.080



IP

OUTDOOR

CODE

€ EURO

Accessory:


Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 100



Pendant lamp

1 x E27 70 W HES

•

OD

IP20

ICIESO100G01

1.600

Accessory:

Coloured stripe in cotton fabric ø 100

OD

ICIEFS100C01

40

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: **99**


Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO

Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES				• - IP44/64	ICOESO050G01	895
---------------------	--------------	------------------	--	--	--	-------------	--------------	-----




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES				• - IP44/64	ICOESO075G01	1.190
---------------------	--------------	------------------	--	--	--	-------------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: 100

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO OUTDOOR

Pendant lamp - ø 100

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 70 W HES


•

-

IP44/64

ICOESO100G01

1.725



Accessory:

Coloured stripe in washable fabric
 ø 100

OD

ICIEFS100T01

65

Floor lamp - ø 50

Floor lamp

1 x E27 42 W HES


•

-

IP44/64

ICOETA050G01

855



Accessory:

Coloured stripe in washable fabric ø
 50/60/75

OD

ICIEFS050T01

35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

PAGE: **101**


Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO OUTDOOR

Floor lamp - ø 75	Floor lamp	1 x E27 42 W HES																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						</
-------------------	------------	------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Floor lamp - ø 75	Floor lamp	1 x E27 42 W HES				•	- IP44/64	ICOETA075G01	1.115
--------------------------	------------	------------------	--	--	--	---	-----------	--------------	-------




Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD ICIEFS050T01 35

Floor lamp - ø 100	Floor lamp	1 x E27 70 W HES				•	- IP44/64	ICOETA100G01	1.540
---------------------------	------------	------------------	--	--	--	---	-----------	--------------	-------



Accessory:

Coloured stripe in washable fabric ø 100

OD ICIEFS100T01 65

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

IBIESO050G01

790


Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30



Pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

IBIESO060G01

1.080


Accessory:

Coloured stripe in cotton fabric ø
 50/60/75

OD

ICIEFS050C01

30



PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
 Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL

Pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

OD

IP20

IBIESO075G01

1.160



Accessory:

Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30

Pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES


•

OD

IP20

IBIESO090G01

1.680



Accessory:

Coloured stripe in cotton fabric ø 90

OD

ICIEFS090C01

40

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: **104**

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Pendant lamp - ø 50

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES


•

-

IP44/64

IBOESO050G01

860



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Pendant lamp - ø 60

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO060G01

1.180



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: 105

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Pendant lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E27 42 W HES

•

-

IP44/64

IBOESO075G01

1.250



Accessory:

Coloured stripe in washable fabric ø 50/60/75

OD

ICIEFS050T01

35

Pendant lamp - ø 90

Pendant lamp

1 x E27 70 W HES


•

-

IP44/64

IBOESO090G01

1.760



Accessory:

Coloured stripe in washable fabric ø 90

OD

ICIEFS090T01

65

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

PAGE: 106

Pendant and floor lamp with structure in painted steel wire white and black matt.
 Light bulb enclosed in a hermetic IP64 glass diffuser.
 On demand, cover in removable washable fabric stripe available (see accessory in the price list).
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR

Floor lamp - ø 75

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Floor lamp

1 x E27 42 W HES


•

-

IP44/64

IBOETA075G01

1.115



Accessory:

Coloured stripe in washable fabric ø
50/60/75

OD

ICIEFS050T01

35

Floor lamp - ø 90

Floor lamp

1 x E27 70 W HES


•

-

IP44/64

IBOETA090G01

1.600



Accessory:

Coloured stripe in washable fabric
ø 90




OD

ICIEFS090T01

65

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp Ø 66 	Pendant lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L01	1.075					
	Pendant lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L02	1.075					
	Pendant lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L03	1.320					
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L04	1.320					
Pendant lamp Ø 80 	Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L01	1.250					
	Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L02	1.250					
	Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L03	1.450					
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO080L04	1.450					
Pendant lamp Ø 100 	Pendant lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L01	1.505					
	Pendant lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L02	1.505					
	Pendant lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L03	1.750					
	Pendant lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEESO100L04	1.750					

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand


IDEA

Pendant lamp Ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Pendant lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L01	2.140			
Pendant lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L02	2.140			
Pendant lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L03	2.380			
Pendant lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K	•	OD	IP20	IDEESO140L04	2.380			

Pendant lamp - Composition L.180



Structure only white or graphite		•	OD	IP20	IDEECM180G01	2.095			
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	1.220			
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.760			



NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand



IDEA

Wall/ ceiling lamp Ø 66



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp white NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L01	1.125					
Wall/ ceiling lamp graphite NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L02	1.125					
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L03	1.365					
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L04	1.365					

Wall/ ceiling lamp Ø 80





Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L01	1.275					
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L02	1.275					
Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L03	1.470					
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	IDEEPL080L04	1.470					

Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO



Wall/ ceiling lamp white NO DIM	1 led module 24 W - 2150 lm - 2800 K
Wall/ ceiling lamp graphite NO DIM	1 led module 24 W - 2150 lm - 2800 K

•	OD	IP20	IDEEPL100L01	1.550
•	OD	IP20	IDEEPL100L02	1.550

Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 24 W - 2150 lm - 2800 K
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 24 W - 2150 lm - 2800 K

•	OD	IP20	IDEEPL100L03	1.795
•	OD	IP20	IDEEPL100L04	1.795

Wall/ ceiling lamp Ø 140



Wall/ ceiling lamp white NO DIM	1 led module 30W - 2400 lm - 2800 K
Wall/ ceiling lamp graphite NO DIM	1 led module 30W - 2400 lm - 2800 K

•	OD	IP20	IDEEPL140L01	2.180
•	OD	IP20	IDEEPL140L02	2.180

Wall/ ceiling lamp white DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K
Wall/ ceiling lamp graphite DIM DALI-Push DIM	1 led module 30W - 2400 lm - 2800 K

•	OD	IP20	IDEEPL140L03	2.430
•	OD	IP20	IDEEPL140L04	2.430

Accessories - Wall/ ceiling lamp

Anti-glare lens 9W, 12W,
18W, 24W, 30W

IDEEAC00012G080

110




Single or in composition pendant, wall/ ceiling lamp
Embossed white or graphite painted metal structure. Inner disc upholstered with lycra fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp - Composition L.180



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	IDEEPL180G11	2.180					
Kit 3 lights NO DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L03	1.220					
Kit 3 lights DIM DALI Push-DIM (installed)	3 led module 12W+ 18W+ 24W - 4920 Lm - 2800 K	•	OD	IP20	IDEEDD180L04	1.760					

NOTE: to calculate the price of the composition add the structure to the kit 3 lights.

Accessory - Composition wall/ ceiling lamp	Kit anti-glare lens 12W+18W+24W	IDEEAC00180G080	330	
--	---------------------------------	-----------------	-----	--



Pendant lamp and small table, table, floor lamp.
Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST

Pendant lamp - ø 25

DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

1 light cotton

1 x E27 105 W HES


OD

OD

IP20

LOSESO130C01

485



6 lights cotton

6 x E27 28 W HES

OD

OD

IP20

LOSESO130C02

695

Pendant lamp - ø 40

7 lights cotton

7 x E27 42 W


OD

OD

IP20

LOSESO160C02

960



Pendant lamp - ø 40

7 lights cotton

7 x E27 42 W


OD

OD

IP20

LOSESO190C02

1.125






PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

PAGE: **113**

Pendant lamp and small table, table, floor lamp.
 Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST	DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
					IP	CODE	€ EURO			IP	CODE	€ EURO
Small table lamp	Small table lamp cotton	1 x E14 28 W	OD	OD	IP20	LOSETP032C01	255					
												
Table lamp	Table lamp cotton	1 x E27 42 W HES	OD	OD	IP20	LOSETA046C01	335					
												
Accessory - Table and small table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	80					
												
Floor lamp	Floor lamp cotton	6 x E27 28 W HES	OD	OD	IP20	LOSEPT175C01	985					
												
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	100					
												


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).


Symbol index  → • / present - / absent OD / On Demand

LOTO

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Mini pendant lamp - ø 16 without plex	Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTESE016P01	280				
	Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTESE016R01	295				



Pendant lamp - ø 43	Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043P01	700	
	Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043R01	710	
	Pendant lamp pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P02	850	
	Pendant lamp pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P03	885	
	Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P04	930	
	Pendant lamp pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R02	860	
	Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R03	900	
	Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R04	945	




PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand


LOTO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060P01	1.005					
Pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060R01	1.025					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P08	1.160					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P09	1.250					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P10	1.250					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R08	1.180					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R09	1.275					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R10	1.275					

Pendant lamp - ø 80




Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080P01	1.575					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080R01	1.620					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P05	1.680					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P06	1.770					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P07	1.770					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R05	1.725					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R06	1.820					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R07	1.820					

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index  → • / present - / absent OD / On Demand

LOTO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100P01	1.970					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100R01	2.025					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P08	2.025					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P09	2.115					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P10	2.115					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R08	2.085					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R09	2.180					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R10	2.180					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P13	2.265					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P14	2.345					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P15	2.390					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R13	2.315					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R14	2.410					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R15	2.440					


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant and wall lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (d.16 excluded).

Symbol index   → • / present - / absent OD / On Demand

LOTO


Pendant lamp - ø 140



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140P01	4.170					
Pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140R01	4.285					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P08	4.580					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P09	4.630					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R08	4.695					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R09	4.745					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Wall lamp without switch



Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P01	355					
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R01	370					

Wall lamp with switch



Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTEAP016P02	380					
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTEAP016R02	395					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA


Small table lamp



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C01	305					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C02	305					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C03	325					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P01	340					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P02	340					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P03	360					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R01	345					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R02	345					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R03	370					

Console lamp



17 cm
6.69"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C01	305					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C02	305					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C03	325					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P01	340					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P02	340					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P03	370					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R01	345					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R02	345					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R03	370					

PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: **119**

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA


Office lamp - without switch



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C01	225					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C02	225					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C03	235					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P01	265					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P02	265					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P03	280					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R01	270					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R02	270					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R03	285					

Table lamp



24 cm
9.45"

Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C01	345					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C02	345					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C03	370					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P01	390					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P02	390					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P03	415					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R01	400					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R02	400					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R03	425					

Accessory - Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

80




PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C01	600					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C02	600					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C03	665					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P01	645					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P02	645					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P03	705					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R01	655					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R02	655					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R03	720					

Floor lamp



Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C01	640					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C02	640					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C03	710					
Metal white pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P01	705					
Metal black pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P02	705					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P03	780					
Metal white pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R01	725					
Metal black pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R02	725					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R03	800					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	100				
---	--------------	-----	--	--	--	--



PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


PAGE: 121

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C01	280					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C02	280					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C03	305					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P01	320					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P02	320					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P03	340					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R01	325					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R02	325					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R03	345					

Wall lamp with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C06	305					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C07	305					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C08	325					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P06	340					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P07	340					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P08	360					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R06	345					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R07	345					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R08	370					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.


Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA


	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
Pendant lamp - ø 19 without plex	1 light cotton	1 x E14 42 W HES	OD	OD	IP20	LUTESO019C01	240					
	1 light washable	1 x E14 42 W HES	OD	OD	IP20	LUTESO019T01	255					
	1 light wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTESO019E01	265					



Pendant lamp - ø 34 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO034C01	310					
	1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO034T01	335					
	1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO034E01	340					



Pendant lamp - ø 43 without plex	1 light cotton	1 x E27 52 W HES	OD	OD	IP20	LUTESO043C01	345					
	1 light washable	1 x E27 52 W HES	OD	OD	IP20	LUTESO043T01	395					
	1 light wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTESO043E01	415					




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


Small table lamp



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C01	335					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C02	335					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C03	355					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T01	350					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T02	350					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTETP042T03	375					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E01	355					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E02	355					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTETP042E03	380					

Console lamp



19 cm
7.48"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C01	335					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C02	335					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056C03	355					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T01	350					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T02	350					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTECHN056T03	375					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E01	355					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E02	355					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTECHN056E03	380					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA TONDA

Office lamp – without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C01	255					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C02	255					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052C03	270					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T01	280					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T02	280					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEOF052T03	295					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E01	285					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E02	285					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEOF052E03	300					

Table lamp



Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C01	355					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C02	355					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C03	380					
Metal white washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T01	380					
Metal black washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T02	380					
Metal brushed nickel washable	1 x E27 52 W HES	OD	OD	IP20	LUTETA068T03	410					
Metal white wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E01	395					
Metal black wool fabric	1 x E27 52 W HES	•	OD	IP20	LUTETA068E02	395					
Metal brushed nickel Wool fabric	1 x E27 52 W HES	OD	OD	IP20	LUTETA068E03	420					

Accessory – Table and small table lamp

Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	80				
---	--------------	----	--	--	--	--




Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, washable and wool fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C01	640					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C02	640					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150C03	700					
Metal white washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T01	665					
Metal black washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T02	665					
Metal brushed nickel washable	1 x E27 70 W HES	OD	OD	IP20	LUTEPT150T03	730					
Metal white wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E01	670					
Metal black wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E02	670					
Metal brushed nickel Wool fabric	1 x E27 70 W HES	•	OD	IP20	LUTEPT150E03	735					

Floor lamp



Metal white cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C01	695					
Metal black cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C02	695					
Metal brushed nickel cotton	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180C03	770					
Metal white washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T01	740					
Metal black washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T02	740					
Metal brushed nickel washable	1 x E27 105 W HES	OD	OD	IP20	LUTEPT180T03	815					
Metal white wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E01	760					
Metal black wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E02	760					
Metal brushed nickel Wool fabric	1 x E27 105 W HES	•	OD	IP20	LUTEPT180E03	835					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	100				
---	--------------	-----	--	--	--	--




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, washable and wool fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA TONDA

Wall lamp - without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C01	295					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C02	295					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C03	315					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T01	310					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T02	310					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T03	330					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E01	315					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E02	315					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E03	335					

Wall lamp - with switch




Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C06	315					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C07	315					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017C08	335					
Metal white washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T06	330					
Metal black washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T07	330					
Metal brushed nickel washable	1 x E14 42 W HES	OD	OD	IP20	LUTEAP017T08	350					
Metal white wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E06	335					
Metal black wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E07	335					
Metal brushed nickel Wool fabric	1 x E14 42 W HES	•	OD	IP20	LUTEAP017E08	355					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


MILLELUCI

Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	MILESP040C01	345					
Pendant lamp wool	1 x E27 42 W HES	OD	OD	IP20	MILESP040E01	410					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040P01	415					
Pendant lamp pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	MILESP040R01	425					

Pendant lamp - ø 80




Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP080C01	1.110					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP080E01	1.280					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080P01	1.600					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080R01	1.640					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C05	1.200					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C06	1.295					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C07	1.295					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E05	1.380					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E06	1.470					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E07	1.470					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P05	1.695					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P06	1.785					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P07	1.785					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R05	1.740					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R06	1.830					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	1.830					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	1.830					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP035C01	1.275					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP035E01	1.420					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035P01	1.900					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035R01	1.960					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C08	1.335					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C09	1.425					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C10	1.425					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E08	1.475					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E09	1.570					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E10	1.570					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P08	1.965					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P09	2.060					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P10	2.060					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R08	2.010					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R09	2.105					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R10	2.105					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C13	1.620					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C14	1.690					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C15	1.725					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E13	1.765					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E14	1.840					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E15	1.870					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P13	2.245					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P14	2.320					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P15	2.350					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R13	2.305					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R14	2.380					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R15	2.410					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - ø 100 x h 60	Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP060C01	1.355				
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP060E01	1.700					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060P01	2.025					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060R01	2.085					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C08	1.430					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C09	1.525					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C10	1.525					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E08	1.775					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E09	1.870					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E10	1.870					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P08	2.100					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P09	2.195					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P10	2.195					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R08	2.165					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R09	2.245					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R10	2.245					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C13	1.720					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C14	1.785					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C15	1.825					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E13	2.070					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E14	2.130					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E15	2.175					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P13	2.395					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P14	2.455					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P15	2.500					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R13	2.445					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R14	2.520					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R15	2.550					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP120C01	2.065					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP120E01	2.525					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120P01	2.755					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120R01	2.840					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C08	2.110					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C09	2.205					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C10	2.205					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E08	2.575					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E09	2.665					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E10	2.665					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P08	2.805					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P09	2.900					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P10	2.900					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R08	2.890					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R09	2.980					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R10	2.980					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C11	2.610					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120C12	2.670					
Wool NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E11	3.070					
Wool DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120E12	3.135					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P11	3.300					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120P12	3.370					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R11	3.380					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP120R12	3.450					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 150 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150P01	3.705					
Pleated ribbon fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150R01	3.820					
Pendant lamp pleated fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P06	4.055					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P07	4.110					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R06	4.170					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R07	4.225					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P04	1.820					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P05	1.885					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P06	1.920					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R04	1.855					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R05	1.920					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R06	1.960					

Pendant lamp - ø 120




1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P04	2.115					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P05	2.190					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P06	2.220					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R04	2.170					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R05	2.230					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R06	2.275					

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P04	2.685					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P05	2.755					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P06	2.790					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R04	2.800					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R05	2.870					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R06	2.905					

Wall/ ceiling lamp - ø 100



1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P04	1.795					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P05	1.865					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P06	1.895					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R04	1.830					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R05	1.895					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R06	1.935					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Mood Desnuda
DESIGN: Romano + Menegon 2018

Pendant lamp. Matt black or white painted metal frame.

Symbol index  → • / present - / absent OD / On Demand

MOOD DESNUDA

Pendant lamp - ø 60

DESCRIPTION

1 light black/ matt white

LIGHT SOURCE

1 x E27 70 W HES



IP

INDOOR

CODE

€ EURO

•

OD

IP20

MODESO060G02

475




IP

OUTDOOR

CODE

€ EURO



Pendant lamp - ø 100

1 light black/ matt white

1 x E27 70 W HES


•

OD

IP20

MODESO100G02

685



Pendant lamp - ø 120

1 light black/ matt white

1 x E27 70 W HES


•

OD

IP20

MODESO120G02

795



Pendant lamp - ø 150

1 light black/ matt white

1 x E27 70 W HES


•

OD

IP20

MODESO150G02

985




Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


MULTIBALL

Pendant lamp - globe - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 36	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M10	345					
Pendant lamp h 46	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M20	345					
Pendant lamp h 56	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M30	345					
Pendant lamp h 66	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M40	345					
Pendant lamp h 76	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M50	350					
Pendant lamp h 86	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M60	350					
Pendant lamp h 96	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M70	350					
Pendant lamp h 106	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M80	350					

Pendant lamp - globe - ø 30




Pendant lamp h 41	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M10	355					
Pendant lamp h 51	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M20	355					
Pendant lamp h 61	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M30	355					
Pendant lamp h 71	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M40	355					
Pendant lamp h 81	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M50	360					
Pendant lamp h 91	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M60	360					
Pendant lamp h 101	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M70	360					
Pendant lamp h 111	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M80	360					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


Pendant lamp - globe - ø 35



35 cm
13.78"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 46	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M10	410					
Pendant lamp h 56	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M20	410					
Pendant lamp h 66	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M30	410					
Pendant lamp h 76	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M40	410					
Pendant lamp h 86	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M50	415					
Pendant lamp h 96	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M60	415					
Pendant lamp h 106	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M70	415					
Pendant lamp h 116	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M80	415					

Pendant lamp - globe - ø 40



40 cm
15.75"


Pendant lamp h 51	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M10	430					
Pendant lamp h 61	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M20	430					
Pendant lamp h 71	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M30	430					
Pendant lamp h 81	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M40	430					
Pendant lamp h 91	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M50	435					
Pendant lamp h 101	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M60	435					
Pendant lamp h 111	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M70	435					
Pendant lamp h 121	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M80	435					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Pendant lamp - globe - ø 45



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 56	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M10	500					
Pendant lamp h 66	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M20	500					
Pendant lamp h 76	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M30	500					
Pendant lamp h 86	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M40	500					
Pendant lamp h 96	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M50	505					
Pendant lamp h 106	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M60	505					
Pendant lamp h 116	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M70	505					
Pendant lamp h 126	1 x E27 70 W HES	OD	OD	IP20	MBLES0045M80	505					

Accessories - Cable/s cover white or black matt painted

Connection cables L 40 (electric cable included)	•	OD	IP20	MBLEAS000G01	70	
Connection cables L 80 (electric cable included)	•	OD	IP20	MBLEAS000G02	105	




Separate ceiling rose attachment	•	OD	IP20	MBLEAR000G01	140	
----------------------------------	---	----	------	--------------	-----	--

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 1 - (3 globes)



DESCRIPTION

LIGHT SOURCE

Composition with h 56 maximum
encumbrance

(1 pcs d.25 h46 – 1 pcs d.35 h56 – 1 pcs d.30 h41 – 2 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM056M03


1.240



IP

CODE

€ EURO



Composition with h 66 maximum
encumbrance

(1 pcs d.25 h56 – 1 pcs d.35 h66 – 1 pcs d.30 h51 – 2 connection cables)


OD

OD

IP20

MBLECM066M03

1.240



Composition with h 76 maximum
encumbrance

(1 pcs d.25 h66 – 1 pcs d.35 h76 – 1 pcs d.30 h61 – 2 connection cables)


OD

OD

IP20

MBLECM076M03

1.240



Composition with h 86 maximum
encumbrance

(1 pcs d.25 h76 – 1 pcs d.35 h86 – 1 pcs d.30 h71 – 2 connection cables)


OD

OD

IP20

MBLECM086M03

1.250



Composition with h 96 maximum
encumbrance

(1 pcs d.25 h86 – 1 pcs d.35 h96 – 1 pcs d.30 h81 – 2 connection cables)


OD

OD

IP20

MBLECM096M03

1.255



Composition with h 106 maximum
encumbrance

(1 pcs d.25 h96 – 1 pcs d.35 h106 – 1 pcs d.30 h91 – 2 connection cables)

OD

OD

IP20

MBLECM106M03


1.255

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 2 - (5 globes)



DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(1 pcs d.30 h41 - 1 pcs d.35 h66 - 1 pcs d.45 h66 - 1 pcs d.40 h51 - 1 pcs d.25 h56 - 4 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM066M05


2.295



IP

CODE

€ EURO



Composition with h 76 maximum
encumbrance

(1 pcs d.30 h51 - 1 pcs d.35 h76 - 1 pcs d.45 h76 - 1 pcs d.40 h61 - 1 pcs d.25 h66 - 4 connection cables)


OD

OD

IP20

MBLECM076M05

2.295



Composition with h 86 maximum
encumbrance

(1 pcs d.30 h61 - 1 pcs d.35 h86 - 1 pcs d.45 h86 - 1 pcs d.40 h71 - 1 pcs d.25 h76- 4 connection cables)


OD

OD

IP20

MBLECM086M05

2.305



Composition with h 96 maximum
encumbrance

(1pcs d.30 h71 - 1 pcs d.35 h96 - 1 pcs d.45 h96 - 1 pcs d.40 h81 - 1 pcs d.25 h86- 4 connection cables)


OD

OD

IP20

MBLECM096M05

2.310



Composition with h 106 maximum
encumbrance

(1 pcs d.30 h81 - 1 pcs d.35 h106 - 1 pcs d.45 h106 - 1 pcs d.40 h91 - 1 pcs d.25 h96- 4 connection cables)


OD

OD

IP20

MBLECM106M05

2.320



Composition with h 116 maximum
encumbrance

(1 pcs d.30 h91 - 1 pcs d.35 h116 - 1 pcs d.45 h116 - 1 pcs d.40 h101 - 1 pcs d.25 h106- 4 connection cables)

OD

OD

IP20

MBLECM116M05


2.320

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 3 - (8 globes)



66 cm - 25.98"

DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(1 pcs d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pcs d.35 h66 - 7 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM066M08


3.770



IP

CODE

€ EURO



76 cm - 29.92"

Composition with h 76 maximum
encumbrance

(1 pcs d.25 h66 - 2 pcs d.40 h61 - 2 pcs d.45 h76 - 2 pcs d.30 h51 - 1 pcs d.35 h76 - 7 connection cables)


OD

OD

IP20

MBLECM076M08

3.770



86 cm - 33.86"

Composition with h 86 maximum
encumbrance

(1 pcs d.25 h76 - 2 pcs d.40 h71 - 2 pcs d.45 h86 - 2 pcs d.30 h61 - 1 pcs d.35 h86 - 7 connection cables)


OD

OD

IP20

MBLECM086M08

3.780



96 cm - 37.79"

Composition with h 96 maximum
encumbrance

(1 pcs d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pcs d.35 h96 - 7 connection cables)


OD

OD

IP20

MBLECM096M08

3.790



106 cm - 41.73"

Composition with h 106 maximum
encumbrance

(1 pcs d.25 h96 - 2 pcs d.40 h91 - 2 pcs d.45 h106 - 2 pcs d.30 h81 - 1 pcs d.35 h106 - 7 connection cables)


OD

OD

IP20

MBLECM106M08

3.815



116 cm - 45.67"

Composition with h 116 maximum
encumbrance

(1 pcs d.25 h106 - 2 pcs d.40 h101 - 2 pcs d.45 h116 - 2 pcs d.30 h91 - 1 pcs d.35 h116 - 7 connection cables)

OD

OD

IP20

MBLECM116M08


3.815

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 4 - (12 globes)



66 cm - 25.98"

DESCRIPTION

LIGHT SOURCE

Composition with h 66 maximum
encumbrance

(2 pcs d.25 h66 - 3 pcs d.40 h51 - 2 pcs d.30 h41 - 3 pcs d.45 h66 - 2 pcs d.35 h66 - 11 connection cables)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM066M12


5.700



IP

CODE

€ EURO



76 cm - 29.92"

Composition with h 76 maximum
encumbrance

(2 pcs d.25 h66 - 3 pcs d.40 h61 - 2 pcs d.30 h51 - 3 pcs d.45 h76 - 2 pcs d.35 h76 - 11 connection cables)


OD

OD

IP20

MBLECM076M12

5.700



86 cm - 33.86"

Composition with h 86 maximum
encumbrance

(2 pcs d.25 h76 - 3 pcs d.40 h71 - 2 pcs d.30 h61 - 3 pcs d.45 h86 - 2 pcs d.35 h86 - 11 connection cables)


OD

OD

IP20

MBLECM086M12

5.725



96 cm - 37.79"

Composition with h 96 maximum
encumbrance

(2 pcs d.25 h86 - 3 pcs d.40 h81 - 2 pcs d.30 h71 - 3 pcs d.45 h96 - 2 pcs d.35 h96 - 11 connection cables)


OD

OD

IP20

MBLECM096M12

5.745



106 cm - 41.73"

Composition with h 106 maximum
encumbrance

(2 pcs d.25 h96 - 3 pcs d.40 h91 - 2 pcs d.30 h81 - 3 pcs d.45 h106 - 2 pcs d.35 h106 - 11 connection cables)

OD

OD

IP20

MBLECM106M12

5.770



116 cm - 45.67"

Composition with h 116 maximum
encumbrance

(2 pcs d.25 h106 - 3 pcs d.40 h101 - 2 pcs d.30 h91 - 3 pcs d.45 h116 - 2 pcs d.35 h116 - 11 connection cables)

OD

OD

IP20

MBLECM116M12

5.770

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.


Matt white or black painted metal structure. Globe diffuser in white PMMA.

On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




- 1 — Ø 25
- 2 — Ø 35
- 3 — Ø 30
- Cables connections L 40

Composition type 2-A




Composition type 2-B




Ø globes

- 1 — Ø 30
- 2 — Ø 35
- 3 — Ø 45
- 4 — Ø 40
- 5 — Ø 25
- Cables connections L 40

Composition type 3-A




Composition type 3-B




Ø globes

- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 45
- 4 — Ø 30
- 5 — Ø 45
- 6 — Ø 35
- 7 — Ø 40
- 8 — Ø 30
- Cables connections L 40

Composition type 4-A



Composition type 4-B



Ø globes



- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 30
- 4 — Ø 45
- 5 — Ø 35
- 6 — Ø 40
- 7 — Ø 45
- 8 — Ø 35
- 9 — Ø 25
- 10 — Ø 45
- 11 — Ø 40
- 12 — Ø 30
- Cables connections L 40

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	NUCESO130G01	720					
Structure only chrome		•	OD	IP20	NUCESO130G02	1.335					
DIRECT LIGHT											
Kit 1 light white or graphite NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G01	535					
Kit 1 light chrome, brass, copper NO DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G02	745					
Kit 1 light white or graphite DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G03	705					
Kit 1 light chrome, brass, copper DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G04	920					
Kit 1 light white or graphite DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G06	740					
Kit 1 light chrome, brass, copper DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 2800 K	•	OD	IP20	NUCEDD130G07	955					
DOUBLE LIGHT EMISSION											
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G11	810					
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G12	1.025					
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G16	870					
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G17	1.080					

NOTE: to calculate the price of the pendant lamp add the structure to the kit 1 o 2 lights.


Connection single cable ceiling attachment available on demand

Elliptical-shape pendant lamp.
Metal structure in white and graphite (embossed finishing) or in chrome galvanic finishing.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm

Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 160



DESCRIPTION

LIGHT SOURCE

Structure only white or graphite

Structure only chrome

DIRECT LIGHT

Kit 2 lights white or graphite NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K
Kit 2 lights chrome, brass, copper NO DIM (installed) 2 led module 24W - 4300 Lm - 2800 K


Kit 2 lights white or graphite DIM TRIAC (installed) 2 led module 24W - 4300 Lm - 2800 K
Kit 2 lights chrome, brass, copper DIM TRIAC (installed) 2 led module 24W - 4300 Lm - 2800 K

Kit 2 lights white or graphite DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed) 2 led module 24W - 4300 Lm - 2800 K

DOUBLE LIGHT EMISSION

Kit 4 lights white or graphite NO DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K
Kit 4 lights chrome, brass, copper NO DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K

Kit 4 lights white or graphite DIM DALI Push-DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K
Kit 4 lights chrome, brass, copper DIM DALI Push-DIM (installed) 4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K



NOTE: to calculate the price of the pendant lamp add the structure to the kit 2 or 4 lights.

Connection single cable ceiling attachment available on demand

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	NUCESO160G01	810					
•	OD	IP20	NUCESO160G02	1.470					


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P42	710					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P43	745					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P44	745					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P45	745					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R42	730					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R43	765					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R44	765					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R45	765					

Pendant lamp D.42




Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P01	790					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042P03	940					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R01	805					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIESO042R03	955					

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P42	965					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P43	1.040					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P44	1.040					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P45	1.040					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R42	990					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R43	1.065					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R44	1.065					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R45	1.065					

Pendant lamp D.60



Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P01	1.145					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060P03	1.350					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R01	1.170					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIESO060R03	1.370					


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Ceiling lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042P41	720					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042R41	735					
Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P01	810					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042P03	960					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R01	830					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 2800 K	OD	-	IP20	OLIEPL042R03	975					

Ceiling lamp D.60



Pleated fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060P41	985					
Pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060R41	1.010					
Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P01	1.160					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060P03	1.360					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R01	1.180					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 2800 K	OD	-	IP20	OLIEPL060R03	1.385					

PRODUCTS: Umbrella
DESIGN: Paolo Grasselli 2015


PAGE: **151**

Pendant, ceiling lamp in matt white painted metal.
 Upper disc available also with Deluxe finishing gold leaf, with surcharge.
 Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand

OMBRELLA


Pendant lamp D.60



22 cm
8.66"
60 cm
23.63"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G01	610					
Pendant lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G04	640					
Pendant lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G11	730					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G03	685					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G05	700					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G13	805					
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	75					
Surcharge gold leaf finish					UMBORO060G01	145					

Pendant lamp D.80



33 cm
13"
80 cm
31.49"

Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G01	1.035					
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G04	1.115					
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G11	1.160					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G03	1.160					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G05	1.235					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G13	1.280					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	95					
Surcharge gold leaf finish					UMBORO080G01	220					


PRODUCTS: Ombrella
DESIGN: Paolo Grasselli 2015

Pendant, ceiling lamp in matt white painted metal.
 Upper disc available also with Deluxe finishing gold leaf, with surcharge.
 Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Pendant lamp D.100



DESCRIPTION	LIGHT SOURCE			INDOOR					OUTDOOR		
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G01	1.190					
Pendant lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G04	1.270					
Pendant lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G11	1.315					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G03	1.315					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G05	1.390					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G13	1.435					
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	95					
Surcharge gold leaf finish					UMBORO100G01	295					

Ceiling lamp D.60




Ceiling lamp white NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G01	640					
Ceiling lamp white DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G04	655					
Ceiling lamp white DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G11	760					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G03	710					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G05	730					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G13	835					
LED temperature conversion filter from 3000K to 2700K	1 led module 17,8 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	75					
Surcharge gold leaf finish					UMBORO060G01	145					

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf, with surcharge.
Lower bowl available in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Ceiling lamp D.80



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO	INDOOR					IP	CODE	€ EURO
Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G01	1.060								
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G04	1.135								
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G11	1.180								
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G03	1.180								
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G05	1.255								
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G13	1.300								
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	95								
Surcharge gold leaf finish					UMBORO080G01	220								

Ceiling lamp D.100




Ceiling lamp white NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G01	1.220								
Ceiling lamp white DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G04	1.290								
Ceiling lamp white DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G11	1.340								
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G03	1.340								
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G05	1.410								
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G13	1.460								
LED temperature conversion filter from 3000K to 2700K	1 led module 25 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	95								
Surcharge gold leaf finish					UMBORO100G01	295								

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M01	500					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M02	500					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M03	590					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M04	590					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M05	590					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M06	580					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M07	580					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M08	670					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M09	670					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M10	670					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M11	640					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M12	640					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M13	730					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M14	730					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M15	730					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 25 -
ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M01	1.020					
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M02	1.020					
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M03	1.160					
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M04	1.160					
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M05	1.160					
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M06	1.075					
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M07	1.075					
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M08	1.220					
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M09	1.220					
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M10	1.220					
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M11	1.125					
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M12	1.125					
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M13	1.260					
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M14	1.260					
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M15	1.260					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M01	755					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M02	755					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M03	985					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M04	985					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M05	985					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M06	810					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M07	810					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M08	1.040					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M09	1.040					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M10	1.040					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M11	840					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M12	840					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M13	1.070					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M14	1.070					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M15	1.070					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 40 -
ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M01	1.390					
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M02	1.390					
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M03	1.855					
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M04	1.855					
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M05	1.855					
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M06	1.450					
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M07	1.450					
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M08	1.970					
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M09	1.970					
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M10	1.970					
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M11	1.505					
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M12	1.505					
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M13	2.025					
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M14	2.025					
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD	IP20	ORBES040M15	2.025					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K01	655					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K02	655					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K03	730					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K04	730					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K05	730					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K06	690					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K07	690					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K08	765					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K09	765					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K10	765					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K11	760					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K12	760					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K13	835					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K14	835					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K15	835					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 25 - ceiling
rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K01	1.250				
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K02	1.250				
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K03	1.400				
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K04	1.400				
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K05	1.400				
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K06	1.320				
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K07	1.320				
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K08	1.470				
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K09	1.470				
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K10	1.470				
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K11	1.380				
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K12	1.380				
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K13	1.530				
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K14	1.530				
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBEC002K15	1.530				

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K01	1.015					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K02	1.015					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K03	1.260					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K04	1.260					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K05	1.260					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K06	1.050					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K07	1.050					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K08	1.295					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K09	1.295					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K10	1.295					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K11	1.120					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K12	1.120					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K13	1.365					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K14	1.365					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K15	1.365					

PRODUCTS: Orb
DESIGN: Büro Famos 2015


PAGE: **161**

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 40 - ceiling
 rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K01	2.025				
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K02	2.025				
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K03	2.525				
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K04	2.525				
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K05	2.525				
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K06	2.095				
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K07	2.095				
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K08	2.595				
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K09	2.595				
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K10	2.595				
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K11	2.230				
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K12	2.230				
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K13	2.735				
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K14	2.735				
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K15	2.735				


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTESP100C05	1.040					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTESP100T05	1.120					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTESP100E05	1.135					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100P05	1.210					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100R05	1.245					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C06	1.180					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T06	1.255					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E06	1.275					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P06	1.350					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R06	1.385					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C07	1.220					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T07	1.290					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E07	1.305					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P07	1.385					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R07	1.420					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C08	1.295					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T08	1.370					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E08	1.390					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P08	1.465					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R08	1.500					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 150




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPESP150C05	1.505					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPESP150T05	1.590					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPESP150E05	1.615					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150P05	1.685					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150R05	1.745					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C06	1.725					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T06	1.810					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E06	1.840					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P06	1.900					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R06	1.965					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C07	1.770					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T07	1.860					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E07	1.880					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P07	1.955					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R07	2.005					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C08	1.950					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T08	2.030					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E08	2.060					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P08	2.120					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R08	2.185					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100C05	1.020					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100T05	1.090					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100E05	1.115					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100P05	1.185					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100R05	1.225					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C06	1.135					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T06	1.210					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E06	1.230					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P06	1.300					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R06	1.340					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C07	1.170					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T07	1.245					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E07	1.260					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P07	1.340					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R07	1.370					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C08	1.250					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T08	1.325					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E08	1.345					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P08	1.420					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R08	1.455					

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric (on demand, also available in Remix Kvadrat fabric).
One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150C05	1.495					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150T05	1.580					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150E05	1.605					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150P05	1.670					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150R05	1.735					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C06	1.690					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T06	1.775					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E06	1.800					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P06	1.870					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R06	1.930					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C07	1.740					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T07	1.825					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E07	1.850					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P07	1.915					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R07	1.955					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C08	1.865					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T08	1.955					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E08	1.975					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P08	2.050					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R08	2.100					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
Metal disk white or black		•	OD IP20	PEGEDD060G01	195				
Wool disk fabric		•	OD IP20	PEGEDD060E01	425				
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G01	545				
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G11	600				
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G02	900				
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G12	955				
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G03	955				
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD IP20	PEGESO060G13	1.015				

Pendant lamp - D. 60




Metal disk white or black		•	OD IP20	PEGEDD060G01	195				
Wool disk fabric		•	OD IP20	PEGEDD060E01	425				
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD IP20	PEBESO060M01	620				

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version




		OD	IP20	PEGEPX040B01	75				
--	--	----	------	--------------	----	--	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 80



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
			IP	CODE	€ EURO		IP	CODE	€ EURO
Metal disk white or black		•	OD IP20	PEGEDD080G01	305				
Wool disk fabric		•	OD IP20	PEGEDD080E01	660				
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO080G01	590				
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD IP20	PEGESO080G11	650				
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G02	1.025				
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G12	1.080				
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G03	1.105				
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD IP20	PEGESO080G13	1.160				

Pendant lamp - D. 80




Metal disk white or black		•	OD IP20	PEGEDD080G01	305				
Wool disk fabric		•	OD IP20	PEGEDD080E01	660				
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD IP20	PEBESO080M01	670				

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version




OD	IP20	PEGEPX040B01	75						
----	------	--------------	----	--	--	--	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD100G01	380					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	845					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGESO100G01	695					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGESO100G11	775					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGESO100G02	1.105					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGESO100G12	1.180					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGESO100G03	1.175					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGESO100G13	1.255					


Pendant lamp - D. 100



Metal disk white or black		•	OD	IP20	PEGEDD100G01	380					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	845					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBESO100M01	780					

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory




Top polycarbonate disk cover for R7S version		OD	IP20	PEGEPX040B01	75						
--	--	----	------	--------------	----	--	--	--	--	--	--

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD060G01	195					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	425					
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G01	545					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G11	600					
Kit cone white or black NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G02	955					
Kit cone Deluxe NO DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G12	1.015					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G03	1.015					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 8W - 3415 Lm - 2700 K	•	OD	IP20	PEGEPL060G13	1.070					

Ceiling lamp Ball – D. 60



Metal disk white or black		•	OD	IP20	PEGEDD060G01	195					
Wool disk fabric		•	OD	IP20	PEGEDD060E01	425					
Kit globe in opal PMMA	1xG9 42W HES + 3xR7S 75W	OD	OD	IP20	PEBEPL060M01	585					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 80



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD080G01	305					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	660					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G01	660					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL080G11	720					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G02	1.080					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G12	1.140					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G03	1.160					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4675 Lm - 2700 K	•	OD	IP20	PEGEPL080G13	1.220					

Ceiling lamp Ball – D. 80



Metal disk white or black		•	OD	IP20	PEGEDD080G01	305					
Wool disk fabric		•	OD	IP20	PEGEDD080E01	660					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL080M01	700					


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finish.
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Ceiling lamp – D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD100G01	380					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	845					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G01	755					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G11	835					
Kit cone white or black NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G02	1.145					
Kit cone Deluxe NO DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G12	1.230					
Kit cone white or black DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G03	1.225					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 15W + 16W - 4796 Lm - 2700 K	•	OD	IP20	PEGEPL100G13	1.300					

Ceiling lamp Ball – D. 100



Metal disk white or black		•	OD	IP20	PEGEDD100G01	380					
Wool disk fabric		•	OD	IP20	PEGEDD100E01	845					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL100M01	800					

NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand


RETTANGOLO

Pendant lamp - L 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	3 x E27 42 W HES	OD	OD	IP20	RETESP090C01	885					
Pleated fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090P01	1.055					
Pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090R01	1.115					

Pendant lamp - L 120



Cotton	4 x E27 42 W HES	OD	OD	IP20	RETESP120C01	1.015					
Pleated fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120P01	1.370					
Pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120R01	1.440					


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand

RETTANGOLO

Pendant lamp - L 150



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pleated fabric

6 x E27 52 W

OD

OD

IP20

RETESP150P02

2.575

Pleated ribbon fabric

6 x E27 52 W

OD


OD

IP20

RETESP150R02

2.640

Pendant lamp - L 300



Pleated fabric

12 x E27 52 W

OD

OD

IP20

RETESP300P02

4.925

Pleated ribbon fabric

12 x E27 52 W

OD

OD

IP20

RETESP300R02

5.010


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO

Wall lamp - L 25 x H 24



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 28 W HES	OD	OD	IP20	QUAEAP024C01	205					
Pleated fabric	1 x E27 28 W HES	•	OD	IP20	QUAEAP024P01	240					
Pleated ribbon fabric	1 x E27 28 W HES	OD	OD	IP20	QUAEAP024R01	245					

Wall lamp - L 25 x H 40



1 light cotton	1 x E27 42 W HES	OD	OD	IP20	RETEAP040C01	250					
1 light pleated fabric	1 x E27 42 W HES	•	OD	IP20	RETEAP040P01	270					
1 light pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	RETEAP040R01	285					
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP040C02	265					
2 lights pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP040P02	285					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP040R02	300					

Wall lamp - L 40 x H 25



1 light cotton	1 x E27 42 W HES	OD	OD	IP20	RETEAP025C01	265					
1 light pleated fabric	1 x E27 42 W HES	•	OD	IP20	RETEAP025P01	285					
1 light pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	RETEAP025R01	300					
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP025C02	280					
2 lights pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP025P02	300					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP025R02	310					


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant and wall lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand


RETTANGOLO

Wall lamp - L 40 x H 40




DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP	CODE
		€ EURO	€ EURO
Cotton	2 x E27 42 W HES	OD OD IP20 QUAEAP040C01 315	
Pleated fabric	2 x E27 42 W HES	• OD IP20 QUAEAP040P01 390	
Pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 QUAEAP040R01 400	

Wall lamp - L 30 x H 60



Cotton	2 x E27 42 W HES	OD OD IP20 RETEAP060C01 325	
Pleated fabric	2 x E27 42 W HES	• OD IP20 RETEAP060P01 430	
Pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20 RETEAP060R01 445	

Wall lamp - L 160 x H 25




6 lights cotton	6 x E27 42 W HES	OD OD IP20 RETEAP160C13 1.030	
6 lights pleated fabric	6 x E27 42 W HES	OD OD IP20 RETEAP160P13 1.335	
6 lights pleated ribbon fabric	6 x E27 42 W HES	OD OD IP20 RETEAP160R13 1.390	
Cotton	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20 RETEAP160C10 1.390	
Pleated fabric	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20 RETEAP160P10 1.690	
Pleated ribbon fabric	1 led module 41 W - 6962 Lm - 3000 K	OD OD IP20 RETEAP160R10 1.750	

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 100 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - 100 x 50	Cotton	6 x E27 42 W HES	OD	OD	IP20	RESESP100C01	1.090				
	Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100P01	1.325				
	Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100R01	1.355				
	Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C05	1.285				
	Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C06	1.320				
	Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C07	1.365				
	Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P05	1.515				
	Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P06	1.550				
	Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P07	1.600				
	Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R05	1.545				
	Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R06	1.580				
	Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R07	1.630				

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 150 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESESP150C01	1.390					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150P01	1.820					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150R01	1.855					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C05	1.585					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C06	1.635					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C07	1.760					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P05	2.010					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P06	2.065					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P07	2.190					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R05	2.055					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R06	2.095					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R07	2.220					

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 100 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp - 100 x 50	Cotton	6 x E27 42 W HES	OD	OD	IP20	RESEPL100C01	1.090				
	Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100P01	1.325				
	Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100R01	1.355				
	Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C05	1.275				
	Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C06	1.305				
	Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C07	1.355				
	Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P05	1.505				
	Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P06	1.540				
	Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P07	1.585				
	Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R05	1.535				
	Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R06	1.570				
	Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R07	1.615				


PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

Pendant and ceiling lamp available in cotton, pleated and pleated ribbon fabric (on demand, also available in wool fabric).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 150 x 50



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESEPL150C01	1.410					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150P01	1.845					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150R01	1.875					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C05	1.515					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C06	1.565					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C07	1.690					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P05	1.950					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P06	1.990					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P07	2.115					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R05	1.980					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R06	2.025					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R07	2.200					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C04	1.230					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C05	1.245					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C06	1.300					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P04	1.390					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P05	1.405					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P06	1.480					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R04	1.345					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R05	1.360					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R06	1.420					

BASIC B - ø 60



Cotton NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C04	1.250					
Cotton DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C06	1.270					
Cotton DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C05	1.270					
Pleated fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P04	1.390					
Pleated fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P05	1.405					
Pleated fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P06	1.465					
Pleated ribbon fabric NO DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R04	1.345					
Pleated ribbon fabric DIM TRIAC	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R05	1.360					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18,7 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R06	1.420					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C07	1.565					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C08	1.640					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C09	1.645					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P07	1.740					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P08	1.810					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P09	1.820					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R07	1.690					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R08	1.765					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R09	1.770					

BASIC B - ø 80



Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C07	1.600					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C08	1.670					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C09	1.680					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P07	1.770					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P08	1.850					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P09	1.855					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R07	1.725					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R08	1.800					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R09	1.805					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Righello
DESIGN: Arturo Bellese 2018

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand

RIGHELLO

Pendant lamp - L 125



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wool NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125E01

1.565

Wool DIM DALI-Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125E02

1.620

Soft textile NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125L01

2.025

Pendant lamp soft textile DIM DALI-
Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•


OD

IP20

RIGESO125L02

2.085

Pendant lamp - L 160



Wool NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160E01

1.770

Wool DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160E02

1.830

Soft textile NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160L01

2.315

Soft textile DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160L02


2.380

Pendant and ceiling lamp with double light emission, lampshade in Soft textile and wool fabrics.
 Lamp with acoustic comfort features.
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand


RIGHELLO

Wall lamp - L 125



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				CODE	€ EURO			CODE	€ EURO
Wool NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125E01	1.105			
Wool DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125E02	1.160			
Soft textile NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125L01	1.335			
Soft textile DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	RIGEAP125L02	1.390			

Wall lamp - L 160




Wool NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160E01	1.235			
Wool DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160E02	1.290			
Soft textile NO DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160L01	1.505			
Soft textile DIM DALI-Push DIM	2 linear modules 56 W - 8960 Lm - 3000 K	•	OD	IP20	RIGEAP160L02	1.565			

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Pendant lamp - L 85



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L04	1.115					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L05	1.185					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINESO085L06	1.230					
Lycra cover only		•			RINERR085L01	315					

Pendant lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINESO125L07	1.690					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINESO125L08	1.865					
Lycra cover only		•			RINERR125L01	370					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING

Wall/ ceiling lamp - L 85



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L04	1.010					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L05	1.080					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD	IP20	RINEAP085L06	1.115					
Lycra cover only		•			RINERR085L01	315					

Wall/ ceiling lamp - L 125



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINEAP125L07	1.575					
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD	IP20	RINEAP125L08	1.750					
Lycra cover only		•			RINERR125L01	370					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index   → • / present - / absent OD / On Demand


RING TONDA

Pendant lamp - D. 65




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD IP20	RITESO065L04	1.145				
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	•	OD IP20	RITESO065L05	1.225				
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	•	OD IP20	RITESO065L06	1.320				
Lycra cover only		•		RITERR065L01	210				

Pendant lamp - D. 85



1 light lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD IP20	RITESO085L09	1.450				
1 light lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	•	OD IP20	RITESO085L11	1.515				
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8750 Lm - 2700 K	•	OD IP20	RITESO085L10	1.620				
Lycra cover only		•		RITERR085L01	315				

Pendant lamp - D. 110



1 light lycra NO DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD IP20	RITESO110L07	1.845				
1 light lycra DIM DALI-Push DIM	1 led module 88,2 W - 12380 Lm - 2700 K	•	OD IP20	RITESO110L08	2.030				
Lycra cover only		•		RITERR110L01	370				


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Wall/ ceiling lamp – D. 65




DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L04	1.020					
1 light lycra DIM TRIAC	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L05	1.090					
1 light lycra DIM DALI-Push DIM	1 led module 23 W – 3628 Lm – 2700 K	•	OD	IP20	RITEAP065L06	1.190					
Lycra cover only		•			RITERR065L01	210					

Wall/ ceiling lamp – D. 85



1 light lycra NO DIM	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L09	1.335					
1 light lycra DIM TRIAC	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L11	1.400					
1 light lycra DIM DALI-push DIM	1 led module 57 W – 8750 Lm – 2700 K	•	OD	IP20	RITEAP085L10	1.460					
Lycra cover only		•			RITERR085L01	315					

Wall/ ceiling lamp – D. 110



1 light lycra NO DIM	1 led module 88,2 W – 12380 Lm – 2700 K	•	OD	IP20	RITEAP110L07	1.680					
1 light lycra DIM DALI-push DIM	1 led module 88,2 W – 12380 Lm – 2700 K	•	OD	IP20	RITEAP110L08	1.870					
Lycra cover only		•			RITERR110L01	370					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Pendant lamp - ø 25




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025C01	295					
Cotton with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025C01	330					
Pleated fabric without plex	1 x E27 42 W HES	•	OD	IP20	ROMESO025P01	315					
Pleated fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025P01	355					
Pleated ribbon fabric without plex	1 x E27 42 W HES	OD	OD	IP20	ROMESO025R01	325					
Pleated ribbon fabric with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025R01	370					

Pendant lamp - ø 40



Cotton without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040C01	335					
Cotton with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040C01	380					
Pleated fabric without plex	1 x E27 70 W HES	•	OD	IP20	ROMESO040P01	460					
Pleated fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040P01	500					
Pleated ribbon fabric without plex	1 x E27 70 W HES	OD	OD	IP20	ROMESO040R01	490					
Pleated ribbon fabric with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040R01	530					

Pendant lamp - ø 70



Cotton 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070C02	975					
Pleated fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070P02	1.385					
Pleated ribbon fabric 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070R02	1.390					

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Small table lamp



16 cm
6.30"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	ROMETP045C01	225					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	ROMETP045P01	265					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	ROMETP045R01	280					

Table lamp



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMETA070C01	425					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMETA070P01	545					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMETA070R01	565					

Accessory - Table and small table lamp



Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	80									
---	--------------	----	--	--	--	--	--	--	--	--	--

Reading lamp - lighting pull



35 cm
13.78"


Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160C01	565					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT160P01	690					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160R01	710					

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric (on demand, also available in wool fabric).

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Medium floor lamp - lighting pull



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	670					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	ROMEPT180P01	780					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180R01	810					
Metal brushed nickel cotton	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180C11	805					
Metal brushed nickel pleated fabric	3 x E27 42 W HES	•	OD	IP20	ROMEPT180P11	915					
Metal brushed nickel pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180R11	945					

Maxi floor lamp



Metal brushed nickel cotton	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212C01	1.275					
Metal brushed nickel pleated fabric	4 x E27 70 W HES	•	OD	IP20	ROMEPT212P01	1.610					
Metal brushed nickel pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212R01	1.615					

Accessory - Reading and floor lamp	Universal DIM switch HES + LED (5/250W)				DIMVAROPT003	100					
------------------------------------	---	--	--	--	--------------	-----	--	--	--	--	--





Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Wall lamp small - L 170 > 260




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C01	1.275					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C05	1.275					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C03	1.450					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170C06	1.450					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T01	1.425					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T05	1.425					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T03	1.600					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP170T06	1.600					
Wall lamp white diffuser in aluminium	1 led module 16,2 W - 2400 Lm - 3000 K - DIM	•	OD	IP20	SEIEAP170G02	1.620					
Wall lamp black diffuser in aluminium	1 led module 16,2 W - 2400 Lm - 3000 K - DIM	•	OD	IP20	SEIEAP170G04	1.620					
Wall lamp lime diffuser in aluminium	1 led module 16,2 W - 2400 Lm - 3000 K - NO DIM	•	OD	IP20	SEIEAP170G06	1.910					
Wall lamp blue China diffuser in aluminium	1 led module 16,2 W - 2400 Lm - 3000 K - NO DIM	•	OD	IP20	SEIEAP170G08	1.910					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
 Aluminium diffuser or lampshade available in cotton and washable fabric.


Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Wall lamp - L 250 > 380



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C01	1.335					
Wall lamp black lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C05	1.335					
Wall lamp lime lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C03	1.565					
Wall lamp blue China lampshade in cotton	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220C06	1.565					
Wall lamp white lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T01	1.480					
Wall lamp black lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T05	1.480					
Wall lamp lime lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T03	1.715					
Wall lamp blue China lampshade in washable	1 x E27 70 W HES	OD	OD	IP20	SEIEAP220T06	1.715					




Wall lamp white diffuser in aluminium	1 led module 16,2 W - DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G02	1.680					
Wall lamp black diffuser in aluminium	1 led module 16,2 W - DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G04	1.680					
Wall lamp lime diffuser in aluminium	1 led module 16,2 W - NO DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G06	2.000					
Wall lamp blue China diffuser in aluminium	1 led module 16,2 W - NO DIM 2400 Lm - 3000 K	•	OD	IP20	SEIEAP220G08	2.000					

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing), lime green and blue China.
Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Accessory to compose the floor lamp



60 cm
23.62"

DESCRIPTION LIGHT SOURCE

White structure/ base to be fixed on wall lamp (kg 20)

Black structure/ base to be fixed on wall lamp (kg 20)



IP

CODE

€ EURO



OD

IP20

SEIEAT059G01

720



OD

IP20

SEIEAT059G02

720

INDOOR

OUTDOOR







IP

CODE

€ EURO

Examples of compositions:




PRODUCTS: Sestante Outdoor
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Wall lamp small - L 170>260



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G01	1.715
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G02	1.795
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G03	1.715
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G04	1.795
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G05	2.040
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G06	2.115
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G07	2.040
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K						•	-	IP44/55	SEOEAP170G08	2.115

Wall lamp - L 240>370



Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G01	1.770
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G02	1.855
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G03	1.770
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G04	1.855
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G05	2.095
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G06	2.180
Wall lamp blue China diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G07	2.095
Wall lamp blue China diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	-	IP44/55	SEOEAP220G08	2.180


PRODUCTS: Sestante Outdoor
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure and diffuser painted in white or black (embossed finishing), lime green and blue China.
Base to fix the wall lamp available only in embossed white or black.
Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Accessory to compose the floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
White structure/ base to be fixed on wall lamp (kg 20)					• - IP44/55	SEOEAT059G01	720
Black structure/ base to be fixed on wall lamp (kg 20)					• - IP44/55	SEOEAT059G02	720

Examples of compositions:



**Modo Luce srl fornisce le sospensioni
con i seguenti standard (misura utile):**

- Cavo elettrico L 200 cm
- Cavo elettrico L 250 cm
per apparecchi con 2 o più cavi acciaio
- Cavo elettrico in tessuto per serie EVA L 130 cm
- Cavo acciaio L 200 cm

** Disponibilità a misura su richiesta

**Modo Luce srl delivers the following
standard cables for the suspensions (useful measures):**

- Power wire L 200 cm / L 78.74"
- Power wire L 250 cm / L 98.42"
for fixtures with 2 or more steel cables
- Power wire in fabric for EVA line products L 130 cm / 51,18"
- Steel cable L 200 cm / L 78.74"

** Other measures are available upon demand

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Cavo elettrico teflon/ pvc trasparente 2 / 3 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	9,00
Cavo elettrico teflon/ pvc trasparente 4 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	14,00
Cavo elettrico tondo pvc/ pvc bianco al mt lineare Wiring, power cable round pvc, pvc white to each linear meter	CAVELE000000BT01	2,00
Cavo elettrico tondo pvc/ pvc nero al mt lineare Wiring, power cable round pvc, pvc black to each linear meter	CAVELE000000NT01	2,00
Cavo elettrico teflon/ pvc DIMMERABILE bianco o nero per sospensione al mt lineare Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05	11,00
Cavo elettrico teflon/ pvc DIMMERABILE trasparente per sospensione al mt lineare Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05	23,00
Cavo elettrico outdoor tondo 2 x 0,75 H05RN-F nero al mt lineare Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN	4,00
Cavo elettrico a calza in tessuto per sospensione (oltre misura standard) al mt lineare Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000	18,00
Cavo acciaio di sostegno Ø 1,2 x h 2000 mm Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000	5,50
Cavo acciaio di sostegno Ø 1,2 x h 3000 mm Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000	14,00
Cavo acciaio di sostegno Ø 1,2 x h 6000 mm Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000	19,00
Cavo acciaio di sostegno Ø 1,2 x h 10000 mm Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000	33,50
Cavo acciaio di sostegno Ø 1,6 x h 2000 mm Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000	5,50
Cavo acciaio di sostegno Ø 1,6 x h 3000 mm Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000	14,00
Cavo acciaio di sostegno Ø 1,6 x h 8000 mm Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000	33,50
Maggiorazione per rosone cilindrico in finitura galvanica (cromo - ottone - rame): Price increase for cylindrical ceiling rose in galvanized finishes (chrome - brass - copper):		
Rosone cilindrico Ø 110 mm Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	28,50
Rosone cilindrico Ø 145 mm Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	40,00
Rosone cilindrico Ø 160 mm Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	45,00

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Maggiorazione per rosone decentrato: Lateral ceiling attachment surcharge:		
Rosone A Ceiling rose A	ROSDEC110001	40,00
Rosone B Ceiling rose B	ROSDEC110002	50,00
Rosone C Ceiling rose C	ROSDEC110003	40,00
Adattatore per spina inglese Uk plug adapter	 ADAUK240V001	19,00
Variatore da tavolo/tavolino universale per Alogene (40/160W) + LED (4/100W) DIM switch for table/small table lamp universal HES (40/160W) + LED (4/100W)	 DIMVAR0TA002000	80,00
Variatore da lettura/terra universale per Alogene + LED (5/250W) DIM switch for reading/floor lamp universal HES + LED (5/250W)	 DIMVAROPT003000	100,00
SCHERMO SUPERIORE SOSPENSIONE (RICAMBIO) UPPER DISK FOR SUSPENSIONS (SPARE PART)		
Schermo di chiusura superiore in plex opal per Discovolante Ø 40 Top protective disk in opal plex for Discovolante Ø 40	DISEPX040F01	115,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 60 Top protective disk in opal plex for Cilindro and Discovolante Ø 60	CILEPX060F01	175,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 70 Top protective disk in opal plex for Cilindro Ø 70	CILEPX070F01	205,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 80 Top protective disk in opal plex for Discovolante Ø 80	DISEPX080F01	230,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 100 Top protective disk in opal plex for Cilindro Ø 100	CILEPX100F01	475,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 100 Top protective disk in opal plex for Discovolante Ø 100	DISEPX100F01	345,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 120 Top protective disk in opal plex for Cilindro and Discovolante Ø 120	CILEPX120F01	555,00

Sorgenti luminose

I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

Temperatura colore

Le lampade Modo Luce equipaggiate con sorgente LED vengono fornite generalmente con temperatura di colore 2700K. Sono disponibili su richiesta anche le versioni 3000K e 4000K.

Lumen

L'indicazione del flusso luminoso si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.

Legenda lampadine

Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).

Light Sources

Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.

Color temperature

Modo Luce LED equipped products are normally supplied with 2700K light colour as standard version. 3000K and 4000K are available on request.

Lumen

Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Legend light bulbs

Light bulbs available for Modo Luce products (according to the models).

Modo Luce - EELc Product List Global Energy

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012.

Le etichette energetiche sono disponibili e scaricabili dal sito internet **modoluce.com**

Efficiency Label compatibility (EU Regulation 874/2012)

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.

Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.

Energy labels are available and downloaded from the webiste **modoluce.com**

Tipo / Type		Simbolo / Symbol	Attacco / Socket	Potenza / Power		Codice / Code	€ EURO
Led No Dim		Sphere	E14	5 W	2700K	LMPLEDE14S00	23,00
		Classic	E27	9 W	2700K	LMPLEDE27G00	22,00
		Globe Clair	E27	8 W	2700K	LMPLEDE27GL4W125	34,00
		Dichroic	GU10	6 W	2700K	LMPLEDE27GU10	18,00
		Linear L 78	R7S	4 W	2700K	LMPLEDR7S078NOD	23,00
		Linear L 118	R7S	8 W	2700K	LMPLEDR7S118NOD	32,00
Led Dim		Classic	E27	10 W	2700K	LMPLEDE27GDO	34,00
		Globe Clair	E27	7.5 W	2200K	LMPLEDE27DIM125	51,00
		Pear Share	E27	7.5 W	2300K	LMPLEDE27KIT01P	46,00
		Dichroic	GU10	6W	2700K	LMPLEDGU10DIM06	20,00

ABC			
Pendant lamp A	Ø 12	1 kg	2.20 lb
Pendant lamp B	Ø 17	1 kg	2.20 lb
Pendant lamp C	Ø 22	1,5 kg	3.30 lb

Alco			
Pendant lamp	Ø 90	23 kg	50.77 lb
Pendant lamp	Ø 120	36 kg	79.47 lb
Ceiling lamp	Ø 90	23 kg	50.77 lb
Ceiling lamp	Ø 120	36 kg	79.47 lb

Angelica indoor			
Wall lamp		5 kg	11.33 lb

Angelica outdoor			
Wall lamp		7 kg	15.42 lb

Atollo indoor / outdoor			
Pendant lamp	Ø 70	13 Kg	28.66 lb.
Pendant lamp	Ø 100	3 kg	6.61 lb.
Pendant lamp	Ø 150	5 kg	11.02 lb.
Ceiling-wall lamp	Ø 70	15 Kg	33.07 lb.
Ceiling-wall lamp	Ø 100	33 Kg	72.75 lb.
Ceiling-wall lamp	Ø 150	53 Kg	116.84 lb.

Baobab			
Pendant lamp 3	Ø 80	2 kg	4.41 lb
Pendant lamp 6	Ø 80	3,5 kg	7.72 lb

Bolla Elissee			
Pendant lamp Bolla	Ø 40	3 kg	6.61 lb
Pendant lamp Bolla	Ø 50	3,5 kg	7.71 lb
Pendant lamp Bolla	Ø 60	6 kg	13.21 lb
Pendant lamp Elissee	Ø 60	3 kg	6.60 lb
Pendant lamp Elissee	Ø 80	5 kg	11.01 lb

Butterfly			
Wall lamp	Ø 54	8 kg	17.66 lb
Wall lamp	Ø 75	10 kg	22.02 lb

Campanone indoor / outdoor			
Pendant lamp	Ø 33	3,5 kg	7.71 lb
Pendant lamp	Ø 51	5 kg	11.01 lb

Chandelier			
Pendant – ceiling lamp	Ø 100	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.43 lb
Wall lamp single	Ø 13	1 kg	2.20 lb
Wall lamp double	Ø 35	2 kg	4.41 lb

Chandelier Longue			
Pendant – ceiling lamp	L 110	12 kg	26.43 lb
Pendant – ceiling lamp	L 150	14 kg	30.83 lb

Charlie			
Pendant – ceiling lamp	Ø 107	25 kg	55.06 lb
Pendant – ceiling lamp	Ø 127	35 kg	77.09 lb

Cilindro			
Pendant lamp	Ø 60	2,2 kg	4.86 lb
Pendant lamp	Ø 70	3,5 kg	7.71 lb
Pendant lamp	Ø 100	7 kg	14.31 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	20 kg	44.05 lb

Circus			
Pendant lamp	Ø 70	4 kg	8.81 lb
Pendant lamp	Ø 100	9 kg	19.82 lb
Pendant lamp	Ø 120	17 kg	37.44 lb
Pendant lamp	Ø 150	30 kg	66.08 lb

Clip			
Pendant lamp	L 130	5 kg	11.03 lb
Pendant lamp	L 170	8 kg	17.66 lb

Cocò			
Pendant lamp	Ø 60	4 kg	8.80 lb
Pendant lamp	Ø 80	7 kg	15.40 lb
Pendant lamp	Ø 100	9 kg	19.82 lb

Diogene			
Pendant lamp	Ø 30	3,5 kg	7.72 lb

Discovolante			
Pendant-ceiling-wall lamp	Ø 40	2 kg	4.41 lb
Pendant-ceiling-wall lamp	Ø 60	4 kg	8.81 lb
Pendant-ceiling lamp	Ø 80	5 kg	11.03 lb
Pendant-ceiling lamp	Ø 100	7 kg	15.41 lb

Eva			
Pendant lamp	Ø 11	0,3 kg	0.66 lb
Pendant lamp brown cotto	Ø 11	0,7 kg	1.54 lb
Pendant lamp	Ø 18	1,1 kg	2.44 lb
Pendant lamp brown cotto	Ø 18	1,7 kg	3.77 lb
Pendant lamp	Ø 27	4 kg	8.81 lb
Pendant lamp brown cotto	Ø 27	7 kg	15.42 lb
Pendant lamp	Ø 38	8 kg	17.66 lb
Pendant lamp brown cotto	Ø 38	12 kg	26.43 lb

Florinda			
Pendant lamp 1	Ø 31	2 kg	4.41 lb
Pendant lamp 3	Ø 63	7 kg	15.41 lb
Pendant lamp 6	Ø 94	10 kg	22.02 lb
Pendant lamp 12	Ø 153	35 kg	77.09 lb
Ceiling lamp 3	Ø 63	7 kg	15.41 lb
Ceiling lamp 6	Ø 94	10 kg	22.02 lb
Ceiling lamp 12	Ø 153	35 kg	77.09 lb
Wall lamp	Ø 31,5	0,4 kg	0.88 lb

Florinda Desnuda			
Pendant lamp 1	Ø 31	1,5kg	3.30 lb
Pendant lamp 3	Ø 63	5 kg	11.03 lb
Pendant lamp 6	Ø 94	8 kg	17.66 lb
Pendant lamp 12	Ø 153	27 kg	59.40 lb
Ceiling lamp 3	Ø 63	6 kg	13.20 lb
Ceiling lamp 6	Ø 94	10 kg	22.00 lb
Ceiling lamp 12	Ø 153	30 kg	66.00 lb

Geco			
Wall lamp	Ø 13	5 kg	11.01 lb
Wall lamp	Ø 30	5 kg	11.01 lb

Hammer			
Pendant lamp	Ø 15	1,5 kg	3.31 lb
Pendant lamp	Ø 18	2 kg	4.41 lb
Pendant lamp	Ø 30	2,5 kg	5.50 lb
Spotlight	Ø 15	1 kg	2.20 lb
Spotlight	Ø 18	1,5 kg	3.31 lb
Ceiling Lamp	Ø 15 / 21	1 kg	2.20 lb
Ceiling Lamp	Ø 18 / 24	1,5 kg	3.31 lb
Recessed spotlight	Ø 15 / 21	1 kg	2.20 lb
Recessed spotlight	Ø 18 / 24	1,5 kg	3.31 lb

Icaro indoor / outdoor			
Pendant lamp	Ø 22	2,5 kg	6.60 lb
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 75	10 kg	22.03 lb
Pendant lamp	Ø 100	20 kg	44.05 lb

Icaro Ball indoor / outdoor			
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 60	10 kg	22.03 lb
Pendant lamp	Ø 75	15 kg	33.04 lb
Pendant lamp	Ø 90	25 kg	55.06 lb

Idea			
Pendant – ceiling lamp	Ø 66	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 80	15 kg	33.04 lb
Pendant – ceiling lamp	Ø 100	18 kg	39.65 lb
Pendant – ceiling lamp	Ø 140	25 kg	55.06 lb

Idea composition			
Pendant – ceiling lamp	Ø 180	30 kg	66.14 lb

Lost			
Pendant lamp	Ø 25	5 kg	11.01 lb
Pendant lamp	Ø 40	8 kg	17.66 lb

Loto			
Pendant lamp	Ø 16	0,7 kg	1.54 lb
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 60	3 kg	6.61 lb
Pendant lamp	Ø 80	5 kg	11.01 lb
Pendant lamp	Ø 100	7 kg	15.41 lb
Pendant lamp	Ø 140	20 kg	44.05 lb
Wall lamp	Ø 16	0,45 kg	0.99 lb

Lucilla			
Wall lamp	Ø 17	0,4 kg	0.88 lb

Lucilla Tonda			
Pendant lamp	Ø 19	0,3 kg	0.66 lb
Pendant lamp	Ø 34	0,5 kg	1.10 lb
Pendant lamp	Ø 43	1 kg	2.20 lb
Wall Lamp	Ø 21	0,5 kg	1.10 lb

Milleluci			
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 80	6 kg	13.21 lb
Pendant lamp	Ø 100 H 35	7 kg	15.41 lb
Pendant lamp	Ø 100 H 60	9 kg	19.82 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	18 kg	39.65 lb

Mood			
Pendant lamp	Ø 100	5 kg	11.01 lb
Pendant lamp	Ø 120	6 kg	13.21 lb
Pendant lamp	Ø 150	10 kg	22.02 lb
Ceiling-wall lamp	Ø 100	6 kg	13.21 lb

Mood Desnuda			
Pendant lamp	Ø 60	2 kg	4.41 lb
Pendant lamp	Ø 100	3 kg	6.61 lb
Pendant lamp	Ø 120	4 kg	8.81 lb
Pendant lamp	Ø 150	6 kg	13.20 lb

Multiball			
Pendant lamp	Ø 25 / 30 / 35	1,7 kg	3.74 lb
Pendant lamp	Ø 40 / 45	2 kg	4.41 lb

Nucleo			
Pendant lamp	L 130	8 kg	17.66 lb
Pendant lamp	L 160	12 kg	26.43 lb

Olivia			
Pendant lamp	Ø 42	3 kg	6.60 lb
Pendant lamp	Ø 60	6 kg	13.24 lb
Ceiling lamp	Ø 42	5 kg	11.03 lb
Ceiling lamp	Ø 60	10 kg	22.07 lb

Ombrella			
Pendant-ceiling lamp	Ø 60	3 kg	6.6 lb
Pendant-ceiling lamp	Ø 80	6 kg	13.20 lb
Pendant-ceiling lamp	Ø 100	10 kg	22.00 lb

Orb			
Pendant lamp (PMMA)	Ø 25	2 kg	4.41 lb
Pendant lamp (PMMA)	Ø 40	3,5 kg	7.72 lb
Pendant lamp (glass)	Ø 25	3 kg	6.62 lb
Pendant lamp (glass)	Ø 40	6 kg	13.24 lb

Ottovolante			
Pendant-ceiling lamp	L 100	8 kg	17.66 lb
Pendant-ceiling lamp	L 150	11 kg	24.23 lb

Peggy			
Pendant – ceiling lamp	Ø 60	6 kg	13.25 lb
Pendant – ceiling lamp	Ø 80	8,5 kg	18.76 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.49 lb

Rettangolo			
Pendant lamp	L 90	4 kg	8.81 lb
Pendant lamp	L 120	4,5 kg	9.91 lb
Pendant lamp	L 150	10 kg	22.00 lb
Pendant lamp	L 300	25 kg	55.06 lb
Wall lamp	L 25 / 40	0,5 kg	1.10 lb
Wall lamp	L 25 x 24	0,2 kg	0.44 lb
Wall lamp	L 30	1 kg	2.20 lb
Wall lamp	L 40 x 40	0,5 kg	1.10 lb
Wall lamp	L 160	5 kg	11.01 lb

Rettangolo Slim			
Pendant-ceiling lamp	Ø 100	8 kg	17.66 lb
Pendant-ceiling lamp	Ø 150	11 kg	24.23 lb

Reverse			
Pendant lamp	Ø 60	5 kg	11.00 lb
Pendant lamp	Ø 80	7 kg	15.40 lb



















Righello			
Pendant lamp	L 125	5 kg	11.03 lb
Pendant lamp	L 160	8 kg	17.66 lb
Wall Lamp	L 125	4 kg	8.83 lb
Wall Lamp	L 160	7 kg	15.45 lb

Ring			
Pendant-ceiling-wall lamp	L 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	L 125	10 kg	22.00 lb

Ring Tonda			
Pendant-ceiling-wall lamp	Ø 65	5 kg	11.00 lb
Pendant-ceiling-wall lamp	Ø 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	Ø 110	10 kg	22.00 lb

Romeo			
Pendant lamp	Ø 25	1,3 kg	2.86 lb
Pendant lamp	Ø 40	1,9 kg	4.18 lb
Pendant lamp	Ø 70	5 kg	11.01 lb

Sestante indoor / outdoor			
Wall Lamp		20 kg	44.15 lb

	Eva 11 Loto 16 Rettangolo 90 / 120 / 150 / 300 Rettangolo Slim 100 / 150		Nucleo 160 Orb 25 / 40 (2 globes)	
	ABC Baobab Chandelier Eva 18 Florinda Desnuda 1 Hammer 15 / 18 Lucilla Tonda Ottovolante Rettangolo Rettangolo Slim		LED lamps Alco Cilindro Circus Cocò Discovolante Idea Loto Milleluci Olivia Ombrella Orb 25 (dim) Orb 40 Peggy	
	Atollo 70 / 100 / 150 (3-4 steel cables) Cilindro 150 Idea composition Milleluci 150 Ottovolante (LED) Rettangolo Slim (LED)		E27 + LED lamps Atollo 150 Florinda 12 Florinda Desnuda 12	
	Atollo 70 / 100 (1 steel cable) Bolla 40 / 50 / 60 Campanone indoor / outdoor Cilindro 60 / 70 Circus 70 / 100 / 120 Cocò 60 / 80 / 100 Discovolante 40 / 60 / 80 / 100 Ellisse 60 / 80 Florinda 1 / 3 / 6 Florinda Desnuda 3 / 6 Icaro 22 / 50 / 75 Icaro Ball 50 / 60 / 75 Lost 25 / 40 Loto 43 / 60 / 80 Milleluci 40 / 80 Mood Desnuda Olivia 43 / 60 Orb 25 Romeo 25 / 40 / 70 Peggy 60 / 80 / 100		Chandelier Longue	
	Cilindro 100 / 120 Eva 27 Eva 38 Loto 100 / 140 Milleluci 100 / 120		Icaro 100 Icaro Ball 90 Mood Reverse Ring Ring Tonda	
	Hammer 15 / 18 / 30 (LED-dim) Nucleo 130		Multiball	
			Charlie	

GENERAL SALES TERMS

Price list
Vat excluded

LIGHT BULBS

Modo Luce products equipped with GU10, E14 and E27 sockets are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price. Goods are packed in carton boxes.

RULES

The products manufactured by Modo Luce comply with the European Standards and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

NOTES

1
The cotton fabric used by Modo Luce can be available fireproof, in compliance with CL1 rules, **on demand and with 3% surcharge**, ONLY for the ivory 300, white 301 and sand 302 colours. For orders, when/ if this regulation will be enforced and only on request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The cotton fabric complies with Glow-Wire Test 650°.

2
The pleated fabric used by Modo Luce for the standard production is fireproof in compliance with CL1 rules. For orders, when/ if this regulation will be enforced and only on

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo Luce's approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes to models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo Luce does not accept claims after 4 days from receipt of goods. Modo Luce's previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modo Luce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The pleated fabric complies with Glow-Wire Test 650° by request. The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, on demand and **with surcharge**, for quantity to be defined.

3
Modo Luce can also produce lampshades with Customer cotton fabric, **with 5% surcharge**.

4
The lycra-covers used by Modo Luce are fireproof in compliance with CL1 rules. They are removable and washable in water at max 30° and mild soap.

TRANSPORT

Goods are delivered ex-factory/ ex-works (Vazzola - Treviso - Italy) Goods travel at customer's own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods.

In every case, customer must accept the goods by writing in the document of transport of the forwarder "accepted with checking reserve" and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can't be attributed to Modo Luce.

5
Seams of the fabric covers of models: ALCO, CIRCUS, PEGGY, RIGHELLO, RING and RING TONDA are handmade and may present some little imperfections, characteristics of a handcrafted production.

6
Diffusers of model Eva and base of model Aura and Baobab are handmade and may present some little imperfections, characteristics of a handcrafted production.

WARRANTY

Modo Luce warrants its products to be free from defects in workmanship. This warranty is exclusively applicable to the party who have purchased the product directly from Modo Luce. The warranty runs from the date of the invoice with which the product was acquired from Modo Luce and ends after 24 months. Uses of the warranty must be notified and sent to Modo Luce office within 60 days from discovering the defect, specifying the following information:
- date and number of invoice
- detailed description of problem and quantity of defective product/s
- photographs or video of the defect

7
Globes and lamp diffusers and details in PMMA or PC are injection moulding, some little imperfections of the products are due to this type of processing. They must be clean only with a soft cloth (ex. microfibre) using neutral detergent and water or cleanig spray without aggressive solvents as: alcohol, solvent and trichloroethylene.

8
The products made in rotomoulded polyethylene can have some little imperfections to be accepted as technical characteristic of this type of processing.

During this warranty period Modo Luce will repair, replace or supply spare parts, at its discretion. This warranty does NOT apply to damages resulting from: transport, accident, alteration, tempering, misuse, incorrect installation or improper use, incorrect storage, negligence or abuse, natural events. This warranty does NOT apply to consumable parts or elements subject to normal wear and tear, as batteries, light sources etc.

9
The technical characteristic of the materials used by Modo Luce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour's shade from a batch to another.

10
The products **ETL wired and certified** are available with a **10% surcharge**. The products wired with ETL certified components (it means **in compliance with but NOT ETL certified**) will have anyway the same **10% surcharge**.

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente listino è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo listino sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente listino possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel listino e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This price list is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the price list are forbidden.

Data contained in this price list is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this price list may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the price list and from batch to batch.