

News 2023

modo[®]
LUCE

Scolpire la luce,
dare forma ai sogni.

Sculpting light,
shaping dreams.

Frisé ⁰⁴

Oliver ¹⁰

Basilica ¹⁶

Galileo ²²

Galileo Longue ³⁰

Schede tecniche ³⁶

Technical sheets

Frisé

Design by Francesca Smiraglia
News 2023





Un inedito incontro di forme e geometrie, volumi e materiali.
A novel combination of shapes and geometries, volumes and materials.


Frisé manifesta la visione dell'azienda coniugando una spiccata funzione decorativa al benessere dell'uomo in qualunque spazio, sia esso domestico o lavorativo.

Frisé manifests the company's vision by combining a distinct decorative function with human well-being in any space, be it home or work.



Oliver


Design by Arturo Bellese
News 2023





Oliver abita la contemporaneità rielaborando gli stili del passato.
Oliver inhabits contemporaneity by reworking the stylistic codes of the past.





Un incontro di opposti che si attraggono per arredare e illuminare ambienti domestici o contract.

A meeting of opposites that attract one another to adorn and illuminate both home and contract environments.

Basilica

Design by Baldessari e Baldessari
News 2023





Una forma di luce simmetrica, le cui proporzioni richiamano i valori dell'architettura formale classica.

A symmetrical light form with proportions redolent of classical formal architecture.



Una lampada a sospensione caratterizzata da due ali parallele che rievocano le volte di una delle più grandi opere dell'architetto veneto Andrea Palladio.

A hanging lamp featuring two parallel wings evocative of the vaults of one of the Venetian architect's Andrea Palladio greatest works.



Galileo

Design by Bellucci Mazzoni Progetti
Year 2022






Forme sinuose abbinata ad una illuminazione diffusa e mai invadente caratterizzano Galileo.

Galileo is marked by sinuous forms combined with diffuse light that is never intrusive.






Galileo Longue

Design by Bellucci Mazzoni Progetti
Year 2022






Un volume perfetto che illumina lo spazio in modo indiretto con una luce diffusa e discreta.

A perfect volume that indirectly illuminates the space with a diffuse, discreet light.





Pendant lamp Frisé 75 ø 75 × 37 cm
7 Kg lamp type 2xGU10
max watt 28W HES

Pendant lamp Frisé 100 ø 100 × 43 cm
12 Kg lamp type 2xGU10
max watt 28W HES


Finishes Diffuser textiles




Diffusore in tessuto,
Struttura in metallo
Fabric lampshade,
metal structure

Biemissione
Uplight and downlight


Metal structure finishes



IP20



Dettaglio schermo
anti abbaglio
Antiglare detail





Bianco
White

Nero
Black

Oro opaco
Matt gold

* on demand
** cable on measure



Pendant lamp Oliver 42 ø 42 × 30 cm
3 Kg lamp type 1xE27
max watt 70W HES

Pendant lamp Oliver 60 ø 60 × 40 cm
6 Kg lamp type 1xE27
max watt 70W HES


Finishes Diffuser



Diffusore in resina
termoplastica verniciata
Thermoplastic resin
painted diffuser

Globo in PMMA
verniciato soft touch
Soft touch painted
PMMA globe



IP20



Bianco
White

Nero
Black

* on demand
** cable on measure




Pendant lamp Basilica 125

ø 125 × 60 × 30 cm
20 Kg

lamp type 2 linear modules 48 W
luminous efficacy 7680 Lm
light colour 3000 K
DIM DALI - push DIM

Finishes Diffuser textiles



Diffusore in tessuto,
Struttura in metallo
Fabric lampshade,
metal structure

Biemissione
Uplight and downlight:
Up 2560 lm
Down 5120 lm

Metal structure finishes




Black

IP20



Dettaglio rosone
Ceiling rose detail

* on demand
** cable on measure



Pendant lamp Galileo 80

ø 125 × 80 × 2,5 cm
3 Kg

lamp type LED 44 W
luminous efficacy 5500 Lm
light colour 3000 K
DIM DALI - push DIM / TRIAC

Pendant lamp Galileo 100

ø 156 × 100 × 2,5 cm
5 Kg

lamp type LED 56 W
luminous efficacy 7100 Lm
light colour 3000 K
DIM DALI - push DIM / TRIAC


Finishes Colours



Lampada in metallo
Metal structure

Luce diffusa
Diffused light

IP20



Dettaglio rosone
Ceiling rose detail




Bianco
White

Piombo
Lead grey


Oro opaco
Matt gold

* on demand
** cable on measure



Wall lamp	Galileo 80 plug	Ø 125 × 80 × 6 cm 3 Kg	lamp type 1 led module 29W luminous efficacy 3670 Lm light colour 3000 K DIM	Versione con cavo, alimentatore DIM a pedale Plug version switch, DIM on the cable
	Galileo 80 remote	Ø 125 × 80 × 6 cm 3 Kg	lamp type 1 led module 44W luminous efficacy 5500 Lm light colour 3000 K DIM DALI - push DIM / TRIAC	Versione con alimentatore da remoto Remote drive version

Finishes Colours

Lampada in metallo
Metal structureLuce diffusa
Diffused light

IP20

LIGHTING
DATA *


* on demand



Aggancio a muro
versione con spina
Wall mounting plug
version



Aggancio a muro
versione driver in remoto
Wall mounting remote
driver version



Floor lamp	15 × 180 cm	lamp type 1 led module 22W luminous efficacy 2755 Lm light colour 3000 K DIM
------------	-------------	---------------------------------------------------------------------------------------

Finishes Colours

Lampada in metallo
Metal structureLuce indiretta
Indirect light

IP20

PATENT
PENDING


* on demand



Particolare aggancio
con magnete
Magnet connection
detail



Particolare base
in metallo
Metal base detail



Pendant lamp

Ø 145 × 18 × 2,5 cm
5 Kg

lamp type 1 led module 40W
luminous efficacy 5000 Lm
light colour 3000 K
DIM DALI - push DIM / TRIAC

Finishes Colours



Lampada in metallo
Metal structure

Luce diffusa
Diffused light

IP20




* on demand
** cable on measure




Bianco
White



Piombo
Lead grey



Oro opaco
Matt gold



Wall lamp

Galileo
Longue 75

9 × 75 × 2,5 cm
1 Kg

lamp type 1 led module 10W
luminous efficacy 1230 Lm
light colour 3000 K
DIM DALI - push DIM / TRIAC

Galileo
Longue 145

10 × 145 × 2,5 cm
2 Kg

lamp type 1 led module 20W
luminous efficacy 2500 Lm
light colour 3000 K
DIM DALI - push DIM / TRIAC

Finishes Colours



Lampada in metallo
Metal structure

Luce indiretta
Indirect light

Driver in remoto
Remote driver

IP20



* on demand



Particolare aggancio a muro
Wall mounting detail

Finiture Finishes

For nature



Cod. 752
Ruggine / Rust



Cod. 750
Avorio / Ivory



Cod. 751
Salvia / Sage



Cod. 753
Carta da zucchero /
Sugar paper



Cod. 754
Grigio scuro / Dark grey



Cod. 755
Nocciola / Hazel




Cod. 756
Ocra / Ocher



Cod. 757
Verde oliva / Olive green

Velvet



Cod. 455
Crema / Cream




Cod. 456
Tortora / Dove



Cod. 457
Senape / Mustard



Cod. 458
Fiordaliso / Cornflower



Cod. 459
Sherwood / Sherwood




Cod. 460
Ruggine / Rust



Cod. 461
Rosso porpora / Purple red



Cod. 462
Blu oceano / Ocean blu



Cod. 463
Grigio chiaro / Light grey



Cod. 464
Antracite / Anthracite

Wool



Cod. 650
Sabbia / Sand



Cod. 651
Arancio / Orange



Cod. 652
Verde / Green



Cod. 653
Giallo senape /
Mustard yellow



Cod. 654
Viola / Purple



Cod. 655
Blu avio / Avio blue



Cod. 656
Grigio scuro / Dark grey



Cod. 658
Grigio / Grey



Cod. 659
Castagna / Chestnut



Cod. 660
Verde bosco / Dark green



Cod. 661
Curry / Curry



Cod. 662
Turchese / Turquoise



Cod. 657
Rosso cardinale /
Cardinal red

Metal

Frisé, Galileo, Galileo Longue



Cod. 080
Bianco / White



Cod. 075
Piombo / Lead grey



Cod. 073
Oro opaco / Matt gold

Diffuser

Oliver



Cod. 033
Bianco perla / Pearl white



Cod. 034
Piombo / Lead grey




Cod. 035
Malva / Mallow




Cod. 036
Blu avio / Avio blue


Rosoni Ceiling roses + Pendant lamp




Frisé 75 / 100




Oliver



Galileo 80 / 100 NO DIM
Galileo Longue 145 NO DIM



Galileo 80 / 100 DIM
Galileo Longue 145 DIM



Basilica

Legenda Legend



Indoor



Parete
Wall lamp



Sospensione
Pendant lamp



Terra
Floor lamp



Indica il cablaggio elettrico CL1
Designates the CL1 electric wiring



Cavo in acciaio ed elettrico a misura su richiesta
Metal and electrical wire on demand



Indica il cablaggio elettrico CL2
Designates the CL2 electric wiring



Biemissione
Uplight and downlight



Indica che i materiali costituenti l'apparecchio
superano la prova al filo incandescente alla temperatura
indicata nell'icona secondo la norma IEC
Indique que les matériaux composant l'appareil
passent le test au fil incandescent 650°, comme par
règlement ICE 695-2-1



Curva fotometrica
Lighting data



Dimmerabile
Dimmable



Modello depositato
Patent pending



Tutti i prodotti Modo Luce sono certificati CE
All the Modo Luce products are CE certified



Indica la possibilità di fornire il prodotto
con certificazione ETL
Designates the possibility to have a wiring system
with ETL certification

Visita il nostro showroom virtuale e scopri i nostri prodotti.
Enter our virtual showroom and discover our products.



See you in 2024
with the new catalogue.



Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce è made in Italy.

Modo Luce S.r.l.
Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente catalogo è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo catalogo sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente catalogo possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel catalogo e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.
All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This catalogue is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the catalogue are forbidden.

Data contained in this catalogue is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this catalogue may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the catalogue and from batch to batch.

Art Direction & Design
HEADS collective

Photo
HEADS production

Print
Grafica Bieffe
Printed in september 2023



Modo Luce srl
via Venezia, 13
31028 Vazzola – Treviso
Italy

+39 0438 488076 / 488110
info@modoluce.com
modoluce.com

Frisé

Basilica

Oliver

Galileo