



INDICE / INDEX


<u>Alco</u>	01	<u>Disk</u>	68	<u>Nucleo</u>	133
<u>Angelica</u>	09	<u>Eva</u>	70	<u>Olivia</u>	135
<u>Angelica Outdoor</u>	12	<u>Florinda</u>	72	<u>Ombrella</u>	138
<u>Aura</u>	13	<u>Frisè</u>	76	<u>Orb</u>	141
<u>Baobab</u>	14	<u>Galileo</u>	78	<u>Ottovolante</u>	149
<u>Basilica</u>	16	<u>Galileo Longue</u>	80	<u>Peggy</u>	153
<u>Bolla Ellisse</u>	17	<u>Geco</u>	82	<u>Rettangolo</u>	159
<u>Butterfly</u>	19	<u>Hammer</u>	84	<u>Rettangolo Slim</u>	163
<u>Campanone</u>	20	<u>Icaro</u>	88	<u>Reverse</u>	167
<u>Campanone Outdoor</u>	21	<u>Icaro Outdoor</u>	90	<u>Righello</u>	169
<u>Chandelier</u>	22	<u>Icaro ball</u>	92	<u>Ring</u>	170
<u>Chandelier Longue</u>	28	<u>Icaro ball Outdoor</u>	94	<u>Ring Tonda</u>	172
<u>Charlie</u>	32	<u>Idea</u>	96	<u>Romeo</u>	174
<u>Cilindro</u>	34	<u>Lost</u>	104	<u>Sestante</u>	177
<u>Circus</u>	43	<u>Loto</u>	106	<u>Sestante Outdoor</u>	180
<u>Clip</u>	49	<u>Lucilla</u>	110		
<u>Coco'</u>	50	<u>Lucilla Tonda</u>	114		
<u>Corner</u>	52	<u>Milleluci</u>	118		
<u>Diogene Outdoor</u>	53	<u>Mood</u>	126		
<u>Discovolante</u>	54	<u>Multiball</u>	128		

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090O01	3.415					
Velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090O02	3.480					
Velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090O03	3.480					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E01	3.415					
Wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E02	3.480					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090E03	3.480					
For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090Q01	3.625					
For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090Q02	3.690					
For nature DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090Q03	3.690					
Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I01	3.940					
Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I02	4.005					
Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090I03	4.005					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L01	4.085					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L02	4.155					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO090L03	4.155					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090O04	3.520					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090O05	3.585					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090O06	3.605					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E04	3.520					
Wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E05	3.585					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090E06	3.605					
For nature NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090Q04	3.730					
For nature DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090Q05	3.795					
For nature DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090Q06	3.815					
Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I04	4.045					
Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I05	4.110					
Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090I06	4.130					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L04	4.190					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L05	4.260					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO090L06	4.280					


PRODUCTS: Alco
DESIGN: Roberto Paoli 2017

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
 Removable and easy care fabric cover.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120O01	3.940					
Velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120O02	4.005					
Velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120O03	4.005					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E01	3.940					
Wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E02	4.005					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120E03	4.005					
For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120Q01	4.200					
For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120Q02	4.270					
For nature DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120Q03	4.270					
Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I01	4.600					
Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I02	4.665					
Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120I03	4.665					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L01	4.745					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L02	4.815					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCESO120L03	4.815					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120O06	4.055					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120O07	4.120					
Velvet DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120O08	4.140					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E06	4.055					
Wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E07	4.120					
Wool DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120E08	4.140					
For nature NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120Q06	4.315					
For nature DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120Q07	4.385					
For nature DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120Q08	4.405					
Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I06	4.715					
Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I07	4.785					
Kvadrat DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120I08	4.805					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L06	4.860					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L07	4.930					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCESO120L08	4.950					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090O01	3.750					
Velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090O02	3.815					
Velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090O03	3.815					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E01	3.750					
Wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E02	3.815					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090E03	3.815					
For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090Q01	3.960					
For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090Q02	4.025					
For nature DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090Q03	4.025					
Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I01	4.275					
Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I02	4.340					
Kvadrat DIM DALI/Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090I03	4.340					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L01	4.420					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L02	4.490					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL090L03	4.490					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 90




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090O04	3.855					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090O05	3.920					
Velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090O06	3.945					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E04	3.855					
Wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E05	3.920					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090E06	3.945					
For nature NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090Q04	4.065					
For nature DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090Q05	4.130					
For nature DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090Q06	4.155					
Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I04	4.380					
Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I05	4.445					
Kvadrat DIM DALI/Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090I06	4.470					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L04	4.525					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L05	4.595					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL090L06	4.615					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120O01	4.255					
Velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120O02	4.320					
Velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120O03	4.320					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E01	4.255					
Wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E02	4.320					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120E03	4.320					
For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120Q01	4.515					
For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120Q02	4.585					
For nature DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120Q03	4.585					
Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I01	4.915					
Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I02	4.980					
Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120I03	4.980					
Soft textile NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L01	5.060					
Soft textile DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L02	5.130					
Soft textile DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	ALCEPL120L03	5.130					

Large pendant or ceiling lamp certified in acoustic comfort. Semicircular elements covered by velvet, wool, For nature, Kvadrat and soft textile fabric.
Removable and easy care fabric cover.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Ceiling lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120O06	4.360					
Velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120O07	4.425					
Velvet DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120O08	4.445					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E06	4.360					
Wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E07	4.425					
Wool DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120E08	4.445					
For nature NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120Q06	4.620					
For nature DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120Q07	4.690					
For nature DIM DALI - Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120Q08	4.710					
Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I06	5.020					
Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I07	5.085					
Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120I08	5.110					
Soft textile NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L06	5.165					
Soft textile DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L07	5.235					
Soft textile DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	ALCEPL120L08	5.255					



NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand



ANGELICA

Wall lamp - L 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.120 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135C01	895					
Wall lamp L.120 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135C02	895					
Wall lamp L.120 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135T01	960					
Wall lamp L.120 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP135T02	960					
Wall lamp L.120 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP135E01	975					
Wall lamp L.120 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP135E02	975					

Wall lamp - L 170



Wall lamp L.170 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180C01	915					
Wall lamp L.170 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180C02	915					
Wall lamp L.170 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180T01	980					
Wall lamp L.170 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP180T02	980					
Wall lamp L.170 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP180E01	1.000					
Wall lamp L.170 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP180E02	1.000					


Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.

On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand

ANGELICA

Wall lamp - L 200



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp L.200 white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C01	955					
Wall lamp L.200 black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200C02	955					
Wall lamp L.200 white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T01	1.025					
Wall lamp L.200 black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEAP200T02	1.025					
Wall lamp L.200 white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E01	1.040					
Wall lamp L.200 black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEAP200E02	1.040					

Accessory - Wall lamp

Universal DIM switch HES (40/160W) + LED (4/100W)

DIMVAR0TA002

105



Accessory - Wall lamp

Fixing accessory for wall lamp - white


• OD IP20 DEJEAR000G01

125

Fixing accessory for wall lamp - black

• OD IP20 DEJEAR000G02

125





Floor lamp with cantilever arm (adjustable in two positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted aluminium structure.
Lampshade available in cotton fabric in the same colour as the metal structure, in washable marble or sand wool fabric.
On demand, cotton, washable or wool fabric lampshade available in different colours with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA

Floor lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white cotton white	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C01	1.470					
Floor lamp black cotton black	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230C02	1.470					
Floor lamp white washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T01	1.565					
Floor lamp black washable marble	1 x E27 70 W HES	OD	OD	IP20	ANGEPT230T02	1.565					
Floor lamp white wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E01	1.585					
Floor lamp black wool sand	1 x E27 70 W HES	•	OD	IP20	ANGEPT230E02	1.585					

Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	125
------------------------	---	--------------	-----




Wall lamp with cantilever arm (on the axis 140° rotating). Embossed white or black painted aluminium structure.
Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating. Lampshade in washable marble fabric.
On demand, washable fabric lampshade available in different colours with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand


ANGELICA OUTDOOR

Wall lamp - L 170



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Wall lamp L.170 white washable marble	1 x E27 42 W HES				OD - IP44/55	AGOEAP170T01	1.680
Wall lamp L.170 black washable marble	1 x E27 42 W HES				OD - IP44/55	AGOEAP170T02	1.680

Accessory - Wall lamp





Fixing accessory for wall lamp - white		• - IP55	DEOEAP000G01	160
Fixing accessory for wall lamp - black		• - IP55	DEOEAP000G02	160

PRODUCTS: Aura
DESIGN: De Clercq & Geoffroy-Dechaume 2014

Table lamp with natural or raw hemp colour concrete base.
Lampshade available in cotton, pleated, wool or Kvadrat fabric.
Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process
and of this material, that make each product a unique and unrepeatable piece.

Symbol index   → • / present - / absent OD / On Demand

AURA	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO	
Table lamp 	Natural grey base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C01	705						
	Raw hemp base cotton fabric	1 x E27 70 W HES	OD	-	IP20	AURETA065C03	705						
	Natural grey base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P01	745						
	Raw hemp base pleated fabric	1 x E27 70 W HES	•	-	IP20	AURETA065P03	745						
	Natural grey base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E01	765						
	Raw hemp base wool fabric	1 x E27 70 W HES	•	-	IP20	AURETA065E03	765						
	Natural grey base Kvadrat fabric	1 x E27 70 W HES	•	-	IP20	AURETA065I01	840						
	Raw hemp base Kvadrat fabric	1 x E27 70 W HES	•	-	IP20	AURETA065I03	840						
	Accessories	Upper disc in opal PMMA	-		IP20	AUREPM000M01	125						
		Upper disc in white PC	•		IP20	AUREPC000B01	135						
Accessory - Table lamp 	Universal DIM switch HES (40/160W) + LED (4/100W)				DIMVAR0TA002	105							


PRODUCTS: Baobab
DESIGN: Paolo Grasselli 2017

Pendant and floor lamp with three or six arms.
Metal structure painted in white or lead grey colours and in Deluxe finishing matt gold.
Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index   → • / present - / absent OD / On Demand

BAOBAB

Pendant lamp 3 arms



DESCRIPTION LIGHT SOURCE

Pendant lamp 3 arms white or lead grey 3 x E27 42 W HES

Pendant lamp 3 arms Deluxe 3 x E27 42 W HES

Accessory:

Kit 3 light bulbs E27 Globe 125 LED 8W 2700K (NO DIM)

Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)



IP

CODE

€ EURO

•

OD

IP20

BAOESO003G01

1.040

•

OD

IP20

BAOESO003G02

1.170


LMPLEDE27KIT301

115

LMPLEDE27KIT300

160

Pendant lamp 6 arms



Pendant lamp 6 arms white or lead grey 6 x E27 42 W HES

Pendant lamp 6 arms Deluxe 6 x E27 42 W HES

Accessory:

Kit 6 light bulbs E27 Globe 125 LED 8W 2700K (NO DIM)

Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)

•

OD

IP20

BAOESO006G01

1.405

•

OD

IP20

BAOESO006G02

1.615

LMPLEDE27KIT601

200

LMPLEDE27KIT600


285

Pendant and floor lamp with three or six arms.
Metal structure painted in white or lead grey colours and in Deluxe finishing matt gold.
Pendant lamp with counterbalance in natural brass, floor lamp with natural concrete base.

Symbol index   → • / present - / absent OD / On Demand


BAOBAB

Floor lamp 3 arms



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white or lead grey	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G01	1.315					
Floor lamp Deluxe	3 x E27 42 W HES	•	OD	IP20	BAOEPT195G02	1.450					
Accessory:											
Kit 3 light bulbs E27 Globe 125 LED 8W 2700K (NO DIM)					LMPLEDE27KIT301	115					
Kit 3 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT300	160					

Floor lamp 6 arms



Floor lamp white or lead grey	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G01	1.650					
Floor lamp Deluxe	6 x E27 42 W HES	•	OD	IP20	BAOEPT200G02	1.890					
Accessory:											
Kit 6 light bulbs E27 Globe 125 LED 8W 2700K (NO DIM)					LMPLEDE27KIT601	200					
Kit 6 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT600	285					

Accessory - Floor lamp

Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	125					
---	--	--	--	--	--------------	-----	--	--	--	--	--




Pendant lamp with double light emission, diffuser available in velvet, wool e For nature fabric.
Lamp with acoustic comfort features.
Double light emission: Up 2560 lm - Down 5120 lm

Symbol index   → • / present - / absent OD / On Demand

BASILICA

Pendant lamp - L 125




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Velvet NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	BASESO125O01	3.415					
Velvet DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	BASESO125O02	3.520					
Wool NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	BASESO125E01	3.675					
Wool DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	BASESO125E02	3.780					
For nature NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	BASESO125Q01	3.940					
For nature DIM DALI-Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	BASESO125Q02	4.045					

Pendant lamp in transparent PMMA. Inner diffuser available in cotton, washable, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLESO040C01	580					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLESO040T01	610					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040P01	630					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO040R01	635					

Pendant lamp - ø 50



Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLESO050C01	685					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLESO050T01	725					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050P01	755					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO050R01	765					

Pendant lamp - ø 60




Cotton	1 x E27 42 W HES	OD	OD	IP20	BOLESO060C01	840					
Washable	1 x E27 42 W HES	OD	OD	IP20	BOLESO060T01	905					
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060P01	925					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	BOLESO060R01	940					

Pendant lamp in transparent PMMA. Inner diffuser available in cotton, washable, pleated and pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand


BOLLA ELLISSE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	1 x E27 42 W HES	-	OD	IP20	ELLESO060C01	715					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLESO060T01	745					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO060P01	735					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO060R01	745					

Pendant lamp - ø 80




Cotton	1 x E27 42 W HES	-	OD	IP20	ELLESO080C01	985					
Washable	1 x E27 42 W HES	-	OD	IP20	ELLESO080T01	1.030					
Pleated fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO080P01	1.060					
Pleated ribbon fabric	1 x E27 42 W HES	-	OD	IP20	ELLESO080R01	1.070					

Metal wall lamp painted in white or lead grey colours and in Deluxe finishing matt gold or available in the version with wool fabric-covered half discs, with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

BUTTERFLY

Wall lamp - ø 54



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Metal wall lamp white or lead grey NO DIM 1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G01

840

Metal wall lamp Deluxe NO DIM 1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G02

965

Wool fabric wall lamp NO DIM 1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054E01

1.105

Metal wall lamp white or lead grey DIM DALI - Push DIM 1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G05

905

Metal wall lamp Deluxe DIM DALI - Push DIM 1 led module 19,8W - 3420 Lm - 3000 K

•

-

IP20

BUTEAP054G06

1.030

Wool fabric wall lamp DIM DALI - Push DIM 1 led module 19,8W - 3420 Lm - 3000 K

•


-

IP20

BUTEAP054E03

1.165

Wall lamp - ø 75



Metal wall lamp white or lead grey NO DIM 1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G01

1.040

Metal wall lamp Deluxe NO DIM 1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G02

1.195

Wool fabric wall lamp NO DIM 1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075E01

1.355

Metal wall lamp white or lead grey DIM DALI - Push DIM 1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G05

1.105

Metal wall lamp Deluxe DIM DALI - Push DIM 1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075G06

1.260

Wool fabric wall lamp DIM DALI - Push DIM 1 led module 29,8W - 5132 Lm - 3000 K

•

-

IP20

BUTEAP075E03

1.420

A and B: option at the customer's choice upon installation (2 sets of brackets included)

Accessory recessed

Kit for recessed version - ø 54

•

IP20

BUTEDD054G01

80


Kit for recessed version - ø 75

•

IP20

BUTEDD075G01

95



PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Pendant lamp with diffuser in white polyethylene or colored on the mix available in orange and deep grey colours.
Opal plex finishing underneath.
Plex finishishing underneath available in opal polycarbonate too, in accordance with 650° normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE


Pendant lamp

DESCRIPTION LIGHT SOURCE

Medium pendant lamp ø 33 1 x E27 42 W HES

Maxi pendant lamp ø 51 1 x E27 70 W HES

INDOOR						OUTDOOR				
	IP	CODE	€ EURO		IP	CODE	€ EURO			
OD	OD	IP31	CAIESO033D01	420						
OD	OD	IP31	CAIESO051D01	550						



PRODUCTS: Campanone Outdoor
DESIGN: Paolo Grasselli 2005

Pendant lamp with diffuser in white polyethylene or colored on the mix available in orange and deep grey colours.
Opal plex finishing underneath.
Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

CAMPANONE
OUTDOOR


Pendant lamp

DESCRIPTION LIGHT SOURCE

Medium pendant lamp ø 33 1 x E27 42 W HES

Maxi pendant lamp ø 51 1 x E27 70 W HES

INDOOR					OUTDOOR				
  IP	CODE	€ EURO	  IP	CODE	€ EURO				
			OD OD IP65	CAOESO033D02	525				
			OD OD IP65	CAOESO051D02	660				




Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		IP CODE € EURO	IP CODE € EURO
Pendant lamp white or black	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G01 1.840	
Pendant lamp Deluxe	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G02 2.080	
Pendant lamp white or black with gold rod	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G21 1.870	
Pendant lamp Deluxe with gold rod	12xE27 42W HES + 1xGU10 28W HES	• OD IP20 CHAESO100G22 2.110	
Accessory:			
Kit light bulbs: 12 x E27 Globe 125 LED 8W 2700K (NO DIM) + 1 x GU10 LED (NO DIM)		LMPLEDE27KIT011 400	
Kit light bulbs: 12 x E27 Globe 125 LED 7,5W 2200K (DIM) + 1 x GU10 LED (DIM)		LMPLEDE27KIT012 585	

Pendant lamp - ø 100




Pendant lamp white or black	13 x GU10 28 W HES	• OD IP20 CHAESO100G11 1.865	
Pendant lamp Deluxe	13 x GU10 28 W HES	• OD IP20 CHAESO100G12 2.105	
Pendant lamp white or black with gold rod	13 x GU10 28 W HES	• OD IP20 CHAESO100G31 1.895	
Pendant lamp Deluxe with gold rod	13 x GU10 28 W HES	• OD IP20 CHAESO100G32 2.135	
Accessory:			
Kit 13 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT11 190	
Kit 13 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT12 230	

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand

CHANDELIER

Pendant lamp - ø 140



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G01

1.930

Pendant lamp Deluxe

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G02

2.265

Pendant lamp white or black with
gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G21

1.965

Pendant lamp Deluxe with gold rod

12xE27 42W HES +
1xGU10 28W HES

•

OD

IP20

CHAESO140G22

2.295

Accessory:

Kit light bulbs: 12 x E27 Globe 125 LED 8W
2700K (NO DIM) + 1 x GU10 LED (NO DIM)

LMPLEDE27KIT011


400

Kit light bulbs: 12 x E27 Globe 125 LED
7,5W 2200K (DIM) + 1 x GU10 LED (DIM)

LMPLEDE27KIT012

585

Pendant lamp - ø 140



Pendant lamp white or black

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G11

1.960

Pendant lamp Deluxe

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G12

2.290

Pendant lamp white or black with
gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G31

1.990

Pendant lamp Deluxe with gold rod

13 x GU10 28 W HES

•

OD

IP20

CHAESO140G32

2.320

Accessory:

Kit 13 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT11

190

Kit 13 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT12


230

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER

Ceiling lamp - ø 100



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G01	1.825					
Ceiling lamp Deluxe	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G02	2.070					
Ceiling lamp white or black with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G21	1.860					
Ceiling lamp Deluxe with gold rod	6xE27 42W HES + 7xGU10 28W HES	•	OD	IP20	CHAEPL100G22	2.100					
Accessory:											
Kit light bulbs: 6 x E27 Globe 125 LED 8W 2700K (NO DIM) + 7 x GU10 LED (NO DIM)		LMPLEDE27KIT013					295				
Kit light bulbs: 6 x E27 Globe 125 LED 7,5W 2200K (DIM) + 7 x GU10 LED (DIM)		LMPLEDE27KIT014					400				

Ceiling lamp - ø 100




Ceiling lamp white or black	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G11	1.840					
Ceiling lamp Deluxe	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G12	2.080					
Ceiling lamp white or black with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G31	1.870					
Ceiling lamp Deluxe with gold rod	13 x GU10 28 W HES	•	OD	IP20	CHAEPL100G32	2.110					
Accessory:											
Kit 13 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT11	190					
Kit 13 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT12	230					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Ceiling lamp - ø 140



DESCRIPTION

LIGHT SOURCE

Ceiling lamp white or black

6xE27 42W HES +
7xGU10 28W HES

Ceiling lamp Deluxe

6xE27 42W HES +
7xGU10 28W HES

Ceiling lamp white or black with gold
rod

6xE27 42W HES +
7xGU10 28W HES

Ceiling lamp Deluxe with gold rod


6xE27 42W HES +
7xGU10 28W HES

Accessory:

Kit light bulbs: 6 x E27 Globe 125 LED 8W
2700K (NO DIM) + 7 x GU10 LED (NO DIM)

Kit light bulbs: 6 x E27 Globe 125 LED 7,5W
2200K (DIM) + 7 x GU10 LED (DIM)

Ceiling lamp - ø 140



Ceiling lamp white or black

13 x GU10 28 W HES

Ceiling lamp Deluxe

13 x GU10 28 W HES

Ceiling lamp white or black with gold
rod

13 x GU10 28 W HES

Ceiling lamp Deluxe with gold rod

13 x GU10 28 W HES

Accessory:

Kit 13 light bulbs GU10 LED (NO DIM)


Kit 13 light bulbs GU10 LED (DIM)

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER

Wall lamp – single



DESCRIPTION LIGHT SOURCE

Wall lamp white or black 2 x E27 42 W HES

Wall lamp Deluxe 2 x E27 42 W HES


Accessory:

Kit 2 light bulbs E27 Globe 125 LED
8W 2700K (NO DIM)

Kit 2 light bulbs E27 Globe 125 LED
7,5W 2200K (DIM)

INDOOR						OUTDOOR			
	IP	CODE	€ EURO				IP	CODE	€ EURO
•	OD IP20	CHAEAP010G01	335						
•	OD IP20	CHAEAP010G02	410						
			LMPLEDE27KIT001	80					
			LMPLEDE27KIT002	105					

Wall lamp – single



Wall lamp white or black 2 x GU10 28W HES

Wall lamp Deluxe 2 x GU10 28W HES

Accessory:

Kit 2 light bulbs GU10 LED (NO DIM)

Kit 2 light bulbs GU10 LED (DIM)


•	OD	IP20	CHAEAP010G11	340	
•	OD	IP20	CHAEAP010G12	415	
LMPLEDGU10KIT01					35
LMPLEDGU10KIT02					45

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand


CHANDELIER

Wall lamp – double



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white or black	4 x E27 42 W HES	•	OD	IP20	CHAEAP035G01	555					
Wall lamp Deluxe	4 x E27 42 W HES	•	OD	IP20	CHAEAP035G02	640					
Accessory:											
Kit 4 light bulbs E27 Globe 125 LED 8W 2700K (NO DIM)					LMPLEDE27KIT003	145					
Kit 4 light bulbs E27 Globe 125 LED 7,5W 2200K (DIM)					LMPLEDE27KIT004	200					

Wall lamp – double




Wall lamp white or black	4 x GU10 28W HES	•	OD	IP20	CHAEAP035G11	565					
Wall lamp Deluxe	4 x GU10 28W HES	•	OD	IP20	CHAEAP035G12	650					
Accessory:											
Kit 4 light bulbs GU10 LED (NO DIM)					LMPLEDGU10KIT03	80					
Kit 4 light bulbs GU10 LED (DIM)					LMPLEDGU10KIT04	100					

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index   → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Pendant lamp - L. 100



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Pendant lamp white or black

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G01

2.310

Pendant lamp Deluxe

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G02

2.575

Pendant lamp white or black with
gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G21

2.375

Pendant lamp Deluxe with gold rod

16xE27 42W HES +
2xGU10 28W HES

•

OD

IP20

CHLESO100G22

2.635

Accessory:

Kit light bulbs: 16 x E27 Globe 125 LED 8W
2700K (NO DIM) + 2 x GU10 LED (NO DIM)

LMPLEDE27KIT016


525

Kit light bulbs: 16 x E27 Globe 125 LED
7,5W 2200K (DIM) + 2 x GU10 LED (DIM)

LMPLEDE27KIT017

735

Pendant lamp - L. 100



Pendant lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G11

2.350

Pendant lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G12

2.615

Pendant lamp white or black with
gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G31

2.415

Pendant lamp Deluxe with gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLESO100G32

2.680

Accessory:

Kit 18 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

250

Kit 18 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19


315

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE



Pendant lamp - L. 150



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Pendant lamp white or black	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO150G01	2.435
Pendant lamp Deluxe	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO150G02	2.740
Pendant lamp white or black with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO150G21	2.500
Pendant lamp Deluxe with gold rod	16xE27 42W HES + 2xGU10 28W HES	• OD IP20 CHLESO150G22	2.805
Accessory:			
Kit light bulbs: 16 x E27 Globe 125 LED 8W 2700K (NO DIM) + 2 x GU10 LED (NO DIM)		LMPLEDE27KIT016	525
Kit light bulbs: 16 x E27 Globe 125 LED 7,5W 2200K (DIM) + 2 x GU10 LED (DIM)		LMPLEDE27KIT017	735

Pendant lamp - L. 150



DESCRIPTION	LIGHT SOURCE	INDOOR	OUTDOOR
		 IP	 IP
		CODE	€ EURO
Pendant lamp white or black	18 x GU10 28 W HES	• OD IP20 CHLESO150G11	2.490
Pendant lamp Deluxe	18 x GU10 28 W HES	• OD IP20 CHLESO150G12	2.795
Pendant lamp white or black with gold rod	18 x GU10 28 W HES	• OD IP20 CHLESO150G31	2.550
Pendant lamp Deluxe with gold rod	18 x GU10 28 W HES	• OD IP20 CHLESO150G32	2.855
Accessory:			
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18	250
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19	315


PRODUCTS: Chandelier Longue
DESIGN: Paolo Grasselli 2019

Large pendant and ceiling lamp with arms.
Wall lamp with one or two arms.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand


CHANDELIER LONGUE

Ceiling lamp - L. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp white or black	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL100G01	2.300					
Ceiling lamp Deluxe	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL100G02	2.560					
Ceiling lamp white or black with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL100G21	2.365					
Ceiling lamp Deluxe with gold rod	8xE27 42W HES + 10xGU10 28W HES	•	OD	IP20	CHLEPL100G22	2.625					
Accessory:											
Kit light bulbs: 8 x E27 Globe 125 LED 8W 2700K (NO DIM) + 10 x GU10 LED (NO DIM)					LMPLEDE27KIT160	390					
Kit light bulbs: 8 x E27 Globe 125 LED 7,5W 2200K (DIM) + 10 x GU10 LED (DIM)					LMPLEDE27KIT170	525					

Ceiling lamp - L. 100




Ceiling lamp white or black	18 x GU10 28 W HES	•	OD	IP20	CHLEPL100G11	2.320	
Ceiling lamp Deluxe	18 x GU10 28 W HES	•	OD	IP20	CHLEPL100G12	2.585	
Ceiling lamp white or black with gold rod	18 x GU10 28 W HES	•	OD	IP20	CHLEPL100G31	2.385	
Ceiling lamp Deluxe with gold rod	18 x GU10 28 W HES	•	OD	IP20	CHLEPL100G32	2.645	
Accessory:							
Kit 18 light bulbs GU10 LED (NO DIM)		LMPLEDGU10KIT18					250
Kit 18 light bulbs GU10 LED (DIM)		LMPLEDGU10KIT19					315

Large pendant and ceiling lamp with arms.
 Wall lamp with one or two arms.
 Metal structure painted in white or black (embossed finishing) and in Deluxe finishing matt gold.

Symbol index  → • / present - / absent OD / On Demand

CHANDELIER LONGUE

Ceiling lamp - L. 150



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Ceiling lamp white or black

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G01

2.435

Ceiling lamp Deluxe

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G02

2.740

Ceiling lamp white or black with gold
rod

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G21

2.500

Ceiling lamp Deluxe with gold rod

8xE27 42W HES +
10xGU10 28W HES

•

OD

IP20

CHLEPL150G22

2.805

Accessory:

Kit light bulbs: 8 x E27 Globe 125 LED 8W
2700K (NO DIM) + 10 x GU10 LED (NO DIM)

LMPLEDE27KIT160


390

Kit light bulbs: 8 x E27 Globe 125 LED 7,5W
2200K (DIM) + 10 x GU10 LED (DIM)

LMPLEDE27KIT170

525

Ceiling lamp - L. 150



Ceiling lamp white or black

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G11

2.455

Ceiling lamp Deluxe

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G12

2.760

Ceiling lamp white or black with gold
rod

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G31

2.520

Ceiling lamp Deluxe with gold rod

18 x GU10 28 W HES

•

OD

IP20

CHLEPL150G32

2.825

Accessory:

Kit 18 light bulbs GU10 LED (NO DIM)

LMPLEDGU10KIT18

250

Kit 18 light bulbs GU10 LED (DIM)

LMPLEDGU10KIT19

315


PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

Large pendant or ceiling lamp. Opal plex finishing underneath.
Upper perimetral graphite-painted metal ring, lampshade in cotton fabric.
On demand, lampshade available in For nature, Kvadrat, velvet and wool fabric (with surcharge).

Symbol index  → • / present - / absent OD / On Demand


CHARLIE

Pendant lamp - ø 107



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP100C01	2.050					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C05	2.415					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C04	2.480					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP100C06	2.515					

Pendant lamp - ø 127



Cotton	4 x E27 105 W HES	OD	OD	IP20	CARESP130C01	2.365					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C05	2.815					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C04	2.875					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CARESP130C06	2.915					


PRODUCTS: Charlie
DESIGN: Arturo Bellese 2019

Large pendant or ceiling lamp. Opal plex finishing underneath.
Upper perimetral graphite-painted metal ring, lampshade in cotton fabric.
On demand, lampshade available in For nature, Kvadrat, velvet and wool fabric (with surcharge).

Symbol index  → • / present - / absent OD / On Demand


CHARLIE

Ceiling lamp - ø 107



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL100C01	1.985					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C05	2.365					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C04	2.425					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL100C06	2.460					

Ceiling lamp - ø 127




Cotton	4 x E27 105 W HES	OD	OD	IP20	CAREPL130C01	2.310					
Cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C05	2.665					
Cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C04	2.730					
Cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CAREPL130C06	2.730					

Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP060C01	585					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP060T01	655					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP060O01	670					
1 light wool	1 x E27 70 W HES	OD	OD	IP20	CILESP060E01	670					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP060C02	650					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP060T02	725					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP060O02	740					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CILESP060E02	740					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060P01	775					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP060R01	810					

Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C06	830					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T06	905					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O06	920					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060E06	920					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P05	955					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R05	985					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C09	930					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T09	1.005					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O09	1.020					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060E09	1.020					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P09	1.055					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R09	1.085					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060C08	910					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060T08	980					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060O08	1.000					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060E08	1.000					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060P07	1.035					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP060R07	1.065					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX060F01	135	
------------------	----------------------------------	----	------	--------------	-----	--




PRODUCTS: Cilindro
DESIGN: Modoluce R&D 2002

Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 70




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton	1 x E27 70 W HES	OD	OD	IP20	CILESP070C01	670					
1 light washable	1 x E27 70 W HES	OD	OD	IP20	CILESP070T01	800					
1 light velvet	1 x E27 70 W HES	OD	OD	IP20	CILESP070O01	830					
1 light wool	1 x E27 70 W HES	OD	OD	IP20	CILESP070E01	830					
3 lights cotton	3 x E27 70 W HES	OD	OD	IP20	CILESP070C02	725					
3 lights washable	3 x E27 70 W HES	OD	OD	IP20	CILESP070T02	850					
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CILESP070O02	880					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CILESP070E02	880					
3 lights pleated fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070P01	1.060					
3 lights pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	CILESP070R01	1.105					

Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C06	920					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T06	1.045					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O06	1.075					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070E06	1.075					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P05	1.255					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R05	1.295					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C09	985					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T09	1.115					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O09	1.145					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070E09	1.145					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P09	1.325					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R09	1.365					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070C08	965					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070T08	1.090					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070O08	1.125					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070E08	1.125					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070P07	1.300					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP070R07	1.345					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX070F01	190	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP100C01	1.290					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP100T01	1.470					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP100O01	1.510					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CILESP100E01	1.510					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100P01	1.920					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP100R01	1.975					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C08	1.365					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T08	1.545					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O08	1.585					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100E08	1.585					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P08	1.995					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R08	2.050					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C09	1.435					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T09	1.610					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O09	1.655					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100E09	1.655					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P09	2.065					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R09	2.115					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100C10	1.410					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100T10	1.590					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100O10	1.635					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100E10	1.635					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100P10	2.040					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP100R10	2.095					

Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C13	1.565					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T13	1.745					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O13	1.785					
1 light wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100E13	1.785					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P13	2.195					
1 light pleated ribbon fabric NO DIM/ DIM 1-10V	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R13	2.245					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C14	1.630					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T14	1.805					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O14	1.850					
1 light wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100E14	1.850					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P14	2.260					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R14	2.310					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100C15	1.665					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100T15	1.845					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100O15	1.885					
1 light wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100E15	1.885					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100P15	2.295					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CILESP100R15	2.345					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX100F01	390	
------------------	----------------------------------	----	------	--------------	-----	--




Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 120




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 105 W HES	OD	OD	IP20	CILESP120C01	1.930					
4 lights washable	4 x E27 105 W HES	OD	OD	IP20	CILESP120T01	2.140					
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CILESP120O01	2.205					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CILESP120E01	2.205					
4 lights pleated fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120P01	2.300					
4 lights pleated ribbon fabric	4 x E27 105 W HES	OD	OD	IP20	CILESP120R01	2.365					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C08	2.005					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T08	2.215					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O08	2.280					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120E08	2.280					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P08	2.375					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R08	2.435					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C09	2.075					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T09	2.285					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O09	2.345					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120E09	2.345					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P09	2.440					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R09	2.505					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120C10	2.055					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120T10	2.265					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120O10	2.325					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120E10	2.325					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120P10	2.420					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CILESP120R10	2.485					

Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in For nature and Kvadrat fabric (with surcharge). Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C11	2.260					
1 light washable NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T11	2.470					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O11	2.530					
1 light wool NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120E11	2.530					
1 light pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P11	2.625					
1 light pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R11	2.690					
1 light cotton DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120C12	2.365					
1 light washable DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120T12	2.575					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120O12	2.635					
1 light wool DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120E12	2.635					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120P12	2.730					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP120R12	2.795					

Accessory	Top protective disk in opal plex	OD	IP20	CILEPX120F01	450	
------------------	----------------------------------	----	------	--------------	-----	--



Cylindrical pendant lamp available in cotton, washable, velvet, wool, pleated and pleated ribbon fabric.


Opal plex finishing underneath.

On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton	6 x E27 105 W HES	OD	OD	IP20	CILESP150C01	2.910					
6 lights washable	6 x E27 105 W HES	OD	OD	IP20	CILESP150T01	3.150					
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CILESP150O01	3.235					
6 lights wool	6 x E27 105 W HES	OD	OD	IP20	CILESP150E01	3.235					
6 lights pleated fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150P01	3.625					
6 lights pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	CILESP150R01	3.730					
1 light cotton NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C08	3.110					
1 light washable NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T08	3.350					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O08	3.435					
1 light wool NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150E08	3.435					
1 light pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P08	3.820					
1 light pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R08	3.925					
1 light cotton DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150C09	3.215					
1 light washable DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150T09	3.455					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150O09	3.540					
1 light wool DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150E09	3.540					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150P09	3.925					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CILESP150R09	4.030					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Cylindrical pendant lamp certified in acoustic comfort available in velvet, wool, For nature and Kvadrat.
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 70



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights velvet	3 x E27 70 W HES	OD	OD	IP20	CISESP070O02	2.115					
3 lights wool	3 x E27 70 W HES	OD	OD	IP20	CISESP070E02	2.115					
3 lights For nature	3 x E27 70 W HES	OD	OD	IP20	CISESP070Q02	2.265					
3 lights Kvadrat	3 x E27 70 W HES	OD	OD	IP20	CISESP070I02	2.495					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O03	2.320					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E03	2.320					
1 light For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070Q03	2.470					
1 light Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070I03	2.700					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O04	2.395					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E04	2.395					
1 light For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070Q04	2.540					
1 light Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070I04	2.770					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070O05	2.395					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070E05	2.395					
1 light For nature DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070Q05	2.540					
1 light Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP070I05	2.770					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX070F01	170	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort available in velvet, wool, For nature and Kvadrat.
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP100O02	2.715					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP100E02	2.715					
4 lights For nature	4 x E27 105 W HES	OD	OD	IP20	CISESP100Q02	2.915					
4 lights Kvadrat	4 x E27 105 W HES	OD	OD	IP20	CISESP100I02	3.240					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O03	2.835					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E03	2.835					
1 light For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100Q03	3.035					
1 light Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100I03	3.360					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O04	2.910					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E04	2.910					
1 light For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100Q04	3.110					
1 light Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100I04	3.435					
1 light velvet DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100O05	2.910					
1 light wool DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100E05	2.910					
1 light For nature DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100Q05	3.110					
1 light Kvadrat DIM DALI - Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP100I05	3.435					

Cylindrical pendant lamp certified in acoustic comfort available in velvet, wool, For nature and Kvadrat.
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O08	2.985					
1 light wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E08	2.985					
1 light For nature NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100Q08	3.185					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100I08	3.510					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O09	3.060					
1 light wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E09	3.060					
1 light For nature DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100Q09	3.260					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100I09	3.585					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100O10	3.060					
1 light wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100E10	3.060					
1 light For nature DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100Q10	3.260					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	CISESP100I10	3.585					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX100F01	305	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort available in velvet, wool, For nature and Kvadrat.
Opal plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights velvet	4 x E27 105 W HES	OD	OD	IP20	CISESP120O02	3.025					
4 lights wool	4 x E27 105 W HES	OD	OD	IP20	CISESP120E02	3.025					
4 lights For nature	4 x E27 105 W HES	OD	OD	IP20	CISESP120Q02	3.265					
4 lights Kvadrat	4 x E27 105 W HES	OD	OD	IP20	CISESP120I02	3.655					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O03	3.090					
1 light wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E03	3.090					
1 light For nature NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120Q03	3.335					
1 light Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120I03	3.720					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O04	3.165					
1 light wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E04	3.165					
1 light For nature DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120Q04	3.405					
1 light Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120I04	3.795					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120O05	3.165					
1 light wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120E05	3.165					
1 light For nature DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120Q05	3.405					
1 light Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	CISESP120I05	3.795					


PRODUCTS: Circus
DESIGN: Modoluce R&D 2018

Cylindrical pendant lamp certified in acoustic comfort available in velvet, wool, For nature and Kvadrat.
 Opal plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


CIRCUS

Pendant lamp - ø 120



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O06	3.345					
1 light wool NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E06	3.345					
1 light For nature NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120Q06	3.585					
1 light Kvadrat NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120I06	3.975					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120O07	3.395					
1 light wool DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120E07	3.395					
1 light For nature DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120Q07	3.640					
1 light Kvadrat DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP120I07	4.025					

Accessory	Top protective disk in opal plex (montato)	OD	IP20	CISEPX120F01	370	
------------------	--	----	------	--------------	-----	--




Cylindrical pendant lamp certified in acoustic comfort available in velvet, wool, For nature and Kvadrat.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

CIRCUS

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights velvet	6 x E27 105 W HES	OD	OD	IP20	CISESP150O02	5.105					
6 lights wool	6 x E27 105 W HES	OD	OD	IP20	CISESP150E02	5.105					
6 lights For nature	6 x E27 105 W HES	OD	OD	IP20	CISESP150Q02	5.500					
6 lights Kvadrat	6 x E27 105 W HES	OD	OD	IP20	CISESP150I02	6.050					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150O06	5.250					
1 light wool NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150E06	5.250					
1 light For nature NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150Q06	5.650					
1 light Kvadrat NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150I06	6.195					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150O07	5.305					
1 light wool DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150E07	5.305					
1 light For nature DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150Q07	5.700					
1 light Kvadrat DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	CISESP150I07	6.250					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Clip
DESIGN: Baldessari e Baldessari 2018

Oblong shape pendant lamp with double light emission. Metal structure painted in sand or lead grey colour and in Deluxe finishing matt gold.
 Upper diffuser in white polycarbonate.
 Double light emission: L 130 Up 5120 lm - Down 2560 lm / L 170 Up 7040 lm - Down 2560 lm

Symbol index   → • / present - / absent OD / On Demand


CLIP

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp sand or lead grey NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G01	2.205					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G03	2.245					
Pendant lamp Deluxe NO DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G02	2.310					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 48 W - 7600 Lm - 3000 K	•	OD	IP20	CLIESO130G04	2.350					

Pendant lamp - L 170



Pendant lamp sand or lead grey NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G01	2.470					
Pendant lamp sand or lead grey DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G03	2.575					
Pendant lamp Deluxe NO DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G02	2.575					
Pendant lamp Deluxe DIM DALI/Push DIM	2 linear modules 60 W - 9600 Lm - 3000 K	•	OD	IP20	CLIESO170G04	2.680					

PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015


Pendant lamp in hand-finished pleated fabric.
Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.60


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	COCESP060P01	1.145					



Pendant lamp pleated fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P05	1.260					
Pendant lamp pleated fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P07	1.280					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	COCESP060P06	1.365					

Pendant lamp D.80

Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	COCESP080P01	1.630					
----------------	------------------	----	----	------	--------------	-------	--	--	--	--	--



Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P05	1.840					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P07	1.910					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP080P06	1.910					


PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015

Pendant lamp in hand-finished pleated fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

COCO'

Pendant lamp D.100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	COCESP100P01	2.155					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP100P05	2.310					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP100P09	2.385					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	COCESP100P06	2.385					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	COCESP100P12	2.520					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	COCESP100P13	2.595					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	COCESP100P14	2.625					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Floor lamp with cantilever arm. Embossed white or black painted metal structure.
Rotating lampshade (adjustable 30°) available in cotton fabric in the same colour as the metal structure or in washable marble fabric. (On demand, also available in wool fabric).
One side frosted plex finishing underneath.
On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

CORNER

Floor lamp - ø 60



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Metal white cotton white DIM

1 led module 23 W - 4425
Lm - 3000 K

OD

OD

IP20

COREPT060C07

1.575

Metal black cotton black DIM

1 led module 23 W - 4425
Lm - 3000 K

OD

OD

IP20

COREPT060C08

1.575

Metal white washable marble DIM

1 led module 23 W - 4425
Lm - 3000 K

OD

OD

IP20

COREPT060T07

1.650

Metal black washable marble DIM

1 led module 23 W - 4425
Lm - 3000 K

OD


OD

IP20

COREPT060T08

1.650

Floor lamp - ø 80



Metal white cotton white DIM

1 led module 35 W -
6040 Lm - 3000 K

OD

OD

IP20

COREPT080C09

1.995

Metal black cotton black DIM

1 led module 35 W -
6040 Lm - 3000 K

OD

OD

IP20

COREPT080C10

1.995

Metal white washable marble DIM

1 led module 35 W -
6040 Lm - 3000 K

OD

OD

IP20

COREPT080T09

2.075

Metal black washable marble DIM

1 led module 35 W -
6040 Lm - 3000 K

OD

OD

IP20

COREPT080T10

2.075

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Diogene
DESIGN: Romano + Menegon 2017

Table, floor or pendant lamp with power supply or rechargeable kit white LED.
 Metal structure painted white, graphite or rust effect. On demand, different RAL colours available (minimum quantity 10 pcs).
 Cylindric diffuser in opal PC.
 Metal parts are protected with electrolytic galvanizing treatment and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

DIOGENE OUTDOOR

Table/ floor/ pendant lamp

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Version with power supply

1 x E27 70 W HES

•

-

IP44

DIOETA030G42

555

Rechargeable version

1 kit led 3 W - 600 Lm -
warm light



•

-

IP65

DIOETA030G12

725



IMPORTANT NOTE (TECHNICAL DETAILS):

Rechargeable kit LED 6,4W (600lm) IP65 warm white: supplied with battery 4400 mAh + battery charger + remote control.

Nominal service life (new product) with working temperature range from +18°C a +35°C:

Led 25% 1,6W 10h

Led 50% 3,2W 6h 30'

Led 100% 6,4W 2h 15'

With working temperature range from +7 C° to 10°C battery life is decreasing of 20%.


(It is recommended to recharge the kit in indoor - temperature > +15° C).

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 42 W HES	OD	OD	IP20	DISESP040C02	510					
2 lights washable	2 x E27 42 W HES	OD	OD	IP20	DISESP040T02	540					
2 lights velvet	2 x E27 42 W HES	OD	OD	IP20	DISESP040O02	540					
2 lights Kvadrat	2 x E27 42 W HES	OD	OD	IP20	DISESP040I02	585					
2 lights pleated fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040P02	595					
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	DISESP040R02	605					
1 light cotton NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C06	620					
1 light washable NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T06	650					
1 light velvet NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O06	650					
1 light Kvadrat NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040I06	695					
1 light pleated fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P06	705					
1 light pleated ribbon fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R06	715					
1 light cotton DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C07	640					
1 light washable DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T07	670					
1 light velvet DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O07	670					
1 light Kvadrat DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040I07	715					
1 light pleated fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P07	725					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R07	735					
1 light cotton DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040C08	715					
1 light washable DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040T08	745					
1 light velvet DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040O08	745					
1 light Kvadrat DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040I08	790					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040P08	800					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISESP040R08	810					

Accessory

Top protective disk in opal plex	OD	IP20	DISEPX040F01	85	
----------------------------------	----	------	--------------	----	--




Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISESP060C02	700					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISESP060T02	750					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISESP060O02	750					
3 lights Kvadrat	3 x E27 42 W HES	OD	OD	IP20	DISESP060I02	830					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060P02	825					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISESP060R02	845					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C06	915					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T06	965					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O06	965					
1 light Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060I06	1.045					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P06	1.040					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R06	1.060					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C07	975					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T07	1.030					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O07	1.030					
1 light Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060I07	1.110					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P07	1.105					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R07	1.125					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060C08	1.005					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060T08	1.055					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060O08	1.055					
1 light Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060I08	1.135					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060P08	1.130					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISESP060R08	1.150					


PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C11	1.090					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T11	1.145					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O11	1.145					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060I11	1.225					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P11	1.220					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R11	1.240					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C13	1.165					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T13	1.220					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O13	1.220					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060I13	1.295					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P13	1.290					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R13	1.315					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060C12	1.200					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060T12	1.255					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060O12	1.255					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060I12	1.335					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060P12	1.330					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP060R12	1.350					

Accessory

Top protective disk in opal plex




OD	IP20	DISEPX060F01	135	
----	------	--------------	-----	--

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP080C02	965					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP080T02	1.035					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP080O02	1.035					
4 lights Kvadrat	4 x E27 42 W HES	OD	OD	IP20	DISESP080I02	1.140					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080P02	1.145					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP080R02	1.160					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C16	1.315					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T16	1.380					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O16	1.380					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080I16	1.485					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P16	1.480					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R16	1.505					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C10	1.355					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T10	1.425					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O10	1.425					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080I10	1.530					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P10	1.525					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R10	1.550					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080C17	1.390					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080T17	1.460					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080O17	1.460					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080I17	1.565					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080P17	1.560					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP080R17	1.585					


PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Pendant lamp - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C13	1.470					
1 light washable NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T13	1.540					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O13	1.540					
1 light Kvadrat NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080I13	1.645					
1 light pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P13	1.640					
1 light pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R13	1.665					
1 light cotton DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080C15	1.590					
1 light washable DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080T15	1.660					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080O15	1.660					
1 light Kvadrat DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080I15	1.765					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080P15	1.760					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP080R15	1.785					

Accessory

Top protective disk in opal plex	OD	IP20	DISEPX080F01	265	
----------------------------------	----	------	--------------	-----	--




Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISESP100C02	1.215					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISESP100T02	1.295					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISESP100O02	1.295					
4 lights Kvadrat	4 x E27 42 W HES	OD	OD	IP20	DISESP100I02	1.425					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100P02	1.485					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISESP100R02	1.515					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C17	1.490					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T17	1.575					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O17	1.575					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100I17	1.700					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P17	1.765					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R17	1.795					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C19	1.605					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T19	1.690					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O19	1.690					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100I19	1.815					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P19	1.880					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R19	1.910					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100C18	1.645					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100T18	1.725					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100O18	1.725					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100I18	1.855					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100P18	1.915					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISESP100R18	1.950					


PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C13	1.735					
1 light washable NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T13	1.815					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O13	1.815					
1 light Kvadrat NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100I13	1.945					
1 light pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P13	2.005					
1 light pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R13	2.035					
1 light cotton DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100C15	1.840					
1 light washable DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100T15	1.920					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100O15	1.920					
1 light Kvadrat DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100I15	2.050					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100P15	2.110					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISESP100R15	2.140					

Accessory	Top protective disk in opal plex	OD	IP20	DISEPX100F01	345	
------------------	----------------------------------	----	------	--------------	-----	--





Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 40





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton	2 x E27 28 W HES	OD	OD	IP20	DISEAP040C02	480					
2 lights washable	2 x E27 28 W HES	OD	OD	IP20	DISEAP040T02	510					
2 lights velvet	2 x E27 28 W HES	OD	OD	IP20	DISEAP040O02	510					
2 lights Kvadrat	2 x E27 28 W HES	OD	OD	IP20	DISEAP040I02	550					
2 lights pleated fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040P02	560					
2 lights pleated ribbon fabric	2 x E27 28 W HES	OD	OD	IP20	DISEAP040R02	570					
1 light cotton NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C06	585					
1 light washable NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T06	615					
1 light velvet NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O06	615					
1 light Kvadrat NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040I06	655					
1 light pleated fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P06	665					
1 light pleated ribbon fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R06	675					
1 light cotton DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C07	605					
1 light washable DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T07	635					
1 light velvet DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O07	635					
1 light Kvadrat DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040I07	675					
1 light pleated fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P07	690					
1 light pleated ribbon fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R07	700					
1 light cotton DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040C08	675					
1 light washable DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040T08	710					
1 light velvet DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040O08	710					
1 light Kvadrat DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040I08	750					
1 light pleated fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040P08	760					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	DISEAP040R08	770					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton	3 x E27 42 W HES	OD	OD	IP20	DISEAP060C02	705					
3 lights washable	3 x E27 42 W HES	OD	OD	IP20	DISEAP060T02	755					
3 lights velvet	3 x E27 42 W HES	OD	OD	IP20	DISEAP060O02	755					
3 lights Kvadrat	3 x E27 42 W HES	OD	OD	IP20	DISEAP060I02	835					
3 lights pleated fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060P02	830					
3 lights pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	DISEAP060R02	850					
1 light cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C06	860					
1 light washable NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T06	915					
1 light velvet NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O06	915					
1 light Kvadrat NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060I06	990					
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P06	985					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R06	1.010					
1 light cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C07	945					
1 light washable DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T07	1.000					
1 light velvet DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O07	1.000					
1 light Kvadrat DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060I07	1.075					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P07	1.070					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R07	1.090					
1 light cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060C08	955					
1 light washable DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060T08	1.010					
1 light velvet DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060O08	1.010					
1 light Kvadrat DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060I08	1.085					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060P08	1.080					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	DISEAP060R08	1.105					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Wall/ ceiling lamp - ø 60



13 cm
5.12"


DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C11	960					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T11	1.015					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O11	1.015					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060I11	1.090					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P11	1.085					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R11	1.110					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C09	1.080					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T09	1.135					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O09	1.135					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060I09	1.215					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P09	1.210					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R09	1.230					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060C12	1.105					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060T12	1.155					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060O12	1.155					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060I12	1.235					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060P12	1.230					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEAP060R12	1.250					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL080C02	975					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL080T02	1.045					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL080O02	1.045					
4 lights Kvadrat	4 x E27 42 W HES	OD	OD	IP20	DISEPL080I02	1.150					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080P02	1.145					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL080R02	1.170					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C16	1.175					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T16	1.245					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O16	1.245					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080I16	1.350					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P16	1.345					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R16	1.370					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C10	1.315					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T10	1.380					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O10	1.380					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080I10	1.485					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P10	1.480					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R10	1.505					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080C17	1.335					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080T17	1.400					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080O17	1.400					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080I17	1.505					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080P17	1.500					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL080R17	1.530					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C13	1.545					
1 light washable NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T13	1.610					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O13	1.610					
1 light Kvadrat NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080I13	1.715					
1 light pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P13	1.710					
1 light pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R13	1.740					
1 light cotton DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080C15	1.595					
1 light washable DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080T15	1.665					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080O15	1.665					
1 light Kvadrat DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080I15	1.770					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080P15	1.765					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL080R15	1.790					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton	4 x E27 42 W HES	OD	OD	IP20	DISEPL100C02	1.260					
4 lights washable	4 x E27 42 W HES	OD	OD	IP20	DISEPL100T02	1.345					
4 lights velvet	4 x E27 42 W HES	OD	OD	IP20	DISEPL100O02	1.345					
4 lights Kvadrat	4 x E27 42 W HES	OD	OD	IP20	DISEPL100I02	1.470					
4 lights pleated fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100P02	1.535					
4 lights pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	DISEPL100R02	1.565					
1 light cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C17	1.450					
1 light washable NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T17	1.535					
1 light velvet NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O17	1.535					
1 light Kvadrat NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100I17	1.660					
1 light pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P17	1.720					
1 light pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R17	1.755					
1 light cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C19	1.555					
1 light washable DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T19	1.640					
1 light velvet DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O19	1.640					
1 light Kvadrat DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100I19	1.765					
1 light pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P19	1.825					
1 light pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R19	1.860					
1 light cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100C18	1.595					
1 light washable DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100T18	1.680					
1 light velvet DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100O18	1.680					
1 light Kvadrat DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100I18	1.805					
1 light pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100P18	1.870					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	DISEPL100R18	1.900					

Pendant, wall/ceiling lamp available in cotton, washable, velvet, Kvadrat, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and For nature fabric (with surcharge). One side frosted plex finishing underneath.
 On demand, the pendant lamp can have a top protective disk in plex, usable only with LED bulbs or modules, with surcharge as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Ceiling lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C13	1.710					
1 light washable NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T13	1.795					
1 light velvet NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O13	1.795					
1 light Kvadrat NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100I13	1.920					
1 light pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P13	1.985					
1 light pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R13	2.015					
1 light cotton DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100C15	1.805					
1 light washable DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100T15	1.890					
1 light velvet DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100O15	1.890					
1 light Kvadrat DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100I15	2.015					
1 light pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100P15	2.080					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	DISEPL100R15	2.110					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Disk
DESIGN: Roberto Paoli 2014

Table, reading and floor lamp. Lampshade in cotton (in the same colour as metal structure), washable marble or Kvadrat fabric (on demand also available in wool fabric).
White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade.
Bottom cap in thermoformed opal PMMA with soft touch finishing.
On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
 43 cm 16.93"	Table lamp	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C01	895				
		1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T01	950				
		1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I01	1.040				
		1 light black / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKETA065C02	895				
		1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKETA065T02	950				
		1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKETA065I02	1.040				
Accessory - Table lamp		Universal DIM switch HES (40/160W) + LED (4/100W)				DIMVAR0TA002		105				




 43 cm 16.93"	Reading lamp	1 light white / cotton	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C01	1.135				
		1 light white / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T01	1.190				
		1 light white / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I01	1.280				
		1 light black / cotton black	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155C02	1.135				
		1 light black / washable	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155T02	1.190				
		1 light black / Kvadrat fabric	1 x E27 70 W HES	OD	OD	IP20	DSKEPT155I02	1.280				

PRODUCTS: Disk
DESIGN: Roberto Paoli 2014

Table, reading and floor lamp. Lampshade in cotton (in the same colour as metal structure), washable marble or Kvadrat fabric (on demand also available in wool fabric). White or black painted metal structure. Rotating and obscuring metal disk cover, placed on the upper border of the lampshade.
Bottom cap in thermoformed opal PMMA with soft touch finishing.
On demand, cotton or washable fabric lampshade available in different colours with a 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand

DISK	DESCRIPTION	LIGHT SOURCE					IP	CODE	€ EURO					IP	CODE	€ EURO
	2 lights white / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C01	1.470									
	2 lights white / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T01	1.575									
	2 lights white / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I01	1.720									
	2 lights black / cotton	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175C02	1.470									
	2 lights black / washable	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175T02	1.575									
	2 lights black / Kvadrat fabric	2 x E27 70 W HES	OD	OD	IP20	DSKEPT175I02	1.720									
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	125									




PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013

Pendant lamp with diffuser in matt white ceramic or in Deluxe finishes lead grey and matt gold or in dark brown cotto.
Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index   → • / present - / absent OD / On Demand


EVA

EVA mini - Pendant lamp ø 11



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H41	290					
Diffuser Deluxe ceramic	1 x GU10 20 W HES	•	OD	IP20	EVAESO011H51	335					
Diffuser dark brown cotto	1 x GU10 20 W HES	•	OD	IP20	EVAESO011N41	290					

EVA medium - Pendant lamp ø 18



Diffuser matt white ceramic	1 x E27 52 W HES	•	OD	IP20	EVAESO018H01	440					
Diffuser Deluxe ceramic	1 x E27 52 W HES	•	OD	IP20	EVAESO018H51	505					
Diffuser dark brown cotto	1 x E27 52 W HES	•	OD	IP20	EVAESO018N01	440					


PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013

Pendant lamp with diffuser in matt white ceramic or in Deluxe finishes lead grey and matt gold or in dark brown cotto.
Wiring cable in fabric, available in the following colours: ecru, orange, red, kiwi green, royal blue, grey and black.
On demand, diffuser available in different RAL colours (minimum quantity 15 pcs) with 3% surcharge.

Symbol index  → • / present - / absent OD / On Demand


EVA

EVA maxi - Pendant lamp ø 27



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H01	735					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO027H51	815					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO027N01	735					

EVA mega - Pendant lamp ø 38



Diffuser matt white ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H01	1.340					
Diffuser Deluxe ceramic	1 x E27 70 W HES	•	OD	IP20	EVAESO037H51	1.425					
Diffuser dark brown cotto	1 x E27 70 W HES	•	OD	IP20	EVAESO037N01	1.340					


PRODUCTS: Florinda
DESIGN: Romano + Menegon 2010

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 1 - Pendant lamp




DESCRIPTION LIGHT SOURCE

1 lampshade pleated fabric 1 x E27 70 W HES

1 lampshade pleated ribbon fabric 1 x E27 70 W HES

INDOOR					OUTDOOR				
	IP	CODE	€ EURO		IP	CODE	€ EURO		
•	OD IP20	FLOESO001P01	495						
OD	OD IP20	FLOESO001R01	495						

Florinda 3 - Pendant lamp



3 lampshades pleated fabric 3 x E27 70 W HES

3 lampshades pleated ribbon fabric 3 x E27 70 W HES


•	OD IP20	FLOESO003P01	1.575							
OD	OD IP20	FLOESO003R01	1.575							

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Pendant lamp



DESCRIPTION

LIGHT SOURCE

6+1 lampshades pleated fabric
(double lighting)

6xE27 70 W + 1xE14 42
W HES

6+1 lampshades pleated ribbon
fabric (double lighting)

6xE27 70 W + 1xE14 42
W HES

INDOOR

OUTDOOR



IP

CODE

€ EURO

•

OD

IP20

FLOESO006P01

3.190

OD

OD

IP20

FLOESO006R01

3.190




IP

CODE

€ EURO

Florinda 12 - Pendant lamp



12+1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

12+1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES

OD

OD

IP20

FLOESO012P02

8.170

OD

OD

IP20

FLOESO012R02

8.170

PRODUCTS: Florinda
DESIGN: Romano + Menegon 2010

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA


Florinda 3 – Ceiling lamp

DESCRIPTION LIGHT SOURCE

3 lampshades pleated fabric 3 x E27 70 W HES

3 lampshades pleated ribbon fabric 3 x E27 70 W HES

INDOOR						OUTDOOR			
		IP	CODE	€ EURO				IP	CODE € EURO
•	OD	IP20	FLOEPL003P01	1.575					
OD	OD	IP20	FLOEPL003R01	1.575					




Florinda 6 – Ceiling lamp

6 +1 lampshades pleated fabric (double lighting) 6xE27 70 W + 1xE14 42 W HES

6 +1 lampshades pleated ribbon fabric (double lighting) 6xE27 70 W + 1xE14 42 W HES

•	OD	IP20	FLOEPL006P01	3.150	
OD	OD	IP20	FLOEPL006R01	3.150	




PRODUCTS: Florinda
DESIGN: Romano + Menegon 2010

Pendant, ceiling and wall lamp in hand-finished pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

FLORINDA

Florinda 12 – Ceiling lamp



DESCRIPTION

LIGHT SOURCE

12 +1 lampshades pleated fabric
(double lighting)

12xE27 70 W HES + 3xE27
42 W HES

12 +1 lampshades pleated ribbon
fabric (double lighting)

12xE27 70 W HES + 3xE27
42 W HES

INDOOR



IP

CODE

€ EURO

OD

OD

IP20

FLOEPL012P02

8.295

OUTDOOR



IP

CODE

€ EURO

Florinda – Wall lamp

Wall lamp pleated fabric

2 x E27 42 W HES

•

OD

IP20

FLOEAP002P01

400

Wall lamp pleated ribbon fabric

2 x E27 42 W HES


OD

OD

IP20

FLOEAP002R01

400




PRODUCTS: Galileo
DESIGN: Bellucci Mazzoni Progetti 2022

Pendant, wall and floor lamp.
Metal structure painted in white, lead grey and matt gold colour.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand

GALILEO

Pendant lamp - D. 80 x L.125



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALESO080G01	1.470					
Pendant lamp matt gold NO DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALESO080G02	2.050					
Pendat lamp white or lead grey DIM TRIAC	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALESO080G03	1.565					
Pendant lamp matt gold DIM TRIAC	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALESO080G04	2.140					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALESO080G05	1.605					
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALESO080G06	2.185					

Pendant lamp - D. 100 x L.156

Pendat lamp white or lead grey NO DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G01	1.630					
Pendant lamp matt gold NO DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G02	2.260					
Pendat lamp white or lead grey DIM TRIAC	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G03	1.720					
Pendant lamp matt gold DIM TRIAC	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G04	2.350					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G05	1.785					
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 56W - 7100 Lm - 3000 K	•	OD	IP20	GALES0100G06	2.415					


PRODUCTS: Galileo
DESIGN: Bellucci Mazzoni Progetti 2022

Pendant, wall and floor lamp.
Metal structure painted in white, lead grey and matt gold colour.
Diffused light.


Symbol index   → • / present - / absent OD / On Demand

GALILEO

Wall lamp - D. 80 x L.125



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white or lead grey DIM Plug	1 led module 29W - 3670 Lm - 3000 K	•	OD	IP20	GALEAP080G01	1.460					
Wall lamp matt gold DIM Plug	1 led module 29W - 3670 Lm - 3000 K	•	OD	IP20	GALEAP080G02	2.035					
Wall lamp white or lead grey NO DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G03	1.440					
Wall lamp matt gold NO DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G04	2.015					
Wall lamp white or lead grey DIM TRIAC Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G05	1.480					
Wall lamp matt gold DIM TRIAC Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G06	2.060					
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G07	1.525					
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 44W - 5500 Lm - 3000 K	•	OD	IP20	GALEAP080G08	2.100					
Floor lamp white or lead grey DIM Plug	1 led module 22W - 2755 Lm - 3000 K	•	OD	IP20	GALEPT180G01	1.315					




PRODUCTS: Galileo Longue
DESIGN: Bellucci Mazzoni Progetti 2022

Pendant and wall lamp.
Metal structure painted in white, lead grey and matt gold colour.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand


GALILEO LONGUE

Pendant lamp - L. 120



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 32 W - 4030 Lm - 3000 K	•	OD IP20	GLLES0120G01	1.355				
Pendant lamp matt gold NO DIM	1 led module 32 W - 4030 Lm - 3000 K	•	OD IP20	GLLES0120G02	1.700				
Pendat lamp white or lead grey DIM TRIAC	1 led module 32 W - 4030 Lm - 3000 K	•	OD IP20	GLLES0120G03	1.420				
Pendant lamp matt gold DIM TRIAC	1 led module 32 W - 4030 Lm - 3000 K	•	OD IP20	GLLES0120G04	1.765				
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 32 W - 4030 Lm - 3000 K	•	OD IP20	GLLES0120G05	1.500				
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 32 W - 4030 Lm - 3000 K	•	OD IP20	GLLES0120G06	1.850				

Pendant lamp - L. 145



Pendat lamp white or lead grey NO DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD IP20	GLLES0145G01	1.460				
Pendant lamp matt gold NO DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD IP20	GLLES0145G02	1.880				
Pendat lamp white or lead grey DIM TRIAC	1 led module 40W - 5000 Lm - 3000 K	•	OD IP20	GLLES0145G03	1.525				
Pendant lamp matt gold DIM TRIAC	1 led module 40W - 5000 Lm - 3000 K	•	OD IP20	GLLES0145G04	1.945				
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD IP20	GLLES0145G05	1.605				
Pendant lamp matt gold DIM DALI-Push DIM	1 led module 40W - 5000 Lm - 3000 K	•	OD IP20	GLLES0145G06	2.025				


PRODUCTS: Galileo Longue
DESIGN: Bellucci Mazzoni Progetti 2022

Pendant and wall lamp.
Metal structure painted in white, lead grey and matt gold colour.
Diffused light.

Symbol index  → • / present - / absent OD / On Demand

GALILEO LONGUE

Wall lamp – L. 145




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white or lead grey NO DIM Remote	1 led module 20W – 2500 Lm – 3000 K	•	OD	IP20	GLLEAP145G01	810					
Wall lamp matt gold NO DIM Remote	1 led module 20W – 2500 Lm – 3000 K	•	OD	IP20	GLLEAP145G02	1.040					
Wall lamp white or lead grey DIM TRIAC Remote	1 led module 20W – 2500 Lm – 3000 K	•	OD	IP20	GLLEAP145G03	850					
Wall lamp matt gold DIM TRIAC Remote	1 led module 20W – 2500 Lm – 3000 K	•	OD	IP20	GLLEAP145G04	1.080					
Wall lamp white or lead grey DIM DALI-Push DIM Remote	1 led module 20W – 2500 Lm – 3000 K	•	OD	IP20	GLLEAP145G05	935					
Wall lamp matt gold DIM DALI-Push DIM Remote	1 led module 20W – 2500 Lm – 3000 K	•	OD	IP20	GLLEAP145G06	1.165					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


GECO

Wall lamp 155 - without lampshade



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G01	525					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G02	525					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G03	610					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G04	610					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G05	610					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G06	610					

Wall lamp 165 - with lampshade




Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C01	715					
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C02	715					
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C03	800					
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C04	800					
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C05	800					
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C06	800					

Wall lamp with or without lampshade. Lampshade in cotton fabric.
Metal structure painted in white or black (embossed finishing) and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand

GECO

Wall lamp – without plug 155 – without lampshade




17 cm
6.69"

13 cm
5.11"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white	1 x E27 42 W HES	•	OD	IP20	GECEAP160G11	535					
Wall lamp black	1 x E27 42 W HES	•	OD	IP20	GECEAP160G12	535					
Wall lamp brick	1 x E27 42 W HES	•	OD	IP20	GECEAP160G13	620					
Wall lamp lime	1 x E27 42 W HES	•	OD	IP20	GECEAP160G14	620					
Wall lamp blue China	1 x E27 42 W HES	•	OD	IP20	GECEAP160G15	620					
Wall lamp matt gold	1 x E27 42 W HES	•	OD	IP20	GECEAP160G16	620					

Wall lamp – without plug 165 – with lampshade



23 cm
9.05"

30 cm
11.81"


Wall lamp white cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C11	705					
Wall lamp black cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C12	705					
Wall lamp brick cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C13	790					
Wall lamp lime cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C14	790					
Wall lamp blue China cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C15	790					
Wall lamp matt gold cotton	1 x E27 42 W HES	OD	OD	IP20	GECEAP160C16	790					

Pendant lamp, spotlight and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand


HAMMER

Pendant lamp Ø 15



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G11	375					
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO015G12	465					
Pendat lamp white or lead grey NO DIM	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMESO015G01	420					
Pendant lamp Deluxe NO DIM	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMESO015G02	515					
Pendat lamp white or lead grey DIM TRIAC	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMESO015G05	475					
Pendant lamp Deluxe DIM TRIAC	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMESO015G06	565					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMESO015G03	545					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMESO015G04	640					

Pendant lamp Ø 18



Pendat lamp white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G11	390					
Pendant lamp Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMESO018G12	485					
Pendat lamp white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMESO018G01	450					
Pendant lamp Deluxe NO DIM	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMESO018G02	545					
Pendat lamp white or lead grey DIM TRIAC	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMESO018G05	515					
Pendant lamp Deluxe DIM TRIAC	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMESO018G06	610					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMESO018G03	565					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMESO018G04	660					

Accessory - Pendant lamps Ø 15 e Ø 18	Surcharge for ceiling rose in the same colour as Deluxe structure	ROS110003601	30	
---------------------------------------	---	--------------	----	--


PRODUCTS: Hammer
DESIGN: Paolo Grasselli 2017

Pendant lamp, spotlight and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index   → • / present - / absent OD / On Demand

HAMMER

Pendant lamp ø 30




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendat lamp white or lead grey NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	HAMESO030G01	580					
Pendant lamp Deluxe NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	HAMESO030G02	685					
Pendat lamp white or lead grey DIM TRIAC	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	HAMESO030G05	685					
Pendant lamp Deluxe DIM TRIAC	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	HAMESO030G06	790					
Pendat lamp white or lead grey DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	HAMESO030G03	790					
Pendant lamp Deluxe DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	HAMESO030G04	895					
Accessory - Pendant lamp ø 30	Surcharge for ceiling rose in the same colour as Deluxe structure				ROS160004201	35					

Pendant lamp, spotlight and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Spotlight ø 15



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G11	295					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA015G12	390					
Spotlight white or lead grey NO DIM	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMEFA015G01	345					
Spotlight Deluxe NO DIM	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMEFA015G02	440					
Spotlight white or lead grey DIM TRIAC (NOTE remote driver)	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMEFA015G05	410					
Spotlight Deluxe DIM TRIAC (NOTE remote driver)	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMEFA015G06	505					
Spotlight white or lead grey DIM DALI	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMEFA015G03	475					
Spotlight Deluxe DIM DALI	1 led module 9 W - 830 Lm - 3000 K	•	OD	IP20	HAMEFA015G04	565					

Spotlight ø 18




Spotlight white or lead grey	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G11	315					
Spotlight Deluxe	1 x GU10 20 W HES	•	OD	IP20	HAMEFA018G12	410					
Spotlight white or lead grey NO DIM	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMEFA018G01	370					
Spotlight Deluxe NO DIM	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMEFA018G02	460					
Spotlight white or lead grey DIM TRIAC (NOTE remote driver)	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMEFA018G05	430					
Spotlight Deluxe DIM TRIAC (NOTE remote driver)	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMEFA018G06	525					
Spotlight white or lead grey DIM DALI	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMEFA018G03	495					
Spotlight Deluxe DIM DALI	1 led module 12 W - 1110 Lm - 3000 K	•	OD	IP20	HAMEFA018G04	590					

Pendant lamp, spotlight and recessed spotlight.
Turned metal body painted in white or lead grey and in Deluxe finishes: lime green, blue China, brick and matt gold.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Recessed spotlight ø 15





DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G11	255					
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN015G12	320					
Recessed spotlight white or lead grey	1 led module 9 W - NO DIM	•	-	IP20	HAMEIN015G01	270					
Recessed spotlight Deluxe NO DIM	1 led module 9 W - NO DIM	•	-	IP20	HAMEIN015G02	330					
Recessed spotlight white or lead grey	1 led module 9 W - DIM TRIAC	•	-	IP20	HAMEIN015G05	330					
Recessed spotlight Deluxe DIM TRIAC	1 led module 9 W - DIM TRIAC	•	-	IP20	HAMEIN015G06	395					
Recessed spotlight white or lead grey	1 led module 9 W - DIM DALI	•	-	IP20	HAMEIN015G03	395					
Recessed spotlight Deluxe DIM DALI	1 led module 9 W - DIM DALI	•	-	IP20	HAMEIN015G04	455					

Recessed spotlight ø 18




Recessed spotlight white or lead grey	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G11	265			
Recessed spotlight Deluxe	1 x GU10 20 W HES	•	-	IP20	HAMEIN018G12	325			
Recessed spotlight white or lead grey	1 led module 12 W - NO DIM	•	-	IP20	HAMEIN018G01	275			
Recessed spotlight Deluxe NO DIM	1 led module 12 W - NO DIM	•	-	IP20	HAMEIN018G02	335			
Recessed spotlight white or lead grey	1 led module 12 W - DIM TRIAC	•	-	IP20	HAMEIN018G05	335			
Recessed spotlight Deluxe DIM TRIAC	1 led module 12 W - DIM TRIAC	•	-	IP20	HAMEIN018G06	400			
Recessed spotlight white or lead grey	1 led module 12 W - DIM DALI	•	-	IP20	HAMEIN018G03	410			
Recessed spotlight Deluxe DIM DALI	1 led module 12 W - DIM DALI	•	-	IP20	HAMEIN018G04	475			

Recessed spotlight ø 15



Recessed spotlight ø 18



PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 22

DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Pendant lamp

1 x E14 42 W HES

•

OD

IP20

ICIESO022G01

525


Accessory:

Coloured stripe in cotton fabric ø 22

OD

ICIEFS022C01

25



Pendant lamp - ø 50

Pendant lamp

1 x E27 42 W HES

•

OD

IP20

ICIESO050G01

860


Accessory:

Coloured stripe in cotton fabric ø 50/60/75

OD

ICIEFS050C01

30




PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO

Pendant lamp - ø 75



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO		  IP	CODE	€ EURO	
Pendant lamp	1 x E27 42 W HES	• OD IP20	ICIESO075G01	1.175					
Accessory:									
Coloured stripe in cotton fabric ø 50/60/75		OD	ICIEFS050C01	30					

Pendant lamp - ø 100




Pendant lamp	1 x E27 70 W HES	• OD IP20	ICIESO100G01	1.775					
Accessory:									
Coloured stripe in cotton fabric ø 100		OD	ICIEFS100C01	40					

Pendant lamp with structure in painted steel wire white and black matt.
Light bulb enclosed in a hermetic IP64 glass diffuser.
On demand, cover in removable washable fabric stripe available (see accessory in the price list).
Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand


ICARO OUTDOOR

	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES				• -	IP44/64 ICOESO050G01	985



Accessory:		
Coloured stripe in washable fabric ø 50/60/75	OD	ICIEFS050T01 35

Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES				• -	IP44/64 ICOESO075G01	1.355
---------------------	--------------	------------------	--	--	--	-----	----------------------	-------



Accessory:		
Coloured stripe in washable fabric ø 50/60/75	OD	ICIEFS050T01 35

PRODUCTS: Icaro Outdoor
DESIGN: Brian Rasmussen 2011

Pendant lamp with structure in painted steel wire white and black matt.
Light bulb enclosed in a hermetic IP64 glass diffuser.
On demand, cover in removable washable fabric stripe available (see accessory in the price list).
Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand


ICARO OUTDOOR

Pendant lamp - ø 100

DESCRIPTION LIGHT SOURCE

Pendant lamp 1 x E27 70 W HES

INDOOR				OUTDOOR			
  IP	CODE	€ EURO		  IP	CODE	€ EURO	
				• -	IP44/64 ICIESO100G01	1.975	



Accessory:
Coloured stripe in washable fabric
ø 100

				OD	ICIEFS100T01	70	
--	--	--	--	----	--------------	----	--

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012


Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index  → • / present - / absent OD / On Demand

ICARO BALL

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO

Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES	•	OD	IP20	IBIESO050G01	895				
---------------------	--------------	------------------	---	----	------	--------------	-----	--	--	--	--



Accessory:											
Coloured stripe in cotton fabric ø 50/60/75	OD				ICIEFS050C01	30					

Pendant lamp - ø 60	Pendant lamp	1 x E27 42 W HES	•	OD	IP20	IBIESO060G01	1.195				
---------------------	--------------	------------------	---	----	------	--------------	-------	--	--	--	--



Accessory:											
Coloured stripe in cotton fabric ø 50/60/75	OD				ICIEFS050C01	30					

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012


Pendant lamp with structure in painted steel wire white and black matt or in natural finishing (with transparent coating).
Light bulb at sight or covered by a removable cotton fabric stripe (see accessory in the price list).

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL


DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO		  IP	CODE	€ EURO	

Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES	•	OD	IP20	IBIESO075G01	1.335		
---------------------	--------------	------------------	---	----	------	--------------	-------	--	--



Accessory:									
Coloured stripe in cotton fabric ø 50/60/75	OD		ICIEFS050C01	30					

Pendant lamp - ø 90	Pendant lamp	1 x E27 70 W HES	•	OD	IP20	IBIESO090G01	1.860		
---------------------	--------------	------------------	---	----	------	--------------	-------	--	--




Accessory:									
Coloured stripe in cotton fabric ø 90	OD		ICIEFS090C01	40					

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt.
Light bulb enclosed in a hermetic IP64 glass diffuser.
On demand, cover in removable washable fabric stripe available (see accessory in the price list).
Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Pendant lamp - ø 50	Pendant lamp	1 x E27 42 W HES				• -	IP44/64 IBOESO050G01	1.000



Accessory:		
Coloured stripe in washable fabric ø 50/60/75	OD	ICIEFS050T01 35

Pendant lamp - ø 60	Pendant lamp	1 x E27 42 W HES		• -	IP44/64 IBOESO060G01	1.315
---------------------	--------------	------------------	--	-----	----------------------	-------




Accessory:		
Coloured stripe in washable fabric ø 50/60/75	OD	ICIEFS050T01 35

PRODUCTS: Icaro ball Outdoor
DESIGN: Brian Rasmussen 2012

Pendant lamp with structure in painted steel wire white and black matt.
Light bulb enclosed in a hermetic IP64 glass diffuser.
On demand, cover in removable washable fabric stripe available (see accessory in the price list).
Metal parts are protected with anticorrosive primer and resistant polyester coating.


Symbol index   → • / present - / absent OD / On Demand

ICARO BALL OUTDOOR	DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Pendant lamp - ø 75	Pendant lamp	1 x E27 42 W HES				• -	IP44/64 IBOESO075G01	1.470



Accessory:		
Coloured stripe in washable fabric ø 50/60/75	OD	ICIEFS050T01 35

Pendant lamp - ø 90	Pendant lamp	1 x E27 70 W HES				• -	IP44/64 IBOESO090G01	1.890
---------------------	--------------	------------------	--	--	--	-----	----------------------	-------




Accessory:		
Coloured stripe in washable fabric ø 90	OD	ICIEFS090T01 70

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Pendant lamp Ø 66




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white lycra NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L01	1.230					
Pendant lamp white velvet NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060O01	1.305					
Pendant lamp white wool NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060E01	1.385					
Pendant lamp graphite lycra NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L02	1.230					
Pendant lamp graphite velvet NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060O02	1.305					
Pendant lamp graphite wool NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060E02	1.385					
Pendant lamp white lycra DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L03	1.440					
Pendant lamp white velvet DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060O03	1.515					
Pendant lamp white wool DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060E03	1.595					
Pendant lamp graphite lycra DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060L04	1.440					
Pendant lamp graphite velvet DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060O04	1.515					
Pendant lamp graphite wool DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEESO060E04	1.595					

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Pendant lamp Ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080L01	1.420					
Pendant lamp white velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080O01	1.510					
Pendant lamp white wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080E01	1.605					
Pendant lamp graphite lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080L02	1.420					
Pendant lamp graphite velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080O02	1.510					
Pendant lamp graphite wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080E02	1.605					
Pendant lamp white lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080L03	1.630					
Pendant lamp white velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080O03	1.720					
Pendant lamp white wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080E03	1.815					
Pendant lamp graphite lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080L04	1.630					
Pendant lamp graphite velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080O04	1.720					
Pendant lamp graphite wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO080E04	1.815					

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Pendant lamp Ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100L01	1.745					
Pendant lamp white velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100O01	1.850					
Pendant lamp white wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100E01	1.955					
Pendant lamp graphite lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100L02	1.745					
Pendant lamp graphite velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100O02	1.850					
Pendant lamp graphite wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100E02	1.955					
Pendant lamp white lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100L03	1.955					
Pendant lamp white velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100O03	2.060					
Pendant lamp white wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100E03	2.165					
Pendant lamp graphite lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100L04	1.955					
Pendant lamp graphite velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100O04	2.060					
Pendant lamp graphite wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO100E04	2.165					

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Pendant lamp Ø 140





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140L01	2.155					
Pendant lamp white velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140O01	2.280					
Pendant lamp white wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140E01	2.385					
Pendant lamp graphite lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140L02	2.155					
Pendant lamp graphite velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140O02	2.280					
Pendant lamp graphite wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140E02	2.385					
Pendant lamp white lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140L03	2.365					
Pendant lamp white velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140O03	2.490					
Pendant lamp white wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140E03	2.595					
Pendant lamp graphite lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140L04	2.365					
Pendant lamp graphite velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140O04	2.490					
Pendant lamp graphite wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEESO140E04	2.595					

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 66





DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp white lycra NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L01	1.295					
Wall/ ceiling lamp white velvet NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060O01	1.375					
Wall/ ceiling lamp white wool NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060E01	1.455					
Wall/ ceiling lamp graphite lycra NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L02	1.295					
Wall/ ceiling lamp graphite velvet NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060O02	1.375					
Wall/ ceiling lamp graphite wool NO DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060E02	1.455					
Wall/ ceiling lamp white lycra DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L03	1.505					
Wall/ ceiling lamp white velvet DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060O03	1.585					
Wall/ ceiling lamp white wool DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060E03	1.665					
Wall/ ceiling lamp graphite lycra DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060L04	1.505					
Wall/ ceiling lamp graphite velvet DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060O04	1.585					
Wall/ ceiling lamp graphite wool DIM DALI-Push DIM	1 led module 18 W - 1660 Lm - 2800 K	•	OD	IP20	IDEEPL060E04	1.665					

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 80




		INDOOR					OUTDOOR				
DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp white lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080L01	1.480					
Wall/ ceiling lamp white velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080O01	1.575					
Wall/ ceiling lamp white wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080E01	1.670					
Wall/ ceiling lamp graphite lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080L02	1.480					
Wall/ ceiling lamp graphite velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080O02	1.575					
Wall/ ceiling lamp graphite wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080E02	1.670					
Wall/ ceiling lamp white lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080L03	1.690					
Wall/ ceiling lamp white velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080O03	1.785					
Wall/ ceiling lamp white wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080E03	1.880					
Wall/ ceiling lamp graphite lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080L04	1.690					
Wall/ ceiling lamp graphite velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080O04	1.785					
Wall/ ceiling lamp graphite wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL080E04	1.880					

Pendant and wall/ceiling lamp.
Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Wall/ ceiling lamp white lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100L01	1.805				
Wall/ ceiling lamp white velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100O01	1.910				
Wall/ ceiling lamp white wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100E01	2.015				
Wall/ ceiling lamp graphite lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100L02	1.805				
Wall/ ceiling lamp graphite velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100O02	1.910				
Wall/ ceiling lamp graphite wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100E02	2.015				
Wall/ ceiling lamp white lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100L03	2.015				
Wall/ ceiling lamp white velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100O03	2.120				
Wall/ ceiling lamp white wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100E03	2.225				
Wall/ ceiling lamp graphite lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100L04	2.015				
Wall/ ceiling lamp graphite velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100O04	2.120				
Wall/ ceiling lamp graphite wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD IP20	IDEEPL100E04	2.225				

Pendant and wall/ceiling lamp.
 Metal frame painted in white or graphite embossed colours. Inner disc upholstered with lycra, velvet or wool fabric.
 Lamp with acoustic comfort features.

Symbol index  → • / present - / absent OD / On Demand

IDEA

Wall/ ceiling lamp Ø 140



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Wall/ ceiling lamp white lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140L01	2.205					
Wall/ ceiling lamp white velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140O01	2.330					
Wall/ ceiling lamp white wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140E01	2.435					
Wall/ ceiling lamp graphite lycra NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140L02	2.205					
Wall/ ceiling lamp graphite velvet NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140O02	2.330					
Wall/ ceiling lamp graphite wool NO DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140E02	2.435					
Wall/ ceiling lamp white lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140L03	2.415					
Wall/ ceiling lamp white velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140O03	2.540					
Wall/ ceiling lamp white wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140E03	2.645					
Wall/ ceiling lamp graphite lycra DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140L04	2.415					
Wall/ ceiling lamp graphite velvet DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140O04	2.540					
Wall/ ceiling lamp graphite wool DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	IDEEPL140E04	2.645					

Accessories - Wall/ ceiling lamp	Anti-glare lens for 18W and 24W	IDEEAC00012G	135	
---	---------------------------------	--------------	-----	--





6/10 cm
2.3/3.9"

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

Pendant lamp and small table, table, floor lamp.
Metal base in brushed nickel finishing. Lampshade in cotton fabric.




Symbol index   → • / present - / absent OD / On Demand

LOST	DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
					IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - ø 25	1 light cotton	1 x E27 105 W HES	OD	OD	IP20	LOSESO130C01	510					
	6 lights cotton	6 x E27 28 W HES	OD	OD	IP20	LOSESO130C02	730					
Pendant lamp - ø 40	7 lights cotton	7 x E27 42 W	OD	OD	IP20	LOSESO160C02	1.010					
												
Pendant lamp - ø 40	7 lights cotton	7 x E27 42 W	OD	OD	IP20	LOSESO190C02	1.070					
												

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

Pendant lamp and small table, table, floor lamp.
Metal base in brushed nickel finishing. Lampshade in cotton fabric.

Symbol index  → • / present - / absent OD / On Demand

LOST	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Small table lamp	Small table lamp cotton	1 x E14 28 W	OD	OD	IP20	LOSETP032C01	315					
 15 cm 5.90" 32 cm 12.60"												
Table lamp	Table lamp cotton	1 x E27 42 W HES	OD	OD	IP20	LOSETA046C01	390					
 18 cm 7.09" 46 cm 18.11"												
Accessory - Table lampable lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	105					
												
Floor lamp	Floor lamp cotton	6 x E27 28 W HES	OD	OD	IP20	LOSEPT175C01	1.260					
 30 cm 11.81" 175 cm 68.69"												
Accessory - Floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAR0PT003	125					
												


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (excluded D.16).

Symbol index  → • / present - / absent OD / On Demand


LOTO

Mini pendant lamp - ø 16 without plex



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	1 x E14 42 W HES	•	OD	IP20	LOTESE016P01	295					
Pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LOTESE016R01	310					

Pendant lamp - ø 43



Pleated fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043P01	810					
Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	LOTESP043R01	820					
Pendant lamp pleated fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P02	905					
Pendant lamp pleated fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P03	925					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043P04	975					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R02	915					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R03	935					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	LOTESP043R04	985					


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (excluded D.16).

Symbol index  → • / present - / absent OD / On Demand


LOTO

Pendant lamp - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060P01	1.115					
Pleated ribbon fabric	3 x E27 70 W HES	OD	OD	IP20	LOTESP060R01	1.155					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P08	1.280					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P09	1.345					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060P10	1.345					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R08	1.325					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R09	1.385					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP060R10	1.385					

Pendant lamp - ø 80



Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080P01	1.670					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP080R01	1.720					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P05	1.805					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P06	1.900					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080P07	1.900					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R05	1.860					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R06	1.955					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP080R07	1.955					


PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant lamp in hand-finished pleated and pleated ribbon fabric.
 Opal plex finishing underneath (excluded D.16).

Symbol index  → • / present - / absent OD / On Demand

LOTO

Pendant lamp - ø 100




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100P01	2.155					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	LOTESP100R01	2.225					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P08	2.260					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P09	2.330					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100P10	2.330					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R08	2.330					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R09	2.405					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	LOTESP100R10	2.405					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P13	2.405					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P14	2.490					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100P15	2.510					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R13	2.480					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R14	2.560					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	LOTESP100R15	2.585					

PRODUCTS: Loto
DESIGN: Romano + Menegon 2008

Pendant lamp in hand-finished pleated and pleated ribbon fabric.
Opal plex finishing underneath (excluded D.16).

Symbol index   → • / present - / absent OD / On Demand

LOTO	DESCRIPTION	LIGHT SOURCE	INDOOR				€ EURO	OUTDOOR				€ EURO
					IP	CODE				IP	CODE	
 140 cm 55.12"	Pendant lamp - ø 140		OD	OD	IP20	LOTESP140P01	4.410					
	Pleated fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140R01	4.560					
	Pleated ribbon fabric	6 x E27 105 W HES	OD	OD	IP20	LOTESP140R01	4.560					
	Pendant lamp pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P08	4.675					
	Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140P09	4.765					
	Pendant lamp pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R08	4.825					
	Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	LOTESP140R09	4.920					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand

LUCILLA


Small table lamp



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C01	385					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C02	385					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCETP042C03	405					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P01	400					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P02	400					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCETP042P03	420					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R01	405					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R02	405					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCETP042R03	425					

Console lamp



17 cm
6.69"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C01	390					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C02	390					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCECN056C03	410					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P01	405					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P02	405					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCECN056P03	425					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R01	410					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R02	410					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCECN056R03	430					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

LUCILLA


Office lamp - without switch



17 cm
6.69"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C01	285					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C02	285					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052C03	295					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P01	300					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P02	300					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEOF052P03	310					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R01	305					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R02	305					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEOF052R03	315					

Table lamp



24 cm
9.45"

Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C01	410					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C02	410					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCETA068C03	430					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P01	440					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P02	440					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCETA068P03	460					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R01	450					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R02	450					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCETA068R03	475					

Accessory - Table lampable lamp

Universal DIM switch HES (40/160W) + LED (4/100W)	DIMVAR0TA002	105				
---	--------------	-----	--	--	--	--




PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Metal structure in matt black and white painted or in brushed nickel finishing.
 Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Reading lamp



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C01	725					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C02	725					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150C03	810					
Metal white pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P01	755					
Metal black pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P02	755					
Metal brushed nickel pleated fabric	1 x E27 52 W HES	•	OD	IP20	LUCEPT150P03	840					
Metal white pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R01	765					
Metal black pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R02	765					
Metal brushed nickel pleated ribbon fabric	1 x E27 52 W HES	OD	OD	IP20	LUCEPT150R03	850					

Floor lamp



Metal white cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C01	790					
Metal black cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C02	790					
Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180C03	860					
Metal white pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P01	820					
Metal black pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P02	820					
Metal brushed nickel pleated fabric	1 x E27 70 W HES	•	OD	IP20	LUCEPT180P03	895					
Metal white pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R01	835					
Metal black pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R02	835					
Metal brushed nickel pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	LUCEPT180R03	910					

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)	DIMVAROPT003	125				
---	--------------	-----	--	--	--	--




PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
Lampshade in cotton, pleated or pleated ribbon fabric.

Symbol index   → • / present - / absent OD / On Demand


LUCILLA

Wall lamp without switch



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C01	325					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C02	325					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C03	345					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P01	340					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P02	340					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P03	360					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R01	345					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R02	345					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R03	370					

Wall lamp with switch



Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C06	360					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C07	360					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017C08	385					
Metal white pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P06	380					
Metal black pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P07	380					
Metal brushed nickel pleated fabric	1 x E14 42 W HES	•	OD	IP20	LUCEAP017P08	400					
Metal white pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R06	385					
Metal black pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R07	385					
Metal brushed nickel pleated ribbon fabric	1 x E14 42 W HES	OD	OD	IP20	LUCEAP017R08	405					


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
On demand, lampshade available in washable, wool and Kvadrat fabric (with surcharge).

Symbol index  → • / present - / absent OD / On Demand


LUCILLA TONDA

Pendant lamp - ø 19 without plex 1 light cotton 1 x E14 42 W HES




INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	LUTESO019C01	265					

Pendant lamp - ø 34 without plex 1 light cotton 1 x E27 52 W HES



OD	OD	IP20	LUTESO034C01	335	
----	----	------	--------------	-----	--

Pendant lamp - ø 43 without plex 1 light cotton 1 x E27 52 W HES



OD	OD	IP20	LUTESO043C01	380	
----	----	------	--------------	-----	--


PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
On demand, lampshade available in washable, wool and Kvadrat fabric (with surcharge).

Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA


Small table lamp



19 cm
7.48"

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C01	380					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C02	380					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTETP042C03	400					


Console lamp



19 cm
7.48"

Metal white cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECN056C01	385					
Metal black cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECN056C02	385					
Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	LUTECN056C03	405					

Table lamp



30 cm
11.81"

Metal white cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C01	425					
Metal black cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C02	425					
Metal brushed nickel cotton	1 x E27 52 W HES	OD	OD	IP20	LUTETA068C03	445					

Accessory - Table lampable lamp

Universal DIM switch HES (40/160W) + LED (4/100W)										DIMVAR0TA002	105										
---	--	--	--	--	--	--	--	--	--	--------------	-----	--	--	--	--	--	--	--	--	--	--




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
On demand, lampshade available in washable, wool and Kvadrat fabric (with surcharge).

Symbol index   → • / present - / absent OD / On Demand

LUCILLA TONDA

Reading lamp



DESCRIPTION LIGHT SOURCE

Metal white cotton	1 x E27 70 W HES
Metal black cotton	1 x E27 70 W HES
Metal brushed nickel cotton	1 x E27 70 W HES

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	LUTEPT150C01	705					
OD	OD	IP20	LUTEPT150C02	705					
OD	OD	IP20	LUTEPT150C03	775					

Floor lamp



Metal white cotton	1 x E27 105 W HES
Metal black cotton	1 x E27 105 W HES
Metal brushed nickel cotton	1 x E27 105 W HES

OD	OD	IP20	LUTEPT180C01	755		
OD	OD	IP20	LUTEPT180C02	755		
OD	OD	IP20	LUTEPT180C03	830		

Accessory - Reading and floor lamp

Universal DIM switch HES + LED (5/250W)

DIMVAROPT003

125




PRODUCTS: Lucilla Tonda
DESIGN: Paolo Grasselli 2018

Pendant, small table, console, table, reading, floor and wall lamp.
Metal structure in matt black and white painted or in brushed nickel finishing.
On demand, lampshade available in washable, wool and Kvadrat fabric (with surcharge).

Symbol index  → • / present - / absent OD / On Demand

LUCILLA TONDA

Wall lamp - without switch




DESCRIPTION LIGHT SOURCE

Metal white cotton 1 x E14 42 W HES
Metal black cotton 1 x E14 42 W HES
Metal brushed nickel cotton 1 x E14 42 W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
OD	OD	IP20	LUTEAP017C01	325						
OD	OD	IP20	LUTEAP017C02	325						
OD	OD	IP20	LUTEAP017C03	345						

Wall lamp - with switch



Metal white cotton 1 x E14 42 W HES
Metal black cotton 1 x E14 42 W HES
Metal brushed nickel cotton 1 x E14 42 W HES

OD	OD	IP20	LUTEAP017C06	360						
OD	OD	IP20	LUTEAP017C07	360						
OD	OD	IP20	LUTEAP017C08	385						


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 80




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP080C01	1.155					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP080E01	1.375					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080P01	1.630					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP080R01	1.680					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C05	1.260					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C06	1.330					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080C07	1.330					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E05	1.480					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E06	1.550					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080E07	1.550					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P05	1.735					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P06	1.800					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080P07	1.800					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R05	1.785					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R06	1.855					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP080R07	1.855					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - ø 100 x h 35	Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP035C01	1.365				
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP035E01	1.640					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035P01	1.945					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP035R01	2.025					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C08	1.470					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C09	1.540					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035C10	1.540					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E08	1.745					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E09	1.810					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035E10	1.810					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P08	2.050					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P09	2.115					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035P10	2.115					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R08	2.130					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R09	2.200					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP035R10	2.200					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 35




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C13	1.670					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C14	1.740					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035C15	1.775					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E13	1.945					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E14	2.010					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035E15	2.050					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P13	2.245					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P14	2.315					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035P15	2.350					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R13	2.330					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R14	2.400					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP035R15	2.435					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - ø 100 x h 60	Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP060C01	1.420				
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP060E01	1.735					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060P01	2.100					
Pendant lamp pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP060R01	2.205					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C08	1.525					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C09	1.590					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060C10	1.590					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E08	1.840					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E09	1.905					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060E10	1.905					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P08	2.205					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P09	2.275					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060P10	2.275					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R08	2.310					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R09	2.380					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP060R10	2.380					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 100 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C13	1.720					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C14	1.790					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060C15	1.825					
Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E13	2.035					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E14	2.105					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060E15	2.140					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P13	2.405					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P14	2.475					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060P15	2.510					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R13	2.510					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R14	2.580					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP060R15	2.615					


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	4 x E27 70 W HES	OD	OD	IP20	MILESP120C01	2.175					
Pendant lamp wool	4 x E27 70 W HES	OD	OD	IP20	MILESP120E01	2.645					
Pleated fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120P01	2.940					
Pleated ribbon fabric	4 x E27 70 W HES	OD	OD	IP20	MILESP120R01	3.065					
Pendant lamp cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C08	2.280					
Pendant lamp cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C09	2.345					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120C10	2.345					
Wool NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E08	2.750					
Pendant lamp wool DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E09	2.820					
Wool DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120E10	2.820					
Pendant lamp pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P08	3.045					
Pendant lamp pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P09	3.115					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120P10	3.115					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R08	3.170					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R09	3.240					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MILESP120R10	3.240					

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
 Opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 120 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp cotton NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120C11	2.480					
Pendant lamp cotton DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120C12	2.545					
Pendant lamp cotton DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120C13	2.545					
Pendant lamp Wool NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120E11	2.950					
Pendant lamp wool DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120E12	3.020					
Wool DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120E13	3.020					
Pendant lamp pleated fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120P11	3.245					
Pendant lamp pleated fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120P12	3.315					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120P13	3.315					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120R11	3.370					
Pendant lamp pleated ribbon fabric DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120R12	3.440					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	MILESP120R13	3.440					


PRODUCTS: Milleluci
DESIGN: Moduluce R&D 2002

Pendant lamp with lampshade in cotton, wool, pleated and pleated ribbon fabric.
Opal plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

MILLELUCI

Pendant lamp - ø 150 x h 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150P01	3.885					
Pleated ribbon fabric	6 x E27 70 W HES	OD	OD	IP20	MILESP150R01	4.045					
Pendant lamp pleated fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P06	4.095					
Pendant lamp pleated fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150P07	4.200					
Pendant lamp pleated ribbon fabric NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R06	4.255					
Pendant lamp pleated ribbon fabric DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	MILESP150R07	4.360					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Mood
DESIGN: Romano + Menegon 2014

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
 Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index   → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P04	1.985					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P05	2.060					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100P06	2.070					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R04	2.005					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R05	2.080					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO100R06	2.090					

Pendant lamp - ø 120




1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P04	2.405					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P05	2.480					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120P06	2.490					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R04	2.435					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R05	2.510					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO120R06	2.520					

Pendant, wall/ ceiling lamp with lampshade in hand-finished pleated or pleated ribbon fabric.
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


MOOD

Pendant lamp - ø 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P04	2.785					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P05	2.855					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150P06	2.865					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R04	2.835					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R05	2.910					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOESO150R06	2.920					

Wall/ ceiling lamp - ø 100



1 light pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P04	1.920					
1 light pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P05	1.995					
1 light pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100P06	1.965					
1 light pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R04	1.945					
1 light pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R05	2.015					
1 light pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	MOOEAP100R06	1.985					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


MULTIBALL

Pendant lamp - globe - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 36	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M10	385					
Pendant lamp h 46	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M20	385					
Pendant lamp h 56	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M30	385					
Pendant lamp h 66	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M40	385					
Pendant lamp h 76	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M50	390					
Pendant lamp h 86	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M60	390					
Pendant lamp h 96	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M70	390					
Pendant lamp h 106	1 x E27 42 W HES	OD	OD	IP20	MBLESO025M80	390					

Pendant lamp - globe - ø 30




Pendant lamp h 41	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M10	395					
Pendant lamp h 51	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M20	395					
Pendant lamp h 61	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M30	395					
Pendant lamp h 71	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M40	395					
Pendant lamp h 81	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M50	400					
Pendant lamp h 91	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M60	400					
Pendant lamp h 101	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M70	400					
Pendant lamp h 111	1 x E27 52 W HES	OD	OD	IP20	MBLESO030M80	400					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


MULTIBALL

Pendant lamp - globe - ø 35



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 46	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M10	450					
Pendant lamp h 56	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M20	450					
Pendant lamp h 66	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M30	450					
Pendant lamp h 76	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M40	450					
Pendant lamp h 86	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M50	455					
Pendant lamp h 96	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M60	455					
Pendant lamp h 106	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M70	455					
Pendant lamp h 116	1 x E27 52 W HES	OD	OD	IP20	MBLESO035M80	455					

Pendant lamp - globe - ø 40




Pendant lamp h 51	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M10	475					
Pendant lamp h 61	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M20	475					
Pendant lamp h 71	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M30	475					
Pendant lamp h 81	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M40	475					
Pendant lamp h 91	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M50	480					
Pendant lamp h 101	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M60	480					
Pendant lamp h 111	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M70	480					
Pendant lamp h 121	1 x E27 70 W HES	OD	OD	IP20	MBLESO040M80	480					

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Pendant lamp - globe - ø 45



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp h 56	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M10	545					
Pendant lamp h 66	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M20	545					
Pendant lamp h 76	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M30	545					
Pendant lamp h 86	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M40	545					
Pendant lamp h 96	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M50	550					
Pendant lamp h 106	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M60	550					
Pendant lamp h 116	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M70	550					
Pendant lamp h 126	1 x E27 70 W HES	OD	OD	IP20	MBLESO045M80	550					

Accessories - Cable/s cover white or black matt painted

Connection cables L 40 (electric cable included)	•	OD	IP20	MBLEAS000G01	75	
Connection cables L 80 (electric cable included)	•	OD	IP20	MBLEAS000G02	110	




Separate ceiling rose attachment	•	OD	IP20	MBLEAR000G01	145	
----------------------------------	---	----	------	--------------	-----	--

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
 Matt white or black painted metal structure. Globe diffuser in white PMMA.
 On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 1 - (3 globes)



56 cm - 22.05"

DESCRIPTION

Composition with h 56 maximum
encumbrance

LIGHT SOURCE

(1pcs d.25 h46 - 1pcs d.35 h56 - 1pcs d.30 h41 - 2 connection cables l.40)



IP

CODE

€ EURO

OD

OD

IP20

MBLECM056M03


1.375



IP

CODE

€ EURO



86 cm - 33.86"

Composition with h 86 maximum
encumbrance

(1pcs d.25 h76 - 1pcs d.35 h86 - 1pcs d.30 h71 - 2 connection cables l.40)

OD


OD

IP20

MBLECM086M03

1.385

Composition type 2 - (5 globes)



66 cm - 25.98"

Composition with h 66 maximum
encumbrance

(1 pcs d.30 h41 - 1 pcs d.35 h66 - 1 pcs d.45 h66 - 1 pcs d.40 h51 - 1 pcs d.25 h56 - 4 connection cables l.40)


OD

OD

IP20

MBLECM066M05

2.540



86 cm - 33.86"

Composition with h 86 maximum
encumbrance

(1 pcs d.30 h61 - 1 pcs d.35 h86 - 1 pcs d.45 h86 - 1 pcs d.40 h71 - 1 pcs d.25 h76- 4 connection cables l.40)

OD


OD

IP20

MBLECM086M05

2.550

Composition type 3 - (8 globes)



66 cm - 25.98"

Composition with h 66 maximum
encumbrance

(1 pcs d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pcs d.35 h66 - 7 connection cables l.40)


OD

OD

IP20

MBLECM066M08

4.175



96 cm - 37.79"

Composition with h 96 maximum
encumbrance

(1 pcs d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pcs d.35 h96 - 7 connection cables l.40)

OD

OD

IP20

MBLECM096M08

4.195


PRODUCTS: Multiball
DESIGN: Roberto Paoli 2013

Single or infinitely aggregating pendant lamps through dedicated connection, available in various heights.
Matt white or black painted metal structure. Globe diffuser in white PMMA.
On demand, globe available in polycarbonate (quantity to be defined), in accordance with the CL1 (650°) fire normative, with surcharge.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




- 1 — Ø 25
- 2 — Ø 35
- 3 — Ø 30
- Cables connections L 40

Composition type 2-A




Composition type 2-B




- Ø globes**
- 1 — Ø 30
- 2 — Ø 35
- 3 — Ø 45
- 4 — Ø 40
- 5 — Ø 25
- Cables connections L 40

Composition type 3-A



Composition type 3-B




- Ø globes**
- 1 — Ø 25
- 2 — Ø 40
- 3 — Ø 45
- 4 — Ø 30
- 5 — Ø 45
- 6 — Ø 35
- 7 — Ø 40
- 8 — Ø 30
- Cables connections L 40

Elliptical-shape pendant lamp.
Metal frame painted in white or graphite embossed colours.
Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm


Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 130



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	NUCESO130G01	870			
DIRECT LIGHT									
Kit 1 light white or graphite NO DIM (installed)	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	NUCEDD130G01	520			
Kit 1 light chrome, brass, copper NO DIM (installed)	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	NUCEDD130G02	745			
Kit 1 light white or graphite DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	NUCEDD130G03	615			
Kit 1 light chrome, brass, copper DIM TRIAC (installed)	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	NUCEDD130G04	840			
Kit 1 light white or graphite DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	NUCEDD130G06	745			
Kit 1 light chrome, brass, copper DIM DALI Push-DIM (installed)	1 led module 24 W - 2150 Lm - 3000 K	•	OD	IP20	NUCEDD130G07	970			
DOUBLE LIGHT EMISSION									
Kit 2 lights white or graphite NO DIM/ DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G16	830			
Kit 2 lights chrome, brass, copper NO DIM/ DIM DALI Push-DIM (installed)	2 led module 24W + 3W - 2350 Lm - 2800 K	•	OD	IP20	NUCEDD130G17	1.055			



NOTE: to calculate the price of the pendant lamp add the structure to the kit 1 o 2 lights.


Connection single cable ceiling attachment available on demand

Elliptical-shape pendant lamp.
 Metal frame painted in white or graphite embossed colours.
 Diffuser sliding inside the structure, painted in white and graphite (embossed finishing) or in galvanic finishes: chrome, brass, copper.
 Double light emission versions: L 130 Up 200 lm - Down 2150 lm / L 160 Up 400 lm - Down 4300 lm


Symbol index  → • / present - / absent OD / On Demand

NUCLEO

Pendant lamp - L 160



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Structure only white or graphite		•	OD	IP20	NUCESO160G01	975			
DIRECT LIGHT									
Kit 2 lights white or graphite NO DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD	IP20	NUCEDD160G01	945			
Kit 2 lights chrome, brass, copper NO DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD	IP20	NUCEDD160G02	1.380			
Kit 2 lights white or graphite DIM TRIAC (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD	IP20	NUCEDD160G03	1.130			
Kit 2 lights chrome, brass, copper DIM TRIAC (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD	IP20	NUCEDD160G04	1.565			
Kit 2 lights white or graphite DIM DALI Push-DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD	IP20	NUCEDD160G06	1.275			
Kit 2 lights chrome, brass, copper DIM DALI Push-DIM (installed)	2 led module 24W - 4300 Lm - 2800 K	•	OD	IP20	NUCEDD160G07	1.710			
DOUBLE LIGHT EMISSION									
Kit 4 lights white or graphite NO DIM/ DIM DALI Push-DIM (installato)	4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K	•	OD	IP20	NUCEDD160G16	1.435			
Kit 4 lights chrome, brass, copper NO DIM/ DIM DALI Push-DIM (installed)	4 led module 2 x (24W + 3W) - 4700 Lm - 2800 K	•	OD	IP20	NUCEDD160G17	1.870			



NOTE: to calculate the price of the pendant lamp add the structure to the kit 2 or 4 lights.


Connection single cable ceiling attachment available on demand

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.42



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P42	745					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P43	790					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P44	790					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042P45	790					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R42	765					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R43	810					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R44	810					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO042R45	810					

Pendant lamp D.42



Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIESO042P01	790			
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIESO042P03	945			
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIESO042R01	810			
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIESO042R03	965			


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Pendant lamp D.60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P42	1.020					
Pleated fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P43	1.070					
Pleated fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P44	1.070					
Pleated fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060P45	1.070					
Pleated ribbon fabric / white or black structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R42	1.050					
Pleated ribbon fabric / chrome structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R43	1.105					
Pleated ribbon fabric / copper structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R44	1.105					
Pleated ribbon fabric / brass structure	1 x E27 70 W HES	OD	OD	IP20	OLIESO060R45	1.105					

Pendant lamp D.60



Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIESO060P01	1.155					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIESO060P03	1.315					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIESO060R01	1.185					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIESO060R03	1.345					


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Pendant, ceiling lamp with shade in hand-finished pleated or pleated ribbon fabric.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Ceiling lamp D.42



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042P41	755					
Pleated ribbon fabric	1 x E27 42 W HES	OD	OD	IP20	OLIEPL042R41	775					
Pleated fabric NO DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIEPL042P01	850					
Pleated fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIEPL042P03	1.010					
Pleated ribbon fabric NO DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIEPL042R01	870					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 12 W - 1110 Lm - 3000 K	OD	-	IP20	OLIEPL042R03	1.030					

Ceiling lamp D.60



Pleated fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060P41	1.040					
Pleated ribbon fabric	1 x E27 70 W HES	OD	OD	IP20	OLIEPL060R41	1.070					
Pleated fabric NO DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIEPL060P01	1.210					
Pleated fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIEPL060P03	1.365					
Pleated ribbon fabric NO DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIEPL060R01	1.240					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 24 W - 2150 Lm - 3000 K	OD	-	IP20	OLIEPL060R03	1.395					


PRODUCTS: Ombrella
DESIGN: Paolo Grasselli 2015

Pendant, ceiling lamp in matt white painted metal.
 Upper disc available also with Deluxe finishing gold leaf or in wool fabric, with surcharge.
 Lower bowl available in white or in galvanic finishes: chrome, brass, copper.

Symbol index   → • / present - / absent OD / On Demand


OMBRELLA

Pendant lamp D.60



DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO	INDOOR					IP	CODE	€ EURO
Pendant lamp white lower bowl white NO DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G01	650								
Pendant lamp white lower bowl white DIM TRIAC	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G04	685								
Pendant lamp white lower bowl white DIM DALI-Push DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G11	765								
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G03	750								
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G05	780								
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBESO060G13	865								
LED temperature conversion filter from 3000K to 2700K	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	80								
Surcharge for upper disc in wool		•	OD	IP20	UMBEDD060E01	210								
Surcharge for upper disc in gold leaf finishing					UMBORO060G01	265								

Pendant lamp D.80



Pendant lamp white lower bowl white NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G01	1.105								
Pendant lamp white lower bowl white DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G04	1.185								
Pendant lamp white lower bowl white DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G11	1.210								
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G03	1.230								
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G05	1.315								
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO080G13	1.345								
LED temperature conversion filter from 3000K to 2700K	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	100								
Surcharge for upper disc in wool		•	OD	IP20	UMBEDD080E01	325								
Surcharge for upper disc in gold leaf finishing					UMBORO080G01	315								


PRODUCTS: Ombrella
DESIGN: Paolo Grasselli 2015

Pendant, ceiling lamp in matt white painted metal.
 Upper disc available also with Deluxe finishing gold leaf or in wool fabric, with surcharge.
 Lower bowl available in white or in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Pendant lamp D.100



DESCRIPTION	LIGHT SOURCE			INDOOR					OUTDOOR		
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white lower bowl white NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G01	1.165					
Pendant lamp white lower bowl white DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G04	1.250					
Pendant lamp white lower bowl white DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G11	1.280					
Pendant lamp white lower bowl in galvanized finishes NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G03	1.290					
Pendant lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G05	1.375					
Pendant lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBESO100G13	1.405					
LED temperature conversion filter from 3000K to 2700K	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	100					
Surcharge for upper disc in wool		•	OD	IP20	UMBEDD100E01	410					
Surcharge for upper disc in gold leaf finishing					UMBORO100G01	370					

Ceiling lamp D.60




Ceiling lamp white lower bowl white NO DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G01	695					
Ceiling lamp white lower bowl white DIM TRIAC	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G04	725					
Ceiling lamp white lower bowl white DIM DALI-Push DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G11	810					
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G03	795					
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G05	825					
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	UMBEPL060G13	910					
LED temperature conversion filter from 3000K to 2700K	1 led module 18 W - 3200 Lm - 3000 K	•	OD	IP20	FLTCON0SP001	80					
Surcharge for upper disc in wool		•	OD	IP20	UMBEDD060E01	210					
Surcharge for upper disc in gold leaf finishing					UMBORO060G01	265					

Pendant, ceiling lamp in matt white painted metal.
Upper disc available also with Deluxe finishing gold leaf or in wool fabric, with surcharge.
Lower bowl available in white or in galvanic finishes: chrome, brass, copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Ceiling lamp D.80



DESCRIPTION	LIGHT SOURCE			INDOOR			OUTDOOR		
				IP	CODE	€ EURO			IP
Ceiling lamp white lower bowl white NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G01	1.145			
Ceiling lamp white lower bowl white DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G04	1.220			
Ceiling lamp white lower bowl white DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G11	1.250			
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G03	1.270			
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G05	1.345			
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL080G13	1.375			
LED temperature conversion filter from 3000K to 2700K	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	100			
Surcharge for upper disc in wool		•	OD	IP20	UMBEDD080E01	325			
Surcharge for upper disc in gold leaf finishing					UMBORO080G01	315			

Ceiling lamp D.100




Ceiling lamp white lower bowl white NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G01	1.250			
Ceiling lamp white lower bowl white DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G04	1.325			
Ceiling lamp white lower bowl white DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G11	1.355			
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G03	1.375			
Ceiling lamp white lower bowl in galvanized finishes DIM TRIAC	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G05	1.450			
Ceiling lamp white lower bowl in galvanized finishes DIM DALI-Push DIM	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	UMBEPL100G13	1.480			
LED temperature conversion filter from 3000K to 2700K	1 led module 23 W - 4425 Lm - 3000 K	•	OD	IP20	FLTCON0SP011	100			
Surcharge for upper disc in wool		•	OD	IP20	UMBEDD100E01	410			
Surcharge for upper disc in gold leaf finishing					UMBORO100G01	370			

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M01	600					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M02	600					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M03	685					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M04	685					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M05	685					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M06	670					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M07	670					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M08	755					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M09	755					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M10	755					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M11	745					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M12	745					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M13	830					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M14	830					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	-	OD	IP20	ORBESO025M15	830					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 25 -
 ceiling rose in the same colour as structure




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M01	1.155					
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M02	1.155					
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M03	1.315					
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M04	1.315					
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M05	1.315					
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M06	1.180					
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M07	1.180					
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M08	1.340					
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M09	1.340					
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M10	1.340					
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M11	1.245					
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M12	1.245					
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M13	1.400					
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M14	1.400					
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	-	OD	IP20	ORBES002M15	1.400					

Single or in composition pendant lamp.
Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe smoked PMMA - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M01	925					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M02	925					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M03	1.135					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M04	1.135					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M05	1.135					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M06	985					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M07	985					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M08	1.195					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M09	1.195					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M10	1.195					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M11	1.050					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M12	1.050					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M13	1.260					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M14	1.260					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	-	OD	IP20	ORBESO040M15	1.260					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes smoked PMMA - ø 40 -
 ceiling rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M01	1.630				
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M02	1.630				
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M03	1.995				
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M04	1.995				
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M05	1.995				
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M06	1.690				
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M07	1.690				
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M08	2.060				
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M09	2.060				
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M10	2.060				
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M11	1.735				
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M12	1.735				
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M13	2.100				
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M14	2.100				
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	-	OD IP20	ORBES040M15	2.100				


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 25



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K01	790					
Pendant lamp black NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K02	790					
Pendant lamp chrome NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K03	870					
Pendant lamp copper NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K04	870					
Pendant lamp brass NO DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K05	870					
Pendant lamp white DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K06	860					
Pendant lamp black DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K07	860					
Pendant lamp chrome DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K08	945					
Pendant lamp copper DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K09	945					
Pendant lamp brass DIM TRIAC	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K10	945					
Pendant lamp white DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K11	935					
Pendant lamp black DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K12	935					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K13	1.020					
Pendant lamp copper DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K14	1.020					
Pendant lamp brass DIM DALI-Push DIM	1 led module 8,5 W - 1335 Lm - 3000 K	•	OD	IP20	ORBESO025K15	1.020					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index   → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 25 - ceiling
 rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K01	1.500				
Composition black NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K02	1.500				
Composition chrome NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K03	1.660				
Composition copper NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K04	1.660				
Composition brass NO DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K05	1.660				
Composition white DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K06	1.530				
Composition black DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K07	1.530				
Composition chrome DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K08	1.685				
Composition copper DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K09	1.685				
Composition brass DIM TRIAC	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K10	1.685				
Composition white DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K11	1.590				
Composition black DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K12	1.590				
Composition chrome DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K13	1.750				
Composition copper DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K14	1.750				
Composition brass DIM DALI-Push DIM	2 led module 8,5 W - 2x1335 Lm - 3000 K	•	OD IP20	ORBES002K15	1.750				


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Pendant lamp globe glass - ø 40



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp white NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K01	1.315					
Pendant lamp black NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K02	1.315					
Pendant lamp chrome NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K03	1.525					
Pendant lamp copper NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K04	1.525					
Pendant lamp brass NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K05	1.525					
Pendant lamp white DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K06	1.375					
Pendant lamp black DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K07	1.375					
Pendant lamp chrome DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K08	1.585					
Pendant lamp copper DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K09	1.585					
Pendant lamp brass DIM TRIAC	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K10	1.585					
Pendant lamp white DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K11	1.440					
Pendant lamp black DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K12	1.440					
Pendant lamp chrome DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K13	1.650					
Pendant lamp copper DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K14	1.650					
Pendant lamp brass DIM DALI-Push DIM	1 led module 16,2 W - 2400 Lm - 3000 K	•	OD	IP20	ORBESO040K15	1.650					


PRODUCTS: Orb
DESIGN: Büro Famos 2015

Single or in composition pendant lamp.
 Painted matt white or black metal structure or in galvanic finishes: chrome, brass, copper.
 Globe diffuser in smoked PMMA or transparent glass.

Symbol index  → • / present - / absent OD / On Demand

ORB

Composition 2 globes glass - ø 40 - ceiling
 rose in the same colour as structure



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Composition white NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K01	2.415				
Composition black NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K02	2.415				
Composition chrome NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K03	2.785				
Composition copper NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K04	2.785				
Composition brass NO DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K05	2.785				
Composition white DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K06	2.480				
Composition black DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K07	2.480				
Composition chrome DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K08	2.845				
Composition copper DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K09	2.845				
Composition brass DIM TRIAC	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K10	2.845				
Composition white DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K11	2.520				
Composition black DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K12	2.520				
Composition chrome DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K13	2.890				
Composition copper DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K14	2.890				
Composition brass DIM DALI-Push DIM	2 led module 16,2 W - 2x2400 Lm - 3000 K	•	OD IP20	ORBECs040K15	2.890				


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTESP100C05	1.125					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTESP100T05	1.220					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTESP100E05	1.240					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100P05	1.290					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTESP100R05	1.325					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C06	1.260					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T06	1.355					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E06	1.375					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P06	1.430					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R06	1.460					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C07	1.315					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T07	1.405					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E07	1.430					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P07	1.480					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R07	1.510					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100C08	1.395					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100T08	1.490					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100E08	1.510					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100P08	1.565					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTESP100R08	1.595					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Pendant lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPESP150C05	1.630					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPESP150T05	1.755					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPESP150E05	1.785					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150P05	1.815					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPESP150R05	1.860					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C06	1.995					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T06	2.120					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E06	2.155					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P06	2.185					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R06	2.225					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C07	2.050					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T07	2.175					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E07	2.205					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P07	2.235					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R07	2.280					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150C08	2.185					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150T08	2.320					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150E08	2.340					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150P08	2.375					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPESP150R08	2.415					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100C05	1.145					
Washable	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100T05	1.240					
Wool	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100E05	1.260					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100P05	1.315					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	OTTEAP100R05	1.345					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C06	1.195					
Washable NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T06	1.290					
Wool NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E06	1.315					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P06	1.365					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R06	1.395					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C07	1.250					
Washable DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T07	1.345					
Wool DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E07	1.365					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P07	1.420					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R07	1.450					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100C08	1.335					
Washable DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100T08	1.430					
Wool DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100E08	1.450					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100P08	1.500					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	OTTEAP100R08	1.535					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004

Pendant, ceiling lamp available in cotton, washable, wool, pleated and pleated ribbon fabric.
 On demand, lampshade available in Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE

Wall/ ceiling lamp - L 150



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150C05	1.670					
Washable	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150T05	1.795					
Wool	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150E05	1.825					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150P05	1.860					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	OTPEAP150R05	1.900					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C06	1.880					
Washable NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T06	2.005					
Wool NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E06	2.035					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P06	2.070					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R06	2.110					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C07	1.930					
Washable DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T07	2.060					
Wool DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E07	2.090					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P07	2.120					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R07	2.165					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150C08	2.070					
Washable DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150T08	2.195					
Wool DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150E08	2.225					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150P08	2.260					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	OTPEAP150R08	2.300					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.


PRODUCTS: Peggy
DESIGN: Bellucci Mazzoni Progetti 2020

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finishing (on demand metal details with matt black finish).
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
			IP	CODE	€ EURO			IP	CODE	€ EURO	
Metal disk white or black		•	OD IP20	PEGEDD060G01	250						
Wool disk		•	OD IP20	PEGEDD060E01	440						
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G01	725						
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD IP20	PEGESO060G11	800						
Kit cone white or black NO DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD IP20	PEGESO060G02	1.105						
Kit cone Deluxe NO DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD IP20	PEGESO060G12	1.175						
Kit cone white or black DIM DALI Push-DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD IP20	PEGESO060G03	1.240						
Kit cone Deluxe DIM DALI Push-DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD IP20	PEGESO060G13	1.315						

Pendant lamp - D. 60




Metal disk white or black		•	OD IP20	PEGEDD060G01	250						
Wool disk		•	OD IP20	PEGEDD060E01	440						
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 75W	OD	OD IP20	PEBESO060M01	725						

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory

Top polycarbonate disk cover for R7S version	OD	IP20	PEGEPX040B01	75							
--	----	------	--------------	----	--	--	--	--	--	--	--




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finishing (on demand metal details with matt black finish).
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

PEGGY

Pendant lamp - D. 80



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Metal disk white or black

•

OD

IP20

PEGEDD080G01

380

Wool disk

•

OD

IP20

PEGEDD080E01

685

Kit cone white or black

1xE27 42W HES + 3xR7S 105W

•

OD

IP20

PEGESO080G01

790

Kit cone Deluxe

1xE27 42W HES + 3xR7S 105W

•

OD

IP20

PEGESO080G11

880

Kit cone white or black NO DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•

OD

IP20

PEGESO080G02

1.145

Kit cone Deluxe NO DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•

OD

IP20

PEGESO080G12

1.240

Kit cone white or black DIM DALI Push-DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•

OD

IP20

PEGESO080G03

1.280

Kit cone Deluxe DIM DALI Push-DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•


OD

IP20

PEGESO080G13

1.375

Pendant lamp - D. 80



Metal disk white or black

•

OD

IP20

PEGEDD080G01

380

Wool disk

•

OD

IP20

PEGEDD080E01

685

Kit globe in opal PMMA

1xE27 42W HES + 3xR7S 105W

OD

OD

IP20

PEBESO080M01

800

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory


Top polycarbonate disk cover for R7S version

OD

IP20

PEGEPX040B01

75




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finishing (on demand metal details with matt black finish).
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

PEGGY

Pendant lamp - D. 100



DESCRIPTION

LIGHT SOURCE



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

Metal disk white or black

•

OD

IP20

PEGEDD100G01

555

Wool disk

•

OD

IP20

PEGEDD100E01

985

Kit cone white or black

1xE27 42W HES + 3xR7S 105W

•

OD

IP20

PEGESO100G01

830

Kit cone Deluxe

1xE27 42W HES + 3xR7S 105W

•

OD

IP20

PEGESO100G11

935

Kit cone white or black NO DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•

OD

IP20

PEGESO100G02

1.195

Kit cone Deluxe NO DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•

OD

IP20

PEGESO100G12

1.300

Kit cone white or black DIM DALI Push-DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•

OD

IP20

PEGESO100G03

1.335

Kit cone Deluxe DIM DALI Push-DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

•


OD

IP20

PEGESO100G13

1.440

Pendant lamp - D. 100



Metal disk white or black

•

OD

IP20

PEGEDD100G01

555

Wool disk

•

OD

IP20

PEGEDD100E01

985

Kit globe in opal PMMA

1xE27 42W HES + 3xR7S 105W

OD

OD

IP20

PEBESO100M01

935

NOTE: to calculate the price of the pendant lamp add the disk to the kit cone or globe

Accessory


Top polycarbonate disk cover for R7S
version

OD

IP20

PEGEPX040B01

75




Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finishing (on demand metal details with matt black finish).
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 60



DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
				IP	CODE	€ EURO			IP
Metal disk white or black		•	OD	IP20	PEGEDD060G01	250			
Wool disk		•	OD	IP20	PEGEDD060E01	440			
Kit cone white or black	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G01	685			
Kit cone Deluxe	1xE27 42W HES + 3xR7S 75W	•	OD	IP20	PEGEPL060G11	755			
Kit cone white or black NO DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL060G02	1.105			
Kit cone Deluxe NO DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL060G12	1.175			
Kit cone white or black DIM DALI Push-DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL060G03	1.240			
Kit cone Deluxe DIM DALI Push-DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL060G13	1.315			

Pendant lamp - D. 60



Metal disk white or black		•	OD	IP20	PEGEDD060G01	250			
Wool disk		•	OD	IP20	PEGEDD060E01	440			
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 75W	OD	OD	IP20	PEBEPL060M01	685			


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
Upper disc available in wool fabric with acoustic comfort features.
Conical metal diffuser or globe in opal PMMA soft touch finishing (on demand metal details with matt black finish).
On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand

PEGGY

Pendant lamp - D. 80



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Metal disk white or black

• OD IP20 PEGEDD080G01

380

Wool disk

• OD IP20 PEGEDD080E01

685

Kit cone white or black

1xE27 42W HES + 3xR7S 105W

• OD IP20 PEGEPL080G01

790

Kit cone Deluxe

1xE27 42W HES + 3xR7S 105W

• OD IP20 PEGEPL080G11

880

Kit cone white or black NO DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

• OD IP20 PEGEPL080G02

1.175

Kit cone Deluxe NO DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

• OD IP20 PEGEPL080G12

1.270

Kit cone white or black DIM DALI Push-DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

• OD IP20 PEGEPL080G03

1.315


Kit cone Deluxe DIM DALI Push-DIM

2 led module 17W + 18W
- 4500 Lm - 2700K

• OD IP20 PEGEPL080G13

1.405

Pendant lamp - D. 80



Metal disk white or black

• OD IP20 PEGEDD080G01

380

Wool disk

• OD IP20 PEGEDD080E01

685

Kit globe in opal PMMA

1xE27 42W HES + 3xR7S 105W

OD OD IP20 PEBEPL080M01

810


NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe

Pendant and ceiling lamp with double light emission in matt white or black painted metal.
 Upper disc available in wool fabric with acoustic comfort features.
 Conical metal diffuser or globe in opal PMMA soft touch finishing (on demand metal details with matt black finish).
 On demand, globe available in polycarbonate, in accordance with the CL1 (650°) fire normative, with surcharge.

Symbol index  → • / present - / absent OD / On Demand


PEGGY

Pendant lamp - D. 100



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Metal disk white or black		•	OD	IP20	PEGEDD100G01	555					
Wool disk		•	OD	IP20	PEGEDD100E01	985					
Kit cone white or black	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G01	870					
Kit cone Deluxe	1xE27 42W HES + 3xR7S 105W	•	OD	IP20	PEGEPL100G11	975					
Kit cone white or black NO DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL100G02	1.260					
Kit cone Deluxe NO DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL100G12	1.365					
Kit cone white or black DIM DALI Push-DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL100G03	1.395					
Kit cone Deluxe DIM DALI Push-DIM	2 led module 17W + 18W - 4500 Lm - 2700K	•	OD	IP20	PEGEPL100G13	1.500					

Pendant lamp - D. 100



Metal disk white or black		•	OD	IP20	PEGEDD100G01	555					
Wool disk		•	OD	IP20	PEGEDD100E01	985					
Kit globe in opal PMMA	1xE27 42W HES + 3xR7S 105W	OD	OD	IP20	PEBEPL100M01	915					

NOTE: to calculate the price of the ceiling lamp add the disk to the kit cone or globe


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant, wall lamp available in cotton, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
Opal plex finishing underneath (wall lamp excluded).

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Pendant lamp - L 90



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	3 x E27 42 W HES	OD	OD	IP20	RETESP090C01	895					
Pleated fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090P01	1.155					
Pleated ribbon fabric	3 x E27 42 W HES	OD	OD	IP20	RETESP090R01	1.210					

Pendant lamp - L 120



Cotton	4 x E27 42 W HES	OD	OD	IP20	RETESP120C01	1.050					
Pleated fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120P01	1.525					
Pleated ribbon fabric	4 x E27 42 W HES	OD	OD	IP20	RETESP120R01	1.595					

PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005


Pendant, wall lamp available in cotton, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand

RETTANGOLO


Pendant lamp - L 150

DESCRIPTION	LIGHT SOURCE	  IP	CODE	€ EURO	  IP	CODE	€ EURO
Pleated fabric	6 x E27 52 W	OD OD IP20	RETESP150P02	2.680			
Pleated ribbon fabric	6 x E27 52 W	OD OD IP20	RETESP150R02	2.785			



Pendant lamp - L 300

Pleated fabric	12 x E27 52 W	OD OD IP20	RETESP300P02	5.460			
Pleated ribbon fabric	12 x E27 52 W	OD OD IP20	RETESP300R02	5.620			




PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant, wall lamp available in cotton, pleated and pleated ribbon fabric.
On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand

RETTANGOLO

Wall lamp - L 25 x H 24



DESCRIPTION	LIGHT SOURCE	  IP	CODE	€ EURO	  IP	CODE	€ EURO
Cotton	1 x E27 28 W HES	OD OD IP20	QUAEAP024C01	240			
Pleated fabric	1 x E27 28 W HES	• OD IP20	QUAEAP024P01	250			
Pleated ribbon fabric	1 x E27 28 W HES	OD OD IP20	QUAEAP024R01	255			

Wall lamp - L 25 x H 40



1 light cotton	1 x E27 42 W HES	OD OD IP20	RETEAP040C01	275			
1 light pleated fabric	1 x E27 42 W HES	• OD IP20	RETEAP040P01	285			
1 light pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20	RETEAP040R01	295			
2 lights cotton	2 x E27 42 W HES	OD OD IP20	RETEAP040C02	290			
2 lights pleated fabric	2 x E27 42 W HES	• OD IP20	RETEAP040P02	300			
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20	RETEAP040R02	310			

Wall lamp - L 40 x H 25



1 light cotton	1 x E27 42 W HES	OD OD IP20	RETEAP025C01	290			
1 light pleated fabric	1 x E27 42 W HES	• OD IP20	RETEAP025P01	300			
1 light pleated ribbon fabric	1 x E27 42 W HES	OD OD IP20	RETEAP025R01	310			
2 lights cotton	2 x E27 42 W HES	OD OD IP20	RETEAP025C02	305			
2 lights pleated fabric	2 x E27 42 W HES	• OD IP20	RETEAP025P02	315			
2 lights pleated ribbon fabric	2 x E27 42 W HES	OD OD IP20	RETEAP025R02	325			


PRODUCTS: Rettangolo
DESIGN: ModoLuce R&D 2005

Pendant, wall lamp available in cotton, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
 Opal plex finishing underneath (wall lamp excluded).

Symbol index   → • / present - / absent OD / On Demand


RETTANGOLO

Wall lamp - L 40 x H 40




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	2 x E27 42 W HES	OD	OD	IP20	QUAEAP040C01	345					
Pleated fabric	2 x E27 42 W HES	•	OD	IP20	QUAEAP040P01	440					
Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	QUAEAP040R01	450					

Wall lamp - L 30 x H 60



Cotton	2 x E27 42 W HES	OD	OD	IP20	RETEAP060C01	355					
Pleated fabric	2 x E27 42 W HES	•	OD	IP20	RETEAP060P01	460					
Pleated ribbon fabric	2 x E27 42 W HES	OD	OD	IP20	RETEAP060R01	480					

Wall lamp - L 160 x H 25



6 lights cotton	6 x E27 42 W HES	OD	OD	IP20	RETEAP160C13	1.105					
6 lights pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RETEAP160P13	1.440					
6 lights pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RETEAP160R13	1.470					
Cotton	1 led module 41 W - 6962 Lm - 3000 K	OD	OD	IP20	RETEAP160C10	1.365					
Pleated fabric	1 led module 41 W - 6962 Lm - 3000 K	OD	OD	IP20	RETEAP160P10	1.700					
Pleated ribbon fabric	1 led module 41 W - 6962 Lm - 3000 K	OD	OD	IP20	RETEAP160R10	1.735					


PRODUCTS: Rettangolo Slim
DESIGN: Moduluce R&D 2013

Pendant, ceiling lamp available in cotton, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Pendant lamp - 100 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	RESESP100C01	1.145					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100P01	1.420					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESESP100R01	1.450					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C05	1.280					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C06	1.335					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100C07	1.420					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P05	1.555					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P06	1.605					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100P07	1.690					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R05	1.585					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R06	1.615					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESESP100R07	1.700					

PRODUCTS: Rettangolo Slim
DESIGN: Moduluce R&D 2013

Pendant, ceiling lamp available in cotton, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pendant lamp - 150 x 50	Cotton	8 x E27 42 W HES	OD	OD	IP20	RESESP150C01	1.460				
	Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150P01	1.945				
	Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESESP150R01	1.995				
	Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C05	1.680				
	Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C06	1.735				
	Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150C07	1.870				
	Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P05	2.165				
	Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P06	2.215				
	Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150P07	2.350				
	Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R05	2.215				
	Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R06	2.270				
	Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESESP150R07	2.405				


PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

Pendant, ceiling lamp available in cotton, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

Ceiling lamp - 100 x 50




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	6 x E27 42 W HES	OD	OD	IP20	RESEPL100C01	1.155					
Pleated fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100P01	1.430					
Pleated ribbon fabric	6 x E27 42 W HES	OD	OD	IP20	RESEPL100R01	1.460					
Cotton NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C05	1.210					
Cotton DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C06	1.260					
Cotton DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100C07	1.345					
Pleated fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P05	1.480					
Pleated fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P06	1.535					
Pleated fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100P07	1.615					
Pleated ribbon fabric NO DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R05	1.510					
Pleated ribbon fabric DIM TRIAC	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R06	1.565					
Pleated ribbon fabric DIM DALI-Push DIM	2 led module 18,7 W - 6000 Lm - 2700 K	OD	OD	IP20	RESEPL100R07	1.650					

PRODUCTS: Rettangolo Slim
DESIGN: Moduluce R&D 2013

Pendant, ceiling lamp available in cotton, pleated and pleated ribbon fabric.
 On demand, lampshade available in wool and Kvadrat fabric (with surcharge).
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM



Ceiling lamp - 150 x 50

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton	8 x E27 42 W HES	OD	OD	IP20	RESEPL150C01	1.500					
Pleated fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150P01	1.985					
Pleated ribbon fabric	8 x E27 42 W HES	OD	OD	IP20	RESEPL150R01	2.035					
Cotton NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C05	1.630					
Cotton DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C06	1.680					
Cotton DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150C07	1.815					
Pleated fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P05	2.110					
Pleated fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P06	2.165					
Pleated fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150P07	2.300					
Pleated ribbon fabric NO DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R05	2.165					
Pleated ribbon fabric DIM TRIAC	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R06	2.215					
Pleated ribbon fabric DIM DALI-Push DIM	3 led module 18,7 W - 9000 Lm - 2700 K	OD	OD	IP20	RESEPL150R07	2.350					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 60



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C04	1.315					
Cotton DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C05	1.335					
Cotton DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060C06	1.420					
Pleated fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P04	1.480					
Pleated fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P05	1.500					
Pleated fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060P06	1.585					
Pleated ribbon fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R04	1.435					
Pleated ribbon fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R05	1.455					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REAESO060R06	1.540					

BASIC B - ø 60



Cotton NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C04	1.350					
Cotton DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C05	1.370					
Cotton DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060C06	1.455					
Pleated fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P04	1.525					
Pleated fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P05	1.545					
Pleated fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060P06	1.630					
Pleated ribbon fabric NO DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R04	1.470					
Pleated ribbon fabric DIM TRIAC	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R05	1.490					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 18 W - 3000 Lm - 2700 K	OD	OD	IP20	REBESO060R06	1.575					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp in cotton, pleated and pleated ribbon fabric.
The cotton version is bicoloured inside/ outside (with color combinations from the sample folder).
Bottom cap in thermoformed opal PMMA with soft touch finishing.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - ø 80



DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C07	1.665					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C08	1.750					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080C09	1.750					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P07	1.860					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P08	1.945					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080P09	1.945					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R07	1.795					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R08	1.880					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REAESO080R09	1.880					

BASIC B - ø 80



Cotton NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C07	1.680					
Cotton DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C08	1.765					
Cotton DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080C09	1.765					
Pleated fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P07	1.865					
Pleated fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P08	1.950					
Pleated fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080P09	1.950					
Pleated ribbon fabric NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R07	1.810					
Pleated ribbon fabric DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R08	1.895					
Pleated ribbon fabric DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	REBESO080R09	1.895					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant lamp with double light emission, lampshade in Soft textile and wool fabric.
 On demand, lampshade available in Kvadrat and velvet fabric (with surcharge).
 Double light emission: L 125 Up 2560 lm - Down 5120 lm / L 160 Up 2560 lm - Down 6400 lm

Symbol index  → • / present - / absent OD / On Demand

RIGHELLO

Pendant lamp - L 125



DESCRIPTION

LIGHT SOURCE



IP

CODE

€ EURO



IP

CODE

€ EURO

Wool NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125E01

1.880

Wool DIM DALI-Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125E02

1.945

Soft textile NO DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•

OD

IP20

RIGESO125L01

2.310

Soft textile DIM DALI-Push DIM

2 linear modules 48 W -
7600 Lm - 3000 K

•


OD

IP20

RIGESO125L02

2.375

Pendant lamp - L 160



Wool NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160E01

2.260

Wool DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160E02

2.320

Soft textile NO DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20

RIGESO160L01

2.720

Soft textile DIM DALI-Push DIM

2 linear modules 56 W -
8960 Lm - 3000 K

•

OD

IP20


RIGESO160L02


2.785

PRODUCTS: Ring
DESIGN: Paolo Grasselli 2014

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING	DESCRIPTION	LIGHT SOURCE	INDOOR				OUTDOOR			
					IP	CODE	€ EURO			IP
	Pendant lamp - L 85									
	1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	RINESO085L04	1.195			
	1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	RINESO085L05	1.260			
	1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	RINESO085L06	1.290			
Lycra cover only			•			RINERR085L01	330			


	Pendant lamp - L 125									
	1 light lycra NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	RINESO125L07	1.775			
	1 light lycra DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	RINESO125L08	1.965			
	Lycra cover only		•			RINERR125L01	390			

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand

RING 	DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO	
	Wall/ ceiling lamp – L 85	1 light lycra NO DIM	1 led module 23 W – 3628 Lm – 2700 K	OD	OD	IP20	RINEAP085L04	1.080					
		1 light lycra DIM TRIAC	1 led module 23 W – 3628 Lm – 2700 K	OD	OD	IP20	RINEAP085L05	1.105					
		1 light lycra DIM DALI-Push DIM	1 led module 23 W – 3628 Lm – 2700 K	OD	OD	IP20	RINEAP085L06	1.175					
		Lycra cover only		•			RINERR085L01	330					

	Wall/ ceiling lamp - L 125	1 light lycra NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	RINEAP125L07	1.670				
		1 light lycra DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	RINEAP125L08	1.845				
		Lycra cover only		•			RINERR125L01	390				


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Pendant lamp - D. 65




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	RITESO065L04	1.210					
1 light lycra DIM TRIAC	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	RITESO065L05	1.270					
1 light lycra DIM DALI-Push DIM	1 led module 23 W - 3628 Lm - 2700 K	OD	OD	IP20	RITESO065L06	1.300					
Lycra cover only		•			RITERR065L01	190					

Pendant lamp - D. 85



1 light lycra NO DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	RITESO085L09	1.565					
1 light lycra DIM TRIAC	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	RITESO085L11	1.640					
1 light lycra DIM DALI-push DIM	1 led module 57 W - 8750 Lm - 2700 K	OD	OD	IP20	RITESO085L10	1.715					
Lycra cover only		•			RITERR085L01	315					

Pendant lamp - D. 110



1 light lycra NO DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	RITESO110L07	1.890					
1 light lycra DIM DALI-Push DIM	1 led module 88 W - 12380 Lm - 2700 K	OD	OD	IP20	RITESO110L08	2.080					
Lycra cover only		•			RITERR110L01	390					


NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

Pendant, wall/ ceiling lamp with diffuser in removable and washable lycra.
Fire retardant lycra fabric, in accordance with the CL1 (650°) fire normative.

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Wall/ ceiling lamp – D. 65




DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light lycra NO DIM	1 led module 23 W – 3628 Lm – 2700 K	OD	OD	IP20	RITEAP065L04	1.080					
1 light lycra DIM TRIAC	1 led module 23 W – 3628 Lm – 2700 K	OD	OD	IP20	RITEAP065L05	1.155					
1 light lycra DIM DALI-Push DIM	1 led module 23 W – 3628 Lm – 2700 K	OD	OD	IP20	RITEAP065L06	1.145					
Lycra cover only		•			RITERR065L01	190					

Wall/ ceiling lamp – D. 85



1 light lycra NO DIM	1 led module 57 W – 8750 Lm – 2700 K	OD	OD	IP20	RITEAP085L09	1.440					
1 light lycra DIM TRIAC	1 led module 57 W – 8750 Lm – 2700 K	OD	OD	IP20	RITEAP085L11	1.510					
1 light lycra DIM DALI-push DIM	1 led module 57 W – 8750 Lm – 2700 K	OD	OD	IP20	RITEAP085L10	1.560					
Lycra cover only		•			RITERR085L01	315					

Wall/ ceiling lamp – D. 110



1 light lycra NO DIM	1 led module 88 W – 12380 Lm – 2700 K	OD	OD	IP20	RITEAP110L07	1.765					
1 light lycra DIM DALI-push DIM	1 led module 88 W – 12380 Lm – 2700 K	OD	OD	IP20	RITEAP110L08	1.955					
Lycra cover only		•			RITERR110L01	390					

NOTE: on demand, LED modules are also available in 3000K and 4000K version, without surcharge.

PRODUCTS: Romeo
DESIGN: ModoLuce R&D 2003


Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton fabric (available in other fabrics upon request).

Symbol index   → • / present - / absent OD / On Demand


ROMEO

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO


Pendant lamp - ø 25	Cotton with plex	1 x E27 42 W HES	OD	OD	IP20	ROMESP025C01	370				
---------------------	------------------	------------------	----	----	------	--------------	-----	--	--	--	--



Pendant lamp - ø 40	Cotton with plex	1 x E27 70 W HES	OD	OD	IP20	ROMESP040C01	450				
---------------------	------------------	------------------	----	----	------	--------------	-----	--	--	--	--



Pendant lamp - ø 70	Cotton 4 lights with plex	4 x E27 70 W HES	OD	OD	IP20	ROMESP070C02	1.000				
---------------------	---------------------------	------------------	----	----	------	--------------	-------	--	--	--	--



PRODUCTS: Romeo
DESIGN: ModoLuce R&D 2003

Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton fabric (available in other fabrics upon request).


Symbol index   → • / present - / absent OD / On Demand

ROMEO

DESCRIPTION	LIGHT SOURCE	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Small table lamp	Metal brushed nickel cotton	1 x E14 42 W HES	OD	OD	IP20	ROMETP045C01	285				




Table lamp	Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMETA070C01	495				
------------	-----------------------------	------------------	----	----	------	--------------	-----	--	--	--	--



Accessory - Table and small table lamp	Universal DIM switch HES (40/160W) + LED (4/100W)					DIMVAR0TA002	105				
--	---	--	--	--	--	--------------	-----	--	--	--	--



Reading lamp - lighting pull	Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT160C01	640				
------------------------------	-----------------------------	------------------	----	----	------	--------------	-----	--	--	--	--




Pendant, small table, table, reading and floor lamp.
Metal structure in brushed nickel finishing.
Lampshade in cotton fabric (available in other fabrics upon request).

Symbol index   → • / present - / absent OD / On Demand

ROMEO


Medium floor lamp - lighting pull	Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	790
-----------------------------------	-----------------------------	------------------	----	----	------	--------------	-----

Medium floor lamp - lighting pull	Metal brushed nickel cotton	1 x E27 70 W HES	OD	OD	IP20	ROMEPT180C01	790					
-----------------------------------	-----------------------------	------------------	----	----	------	--------------	-----	--	--	--	--	--



Metal brushed nickel cotton	3 x E27 42 W HES	OD	OD	IP20	ROMEPT180C11	925						
-----------------------------	------------------	----	----	------	--------------	-----	--	--	--	--	--	--

Maxi floor lamp	Metal brushed nickel cotton	4 x E27 70 W HES	OD	OD	IP20	ROMEPT212C01	1.470					
-----------------	-----------------------------	------------------	----	----	------	--------------	-------	--	--	--	--	--



Accessory - Reading and floor lamp	Universal DIM switch HES + LED (5/250W)					DIMVAROPT003	125					
------------------------------------	---	--	--	--	--	--------------	-----	--	--	--	--	--




PRODUCTS: Sestante
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing) and lime green.
Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index   → • / present - / absent OD / On Demand

SESTANTE

Wall lamp small - L 170 > 260



DESCRIPTION LIGHT SOURCE

Wall lamp white lampshade in cotton 1 x E27 70 W HES

Wall lamp black lampshade in cotton 1 x E27 70 W HES

Wall lamp lime lampshade in cotton 1 x E27 70 W HES

Wall lamp white lampshade in washable 1 x E27 70 W HES

Wall lamp black lampshade in washable 1 x E27 70 W HES

Wall lamp lime lampshade in washable 1 x E27 70 W HES


INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
OD	OD	IP20	SEIEAP170C01	1.420					
OD	OD	IP20	SEIEAP170C05	1.420					
OD	OD	IP20	SEIEAP170C03	1.575					

Wall lamp white diffuser in aluminium 1 led module 16,2 W - 2400 Lm - 3000 K

Wall lamp black diffuser in aluminium 1 led module 16,2 W - 2400 Lm - 3000 K

Wall lamp lime diffuser in aluminium 1 led module 16,2 W - 2400 Lm - 3000 K

•	OD	IP20	SEIEAP170G02	1.890	
•	OD	IP20	SEIEAP170G04	1.890	
•	OD	IP20	SEIEAP170G06	2.100	




PRODUCTS: Sestante
DESIGN: Romano + Menegon 2018

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing) and lime green.
Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Wall lamp - L 250 > 380



DESCRIPTION LIGHT SOURCE

Wall lamp white lampshade in cotton 1 x E27 70 W HES

Wall lamp black lampshade in cotton 1 x E27 70 W HES

Wall lamp lime lampshade in cotton 1 x E27 70 W HES

Wall lamp white lampshade in washable 1 x E27 70 W HES

Wall lamp black lampshade in washable 1 x E27 70 W HES

Wall lamp lime lampshade in washable 1 x E27 70 W HES



IP

CODE

€ EURO

OD

OD

IP20

SEIEAP220C01

1.470

OD

OD

IP20

SEIEAP220C05

1.470

OD

OD

IP20

SEIEAP220C03

1.735

OD

OD

IP20

SEIEAP220T01

1.575

OD

OD

IP20

SEIEAP220T05

1.575


OD

OD

IP20

SEIEAP220T03

1.840



Wall lamp white diffuser in aluminium 1 led module 16,2 W - 2400 Lm - 3000 K - DIM

Wall lamp black diffuser in aluminium 1 led module 16,2 W - 2400 Lm - 3000 K - DIM

Wall lamp lime diffuser in aluminium 1 led module 16,2 W - 2400 Lm - 3000 K - NO DIM

•

OD

IP20

SEIEAP220G02

1.945

•

OD

IP20

SEIEAP220G04

1.945

•

OD

IP20

SEIEAP220G06


2.205

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure painted in white or black (embossed finishing) and lime green.
Aluminium diffuser or lampshade available in cotton and washable fabric.

Symbol index  → • / present - / absent OD / On Demand

SESTANTE

Accessory to compose the floor lamp




DESCRIPTION LIGHT SOURCE

White structure/ base to be fixed on wall lamp (kg 20)
Black structure/ base to be fixed on wall lamp (kg 20)

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	OD	IP20	SEIEAT059G01	895					
•	OD	IP20	SEIEAT059G02	895					

Examples of compositions:




Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
 Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
 Aluminium structure and diffuser painted in white or black (embossed finishing) and lime green.
 Base to fix the wall lamp available only in embossed white or black.
 Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Wall lamp small - L 170>260



DESCRIPTION	LIGHT SOURCE	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP170G01	2.050
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP170G02	2.155
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP170G03	2.050
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP170G04	2.155
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP170G05	2.310
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K				• - IP44/55	SEOEAP170G06	2.415

Wall lamp - L 240>370




Wall lamp white diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• - IP44/55	SEOEAP220G01	2.130
Wall lamp white diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• - IP44/55	SEOEAP220G02	2.235
Wall lamp black diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• - IP44/55	SEOEAP220G03	2.130
Wall lamp black diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• - IP44/55	SEOEAP220G04	2.235
Wall lamp lime diffuser in aluminium DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• - IP44/55	SEOEAP220G05	2.470
Wall lamp lime diffuser in aluminium NO DIM	1 led module 16,2 W - 2400 Lm - 3000 K	• - IP44/55	SEOEAP220G06	2.575

Wall lamp with rotating telescope stem (105°) and adjustable in three different heights.
Floor lamp with rotating telescope stem (30°) and adjustable in three different heights.
Aluminium structure and diffuser painted in white or black (embossed finishing) and lime green.
Base to fix the wall lamp available only in embossed white or black.
Metal parts are protected with anticorrosive primer and resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


SESTANTE OUTDOOR

Accessory to compose the floor lamp



		INDOOR				OUTDOOR					
DESCRIPTION	LIGHT SOURCE			IP	CODE	€ EURO			IP	CODE	€ EURO
White structure/ base to be fixed on wall lamp (kg 20)							•	-	IP44/55	SEOEAT059G01	895
Black structure/ base to be fixed on wall lamp (kg 20)							•	-	IP44/55	SEOEAT059G02	895

Examples of compositions:



**Modo Luce srl fornisce le sospensioni
con i seguenti standard (misura utile):**

- Cavo elettrico L 200 cm
- Cavo elettrico L 250 cm
per apparecchi con 2 o più cavi acciaio
- Cavo elettrico in tessuto per serie EVA L 130 cm
- Cavo acciaio L 200 cm

** Disponibilità a misura su richiesta

**Modo Luce srl delivers the following
standard cables for the suspensions (useful measures):**

- Power wire L 200 cm / L 78.74"
- Power wire L 250 cm / L 98.42"
for fixtures with 2 or more steel cables
- Power wire in fabric for EVA line products L 130 cm / 51,18"
- Steel cable L 200 cm / L 78.74"

** Other measures are available upon demand

Accessori a richiesta / Accessory on demand	Codice / Code	€ EURO
Cavo elettrico teflon/ pvc trasparente 2 / 3 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 2/3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	13,00
Cavo elettrico teflon/ pvc trasparente 4 x 0,75 (oltre misura standard) al mt lineare NO DIM Wiring, power cable teflon, pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	13,00
Cavo elettrico tondo pvc/ pvc bianco al mt lineare Wiring, power cable round pvc, pvc white to each linear meter	CAVELE000000BT01	2,00
Cavo elettrico tondo pvc/ pvc nero al mt lineare Wiring, power cable round pvc, pvc black to each linear meter	CAVELE000000NT01	5,00
Cavo elettrico teflon/ pvc DIMMERABILE bianco o nero per sospensione al mt lineare Wiring, power cable teflon, pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM0000TB05	11,00
Cavo elettrico teflon/ pvc DIMMERABILE trasparente per sospensione al mt lineare Wiring cable teflon, pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM0000TT05	23,00
Cavo elettrico outdoor tondo 2 x 0,75 H05RN-F nero al mt lineare Wiring, power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE00000EN	11,00
Cavo elettrico a calza in tessuto per sospensione (oltre misura standard) al mt lineare Fabric wiring, power cable for suspension lamp to each linear meter	CAVCAL000000	16,00
Cavo acciaio di sostegno Ø 1,2 x h 2000 mm Steel cable for suspension lamp Ø 1,2 x h 2000 mm / Ø 0,47" x L 78,74"	CAVACC012200000	5,00
Cavo acciaio di sostegno Ø 1,2 x h 3000 mm Steel cable for suspension lamp Ø 1,2 x h 3000 mm / Ø 0,47" x L 118,11"	CAVACC012300000	14,00
Cavo acciaio di sostegno Ø 1,2 x h 6000 mm Steel cable for suspension lamp Ø 1,2 x h 6000 mm / Ø 0,47" x L 236,22"	CAVACC012600000	19,00
Cavo acciaio di sostegno Ø 1,2 x h 10000 mm Steel cable for suspension lamp Ø 1,2 x h 10000 mm / Ø 0,47" x L 393,70"	CAVACC012100000	32,00
Cavo acciaio di sostegno Ø 1,6 x h 2000 mm Steel cable for suspension lamp Ø 1,6 x h 2000 mm / Ø 0,63" x L 78,74"	CAVACC016200000	5,00
Cavo acciaio di sostegno Ø 1,6 x h 3000 mm Steel cable for suspension lamp Ø 1,6 x h 3000 mm / Ø 0,63" x L 118,11"	CAVACC016300000	14,00
Cavo acciaio di sostegno Ø 1,6 x h 8000 mm Steel cable for suspension lamp Ø 1,6 x h 8000 mm / Ø 0,63" x L 314,96"	CAVACC016800000	32,00
Maggiorazione per rosone cilindrico in finitura galvanica (cromo - ottone - rame): Price increase for cylindrical ceiling rose in galvanized finishes (chrome - brass - copper):		
Rosone cilindrico Ø 110 mm Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	28,00
Rosone cilindrico Ø 145 mm Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	63,00
Rosone cilindrico Ø 160 mm Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	68,00

Accessori a richiesta / Accessory on demand
Codice / Code
€ EURO
PAGE 183

 Maggiorazione per rosone decentrato:
 Lateral ceiling attachment surcharge:

Rosone A Ceiling rose A	ROSDEC110001	40,00
Rosone B Ceiling rose B	ROSDEC110002	50,00
Rosone C Ceiling rose C	ROSDEC110003	40,00

 Adattatore per spina inglese
 Uk plug adapter


ADAUK240V001

31,00

 Variatore da tavolo/tavolino universale per Alogene (40/160W) + LED (4/100W)
 DIM switch for table/small table lamp universal HES (40/160W) + LED (4/100W)


DIMVAR0TA002000

116,00

 Variatore da lettura/terra universale per Alogene + LED (5/250W)
 DIM switch for reading/floor lamp universal HES + LED (5/250W)


DIMVAROPT003000

137,00

**SCHERMO SUPERIORE SOSPENSIONE (RICAMBIO)
 UPPER DISK FOR SUSPENSIONS (SPARE PART)**

Schermo di chiusura superiore in plex opal per Discovolante Ø 40 Top protective disk in opal plex for Discovolante Ø 40	DISEPX040F01	115,00
Schermo di chiusura superiore in plex opal per Cilindro e Discovolante Ø 60 Top protective disk in opal plex for Cilindro and Discovolante Ø 60	CILEPX060F01	173,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 70 Top protective disk in opal plex for Cilindro Ø 70	CILEPX070F01	220,00
Schermo di chiusura superiore in plex opal per Circus Ø 70 Top protective disk in opal plex for Circus Ø 70	CISEPX070F01	205,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 80 Top protective disk in opal plex for Discovolante Ø 80	DISEPX080F01	315,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 100 Top protective disk in opal plex for Cilindro Ø 100	CILEPX100F01	446,00
Schermo di chiusura superiore in plex opal per Circus Ø 100 Top protective disk in opal plex for Circus Ø 100	CISEPX100F01	367,00
Schermo di chiusura superiore in plex opal per Discovolante Ø 100 Top protective disk in opal plex for Discovolante Ø 100	DISEPX100F01	409,00
Schermo di chiusura superiore in plex opal per Cilindro Ø 120 Top protective disk in opal plex for Cilindro Ø 120	CILEPX120F01	504,00
Schermo di chiusura superiore in plex opal per Circus Ø 120 Top protective disk in opal plex for Circus Ø 120	CISEPX120F01	441,00

Sorgenti luminose

I prodotti Modo Luce equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

Temperatura colore

Le lampade Modo Luce equipaggiate con sorgente LED vengono fornite generalmente con temperatura di colore 2700K. Sono disponibili su richiesta anche le versioni 3000K e 4000K.

Lumen

L'indicazione del flusso luminoso si riferisce al valore in assenza di rifrazione, come dichiarato dal produttore del componente LED.

Legenda lampadine

Lampadine utilizzabili sui prodotti Modo Luce (secondo i modelli).

Light Sources

Modo Luce products equipped with GU10, E14 and E27 are delivered without light bulbs.

Color temperature

Modo Luce LED equipped products are normally supplied with 2700K light colour as standard version. 3000K and 4000K are available on request.

Lumen

Nominal luminous flux refers to the value without any refraction as declared by the LED module manufacture.

Legend light bulbs

Light bulbs available for Modo Luce products (according to the models).

Modo Luce - EELc Product List Global Energy

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

Gli apparecchi Modo Luce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012.

Le etichette energetiche sono disponibili e scaricabili dal sito internet **modoluce.com**

Efficiency Label compatibility (EU Regulation 874/2012)

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.

Modo Luce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation.

Energy labels are available and downloaded from the webiste **modoluce.com**

Tipo / Type		Simbolo / Symbol	Attacco / Socket	Potenza / Power		Codice / Code	€ EURO
Led No Dim		Sphere	E14	5 W	2700K	LMPLEDE14S00	13,00
		Classic	E27	9 W	2700K	LMPLEDE27G00	16,00
		Globe Clair	E27	8 W	2700K	LMPLEDE27GL4W125	34,00
		Dichroic	GU10	6 W	2700K	LMPLEDE27GU10	16,00
		Linear L 78	R7S	4 W	2700K	LMPLEDR7S078NOD	26,00
		Linear L 118	R7S	8 W	2700K	LMPLEDR7S118NOD	47,00
Led Dim		Classic	E27	10 W	2700K	LMPLEDE27GDO	32,00
		Globe Clair	E27	7.5 W	2200K	LMPLEDE27DIM125	53,00
		Pear Share	E27	7.5 W	2300K	LMPLEDE27KIT01P	47,00
		Dichroic	GU10	6W	2700K	LMPLEDGU10DIM06	20,00

Pesi / Weights

Alco			
Pendant lamp	Ø 90	23 kg	50.77 lb
Pendant lamp	Ø 120	36 kg	79.47 lb
Ceiling lamp	Ø 90	23 kg	50.77 lb
Ceiling lamp	Ø 120	36 kg	79.47 lb

Angelica indoor			
Wall lamp		5 kg	11.33 lb

Angelica outdoor			
Wall lamp		7 kg	15.42 lb

Baobab			
Pendant lamp 3	Ø 80	2 kg	4.41 lb
Pendant lamp 6	Ø 80	3,5 kg	7.72 lb

Basilica / Basilica ball			
Pendant lamp	L 125	20 Kg	44,05 lb

Bolla Ellisse			
Pendant lamp Bolla	Ø 40	3 kg	6.61 lb
Pendant lamp Bolla	Ø 50	3,5 kg	7.71 lb
Pendant lamp Bolla	Ø 60	6 kg	13.21 lb
Pendant lamp Ellisse	Ø 60	3 kg	6.60 lb
Pendant lamp Ellisse	Ø 80	5 kg	11.01 lb

Butterfly			
Wall lamp	Ø 54	8 kg	17.66 lb
Wall lamp	Ø 75	10 kg	22.02 lb

Campanone indoor / outdoor			
Pendant lamp	Ø 33	3,5 kg	7.71 lb
Pendant lamp	Ø 51	5 kg	11.01 lb

Chandelier			
Pendant – ceiling lamp	Ø 100	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.43 lb
Wall lamp single	Ø 13	1 kg	2.20 lb
Wall lamp double	Ø 35	2 kg	4.41 lb

Chandelier Longue			
Pendant – ceiling lamp	L 110	12 kg	26.43 lb
Pendant – ceiling lamp	L 150	14 kg	30.83 lb

Charlie			
Pendant – ceiling lamp	Ø 107	25 kg	55.06 lb
Pendant – ceiling lamp	Ø 127	35 kg	77.09 lb

Cilindro			
Pendant lamp	Ø 60	2,2 kg	4.86 lb
Pendant lamp	Ø 70	3,5 kg	7.71 lb
Pendant lamp	Ø 100	7 kg	14.31 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	20 kg	44.05 lb

Circus			
Pendant lamp	Ø 70	4 kg	8.81 lb
Pendant lamp	Ø 100	9 kg	19.82 lb
Pendant lamp	Ø 120	17 kg	37.44 lb
Pendant lamp	Ø 150	30 kg	66.08 lb

Clip			
Pendant lamp	L 130	5 kg	11.03 lb
Pendant lamp	L 170	8 kg	17.66 lb

Cocò			
Pendant lamp	Ø 60	4 kg	8.80 lb
Pendant lamp	Ø 80	7 kg	15.40 lb
Pendant lamp	Ø 100	9 kg	19.82 lb

Diogene			
Pendant lamp	Ø 30	3,5 kg	7.72 lb

Discovolante			
Pendant-ceiling-wall lamp	Ø 40	2 kg	4.41 lb
Pendant-ceiling-wall lamp	Ø 60	4 kg	8.81 lb
Pendant-ceiling lamp	Ø 80	5 kg	11.03 lb
Pendant-ceiling lamp	Ø 100	7 kg	15.41 lb

Eva			
Pendant lamp	Ø 11	0,3 kg	0.66 lb
Pendant lamp brown cotto	Ø 11	0,7 kg	1.54 lb
Pendant lamp	Ø 18	1,1 kg	2.44 lb
Pendant lamp brown cotto	Ø 18	1,7 kg	3.77 lb
Pendant lamp	Ø 27	4 kg	8.81 lb
Pendant lamp brown cotto	Ø 27	7 kg	15.42 lb
Pendant lamp	Ø 38	8 kg	17.66 lb
Pendant lamp brown cotto	Ø 38	12 kg	26.43 lb

Florinda			
Pendant lamp 1	Ø 31	2 kg	4.41 lb
Pendant lamp 3	Ø 63	7 kg	15.41 lb
Pendant lamp 6	Ø 94	10 kg	22.02 lb
Pendant lamp 12	Ø 153	35 kg	77.09 lb
Ceiling lamp 3	Ø 63	7 kg	15.41 lb
Ceiling lamp 6	Ø 94	10 kg	22.02 lb
Ceiling lamp 12	Ø 153	35 kg	77.09 lb
Wall lamp	Ø 31,5	0,4 kg	0.88 lb

Frisé			
Pendant lamp	Ø 75	7 kg	15.41 lb
Pendant lamp	Ø 100	12 kg	26.43 lb

Galileo			
Pendant lamp	Ø 125	3 kg	6.61 lb
Pendant lamp	Ø 156	5 kg	11.03 lb
Wall lamp	Ø 125	3 kg	6.61 lb

Galileo longue			
Pendant lamp	Ø 120	5 kg	11.03 lb
Pendant lamp	Ø 145	5 kg	11.03 lb

Wall lamp	L 145	2 kg	4.41 lb
------------------	-------	------	---------

Geco			
Wall lamp	Ø 13	5 kg	11.01 lb
Wall lamp	Ø 30	5 kg	11.01 lb

Hammer			
Pendant lamp	Ø 15	1,5 kg	3.31 lb
Pendant lamp	Ø 18	2 kg	4.41 lb
Pendant lamp	Ø 30	2,5 kg	5.50 lb
Spotlight	Ø 15	1 kg	2.20 lb
Spotlight	Ø 18	1,5 kg	3.31 lb
Recessed spotlight	Ø 15 / 21	1 kg	2.20 lb
Recessed spotlight	Ø 18 / 24	1,5 kg	3.31 lb

Icaro indoor / outdoor			
Pendant lamp	Ø 22	2,5 kg	6.60 lb
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 75	10 kg	22.03 lb
Pendant lamp	Ø 100	20 kg	44.05 lb

Icaro Ball indoor / outdoor			
Pendant lamp	Ø 50	6 kg	13.21 lb
Pendant lamp	Ø 60	10 kg	22.03 lb
Pendant lamp	Ø 75	15 kg	33.04 lb
Pendant lamp	Ø 90	25 kg	55.06 lb

Idea			
Pendant – ceiling lamp	Ø 66	10 kg	22.02 lb
Pendant – ceiling lamp	Ø 80	15 kg	33.04 lb
Pendant – ceiling lamp	Ø 100	18 kg	39.65 lb
Pendant – ceiling lamp	Ø 140	25 kg	55.06 lb

Lost			
Pendant lamp	Ø 25	5 kg	11.01 lb
Pendant lamp	Ø 40	8 kg	17.66 lb

Loto			
Pendant lamp	Ø 16	0,7 kg	1.54 lb
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 60	3 kg	6.61 lb
Pendant lamp	Ø 80	5 kg	11.01 lb
Pendant lamp	Ø 100	7 kg	15.41 lb
Pendant lamp	Ø 140	20 kg	44.05 lb
Wall lamp	Ø 16	0,45 kg	0.99 lb

Lucilla			
Wall lamp	Ø 17	0,4 kg	0.88 lb

Lucilla Tonda			
Pendant lamp	Ø 19	0,3 kg	0.66 lb
Pendant lamp	Ø 34	0,5 kg	1.10 lb
Pendant lamp	Ø 43	1 kg	2.20 lb
Wall Lamp	Ø 21	0,5 kg	1.10 lb

Milleluci			
Pendant lamp	Ø 43	2 kg	4.41 lb
Pendant lamp	Ø 80	6 kg	13.21 lb
Pendant lamp	Ø 100 H 35	7 kg	15.41 lb
Pendant lamp	Ø 100 H 60	9 kg	19.82 lb
Pendant lamp	Ø 120	14 kg	30.83 lb
Pendant lamp	Ø 150	18 kg	39.65 lb

Mood			
Pendant lamp	Ø 100	5 kg	11.01 lb
Pendant lamp	Ø 120	6 kg	13.21 lb
Pendant lamp	Ø 150	10 kg	22.02 lb
Ceiling-wall lamp	Ø 100	6 kg	13.21 lb

Multiball			
Pendant lamp	Ø 25 / 30 / 35	1,7 kg	3.74 lb
Pendant lamp	Ø 40 / 45	2 kg	4.41 lb

Nucleo			
Pendant lamp	L 130	8 kg	17.66 lb
Pendant lamp	L 160	12 kg	26.43 lb

Olivia			
Pendant lamp	Ø 42	3 kg	6.60 lb
Pendant lamp	Ø 60	6 kg	13.24 lb
Ceiling lamp	Ø 42	5 kg	11.03 lb
Ceiling lamp	Ø 60	10 kg	22.07 lb

Ombrella			
Pendant-ceiling lamp	Ø 60	3 kg	6.6 lb
Pendant-ceiling lamp	Ø 80	6 kg	13.20 lb
Pendant-ceiling lamp	Ø 100	10 kg	22.00 lb

Orb			
Pendant lamp (PMMA)	Ø 25	2 kg	4.41 lb
Pendant lamp (PMMA)	Ø 40	3,5 kg	7.72 lb
Pendant lamp (glass)	Ø 25	3 kg	6.62 lb
Pendant lamp (glass)	Ø 40	6 kg	13.24 lb

Ottovolante			
Pendant-ceiling lamp	L 100	8 kg	17.66 lb
Pendant-ceiling lamp	L 150	11 kg	24.23 lb

Peggy			
Pendant – ceiling lamp	Ø 60	6 kg	13.25 lb
Pendant – ceiling lamp	Ø 80	8,5 kg	18.76 lb
Pendant – ceiling lamp	Ø 100	12 kg	26.49 lb

Rettangolo			
Pendant lamp	L 90	4 kg	8.81 lb
Pendant lamp	L 120	4,5 kg	9.91 lb
Pendant lamp	L 150	10 kg	22.00 lb
Pendant lamp	L 300	25 kg	55.06 lb
Wall lamp	L 25 / 40	0,5 kg	1.10 lb
Wall lamp	L 25 x 24	0,2 kg	0.44 lb
Wall lamp	L 30	1 kg	2.20 lb
Wall lamp	L 40 x 40	0,5 kg	1.10 lb
Wall lamp	L 160	5 kg	11.01 lb

Rettangolo Slim			
Pendant-ceiling lamp	Ø 100	8 kg	17.66 lb
Pendant-ceiling lamp	Ø 150	11 kg	24.23 lb

Reverse			
Pendant lamp	Ø 60	5 kg	11.00 lb
Pendant lamp	Ø 80	7 kg	15.40 lb
















Righello			
Pendant lamp	L 125	5 kg	11.03 lb
Pendant lamp	L 160	8 kg	17.66 lb
Wall Lamp	L 125	4 kg	8.83 lb
Wall Lamp	L 160	7 kg	15.45 lb



Ring			
Pendant-ceiling-wall lamp	L 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	L 125	10 kg	22.00 lb

Ring Tonda			
Pendant-ceiling-wall lamp	Ø 65	5 kg	11.00 lb
Pendant-ceiling-wall lamp	Ø 85	7 kg	15.40 lb
Pendant-ceiling-wall lamp	Ø 110	10 kg	22.00 lb

Romeo			
Pendant lamp	Ø 25	1,3 kg	2.86 lb
Pendant lamp	Ø 40	1,9 kg	4.18 lb
Pendant lamp	Ø 70	5 kg	11.01 lb

Sestante indoor / outdoor			
Wall Lamp		20 kg	44.15 lb


	Eva 11 Loto 16		Cilindro 100 / 120 Eva 27 Eva 38 Loto 100 / 140 Milleluci 100 / 120		Orb 25 / 40 (2 globes)
	Baobab 3 / 6 Chandelier 100 / 140 Eva 18 Hammer 15 / 18 Lucilla Tonda 19 / 34 / 43 Ottovolante 100 / 150 Rettangolo 90 / 120 / 150 / 300 Rettangolo Slim 100 / 150		Chandelier Longue 100 / 150		Nucleo 160 Galileo 80 / 100 (LED-dim) Galileo Longue 145 / 120 (LED-dim)
	Cilindro 150 Milleluci 150 Ottovolante (LED) 100 / 150 Rettangolo Slim (LED) 100 / 150		Multiball 25 / 30 / 35 / 40 / 45		Alco 90 / 120 (LED-23 W) Cilindro 120 / 150 (LED-88,2 W) Circus 120 23W / (LED-88,2 W) Circus 150 (LED-88,2 W) Discovolante 80 / 100 (LED-88,2 W) Loto 140 (LED-88,2 W) Milleluci 120 / 150 (LED-88,2 W) Orb 40 (ETL) Mood 100 / 120 / 150 (ETL)
	Bolla 40 / 50 / 60 Campanone 33 / 51 Cilindro 60 / 70 Circus 70 / 100 / 120 Cocò 60 / 80 / 100 Discovolante 40 / 60 / 80 / 100 Ellisse 60 / 80 Florinda 1 / 3 / 6 Icaro 22 / 50 / 75 Icaro Ball 50 / 60 / 75 Lost 25 / 40 Loto 43 / 60 / 80 Milleluci 40 / 80 Olivia 43 / 60 Orb 25 (LED-no dim) Romeo 25 / 40 / 70 Peggy 60 / 80 / 100		Hammer 15 / 18 / 30 (LED-dim) Nucleo 130 Galileo 80 / 100 (LED-no dim) Galileo Longue 145 / 120 (LED-no dim)		Alco 90 / 120 (LED-57 W) Florinda 12 Clip (ETL)
	Frisé 75 / 100 Icaro 100 Icaro Ball 90 Mood 100 / 120 / 150 Reverse 60 / 80 Ring 85 / 125 Ring Tonda 65 / 85 / 110		LED lamps Cilindro 60 / 70 / 100 / 120 (LED) Circus 70 / 100 / 120 (LED) Cocò 60 / 80 / 100 (LED) Discovolante 40 / 60 / 80 / 100 (LED) Idea 66 / 80 / 100 / 140 (LED) Loto 43 / 60 / 80 / 100 (LED) Milleluci 80 / 100 / 120 (LED) Olivia 42 / 60 (LED) Ombrella 60 / 80 / 100 Orb 25 (LED-dim) Orb 40 Peggy 60 / 80 / 100 (LED)		Charlie 107 / 127




Chandelier 100 / 140 (ceiling lamp)




Peggy 60 (ceiling lamp)




Chandelier Longue 100 / 150
(ceiling lamp)




A Lateral ceiling
attachement



Ombrella 60 / 80 / 100 (ceiling lamp)
Peggy 60 LED (ceiling lamp)
Peggy 80 / 100 (ceiling lamp)



B



C

GENERAL SALES TERMS

Price list
Vat excluded

LIGHT BULBS

Modo Luce products equipped with GU10, E14 and E27 sockets are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price. Goods are packed in carton boxes.

RULES

The products manufactured by Modo Luce comply with the European Standards and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

NOTES

1
The cotton fabric used by Modo Luce can be available fireproof, in compliance with CL1 rules, **on demand and with 3% surcharge**, ONLY for the ivory 300, white 301 and sand 302 colours. For orders, when/ if this regulation will be enforced and only on request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The cotton fabric complies with Glow-Wire Test 650°.

2
The pleated fabric used by Modo Luce for the standard production is fireproof in compliance with CL1 rules. For orders, when/ if this regulation will be enforced and only on

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo Luce's approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes to models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo Luce does not accept claims after 4 days from receipt of goods. Modo Luce's previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modo Luce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

request, Modo Luce will provide to enclose, as post note in the invoice, the conformity declaration. The pleated fabric complies with Glow-Wire Test 650° by request. The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, on demand and **with surcharge**, for quantity to be defined.

3
Modo Luce can also produce lampshades with Customer cotton fabric, **with 5% surcharge**.

4
The lycra-covers used by Modo Luce are fireproof in compliance with CL1 rules. They are removable and washable in water at max 30° and mild soap.

TRANSPORT

Goods are delivered ex-factory/ ex-works (Vazzola - Treviso - Italy) Goods travel at customer's own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods.

In every case, customer must accept the goods by writing in the document of transport of the forwarder "accepted with checking reserve" and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can't be attributed to Modo Luce.

5
Seams of the fabric covers of models: ALCO, BASILICA, CIRCUS, FRISE', PEGGY, RIGHELLO, RING and RING TONDA are handmade and may present some little imperfections, characteristic of a handcrafted production.

6
Diffusers of model Eva and base of model Aura and Baobab are handmade and may present some little imperfections, characteristics of a handcrafted production.

WARRANTY

Modo Luce warrants its products to be free from defects in workmanship. This warranty is exclusively applicable to the party who have purchased the product directly from Modo Luce. The warranty runs from the date of the invoice with which the product was acquired from Modo Luce and ends after 24 months. Uses of the warranty must be notified and sent to Modo Luce office within 60 days from discovering the defect, specifying the following information:
- date and number of invoice
- detailed description of problem and quantity of defective product/s
- photographs or video of the defect

7
Diffusers and details in PMMA and PC are injection moulding and, as well as blown glass globes, they can present some little imperfections which must be tolerated as a characteristic of this type of processing. They must be clean only with a soft cloth (ex. microfibre) using neutral detergent and water or cleanig spray **without** aggressive solvents as: alcohol, solvent and trichloroethylene.

8
The products made in rotomoulded polyethylene can have some little imperfections to be accepted as technical characteristic of this type of processing.

During this warranty period Modo Luce will repair, replace or supply spare parts, at its discretion. This warranty does NOT apply to damages resulting from: transport, accident, alteration, tempering, misuse, incorrect installation or improper use, incorrect storage, negligence or abuse, natural events. This warranty does NOT apply to consumable parts or elements subject to normal wear and tear, as batteries, light sources etc.

9
The technical characteristic of the materials used by Modo Luce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour's shade from a batch to another.

10
The products **ETL wired and certified** are available with a **10% surcharge**. The products wired with ETL certified components (it means **in compliance with but NOT ETL cerfied**) will have anyway the same **10% surcharge**.

Tutti i nostri prodotti sono realizzati completamente in Italia.
Modo Luce is made in Italy.

Modo Luce S.r.l.

Tutti i diritti riservati.

Il logo Modo Luce è un marchio regolarmente depositato in ambito nazionale ed internazionale di esclusiva titolarità e proprietà di Modo Luce S.r.l. L'uso di tale logo per scopi commerciali, senza il precedente consenso scritto di Modo Luce S.r.l. può costituire violazione del marchio e concorrenza sleale in violazione alle leggi statali.

Il presente listino è tutelato dalla legge sui diritti d'autore (legge 22/41941 N. 633) e dalla legge 14/12/1942 n. 1485: di esso è proibita ogni riproduzione totale o anche parziale.

I dati riportati su questo listino sono indicativi e non costituiscono impegno da parte della Modo Luce Srl, che si riserva di apportare tutte le modifiche e migliorie ai propri prodotti, in osservanza della normativa CE senza obbligo di preavviso.

In particolare la costante evoluzione e i continui cambiamenti della tecnologia LED influenzano anche i nostri prodotti. Modo Luce è alla continua ricerca nell'individuare le soluzioni tecniche più aggiornate per migliorare la qualità della luce e l'efficienza energetica. Di conseguenza i dati riportati nel presente listino possono subire variazioni. Vi consigliamo di consultare il nostro sito internet modoluce.com che sarà costantemente aggiornato con i dati tecnici.

La marcatura CE indica che il prodotto soddisfa gli obblighi di legge in merito alle Direttive Comunitarie Europee applicabili allo stesso.

I colori dei prodotti possono variare rispetto a quanto rappresentato nel listino e da lotto a lotto.

All products are entirely made in Italy.
Modo Luce is made in Italy.

Modo Luce S.r.l.

All rights reserved.

The logo Modo Luce is a regularly registered trademark in the national and international context and is the exclusive property of Modo Luce S.r.l. Use of said logo for commercial purposes, without the written permission of Modo Luce S.r.l., can constitute infringement of trademark and unfair competition in branch of the state laws.

This price list is safeguarded by the law on copyright (law 22/41941 no. 633) and by the law 14/12/1942 no. 1485: all total or even partial reproductions of the price list are forbidden.

Data contained in this price list is purely indicative and does not engage Modo Luce Srl, in any way or any form. Modo luce reserves the right to make any technical and aesthetical changes to models without prior notice, in compliance with the European standard.

The constant evolution and the continuous changes of the LED technology influence our products in a particular way. Modo Luce is always trying to identify the most up-to-date technical solutions in order to improve light quality and energy efficiency. Consequently, the datasheet shown in this price list may undergo variations. We advise you therefore to consult our website modoluce.com provided with the regularly updated technical data.

The CE mark is your assurance that the product meets all the requirements prescribed by law, as contained in the European Community directives which apply to the products.

Product colours can differ from what is shown in the price list and from batch to batch.

