



PRICE LIST
NEWS 2025

Price list NEWS 2025

[Index]



AUDINNO

Audinno	11
Audinno Bathroom	12
Audinno OUT	13



AUDINNI

Audinni	7
Audinni Bathroom	8
Audinni OUT	9



BILO W

Bilo W in Frosted	15
Bilo W in Mattt	16



BOULO W

Boulo W in Frosted	18
Boulo W in Frosted Bathroom / OUT	20
Boulo W in Matt	19
Boulo W in Matt Bathroom / OUT	21



SCAR-LEATHER

Scar-Leather 1FD built-in	23
Scar-Leather 1FDS built-in	24



Audinni

[by Bruno Van Meenen]



Audinni



Choose beam:
M=medium 23°
or W=wide 40°

500mA - **required remote mounted driver see below**

1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95

FALSE ceiling = aperture: Ø 41 - depth: min. 66 mm^{''} - depth for driver in false ceiling: min. 100 mm

CONCRETE ceiling = aperture: Ø 41 - depth: min. 66 mm^{''} - **driver must be on distance**

material: = aluminium = brass

CEILING - IP50


COLOR	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel

FALSE ceiling



2700K	AUIF 1273					€200	
2700K		AUIF 1272	AUIF 1271			€170	
2700K				AUIF 1274	AUIF 1277	AUIF 1279	€225
3000K	AUIF 1303					€200	
3000K		AUIF 1302	AUIF 1301			€170	
3000K				AUIF 1304	AUIF 1307	AUIF 1309	€225
+ honeycomb	2700K	AUIF 1273H				€210	
+ honeycomb	2700K		AUIF 1272H	AUIF 1271H		€180	
+ honeycomb	2700K			AUIF 1274H	AUIF 1277H	AUIF 1279H	€235
+ honeycomb	3000K	AUIF 1303H				€210	
+ honeycomb	3000K		AUIF 1302H	AUIF 1301H		€180	
+ honeycomb	3000K			AUIF 1304H	AUIF 1307H	AUIF 1309H	€235

CONCRETE ceiling



2700K	AUIC 1273					€205	
2700K		AUIC 1272	AUIC 1271			€175	
2700K				AUIC 1274	AUIC 1277	AUIC 1279	€230
3000K	AUIC 1303					€205	
3000K		AUIC 1302	AUIC 1301			€175	
3000K				AUIC 1304	AUIC 1307	AUIC 1309	€230
+ honeycomb	2700K	AUIC 1273H				€215	
+ honeycomb	2700K		AUIC 1272H	AUIC 1271H		€185	
+ honeycomb	2700K			AUIC 1274H	AUIC 1277H	AUIC 1279H	€240
+ honeycomb	3000K	AUIC 1303H				€215	
+ honeycomb	3000K		AUIC 1302H	AUIC 1301H		€185	
+ honeycomb	3000K			AUIC 1304H	AUIC 1307H	AUIC 1309H	€240



REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€16
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€18
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€25
1-4 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

^{''}Required free air area, see www.trizo21.com/requiredarea

Audinni bathroom

500mA - **required remote mounted driver see below**

1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95

FALSE ceiling = aperture: Ø 41 - depth: min. 66 mm" - depth for driver in false ceiling: min. 100 mm

CONCRETE ceiling = aperture: Ø 41 - depth: min. 66 mm" - **driver must be on distance**

material:  = aluminium  = brass

CEILING - IP55 



Choose beam:
M=medium 23°
or W=wide 40°


COLOR	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel
						

FALSE ceiling



2700K	AUEXF 1273						€230
2700K		AUEXF 1272	AUEXF 1271				€200
2700K				AUEXF 1274	AUEXF 1277	AUEXF 1279	€255
3000K	AUEXF 1303						€230
3000K		AUEXF 1302	AUEXF 1301				€200
3000K				AUEXF 1304	AUEXF 1307	AUEXF 1309	€255

CONCRETE ceiling



2700K	AUEXC 1273						€235
2700K		AUEXC 1272	AUEXC 1271				€205
2700K				AUEXC 1274	AUEXC 1277	AUEXC 1279	€260
3000K	AUEXC 1303						€235
3000K		AUEXC 1302	AUEXC 1301				€205
3000K				AUEXC 1304	AUEXC 1307	AUEXC 1309	€260



REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500*	230V	€16
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€18
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€25
1-4 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea

Audinni OUT



Choose beam:
M=medium 23°
or W=wide 40°

500mA - **required remote mounted driver see below**

1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95

FALSE ceiling = aperture: Ø 41 - depth: min. 66 mm^{''} - depth for driver in false ceiling: min. 100 mm

CONCRETE ceiling = aperture: Ø 41 - depth: min. 66 mm^{''} - **driver must be on distance**

material: = aluminium

CEILING - IP55

COLOR	FRAME black	FRAME white	
2700K	AUEXF 1272	AUEXF 1271	€200
3000K	AUEXF 1302	AUEXF 1301	€200

FALSE ceiling



CONCRETE ceiling



2700K	AUEXC 1272	AUEXC 1271	€205
3000K	AUEXC 1302	AUEXC 1301	€205



REQUIRED REMOTE MOUNTED DRIVER



DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	(TRIAC/IGBT)	D 6WT500*	230V	€16
2 x	(TRIAC/IGBT)	D 10WT500	230V	€18
1-4 x	(PUSH-DIM) + (1-10V)	D 15WP	110V-230V	€25
1-4 x	(DALI)	D 15WDA US	110V-230V	€28
3-12 x	(PUSH-DIM) + (DALI) + (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

^{''}Required free air area, see www.trizo21.com/requiredarea



Audinno

[by Bruno Van Meenen]

Audinno



Choose beam:
M=medium 23°
or W=wide 40°

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling = aperture: Ø 41 - depth: min. 102 mm" - depth for driver in false ceiling: min. 120 mm


CONCRETE ceiling = aperture: Ø 41 - depth: min. 102 mm" - **driver must be on distance**

material: = aluminium = brass

CEILING - IP50

COLOR	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel


FALSE ceiling



2700K	AUOF 1273						€210
2700K		AUOF 1272	AUOF 1271				€180
2700K				AUOF 1274	AUOF 1277	AUOF 1279	€235
3000K	AUOF 1303						€210
3000K		AUOF 1302	AUOF 1301				€180
3000K				AUOF 1304	AUOF 1307	AUOF 1309	€235

+ honeycomb	2700K	AUOF 1273H					€220
+ honeycomb	2700K		AUOF 1272H	AUOF 1271H			€190
+ honeycomb	2700K				AUOF 1274H	AUOF 1277H	€245
+ honeycomb	3000K	AUOF 1303H					€220
+ honeycomb	3000K		AUOF 1302H	AUOF 1301H			€190
+ honeycomb	3000K				AUOF 1304H	AUOF 1307H	€245

CONCRETE ceiling



2700K	AUOC 1273						€215
2700K		AUOC 1272	AUOC 1271				€185
2700K				AUOC 1274	AUOC 1277	AUOC 1279	€240
3000K	AUOC 1303						€215
3000K		AUOC 1302	AUOC 1301				€185
3000K				AUOC 1304	AUOC 1307	AUOC 1309	€240

+ honeycomb	2700K	AUOC 1273H					€225
+ honeycomb	2700K		AUOC 1272H	AUOC 1271H			€195
+ honeycomb	2700K				AUOC 1274H	AUOC 1277H	€250
+ honeycomb	3000K	AUOC 1303H					€225
+ honeycomb	3000K		AUOC 1302H	AUOC 1301H			€195
+ honeycomb	3000K				AUOC 1304H	AUOC 1307H	€250



REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 10WT	230V	€18
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€25
1-2 x	DA (DALI) + PU (PUSH-DIM)	D 15WDA EU	230V	€28
1-2 x	DA (DALI)	D 15WDA US	110-230V	€28
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea

Audinno bathroom

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling = aperture: Ø 41 - depth: min. 102 mm" - depth for driver in false ceiling: min. 120 mm







CONCRETE ceiling = aperture: Ø 41 - depth: min. 102 mm" - **driver must be on distance**

material:  = aluminium  =brass


CEILING - IP55 



Choose beam:
M=medium 23°
or W=wide 40°


COLOR	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel
						

FALSE ceiling



2700K	AUOXF 1273						€240
2700K		AUOXF 1272	AUOXF 1271				€210
2700K				AUOXF 1274	AUOXF 1277	AUOXF 1279	€265
3000K	AUOXF 1303						€240
3000K		AUOXF 1302	AUOXF 1301				€210
3000K				AUOXF 1304	AUOXF 1307	AUOXF 1309	€265

CONCRETE ceiling



2700K	AUOXC 1273						€245
2700K		AUOXC 1272	AUOXC 1271				€215
2700K				AUOXC 1274	AUOXC 1277	AUOXC 1279	€270
3000K	AUOXC 1303						€245
3000K		AUOXC 1302	AUOXC 1301				€215
3000K				AUOXC 1304	AUOXC 1307	AUOXC 1309	€270



REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT*	230V	€14
2 x	LC (TRIAC/IGBT)	D 10WT	230V	€18
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€25
1-2 x	DA (DALI) + PU (PUSH-DIM)	D 15WDA EU	230V	€28
1-2 x	DA (DALI)	D 15WDA US	110-230V	€28
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea

Audinno OUT



Choose beam:
M=medium 23°
or W=wide 40°

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling = aperture: Ø 41 - depth: min. 102 mm" - depth for driver in false ceiling: min. 120 mm

CONCRETE ceiling = aperture: Ø 41 - depth: min. 102 mm" - **driver must be on distance**

material: = aluminium

CEILING - IP55


COLOR

FRAME black

FRAME white




FALSE ceiling



2700K		AUOXF 1272	AUOXF 1271		€210
3000K		AUOXF 1302	AUOXF 1301		€210

CONCRETE ceiling



2700K		AUOXC 1272	AUOXC 1271		€215
3000K		AUOXC 1302	AUOXC 1301		€215



REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT*	230V	€14
2 x	LC (TRIAC/IGBT)	D 10WT	230V	€18
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€25
1-2 x	DA (DALI) + PU (PUSH-DIM)	D 15WDA EU	230V	€28
1-2 x	DA (DALI)	D 15WDA US	110-230V	€28
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

*IP 44


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers


"Required free air area, see www.trizo21.com/requiredarea



Bilo W

[by Bruno Van Meenen]





Bilow in FROSTED

350mA - **required remote mounted driver see below**

1 x 21 LED 0.14W (LED incl.) - 350mA - 400lm - CRI >90

FALSE wall = aperture: Ø 67 - depth: min. 50 mm^{''} - depth for driver in ceiling: min. 70 mm

CONCRETE wall = aperture: Ø 67 - depth: min. 60 mm^{''} - **driver must be on distance**

material: transparent glass + screen printed inner side &  = aluminium


WALL - IP50 

FALSE wall




COLOR	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
2300K	BWIF 2000	BWIF 1000	BWIF 7000	BWIF 8000	BWIF 9000	€440
2700K	BWIF 2020	BWIF 1020	BWIF 7020	BWIF 8020	BWIF 9020	€440

CONCRETE wall



2300K	BWIC 2002	BWIC 1002	BWIC 7002	BWIC 8002	BWIC 9002	€450
2700K	BWIC 2022	BWIC 1022	BWIC 7022	BWIC 8022	BWIC 9022	€450

ACCESSORY



aperture: Ø 120 | PLBO 2000 | €75




REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€14
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€14
1-2 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

^{''}Required free air area, see www.trizo21.com/requiredarea



Bilow in MATT

350mA - **required remote mounted driver see below**

1 x 21 LED 0.14W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97

FALSE wall = aperture: Ø 67 - depth: min. 50 mm" - depth for driver in ceiling: min. 70 mm

CONCRETE wall = aperture: Ø 67 - depth: min. 60 mm" - **driver must be on distance**

material: sandblasted glass &  = aluminium


WALL - IP50 

FALSE wall




COLOR	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
2300K	BWMF 2000	BWMF 1000	BWMF 7000	BWMF 8000	BWMF 9000	€420
2700K	BWMF 2020	BWMF 1020	BWMF 7020	BWMF 8020	BWMF 9020	€420

CONCRETE wall



2300K	BWMC 2002	BWMC 1002	BWMC 7002	BWMC 8002	BWMC 9002	€430
2700K	BWMC 2022	BWMC 1022	BWMC 7022	BWMC 8022	BWMC 9022	€430

ACCESSORY



aperture: Ø 120 | PLBO 2000 | €75




REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€14
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€14
1-2 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea




Boulo W

[by Bruno Van Meenen]



Boulo W in FROSTED



350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE wall = aperture: Ø 67 - depth: min. 50 mm" - depth for driver in ceiling: min. 70 mm

CONCRETE wall = aperture: Ø 67 - depth: min. 60 mm" - **driver must be on distance**

material: transparent glass + screen printed inner side

WALL - IP50


FALSE wall



COLOR


2300K		BLWII 1100		€400
2700K		BLWII 1120		€400

CONCRETE wall



2300K		BLWII 1102		€410
2700K		BLWII 1122		€410

ACCESSORY



aperture: Ø 120 | PLBO 2000 | €75



REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€14
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€14
1-2 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea

Boulo W in MATT



350mA - **required remote mounted driver see below**

1 x 21 LED 0.14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90


FALSE wall = aperture : Ø 67 - depth : min. 50 mm" - depth for driver in ceiling : min. 70 mm

CONCRETE wall = aperture : Ø 67 - depth : min. 60 mm" - **driver must be on distance**

material: sandblasted glass

WALL - IP50


FALSE wall



COLOR


2300K		BLWIM.1100		€380
2700K		BLWIM.1120		€380

CONCRETE wall



2300K		BLWIM.1102		€390
2700K		BLWIM.1122		€390

ACCESSORY



aperture: Ø 120		PLBO 2000		€75
-----------------	--	-----------	--	-----



REQUIRED REMOTE MOUNTED DRIVER


DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€14
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€14
1-2 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea

Boulo W in FROSTED bathroom/OUT



350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE wall = aperture: Ø 67 - depth: min. 50 mm^{''} - depth for driver in ceiling: min. 70 mm

CONCRETE wall = aperture: Ø 67 - depth: min. 60 mm^{''} - **driver must be on distance**

material: transparent glass + screen printed inner side

WALL - IP55


FALSE wall



COLOR


2300K		BLWXI 1100		€455
2700K		BLWXI 1120		€455

CONCRETE wall



2300K		BLWXI 1102		€465
2700K		BLWXI 1122		€465

ACCESSORY



aperture: Ø 120 | PLBO 2000 | €75



REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-4 x	NO (non-dimmable)	N 12W**	110V-230V	€23
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€14
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€14
1-2 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57


driver remote mounting: driver is IP20

*IP 44 **IP 65

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

^{''}Required free air area, see www.trizo21.com/requiredarea

Boulo W in MATT bathroom/OUT



350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE wall = aperture: Ø 67 - depth: min. 50 mm¹⁾ - depth for driver in ceiling: min. 70 mm

CONCRETE wall = aperture: Ø 67 - depth: min. 60 mm¹⁾ - **driver must be on distance**

material: sandblasted glass

WALL - IP55


FALSE wall



COLOR


2300K		BLWXM 1100		€435
2700K		BLWXM 1120		€435

CONCRETE wall



2300K		BLWXM 1102		€445
2700K		BLWXM 1122		€445

ACCESSORY



aperture: Ø 120		PLBO 2000		€75
-----------------	--	-----------	--	-----



REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-4 x	NO (non-dimmable)	N 12W**	110V-230V	€23
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€14
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€14
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€14
1-2 x	DA (DALI)	D 15WDA US	110V-230V	€28
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€57

driver remote mounting: driver is IP20

*IP 44 **IP 65

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers


¹⁾ Required free air area, see www.trizo21.com/requiredarea

Scar-Leather

[by Bruno Van Meenen]



Scar-Leather 1FD built-in



110V-230V - remote driver included: **driver does not fit through cutout hole of fixture** - **NO** (non-dimmable)

1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93

OR

230V - remote driver included: **driver does not fit through cutout hole of fixture** - **1-10** (1-10V) or **PU** (PUSH-DIM) or **DA** (DALI) dimmable

1 x LED 1.38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

material: =leather =brass

WALL - IP50


	FLEX LENGTH	DIM		LEATHER tabacco	FRAME brass	LEATHER saddle	FRAME brass	LEATHER ivory	FRAME brass	LEATHER oak	FRAME brass	
no dim	L 500	NO		SCLEBI 5330 TDB		SCLEBI 5330 SAD		SCLEBI 5330 IVO		SCLEBI 5330 OAK		€850
dim	L 500	1-10 PU		SCLEBI 5330P TDB		SCLEBI 5330P SAD		SCLEBI 5330P IVO		SCLEBI 5330P OAK		€920
dim	L 500	DA		SCLEBI 5330D TDB		SCLEBI 5330D SAD		SCLEBI 5330D IVO		SCLEBI 5330D OAK		€940

	FLEX LENGTH	DIM		LEATHER tabacco	FRAME gunmetal	LEATHER saddle	FRAME gunmetal	LEATHER ivory	FRAME gunmetal	LEATHER oak	FRAME gunmetal	
no dim	L 500	NO		SCLEBI 5440 TDB		SCLEBI 5440 SAD		SCLEBI 5440 IVO		SCLEBI 5440 OAK		€905
dim	L 500	1-10 PU		SCLEBI 5440P TDB		SCLEBI 5440P SAD		SCLEBI 5440P IVO		SCLEBI 5440P OAK		€975
dim	L 500	DA		SCLEBI 5440D TDB		SCLEBI 5440D SAD		SCLEBI 5440D IVO		SCLEBI 5440D OAK		€995

	FLEX LENGTH	DIM		LEATHER tabacco	FRAME bronze	LEATHER saddle	FRAME bronze	LEATHER ivory	FRAME bronze	LEATHER oak	FRAME bronze	
no dim	L 500	NO		SCLEBI 5770 TDB		SCLEBI 5770 SAD		SCLEBI 5770 IVO		SCLEBI 5770 OAK		€905
dim	L 500	1-10 PU		SCLEBI 5770P TDB		SCLEBI 5770P SAD		SCLEBI 5770P IVO		SCLEBI 5770P OAK		€975
dim	L 500	DA		SCLEBI 5770D TDB		SCLEBI 5770D SAD		SCLEBI 5770D IVO		SCLEBI 5770D OAK		€995

	FLEX LENGTH	DIM		LEATHER tabacco	FRAME nickel	LEATHER saddle	FRAME nickel	LEATHER ivory	FRAME nickel	LEATHER oak	FRAME nickel	
no dim	L 500	NO		SCLEBI 5990 TDB		SCLEBI 5990 SAD		SCLEBI 5990 IVO		SCLEBI 5990 OAK		€905
dim	L 500	1-10 PU		SCLEBI 5990P TDB		SCLEBI 5990P SAD		SCLEBI 5990P IVO		SCLEBI 5990P OAK		€975
dim	L 500	DA		SCLEBI 5990D TDB		SCLEBI 5990D SAD		SCLEBI 5990D IVO		SCLEBI 5990D OAK		€995

Scar-Leather 1FDS built-in



110V-230V - remote driver included: **driver does not fit through cutout hole of fixture** - NO ON/OFF on armature
 1 x LED 0.96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93

OR
 230V - remote driver included: **driver does not fit through cutout hole of fixture** - PU (PUSH-DIM) on armature
 1 x LED 1.38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

material: =leather =brass
 WALL - IP50

	FLEX LENGTH	DIM		LEATHER tabacco FRAME brass	LEATHER saddle FRAME brass	LEATHER ivory FRAME brass	LEATHER oak FRAME brass	
no dim	L 500	NO	I	SCLEBI 5331 TDB	SCLEBI 5331 SAD	SCLEBI 5331 IVO	SCLEBI 5331 OAK	€870
dim	L 500	PU	I	SCLEBI 5331P TDB	SCLEBI 5331P SAD	SCLEBI 5331P IVO	SCLEBI 5331P OAK	€940

	FLEX LENGTH	DIM		LEATHER tabacco FRAME gunmetal	LEATHER saddle FRAME gunmetal	LEATHER ivory FRAME gunmetal	LEATHER oak FRAME gunmetal	
no dim	L 500	NO	I	SCLEBI 5441 TDB	SCLEBI 5441 SAD	SCLEBI 5441 IVO	SCLEBI 5441 OAK	€925
dim	L 500	PU	I	SCLEBI 5441P TDB	SCLEBI 5441P SAD	SCLEBI 5441P IVO	SCLEBI 5441P OAK	€995

	FLEX LENGTH	DIM		LEATHER tabacco FRAME bronze	LEATHER saddle FRAME bronze	LEATHER ivory FRAME bronze	LEATHER oak FRAME bronze	
no dim	L 500	NO	I	SCLEBI 5771 TDB	SCLEBI 5771 SAD	SCLEBI 5771 IVO	SCLEBI 5771 OAK	€925
dim	L 500	PU	I	SCLEBI 5771P TDB	SCLEBI 5771P SAD	SCLEBI 5771P IVO	SCLEBI 5771P OAK	€995

	FLEX LENGTH	DIM		LEATHER tabacco FRAME nickel	LEATHER saddle FRAME nickel	LEATHER ivory FRAME nickel	LEATHER oak FRAME nickel	
no dim	L 500	NO	I	SCLEBI 5991 TDB	SCLEBI 5991 SAD	SCLEBI 5991 IVO	SCLEBI 5991 OAK	€925
dim	L 500	PU	I	SCLEBI 5991P TDB	SCLEBI 5991P SAD	SCLEBI 5991P IVO	SCLEBI 5991P OAK	€995

Trizo21 | Kerrebroek 52 | B-9850 Deinze | Belgium

T +32 (0)9 380 43 43

E INFO@TRIZO21.COM

W WWW.TRIZO21.COM

W WWW.ELEMENTS-CONFIGURATOR.TRIZO21.COM

 [INSTAGRAM.COM/TRIZO21](https://www.instagram.com/TRIZO21)

 [FACEBOOK.COM/TRIZO21](https://www.facebook.com/TRIZO21)

All models | Copyright © Trizo21 & Bruno Van Meenen

All products | Handmade in Belgium

Pricelist | NEWS 2025

retail prices in euro, VAT excl.

Important notice:

For warranty use only Trizo21® supplied LED drivers as mentioned.

No warranty when used without the supplied LED drivers!

All information in this pricelist is without engagement, replaces all preceding information and can always be modified.

Trizo21 bvba has the right to change the technical aspects of its products at any time without prior notice.

All our product carry the CE logo. The CE logo represents an implicit quality assurance.

For further technical information, please visit WWW.TRIZO21.COM

All products are supplied without bulbs and/or drivers, unless stated otherwise.

All dimensions are expressed in mm.

No part of this price list may be reproduced without written authorisation of Trizo21 bvba.

