



Price List
06/2025



Price List 06/2025

www.trizo21.com

[Index]

Floor & Table	p.7
Ceiling	p.14
Wall	p.96
Suspension	p.136
Bathroom	p.198
Outdoor	p.217
Track	p.232
Productcodes	p.252
Colours	p.268
Glossary	p.269


Floor & Table



2THIRTY
2Thirty-Floor 1 9
2Thirty-Floor 2 9




AUDE
Aude-Table 11



AUSTERE
Austere-Table 12



AUDE
Aude-Floor 10




AUSTERE
Austere-Floor 12



BOULY
Bouly Table 13



SCAR-LED
Scar-Led Table 13



2Thirty-Floor 1


110V-230V - **PU (PUSH-DIM)** on armature


1 x LED array 11,8W **(LED incl.)** - 350mA - 1 x 1241lm - 2700K - CRI >97

Support disc (**Ø170mm x H 2mm**) for uneven surfaces included.

materials: brass, aluminium

FLOOR - IP50

																				
			DIM	BASE & BODY black ROD black SWIVEL gunmetal RING black				BASE & BODY black ROD black SWIVEL gunmetal RING bronze				BASE & BODY black ROD black SWIVEL gunmetal RING gold				BASE & BODY black ROD black SWIVEL gunmetal RING alu				
				●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
+ honeycomb	EU plug	 I	THF EU 12H	◆				THF EU 17H	◆				THF EU 18H	◆			THF EU 19H	◆	I	€985
+ honeycomb	UK plug	 I	THF UK 12H	◆				THF UK 17H	◆				THF UK 18H	◆			THF UK 19H	◆	I	€985
+ honeycomb	US plug	 I	THF US 12H	◆				THF US 17H	◆				THF US 18H	◆			THF US 19H	◆	I	€1.150
+ honeycomb	AU plug	 I	THF AU 12H	◆				THF AU 17H	◆				THF AU 18H	◆			THF AU 19H	◆	I	€1.150



2Thirty-Floor 2

110V-230V - (PUSH-DIM) on armature


2 x LED array 11,8W **(LED incl.)** - 350mA - 2 x 1241lm - 2700K - CRI >97

Support disc (Ø170mm x H 2mm) for uneven surfaces included.

materials: brass, aluminium

FLOOR - IP50


[illegible]



Aude-Floor

110V-240V - plugdriver with  (PUSH-DIM) button on cable
1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
material: brass
FLOOR - IP50 


				DIM	FRAME brass	FRAME gunmetal	FRAME bronze	FRAME nickel	
	EU plug	2700K			ADFL 1273				€900
	EU plug	2700K				ADFL 1274	ADFL 1277	ADFL 1279	€1.070
	UK plug	2700K			ADFL 1273UK				€900
	UK plug	2700K				ADFL 1274UK	ADFL 1277UK	ADFL 1279UK	€1.070
	US plug	2700K			ADFL 1273US				€1.050
	US plug	2700K				ADFL 1274US	ADFL 1277US	ADFL 1279US	€1.250
	AU plug	2700K			ADFL 1273AU				€1.050
	AU plug	2700K				ADFL 1274AU	ADFL 1277AU	ADFL 1279AU	€1.250
	EU plug	3000K			ADFL 1303				€900
	EU plug	3000K				ADFL 1304	ADFL 1307	ADFL 1309	€1.070
	UK plug	3000K			ADFL 1303UK				€900
	UK plug	3000K				ADFL 1304UK	ADFL 1307UK	ADFL 1309UK	€1.070
	US plug	3000K			ADFL 1303US				€1.050
	US plug	3000K				ADFL 1304US	ADFL 1307US	ADFL 1309US	€1.250
	AU plug	3000K			ADFL 1303AU				€1.050
	AU plug	3000K				ADFL 1304AU	ADFL 1307AU	ADFL 1309AU	€1.250
+ honeycomb	EU plug	2700K			ADFL 1273H				€910
+ honeycomb	EU plug	2700K				ADFL 1274H	ADFL 1277H	ADFL 1279H	€1.080
+ honeycomb	UK plug	2700K			ADFL 1273HUK				€910
+ honeycomb	UK plug	2700K				ADFL 1274HUK	ADFL 1277HUK	ADFL 1279HUK	€1.080
+ honeycomb	US plug	2700K			ADFL 1273HUS				€1.060
+ honeycomb	US plug	2700K				ADFL 1274HUS	ADFL 1277HUS	ADFL 1279HUS	€1.260
+ honeycomb	AU plug	2700K			ADFL 1273HAU				€1.060
+ honeycomb	AU plug	2700K				ADFL 1274HAU	ADFL 1277HAU	ADFL 1279HAU	€1.260
+ honeycomb	EU plug	3000K			ADFL 1303H				€910
+ honeycomb	EU plug	3000K				ADFL 1304H	ADFL 1307H	ADFL 1309H	€1.080
+ honeycomb	UK plug	3000K			ADFL 1303HUK				€910
+ honeycomb	UK plug	3000K				ADFL 1304HUK	ADFL 1307HUK	ADFL 1309HUK	€1.080
+ honeycomb	US plug	3000K			ADFL 1303HUS				€1.060
+ honeycomb	US plug	3000K				ADFL 1304HUS	ADFL 1307HUS	ADFL 1309HUS	€1.260
+ honeycomb	AU plug	3000K			ADFL 1303HAU				€1.060
+ honeycomb	AU plug	3000K				ADFL 1304HAU	ADFL 1307HAU	ADFL 1309HAU	€1.260



Aude-Table

110V-240V - plugdriver with  (PUSH-DIM) button on cable
1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
TABLE - IP50 


			DIM	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
	EU plug	2700K		ADTA 1273	ADTA 1272				€665
	EU plug	2700K				ADTA 1274	ADTA 1277	ADTA 1279	€760
	UK plug	2700K		ADTA 1273UK	ADTA 1272UK				€665
	UK plug	2700K				ADTA 1274UK	ADTA 1277UK	ADTA 1279UK	€760
	US plug	2700K		ADTA 1273US	ADTA 1272US				€775
	US plug	2700K				ADTA 1274US	ADTA 1277US	ADTA 1279US	€885
	AU plug	2700K		ADTA 1273AU	ADTA 1272AU				€775
	AU plug	2700K				ADTA 1274AU	ADTA 1277AU	ADTA 1279AU	€885
	EU plug	3000K		ADTA 1303	ADTA 1302				€665
	EU plug	3000K				ADTA 1304	ADTA 1307	ADTA 1309	€760
	UK plug	3000K		ADTA 1303UK	ADTA 1302UK				€665
	UK plug	3000K				ADTA 1304UK	ADTA 1307UK	ADTA 1309UK	€760
+ honeycomb	US plug	3000K		ADTA 1303US	ADTA 1302US				€775
	US plug	3000K				ADTA 1304US	ADTA 1307US	ADTA 1309US	€885
	AU plug	3000K		ADTA 1303AU	ADTA 1302AU				€775
	AU plug	3000K				ADTA 1304AU	ADTA 1307AU	ADTA 1309AU	€885
	EU plug	2700K		ADTA 1273H	ADTA 1272H				€675
	EU plug	2700K				ADTA 1274H	ADTA 1277H	ADTA 1279H	€770
	UK plug	2700K		ADTA 1273HUK	ADTA 1272HUK				€675
	UK plug	2700K				ADTA 1274HUK	ADTA 1277HUK	ADTA 1279HUK	€770
	US plug	2700K		ADTA 1273HUS	ADTA 1272HUS				€790
	US plug	2700K				ADTA 1274HUS	ADTA 1277HUS	ADTA 1279HUS	€900
	AU plug	2700K		ADTA 1273HAU	ADTA 1272HAU				€790
	AU plug	2700K				ADTA 1274HAU	ADTA 1277HAU	ADTA 1279HAU	€900
+ honeycomb	EU plug	3000K		ADTA 1303H	ADTA 1302H				€675
	EU plug	3000K				ADTA 1304H	ADTA 1307H	ADTA 1309H	€770
	UK plug	3000K		ADTA 1303HUK	ADTA 1302HUK				€675
	UK plug	3000K				ADTA 1304HUK	ADTA 1307HUK	ADTA 1309HUK	€770
	US plug	3000K		ADTA 1303HUS	ADTA 1302HUS				€790
	US plug	3000K				ADTA 1304HUS	ADTA 1307HUS	ADTA 1309HUS	€900
	AU plug	3000K		ADTA 1303HAU	ADTA 1302HAU				€790
	AU plug	3000K				ADTA 1304HAU	ADTA 1307HAU	ADTA 1309HAU	€900



Austere-Floor

110V-240V - **plugdriver with  (PUSH-DIM) button on cable**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
The base bracket is standard included and recommended for optimal stability
material: brass
FLOOR - IP50 


			FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	DIM								
EU plug		HVFL 1003	HVFL 1002	HVFL 1001					€825
EU plug					HVFL 1004	HVFL 1007	HVFL 1009		€975
UK plug		HVFL 1003UK	HVFL 1002UK	HVFL 1001UK					€825
UK plug					HVFL 1004UK	HVFL 1007UK	HVFL 1009UK		€975
US plug		HVFL 1003US	HVFL 1002US	HVFL 1001US					€960
US plug					HVFL 1004US	HVFL 1007US	HVFL 1009US		€1.135
AU plug		HVFL 1003AU	HVFL 1002AU	HVFL 1001AU					€960
AU plug					HVFL 1004AU	HVFL 1007AU	HVFL 1009AU		€1.135



Austere-Table

110V-240V - **plugdriver with  (PUSH-DIM) button on cable**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
The base bracket is standard included and recommended for optimal stability
material: brass
FLOOR - IP50 

			FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	DIM								
EU plug		HVTA 1003	HVTA 1002	HVTA 1001					€765
EU plug					HVTA 1004	HVTA 1007	HVTA 1009		€905
UK plug		HVTA 1003UK	HVTA 1002UK	HVTA 1001UK					€765
UK plug					HVTA 1004UK	HVTA 1007UK	HVTA 1009UK		€905
US plug		HVTA 1003US	HVTA 1002US	HVTA 1001US					€895
US plug					HVTA 1004US	HVTA 1007US	HVTA 1009US		€1.055
AU plug		HVTA 1003AU	HVTA 1002AU	HVTA 1001AU					€895
AU plug					HVTA 1004AU	HVTA 1007AU	HVTA 1009AU		€1.055




Bouly Table

230V - **EU-plugdriver with PU (PUSH-DIM) button on cable**
1 x 4 LED 0,96W (**LED incl.**) - 350mA - 456lm - 2700K - CRI >93

material: aluminium

TABLE - IP40

	DIM	FRAME black	FRAME white	FRAME grey	FRAME chrome	
EU plug		BOWW 5202	BOWW 5201	BOWW 5203		€495
EU plug					BOWW 5209	€545



◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Scar-Led Table

230V - **EU-plugdriver with switch on cable**
1 x LED 0,96W (**LED incl.**) - 350mA - 114lm - 2700K - CRI >93
materials: aluminium, silicon

TABLE - IP40

FLEX LENGTH	FLEX black silicon	FRAME black	FLEX white silicon	FRAME white	FLEX black silicon	FRAME alu	FLEX alu	FRAME alu	FLEX bronze	FRAME bronze	
L 750	◆	◆	○	○	◆	◆	○	○	◆	◆	◆
SCAR 2751			SCAR 2752		SCAR 2750		SCAR 2753		SCAR 2757		€320

Ceiling



2THIRTY

2Thirty-C1	16
2Thirty-C1 in	16
2Thirty-C2 in	16
2Thirty-C1 in 350mA	17
2Thirty-C2 in 350mA	17
2Thirty-CH2	18
2Thirty-CV2	18



7TY

7Ty in	19
7Ty up	19



AUDETTE

Audette in	20
Audette 1 up	21
Audette 1 up Rounded	21
Audette 2 up	22
Audette 2 up Rounded	22
Audette 3 up	23
Audette 4 up	24
Audette C1 in Rounded	25
Audette C2 in Rounded	26
Audette R6	27



AUDETTE-DUO

Audette-Duo in	28
Audette-Duo 1 up	29
Audette-Duo 1 up Rounded	29
Audette-Duo 2 up	30
Audette-Duo 2 up Rounded	30
Audette-Duo 3 up	31
Audette-Duo 4 up	32
Audette-Duo C1 in Rounded	33
Audette-Duo C2 in Rounded	34
Audette-Duo R6	35



AUDETTE-VARIÉ

Audette-Varié 1 up	36
Audette-Varié 1 up Rounded	36
Audette-Varié 2 up	37
Audette-Varié 2 up Rounded	37
Audette-Varié 3 up	38
Audette-Varié 4 up	38
Audette-Varié C1 in Rounded	39
Audette-Varié C2 in Rounded	40



AUDINNI

Audinni	41
---------	----



AUDINNO

Audinno	42
---------	----



AUDY

Audy-In	43
Audy 1 up Rounded	44
Audy 2 up Rounded	44
Audy-Duo 1 up Rounded	45
Audy-Duo 2 up Rounded	45



AUSTIN

Austin	46
Austin Adjustable	47
Austin 1 up Adjustable Rounded	47
Austin 2 up Adjustable Rounded	48
Austin C1 in Adjustable Rounded	48
Austin C2 in Adjustable Rounded	49



AUSTERE-ELEMENTS

Austere-Elements design	50
Austere-Elements configurations	51
Austere-Elements rods & straps	55
Austere-Elements rods & straps steelcable	56
Austere-Elements connectors	57
Austere-Elements connectors with light-element	58
Austere-Elements connectors with powercord	59
Austere-Elements connectors with light-element & powercord	60
Austere-Elements required drivers	62
Austere-Elements mounting options	62



BILO

Bilo C in FROSTED	63
Bilo C in MATT	64
Bilo up FROSTED	65
Bilo up MATT	65

Ceiling

**BILY**

Bily 16 in	66
Bily 16 up	66

**BOULO**

Boulo C in FROSTED	67
Boulo C in MATT	68

**BOULY**

Bouly 4	69
Bouly 16	70

**BOULY W/C**

Bouly W/C	71
Bouly W/C D+B	71

**CODE**

Code 1 GU10	72
Code 1 LED	72
Code 2 GU10	73
Code 2 LED	73

**KWA-KWA**

Kwa-Kwa 1F Round	73
Kwa-Kwa 1F Square	74
Kwa-Kwa 1F +B Round	74
Kwa-Kwa 1FT Rounded LED	74
Kwa-Kwa 1FT Rectangular LED	75
Kwa-Kwa 2FT Rounded LED	75
Kwa-Kwa 2FT Rectangular LED	75
Kwa-Kwa 4FT Rounded LED	75

**MINI-PI UP**

Mini-Pi in	76
Mini-Pi 1 up	76
Mini-Pi 1 up Round	77
Mini-Pi 2 in	77
Mini-Pi 2 up	77
Mini-Pi 3 up	78

**NAGA**

Naga	78
------	----

**PIN-UP**

Pin-In 1	78
Pin-In 2	79
Pin-Up 1 Round LED	79
Pin-Up 1 Square LED	79
Pin-Up 2 LED	80
Pin-Up 4 LED	80
Pin-Up 6 LED	80

**R-RANGE**

R07 in	81
R07 Rimless	81
R07 up	82
R51 in GU10	82
R51 in LED	83
R51 Rimless LED	84
R51 up GU10	84
R51 up LED	85
R52 in GU10	85
R52 in LED	86
R52 Rimless LED	87
R52 up GU10	87
R52 up LED	88
R54 in GU10	88
R54 in LED	89
R54 Rimless LED	89
R54 up GU10	90
R54 up LED	90
R70 in	91
R70 Rimless	91
R70 up	92
R110 in G53	92
R110 Rimless	93
R110 up G53 LED	93
R111 in G53	94
R111 Rimless	94
R111 up G53 LED	95



Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°



2Thirty-C1

230V (110V on demand)


1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium


CEILING - IP50




THC 12223



THC 17223



THC 18223



THC 19223

€530

+ honeycomb

THC 12223H

THC 17223H

THC 18223H

THC 19223H

€550



Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°


2Thirty-C1 in

230V (110V on demand)


1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium


CEILING - IP50



THIN 12223



THIN 17223



THIN 18223



THIN 19223

€510

+ honeycomb


THIN 12223H

THIN 17223H

THIN 18223H

THIN 19223H

€530



Choose beam upper lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°

Choose beam lower lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°



2Thirty-C2 in

230V (110V on demand)


2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium


CEILING - IP50




THIN 22223



THIN 27223



THIN 28223



THIN 29223

€895

+ honeycomb


THIN 22223H

THIN 27223H

THIN 28223H

THIN 29223H

€935



Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°


2Thirty-C1 in 350mA

350mA - **required remote mounted driver see below**

1 x LED array 11,8W (**LED incl.**) - 350mA - 1241lm - 2700K - CRI >97 - **dimnable**

materials: brass, aluminium

CEILING - IP50



BASE & BODY black
 ROD black
 SWIVEL black
 RING black

TH3N 12223

BASE & BODY black
 ROD black
 SWIVEL black
 RING bronze

TH3N 17223

BASE & BODY black
 ROD black
 SWIVEL black
 RING gold

TH3N 18223

BASE & BODY black
 ROD black
 SWIVEL black
 RING alu

TH3N 19223

| €400

+ honeycomb

TH3N 12223H

TH3N 17223H

TH3N 18223H

TH3N 19223H


| €420

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + I-10 (1-10V)	D 15WP	110V-230V	€27
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V-230V	€59


driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam upper lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°

Choose beam lower lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°



BASE & BODY black
 ROD black
 SWIVEL black
 RING black

TH3N 22223

BASE & BODY black
 ROD black
 SWIVEL black
 RING bronze

TH3N 27223

BASE & BODY black
 ROD black
 SWIVEL black
 RING gold

TH3N 28223

BASE & BODY black
 ROD black
 SWIVEL black
 RING alu

TH3N 29223

| €785

+ honeycomb

TH3N 22223H

TH3N 27223H

TH3N 28223H

TH3N 29223H

| €825

2Thirty-C2 in 350mA

350mA - **required remote mounted driver see below**

2 x LED array 11,8W (**LED incl.**) - 350mA - 2 X 1241lm - 2700K - CRI >97 - **dimnable**

materials: brass, aluminium


CEILING - IP50

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




Choose beam left lightsource:

N=narrow 12° or
M=medium 24° or
W=wide 40°

Choose beam right lightsource:

N=narrow 12° or
M=medium 24° or
W=wide 40°



2Thirty-CH2


230V (110V on demand)

2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium


CEILING - IP50

BASE & BODY black ROD black SWIVEL black RING black	BASE & BODY black ROD black SWIVEL black RING bronze	BASE & BODY black ROD black SWIVEL black RING gold	BASE & BODY black ROD black SWIVEL black RING alu
THP 22223	THP 27223	THP 28223	THP 29223
+ honeycomb	THP 22223H	THP 27223H	THP 28223H
THP 29223H			
€1.040			
€1.080			



Choose beam upper lightsource:
N=narrow 12° or M=medium 24° or W=wide 40°

Choose beam lower lightsource:
N=narrow 12° or M=medium 24° or W=wide 40°



2Thirty-CV2

230V (110V on demand)

2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium

CEILING - IP50

BASE & BODY black ROD black SWIVEL black RING black	BASE & BODY black ROD black SWIVEL black RING bronze	BASE & BODY black ROD black SWIVEL black RING gold	BASE & BODY black ROD black SWIVEL black RING alu
THC 22223	THC 27223	THC 28223	THC 29223
+ honeycomb	THC 22223H	THC 27223H	THC 28223H
THC 29223H			
€915			
€955			



◆ Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°

7Ty in

350mA - **required remote mounted driver see below**
1 x LED array 11,8W (**LED incl.**) - 350mA - 1241lm - 2700K - CRI >97
aperture: Ø 60mm - depth : min. 65mm
material: aluminium
CEILING - IP50 ⚡

FALSE & CONCRETE ceiling



	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
	◆	◆	◆	◆	◆	
	STIN 1002◆	STIN 1001◆	STIN 1007◆	STIN 1008◆	STIN 1009◆	€250
+ honeycomb	◆	◆	◆	◆	◆	€260

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea




◆ Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°

7Ty up

230V - **driver included in base** - LC (TRIAC/IGBT) dimmable
1 x LED array 11,8W (**LED incl.**) - 250mA - 913lm - 2700K - CRI >97
material: aluminium
CEILING - IP50 ⚡

	DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
		◆	◆	◆	◆	◆	
	LC	STUP 1002◆	STUP 1001◆	STUP 1007◆	STUP 1008◆	STUP 1009◆	€315
+ honeycomb	LC	STUP 1002H◆	STUP 1001H◆	STUP 1007H◆	STUP 1008H◆	STUP 1009H◆	€325



Choose beam:
M=medium 23°
or W=wide 40°

Audette in

350mA - **required remote mounted driver see below**


1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

materials: brass, aluminium

CEILING - IP50



COVER brass
SWIVEL brass
BODY brass
RING brass

COVER black
SWIVEL black
BODY black
RING black

COVER white
SWIVEL white
BODY white
RING white

COVER gunmetal
SWIVEL gunmetal
BODY gunmetal
RING gunmetal

COVER bronze
SWIVEL bronze
BODY bronze
RING bronze

COVER nickel
SWIVEL nickel
BODY nickel
RING nickel


FALSE ceiling



2700K	ADFC 2333	€360
2700K	ADFC 2222	€335
2700K	ADFC 2111	€425
3000K	ADFC 3333	€360
3000K	ADFC 3222	€335
3000K	ADFC 3444	€425

+ honeycomb	2700K	ADFC 2333H	€370
+ honeycomb	2700K	ADFC 2222H	€345
+ honeycomb	2700K	ADFC 2444H	€435
+ honeycomb	3000K	ADFC 3333H	€370
+ honeycomb	3000K	ADFC 3222H	€345
+ honeycomb	3000K	ADFC 3444H	€435

CONCRETE ceiling



2700K	ADCC 2333	€370
2700K	ADCC 2222	€345
2700K	ADCC 2444	€435
3000K	ADCC 3333	€370
3000K	ADCC 3222	€345
3000K	ADCC 3444	€435


+ honeycomb	2700K	ADCC 2333H	€380
+ honeycomb	2700K	ADCC 2222H	€355
+ honeycomb	2700K	ADCC 2444H	€445
+ honeycomb	3000K	ADCC 3333H	€380
+ honeycomb	3000K	ADCC 3222H	€355
+ honeycomb	3000K	ADCC 3444H	€445

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + I-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




◆ Choose beam:
M=medium 23° or
W=wide 40°

Audette 1 up

230V - **driver included in base** - **LC** (TRIAC/IGBT) dimmable
1 x LED array 6,25W (**LED incl.!**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



		DIM	BASE black SWIVEL brass BODY brass RING brass	BASE white SWIVEL brass BODY brass RING brass	BASE black SWIVEL black BODY black RING black	BASE white SWIVEL white BODY white RING white	
	2700K		ADST 122333◆	ADST 121333◆			€445
	2700K				ADST 122222◆	ADST 121111◆	€425
	3000K		ADST 132333◆	ADST 131333◆			€445
	3000K				ADST 132222◆	ADST 131111◆	€425
+ honeycomb	2700K		ADST 122333H◆	ADST 121333H◆			€455
+ honeycomb	2700K				ADST 122222H◆	ADST 121111H◆	€435
+ honeycomb	3000K		ADST 132333H◆	ADST 131333H◆			€455
+ honeycomb	3000K				ADST 132222H◆	ADST 131111H◆	€435




◆ Choose beam:
M=medium 23° or
W=wide 40°

Audette 1 up Rounded

230V - **driver included in base** - **LC** (TRIAC/IGBT) dimmable
1 x LED array 6,25W (**LED incl.!**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50




		DIM	BASE brass SWIVEL brass BODY brass RING brass	BASE black SWIVEL black BODY black RING black	BASE white SWIVEL white BODY white RING white	BASE gunmetal SWIVEL gunmetal BODY gunmetal RING gunmetal	BASE bronze SWIVEL bronze BODY bronze RING bronze	BASE nickel SWIVEL nickel BODY nickel RING nickel	
	2700K		ADRT 123333◆						€525
	2700K			ADRT 122222◆	ADRT 121111◆				€440
	2700K					ADRT 124444◆	ADRT 127777◆	ADRT 129999◆	€600
	3000K		ADRT 133333◆						€525
	3000K			ADRT 132222◆	ADRT 131111◆				€440
	3000K					ADRT 134444◆	ADRT 137777◆	ADRT 139999◆	€600
+ honeycomb	2700K		ADRT 123333H◆						€535
+ honeycomb	2700K			ADRT 122222H◆	ADRT 121111H◆				€450
+ honeycomb	2700K					ADRT 124444H◆	ADRT 127777H◆	ADRT 129999H◆	€610
+ honeycomb	3000K		ADRT 133333H◆						€535
+ honeycomb	3000K			ADRT 132222H◆	ADRT 131111H◆				€450
+ honeycomb	3000K					ADRT 134444H◆	ADRT 137777H◆	ADRT 139999H◆	€610




Choose beam:
M=medium 23° or
W=wide 40°

Audette 2 up

230V - **driver included in base** - (TRIAC/IGBT) dimmable
2 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



		DIM	BASE black SWIVEL brass BODY brass RING brass				BASE white SWIVEL brass BODY brass RING brass				BASE black SWIVEL black BODY black RING black				BASE white SWIVEL white BODY white RING white				
	2700K		ADST 222333◆				ADST 221333◆								ADST 221111◆				€825
	2700K										ADST 222222◆				ADST 221111◆				€780
	3000K		ADST 232333◆				ADST 231333◆								ADST 231111◆				€825
	3000K										ADST 232222◆				ADST 231111◆				€780
+ honeycomb	2700K		ADST 222333H◆				ADST 221333H◆								ADST 221111H◆				€845
+ honeycomb	2700K										ADST 222222H◆				ADST 221111H◆				€800
+ honeycomb	3000K		ADST 232333H◆				ADST 231333H◆								ADST 231111H◆				€845
+ honeycomb	3000K										ADST 232222H◆				ADST 231111H◆				€800




Choose beam:
M=medium 23° or
W=wide 40°

Audette 2 up Rounded

230V - **driver included in base** - (TRIAC/IGBT) dimmable
2 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



			DIM	BASE brass SWIVEL brass BODY brass RING brass				BASE black SWIVEL black BODY black RING black				BASE white SWIVEL white BODY white RING white				BASE gunmetal SWIVEL gunmetal BODY gunmetal RING gunmetal				BASE bronze SWIVEL bronze BODY bronze RING bronze				BASE nickel SWIVEL nickel BODY nickel RING nickel				
	2700K		ADRT 223333◆				ADRT 222222◆				ADRT 221111◆				ADRT 224444◆				ADRT 227777◆				ADRT 229999◆				€960	
	2700K																										€790	
	2700K														ADRT 224444◆				ADRT 227777◆				ADRT 229999◆				€1.100	
	3000K		ADRT 233333◆				ADRT 232222◆				ADRT 231111◆				ADRT 234444◆				ADRT 237777◆				ADRT 239999◆				€960	
	3000K																										€790	
	3000K														ADRT 234444◆				ADRT 237777◆				ADRT 239999◆				€1.100	
+ honeycomb	2700K		ADRT 223333H◆				ADRT 222222H◆				ADRT 221111H◆				ADRT 224444H◆				ADRT 227777H◆				ADRT 229999H◆				€980	
+ honeycomb	2700K																										€810	
+ honeycomb	2700K														ADRT 224444H◆				ADRT 227777H◆				ADRT 229999H◆				€1.120	
+ honeycomb	3000K		ADRT 233333H◆				ADRT 232222H◆				ADRT 231111H◆				ADRT 234444H◆				ADRT 237777H◆				ADRT 239999H◆				€980	
+ honeycomb	3000K																										€810	
+ honeycomb	3000K														ADRT 234444H◆				ADRT 237777H◆				ADRT 239999H◆				€1.120	




Choose beam:
M=medium 23° or
W=wide 40°

Audette 3 up


230V - driver included in base - **LC** (TRIAC/IGBT) dimmable or **DA** (DALI) dimmable
3 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95

materials: brass, aluminium

CEILING - IP50




			DIM	BASE black SWIVEL brass BODY brass RING brass				BASE white SWIVEL brass BODY brass RING brass				BASE black SWIVEL black BODY black RING black				BASE white SWIVEL white BODY white RING white				
				●	●	●	●	○	●	●	●	●	●	●	○	○	○	○		
	2700K	LC		ADST 322333	◆			ADST 321333	◆										€1.205	
	2700K	DA		ADSD 322333	◆			ADSD 321333	◆										€1.225	
	2700K	LC										ADST 322222	◆		ADST 321111	◆			€1.130	
	2700K	DA										ADSD 322222	◆		ADSD 321111	◆			€1.150	
	3000K	LC		ADST 332333	◆			ADST 331333	◆										€1.205	
	3000K	DA		ADSD 332333	◆			ADSD 331333	◆										€1.225	
	3000K	LC										ADST 332222	◆		ADST 331111	◆			€1.130	
	3000K	DA										ADSD 332222	◆		ADSD 331111	◆			€1.150	
+ honeycomb	2700K	LC		ADST 322333H	◆			ADST 321333H	◆										€1.235	
+ honeycomb	2700K	DA		ADSD 322333H	◆			ADSD 321333H	◆										€1.255	
+ honeycomb	2700K	LC										ADST 322222H	◆		ADST 321111H	◆			€1.160	
+ honeycomb	2700K	DA										ADSD 322222H	◆		ADSD 321111H	◆			€1.180	
+ honeycomb	3000K	LC		ADST 332333H	◆			ADST 331333H	◆										€1.235	
+ honeycomb	3000K	DA		ADSD 332333H	◆			ADSD 331333H	◆										€1.255	
+ honeycomb	3000K	LC										ADST 332222H	◆		ADST 331111H	◆			€1.160	
+ honeycomb	3000K	DA										ADSD 332222H	◆		ADSD 331111H	◆			€1.180	




Audette 4 up

230V - driver included in base - **LC** (TRIAC/IGBT) dimmable or **DA** (DALI) dimmable
4 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



		DIM	BASE black SWIVEL brass BODY brass RING brass				BASE white SWIVEL brass BODY brass RING brass				BASE black SWIVEL black BODY black RING black				BASE white SWIVEL white BODY white RING white					
			●	●	●	●	○	●	●	●	●	●	●	○	○	○	○			
	2700K	LC	ADST 422333◆				ADST 421333◆													
	2700K	DA	ADSD 422333◆				ADSD 421333◆													
	2700K	LC									ADST 422222◆				ADST 421111◆					
	2700K	DA									ADSD 422222◆				ADSD 421111◆					
	3000K	LC	ADST 432333◆				ADST 431333◆													
	3000K	DA	ADSD 432333◆				ADSD 431333◆													
	3000K	LC									ADST 432222◆				ADST 431111◆					
	3000K	DA									ADSD 432222◆				ADSD 431111◆					
+	honeycomb	2700K	LC	ADST 422333H◆				ADST 421333H◆								€1.620				
+	honeycomb	2700K	DA	ADSD 422333H◆				ADSD 421333H◆								€1.640				
+	honeycomb	2700K	LC									ADST 422222H◆				ADST 421111H◆				€1.525
+	honeycomb	2700K	DA									ADSD 422222H◆				ADSD 421111H◆				€1.545
+	honeycomb	3000K	LC	ADST 432333H◆				ADST 431333H◆								€1.620				
+	honeycomb	3000K	DA	ADSD 432333H◆				ADSD 431333H◆								€1.640				
+	honeycomb	3000K	LC									ADST 432222H◆				ADST 431111H◆				€1.525
+	honeycomb	3000K	DA									ADSD 432222H◆				ADSD 431111H◆				€1.545



Choose beam:
M=medium 23° or
W=wide 40°








Audette C1 in Rounded

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

materials: brass, aluminium

CEILING - IP50



2700K	ADCI 23333								€425
2700K		ADCI 22222		ADCI 21111					€400
2700K					ADCI 24444	ADCI 27777	ADCI 29999		€480
3000K	ADCI 33333								€425
3000K		ADCI 32222		ADCI 31111					€400
3000K					ADCI 34444	ADCI 37777	ADCI 39999		€480

+ honeycomb	2700K	ADCI 23333H							€435
+ honeycomb	2700K		ADCI 22222H	ADCI 21111H					€410
+ honeycomb	2700K				ADCI 24444H	ADCI 27777H	ADCI 29999H		€490
+ honeycomb	3000K	ADCI 33333H							€435
+ honeycomb	3000K		ADCI 32222H	ADCI 31111H					€410
+ honeycomb	3000K				ADCI 34444H	ADCI 37777H	ADCI 39999H		€490

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:

M=medium 23° or



W=wide 40°

Audette C2 in Rounded

350mA - **required remote mounted driver see below**

2 x LED array 6,25W (LED incl.) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

materials: brass, aluminium

CEILING - IP50

2700K	ADCD 23333	€890
2700K	ADCD 22222	€865
2700K	ADCD 21111	€945
3000K	ADCD 33333	€890
3000K	ADCD 32222	€865
3000K	ADCD 31111	€945


+ honeycomb	2700K	ADCD 23333H	€900
+ honeycomb	2700K	ADCD 22222H	€875
+ honeycomb	2700K	ADCD 21111H	€955
+ honeycomb	3000K	ADCD 33333H	€900
+ honeycomb	3000K	ADCD 32222H	€875
+ honeycomb	3000K	ADCD 31111H	€955

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
M=medium 23° or
W=wide 40°

Audette R6

350mA - **required remote mounted driver see below**


1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

materials: brass, aluminium

CEILING - IP50



COVER brass	COVER black	COVER white	COVER gunmetal	COVER bronze	COVER nickel
ROD + SWIVEL brass	ROD + SWIVEL black	ROD + SWIVEL white	ROD + SWIVEL gunmetal	ROD + SWIVEL bronze	ROD + SWIVEL nickel
BODY brass	BODY black	BODY white	BODY gunmetal	BODY bronze	BODY nickel
RING brass	RING black	RING white	RING gunmetal	RING bronze	RING nickel

FALSE ceiling



2700K	ADFC R6 2333						€370
2700K		ADFC R6 2222	ADFC R6 2111				€345
2700K				ADFC R6 2444	ADFC R6 2777	ADFC R6 2999	€435
3000K	ADFC R6 3333						€370
3000K		ADFC R6 3222	ADFC R6 3111				€345
3000K				ADFC R6 3444	ADFC R6 3777	ADFC R6 3999	€435

+ honeycomb	2700K	ADFC R6 2333H						€380
+ honeycomb	2700K		ADFC R6 2222H	ADFC R6 2111H				€355
+ honeycomb	2700K				ADFC R6 2444H	ADFC R6 2777H	ADFC R6 2999H	€445
+ honeycomb	3000K	ADFC R6 3333H						€380
+ honeycomb	3000K		ADFC R6 3222H	ADFC R6 3111H				€355
+ honeycomb	3000K				ADFC R6 3444H	ADFC R6 3777H	ADFC R6 3999H	€445

CONCRETE ceiling



2700K	ADCC R6 2333						€380
2700K		ADCC R6 2222	ADCC R6 2111				€355
2700K				ADCC R6 2444	ADCC R6 2777	ADCC R6 2999	€445
3000K	ADCC R6 3333						€380
3000K		ADCC R6 3222	ADCC R6 3111				€355
3000K				ADCC R6 3444	ADCC R6 3777	ADCC R6 3999	€445

+ honeycomb	2700K	ADCC R6 2333H						€390
+ honeycomb	2700K		ADCC R6 2222H	ADCC R6 2111H				€365
+ honeycomb	2700K				ADCC R6 2444H	ADCC R6 2777H	ADCC R6 2999H	€455
+ honeycomb	3000K	ADCC R6 3333H						€390
+ honeycomb	3000K		ADCC R6 3222H	ADCC R6 3111H				€365
+ honeycomb	3000K				ADCC R6 3444H	ADCC R6 3777H	ADCC R6 3999H	€455

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + I-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audette-Duo in

350mA - **required remote mounted driver see below**


1 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

materials: brass, aluminium

CEILING - IP50




FALSE ceiling



	2700K	ADFC	2332	ADFC	2331		€335		
	2700K				ADFC	2223	ADFC	2113	€360
	3000K	ADFC	3332	ADFC	3331		€335		
	3000K				ADFC	3223	ADFC	3113	€360
+ honeycomb	2700K	ADFC	2332H	ADFC	2331H		€345		
+ honeycomb	2700K				ADFC	2223H	ADFC	2113H	€370
+ honeycomb	3000K	ADFC	3332H	ADFC	3331H		€345		
+ honeycomb	3000K				ADFC	3223H	ADFC	3113H	€370

CONCRETE ceiling



	2700K	ADCCD 2332	ADCCD 2331			€345
	2700K			ADCCD 2223	ADCCD 2113	€370
	3000K	ADCCD 3332	ADCC 3331			€345
	3000K			ADCCD 3223	ADCCD 3113	€370
+ honeycomb	2700K	ADCCD 2332H	ADCCD 2331H			€355
+ honeycomb	2700K			ADCCD 2223H	ADCCD 2113H	€380
+ honeycomb	3000K	ADCCD 3332H	ADCCD 3331H			€355
+ honeycomb	3000K			ADCCD 3223H	ADCCD 3113H	€380


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers


gunmetal, bronze and nickel combinations on demand



◆ Choose beam:
M=medium 23° or
W=wide 40°


Audette-Duo 1 up

230V - **driver included in base** - (TRIAC/IGBT) dimmable
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

gunmetal, bronze and nickel combinations on demand



◆ Choose beam:
M=medium 23° or
W=wide 40°


Audette-Duo 1 up Rounded

230V - **driver included in base** - (TRIAC/IGBT) dimmable
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



		DIM	BASE brass SWIVEL brass BODY brass RING black				BASE brass SWIVEL brass BODY brass RING white				BASE black SWIVEL black BODY black RING brass				BASE white SWIVEL white BODY white RING brass				BASE black SWIVEL brass BODY brass RING black				BASE white SWIVEL brass BODY brass RING white							
	2700K		ADRT 123332◆				ADRT 123331◆				ADRT 122223◆				ADRT 121113◆				ADRT 122332◆				ADRT 121331◆				€500			
	2700K										ADRT 122223◆				ADRT 121113◆				ADRT 122332◆				ADRT 121331◆				€470			
	2700K																		ADRT 122332◆				ADRT 121331◆				€440			
	3000K		ADRT 133332◆				ADRT 133331◆				ADRT 132223◆				ADRT 131113◆				ADRT 132332◆				ADRT 131331◆				€500			
	3000K										ADRT 132223◆				ADRT 131113◆				ADRT 132332◆				ADRT 131331◆				€470			
	3000K																		ADRT 132332◆				ADRT 131331◆				€440			
+ honeycomb	2700K		ADRT 123332H◆				ADRT 123331H◆				ADRT 122223H◆				ADRT 121113H◆				ADRT 122332H◆				ADRT 121331H◆				€510			
+ honeycomb	2700K										ADRT 122223H◆				ADRT 121113H◆				ADRT 122332H◆				ADRT 121331H◆				€480			
+ honeycomb	2700K																		ADRT 122332H◆				ADRT 121331H◆				€450			
+ honeycomb	3000K		ADRT 133332H◆				ADRT 133331H◆				ADRT 132223H◆				ADRT 131113H◆				ADRT 132332H◆				ADRT 131331H◆				€510			
+ honeycomb	3000K										ADRT 132223H◆				ADRT 131113H◆				ADRT 132332H◆				ADRT 131331H◆				€480			
+ honeycomb	3000K																		ADRT 132332H◆				ADRT 131331H◆				€450			


gunmetal, bronze and nickel combinations on demand




Choose beam:
M=medium 23° or
W=wide 40°


Audette-Duo 2 up

230V - driver included in base - LC (TRIAC/IGBT) dimmable
2 x LED array 6,25W (LED incl.) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



																			
		DIM	BASE black SWIVEL brass BODY brass RING black				BASE white SWIVEL brass BODY brass RING white				BASE black SWIVEL black BODY black RING brass				BASE white SWIVEL white BODY white RING brass				
																			
	2700K		ADST 222332				ADST 221331				ADST 222223				ADST 221113				€780
	2700K										ADST 222223				ADST 221113				€820
	3000K		ADST 232332				ADST 231331												€780
	3000K										ADST 232223				ADST 231113				€820
+ honeycomb	2700K		ADST 222332H				ADST 221331H												€800
+ honeycomb	2700K										ADST 222223H				ADST 221113H				€840
+ honeycomb	3000K		ADST 232332H				ADST 231331H												€800
+ honeycomb	3000K										ADST 232223H				ADST 231113H				€840


gunmetal, bronze and nickel combinations on demand



Choose beam:
M=medium 23° or
W=wide 40°

Audette-Duo 2 up Rounded

230V - driver included in base - LC (TRIAC/IGBT) dimmable
2 x LED array 6,25W (LED incl.) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50




																											
			DIM																								
			BASE brass	SWIVEL brass	BODY brass	RING black	BASE brass	SWIVEL brass	BODY brass	RING white	BASE black	SWIVEL black	BODY black	RING brass	BASE white	SWIVEL white	BODY white	RING brass	BASE black	SWIVEL brass	BODY brass	RING black	BASE white	SWIVEL brass	BODY brass	RING white	
	2700K		ADRT 223332	◆			ADRT 223331	◆																			€905
	2700K											ADRT 222223	◆		ADRT 221113	◆											€840
	2700K																		ADRT 222332	◆			ADRT 221331	◆			€790
	3000K		ADRT 233332	◆			ADRT 233331	◆																			€905
	3000K											ADRT 232223	◆		ADRT 231113	◆											€840
	3000K																		ADRT 232332	◆			ADRT 231331	◆			€790
+ honeycomb	2700K		ADRT 223332H	◆			ADRT 223331H	◆																			€925
+ honeycomb	2700K											ADRT 222223H	◆		ADRT 221113H	◆											€860
+ honeycomb	2700K																		ADRT 222332H	◆			ADRT 221331H	◆			€810
+ honeycomb	3000K		ADRT 233332H	◆			ADRT 233331H	◆																			€925
+ honeycomb	3000K											ADRT 232223H	◆		ADRT 231113H	◆											€860
+ honeycomb	3000K																		ADRT 232332H	◆			ADRT 231331H	◆			€810

gunmetal, bronze and nickel combinations on demand



◆ Choose beam:
M=medium 23° or
W=wide 40°




Audette-Duo 3 up

230V - driver included in base - (TRIAC/IGBT) dimmable or (DALI) dimmable
3 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

			DIM	BASE black SWIVEL brass BODY brass RING black				BASE white SWIVEL brass BODY brass RING white				BASE black SWIVEL black BODY black RING brass				BASE white SWIVEL white BODY white RING brass								
	2700K			ADST 322332◆				ADST 321331◆								€1.130								
	2700K			ADSD 322332◆				ADSD 321331◆								€1.150								
	2700K											ADST 322223◆				ADST 321113◆				€1.205				
	2700K											ADSD 322223◆				ADSD 321113◆				€1.225				
	3000K			ADST 332332◆				ADST 331331◆								€1.130								
	3000K			ADSD 332332◆				ADSD 331331◆								€1.150								
	3000K											ADST 332223◆				ADST 331113◆				€1.205				
	3000K											ADSD 332223◆				ADSD 331113◆				€1.225				
+	honeycomb	2700K			ADST 322332H◆				ADST 321331H◆								€1.160							
+	honeycomb	2700K			ADSD 322332H◆				ADSD 321331H◆								€1.180							
+	honeycomb	2700K											ADST 322223H◆				ADST 321113H◆				€1.235			
+	honeycomb	2700K											ADSD 322223H◆				ADSD 321113H◆				€1.255			
+	honeycomb	3000K			ADST 332332H◆				ADST 331331H◆								€1.160							
+	honeycomb	3000K			ADSD 332332H◆				ADSD 331331H◆								€1.180							
+	honeycomb	3000K											ADST 332223H◆				ADST 331113H◆				€1.235			
+	honeycomb	3000K											ADSD 332223H◆				ADSD 331113H◆				€1.255			

gunmetal, bronze and nickel combinations on demand

Audette-Duo 4 up




Choose beam:
M=medium 23° or
W=wide 40°

230V - driver included in base - **LC** (TRIAC/IGBT) dimmable or **DA** (DALI) dimmable
4 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



		DIM					BASE black SWIVEL brass BODY brass RING black				BASE white SWIVEL brass BODY brass RING white				BASE black SWIVEL black BODY black RING brass				BASE white SWIVEL white BODY white RING brass			
			●	●	●	●	○	●	●	○	●	●	●	●	○	○	○	●				
	2700K	LC	ADST 422332				ADST 421331															
	2700K	DA	ADSD 422332				ADSD 421331															
	2700K	LC									ADST 422223				ADST 421113							
	2700K	DA									ADSD 422223				ADSD 421113							
	3000K	LC	ADST 432332				ADST 431331															
	3000K	DA	ADSD 432332				ADSD 431331															
	3000K	LC									ADST 432223				ADST 431113							
	3000K	DA									ADSD 432223				ADSD 431113							
+ honeycomb	2700K	LC	ADST 422332H				ADST 421331H															
+ honeycomb	2700K	DA	ADSD 422332H				ADSD 421331H															
+ honeycomb	2700K	LC									ADST 422223H				ADST 421113H							
+ honeycomb	2700K	DA									ADSD 422223H				ADSD 431113H							
+ honeycomb	3000K	LC	ADST 432332H				ADST 431331H															
+ honeycomb	3000K	DA	ADSD 432332H				ADSD 431331H															
+ honeycomb	3000K	LC									ADST 432222H				ADST 431113H							
+ honeycomb	3000K	DA									ADSD 432222H				ADSD 431113H							

gunmetal, bronze and nickel combinations on demand



Choose beam:
M=medium 23° or
W=wide 40°


Audette-Duo C1 in Rounded

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

materials: brass, aluminium

WALL - IP50



COVER brass	COVER brass	COVER black	COVER white	COVER black	COVER white
SWIVEL brass	SWIVEL brass	SWIVEL black	SWIVEL white	SWIVEL black	SWIVEL white
BODY brass	BODY brass	BODY black	BODY white	BODY black	BODY white
RING black	RING white	RING brass	RING brass	RING black	RING white

	2700K	ADCI 23332	ADCI 23331		ADCI 22223	ADCI 21113	ADCI 22332	ADCI 21331	€400
	2700K								€425
	3000K	ADCI 33332	ADCI 33331						€400
	3000K								€425
+ honeycomb	2700K	ADCI 23332H	ADCI 23331H				ADCI 22332H	ADCI 21331H	€410
+ honeycomb	2700K								€435
+ honeycomb	3000K	ADCI 33332H	ADCI 33331H				ADCI 32332H	ADCI 31331H	€410
+ honeycomb	3000K								€435

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

gunmetal, bronze and nickel combinations on demand



Choose beam:
M=medium 23°
or W=wide 40°


Audette-Duo C2 in Rounded

350mA - **required remote mounted driver see below**

2 x LED array 6,25W (LED incl.) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95

materials: brass, aluminium

CEILING - IP50



COVER brass	COVER brass	COVER black	COVER white	COVER black	COVER white
SWIVEL brass	SWIVEL brass	SWIVEL black	SWIVEL white	SWIVEL black	SWIVEL white
BODY brass	BODY brass	BODY black	BODY white	BODY black	BODY white
RING black	RING white	RING brass	RING brass	RING black	RING white

	2700K	ADCD 23332	ADCD 23331			ADCD 22332	ADCD 21331	€835
	2700K			ADCD 22223	ADCD 21113			€860
	3000K	ADCD 33332	ADCD 33331					€835
	3000K			ADCD 32223	ADCD 31113	ADCD 32332	ADCD 31331	€860
+ honeycomb	2700K	ADCD 23332H	ADCD 23331H			ADCD 22332H	ADCD 21331H	€845
+ honeycomb	2700K			ADCD 22223H	ADCD 21113H			€870
+ honeycomb	3000K	ADCD 33332H	ADCD 33331H			ADCD 32332H	ADCD 31331H	€845
+ honeycomb	3000K			ADCD 32223H	ADCD 31113H			€870


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

gunmetal, bronze and nickel combinations on demand



Choose beam:
M=medium 23° or
W=wide 40°

Audette-Duo R6

350mA - **required remote mounted driver see below**



1 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

materials: brass, aluminium

CEILING - IP50



FALSE ceiling



	2700K	ADFC R6 2332	ADFC R6 2331		€345	
	2700K			ADFC R6 2223	ADFC R6 2113	€370
	3000K	ADFC R6 3332	ADFC R6 3331		€345	
	3000K			ADFC R6 3223	ADFC R6 3113	€370
+ honeycomb	2700K	ADFC R6 2332H	ADFC R6 2331H		€355	
+ honeycomb	2700K			ADFC R6 2223H	ADFC R6 2113H	€380
+ honeycomb	3000K	ADFC R6 3332H	ADFC R6 3331H		€355	
+ honeycomb	3000K			ADFC R6 3223H	ADFC R6 3113H	€380

CONCRETE ceiling



	2700K	ADCC R6 2332	ADCC R6 2331		€355	
	2700K			ADCC R6 2223	ADCC R6 2113	€380
	3000K	ADCC R6 3332	ADCC R6 3331		€355	
	3000K			ADCC R6 3223	ADCC R6 3113	€380
+ honeycomb	2700K	ADCC R6 2332H	ADCC R6 2331H		€365	
+ honeycomb	2700K			ADCC R6 2223H	ADCC R6 2113H	€390
+ honeycomb	3000K	ADCC R6 3332H	ADCC R6 3331H		€365	
+ honeycomb	3000K			ADCC R6 3223H	ADCC R6 3113H	€390

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers


gunmetal, bronze and nickel combinations on demand



Audette-Varié 1 up

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--




◆ Choose beam:
M=medium 23° or
W=wide 40°

Audette-Varié 2 up

230V - **driver included in base** -  **(TRIAC/IGBT) dimmable**
2 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50 



			DIM	BASE black SWIVEL brass BODY black RING black	BASE white SWIVEL brass BODY white RING white		
	2700K			ADST 222322◆	ADST 221311◆		€780
	3000K			ADST 232322◆	ADST 231311◆		€780
	+ honeycomb			ADST 222322H◆	ADST 221311H◆		€800
	+ honeycomb			ADST 232322H◆	ADST 231311H◆		€800



◆ Choose beam:
M=medium 23° or
W=wide 40°

Audette-Varié 2 up Rounded

230V - **driver included in base** -  **(TRIAC/IGBT) dimmable**
2 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50 




		DIM	BASE black SWIVEL brass BODY black RING black	BASE white SWIVEL brass BODY white RING white	
			   	   	
	2700K		ADRT 222322◆	ADRT 221311◆	€790
	3000K		ADRT 232322◆	ADRT 231311◆	€790
+ honeycomb	2700K		ADRT 222322H◆	ADRT 221311H◆	€810
+ honeycomb	3000K		ADRT 232322H◆	ADRT 231311H◆	€810




Audette-Varié 3 up

230V - driver included in base - **LC** (TRIAC/IGBT) dimmable or **DA** (DALI) dimmable
3 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (3 x 633lm) or 3000K (3 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50




									
		DIM		BASE black SWIVEL brass BODY black RING black		BASE white SWIVEL brass BODY white RING white			
				   		   			
	2700K			ADST 322322◆		ADST 321311◆		€1.130	
	2700K			ADSD 322322◆		ADSD 321311◆		€1.150	
	3000K			ADST 332322◆		ADST 331311◆		€1.130	
	3000K			ADSD 332322◆		ADSD 331311◆		€1.150	
+ honeycomb	2700K			ADST 322322H◆		ADST 321311H◆		€1.160	
+ honeycomb	2700K			ADSD 322322H◆		ADSD 321311H◆		€1.180	
+ honeycomb	3000K			ADST 332322H◆		ADST 331311H◆		€1.160	
+ honeycomb	3000K			ADSD 332322H◆		ADSD 331311H◆		€1.180	



Audette-Varié 4 up

230V - driver included in base - **LC** (TRIAC/IGBT) dimmable or **DA** (DALI) dimmable
4 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (4 x 633lm) or 3000K (4 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50



		DIM	BASE black SWIVEL brass BODY black RING black				BASE white SWIVEL brass BODY white RING white			
	2700K		ADST 422322	◆	ADST 421311	◆	€1.485			
	2700K		ADSD 422322	◆	ADSD 421311	◆	€1.505			
	3000K		ADST 432322	◆	ADST 431311	◆	€1.485			
	3000K		ADSD 432322	◆	ADSD 431311	◆	€1.505			
+ honeycomb	2700K		ADST 422322H	◆	ADST 421311H	◆	€1.525			
+ honeycomb	2700K		ADSD 422322H	◆	ADSD 421311H	◆	€1.545			
+ honeycomb	3000K		ADST 432322H	◆	ADST 431311H	◆	€1.525			
+ honeycomb	3000K		ADSD 432322H	◆	ADSD 431311H	◆	€1.545			



Choose beam:
M=medium 23° or
W=wide 40°

Audette-Varié C1 in Rounded

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

materials: brass, aluminium

CEILING - IP50


		COVER				SWIVEL				BODY				RING			
		black				brass				black				white			
		COVER				SWIVEL				BODY				RING			
		black				brass				black				white			
	2700K	I	ADCI 22322	◆		ADCI 21311	◆	I	€400								
	3000K	I	ADCI 32322	◆		ADCI 31311	◆	I	€400								
+ honeycomb	2700K	I	ADCI 22322H	◆		ADCI 21311H	◆	I	€410								
+ honeycomb	3000K	I	ADCI 32322H	◆		ADCI 31311H	◆	I	€410								

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audette-Varié C2 in Rounded

350mA - **required remote mounted driver see below**
2 x LED array 6,25W (LED incl.) - 350mA - 2700K (2 x 633lm) or 3000K (2 x 673lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

	COVER black	SWIVEL brass	BODY black	RING black	COVER white	SWIVEL brass	BODY white	RING white
	2700K		ADCD 22322	◆	ADCD 21311	◆		€835
	3000K		ADCD 32322	◆	ADCD 31311	◆		€835
+ honeycomb	2700K		ADCD 22322H	◆	ADCD 21311H	◆		€845
+ honeycomb	3000K		ADCD 32322H	◆	ADCD 31311H	◆		€845

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59
driver remote mounting: driver does not fit through cutout hole of fixture				

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
M=medium 23° or
W=wide 40°

Audinni

500mA - **required remote mounted driver see below**

1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95

FALSE ceiling= aperture: Ø41 - depth: min. 66mm * - depth for driver in false ceiling: min. 100mm

CONCRETE ceiling= aperture: Ø41 - depth: min. 66mm * - **driver must be on distance**

materials: brass, aluminium

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50**

FRAME brass



FRAME black



FRAME white



FRAME gunmetal



FRAME bronze



FRAME nickel




FALSE ceiling



2700K	AUIF 1273						€200
2700K		AUIF 1272	AUIF 1271				€170
2700K				AUIF 1274	AUIF 1277	AUIF 1279	€225
3000K	AUIF 1303						€200
3000K		AUIF 1302	AUIF 1301				€170
3000K				AUIF 1304	AUIF 1307	AUIF 1309	€225
+ honeycomb 2700K	AUIF 1273H						€210
+ honeycomb 2700K		AUIF 1272H	AUIF 1271H				€180
+ honeycomb 2700K				AUIF 1274H	AUIF 1277H	AUIF 1279H	€235
+ honeycomb 3000K	AUIF 1303H						€210
+ honeycomb 3000K		AUIF 1302H	AUIF 1301H				€180
+ honeycomb 3000K				AUIF 1304H	AUIF 1307H	AUIF 1309H	€235

CONCRETE ceiling



2700K	AUIC 1273						€205
2700K		AUIC 1272	AUIC 1271				€175
2700K				AUIC 1274	AUIC 1277	AUIC 1279	€230
3000K	AUIC 1303						€205
3000K		AUIC 1302	AUIC 1301				€175
3000K				AUIC 1304	AUIC 1307	AUIC 1309	€230
+ honeycomb 2700K	AUIC 1273H						€215
+ honeycomb 2700K		AUIC 1272H	AUIC 1271H				€185
+ honeycomb 2700K				AUIC 1274H	AUIC 1277H	AUIC 1279H	€240
+ honeycomb 3000K	AUIC 1303H						€215
+ honeycomb 3000K		AUIC 1302H	AUIC 1301H				€185
+ honeycomb 3000K				AUIC 1304H	AUIC 1307H	AUIC 1309H	€240

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€17
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
M=medium 23° or
W=wide 40°

Audinno

350mA - **required remote mounted driver see below**


1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø41 - depth: min. 102mm * - depth for driver in false ceiling: min. 120mm

CONCRETE ceiling= aperture: Ø41 - depth: min. 102mm * - **driver must be on distance**

materials: brass, aluminium

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50**



FALSE ceiling



2700K	AUOF 1273						€210
2700K		AUOF 1272	AUOF 1271				€180
2700K				AUOF 1274	AUOF 1277	AUOF 1279	€235
3000K	AUOF 1303						€210
3000K		AUOF 1302	AUOF 1301				€180
3000K				AUOF 1304	AUOF 1307	AUOF 1309	€235
+ honeycomb 2700K	AUOF 1273H						€220
+ honeycomb 2700K		AUOF 1272H	AUOF 1271H				€190
+ honeycomb 2700K				AUOF 1274H	AUOF 1277H	AUOF 1279H	€245
+ honeycomb 3000K	AUOF 1303H						€220
+ honeycomb 3000K		AUOF 1302H	AUOF 1301H				€190
+ honeycomb 3000K				AUOF 1304H	AUOF 1307H	AUOF 1309H	€245

CONCRETE ceiling



2700K	AUOC 1273						€215
2700K		AUOC 1272	AUOC 1271				€185
2700K				AUOC 1274	AUOC 1277	AUOC 1279	€240
3000K	AUOC 1303						€215
3000K		AUOC 1302	AUOC 1301				€185
3000K				AUOC 1304	AUOC 1307	AUOC 1309	€240
+ honeycomb 2700K	AUOC 1273H						€225
+ honeycomb 2700K		AUOC 1272H	AUOC 1271H				€195
+ honeycomb 2700K				AUOC 1274H	AUOC 1277H	AUOC 1279H	€250
+ honeycomb 3000K	AUOC 1303H						€225
+ honeycomb 3000K		AUOC 1302H	AUOC 1301H				€195
+ honeycomb 3000K				AUOC 1304H	AUOC 1307H	AUOC 1309H	€250

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

Audy-In



Choose beam:
M=medium 23° or
W=wide 40°

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95


FALSE ceiling= aperture: Ø47 - depth: min. 50mm" - depth for driver in false ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø47 - depth: min. 50mm" - depth for driver in concrete ceiling: min. 110mm

materials: brass, aluminium

CEILING - IP50

FALSE & CONCRETE ceiling



		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	2700K	AUDY 1273	AUDY 1272	AUDY 1271				€320
	2700K				AUDY 1274	AUDY 1277	AUDY 1279	€365
	3000K	AUDY 1303	AUDY 1302	AUDY 1301				€320
	3000K				AUDY 1304	AUDY 1307	AUDY 1309	€365
+ honeycomb	2700K	AUDY 1273H	AUDY 1272H	AUDY 1271H				€330
+ honeycomb	2700K				AUDY 1274H	AUDY 1277H	AUDY 1279H	€375
+ honeycomb	3000K	AUDY 1303H	AUDY 1302H	AUDY 1301H				€330
+ honeycomb	3000K				AUDY 1304H	AUDY 1307H	AUDY 1309H	€375


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

"Required free air area, see www.trizo21.com/requiredarea




◆ Choose beam:
M=medium 23° or
W=wide 40°

Audy 1 up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 3W (**LED incl.**) - 350mA - 2700K (382lm) or 3000K (428lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

				DIM								
						BASE brass RING brass	BASE black RING black	BASE white RING white	BASE gunmetal RING gunmetal	BASE bronze RING bronze	BASE nickel RING nickel	
	2700K			AYUP 2133◆								€425
	2700K				AYUP 2122◆		AYUP 2111◆					€360
	2700K								AYUP 2144◆	AYUP 2177◆	AYUP 2199◆	€ 515
	3000K			AYUP 3133◆								€425
	3000K				AYUP 3122◆		AYUP 3111◆					€360
	3000K								AYUP 3144◆	AYUP 3177◆	AYUP 3199◆	€ 515
+ honeycomb	2700K			AYUP 2133H◆								€435
+ honeycomb	2700K				AYUP 2122H◆		AYUP 2111H◆					€370
+ honeycomb	2700K								AYUP 2144H◆	AYUP 2177H◆	AYUP 2199H◆	€ 525
+ honeycomb	3000K			AYUP 3133H◆								€435
+ honeycomb	3000K				AYUP 3122H◆		AYUP 3111H◆					€370
+ honeycomb	3000K								AYUP 3144H◆	AYUP 3177H◆	AYUP 3199H◆	€ 525




◆ Choose beam:
M=medium 23° or
W=wide 40°

Audy 2 up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
2 x LED array 3W (**LED incl.**) - 350mA - 2700K (2 x 382lm) or 3000K (2 x 428lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

																						
				DIM																		
	2700K			AYUP 2233◆				AYUP 2222◆		AYUP 2211◆		AYUP 2244◆		AYUP 2277◆		AYUP 2299◆		€750				
	2700K																	€640				
	2700K																	€890				
	3000K			AYUP 3233◆														€750				
	3000K							AYUP 3222◆		AYUP 3211◆								€640				
	3000K													AYUP 3244◆		AYUP 3277◆		AYUP 3299◆		€890		
+	honeycomb	2700K			AYUP 2233H◆								AYUP 2244H◆		AYUP 2277H◆		AYUP 2299H◆		€770			
+	honeycomb	2700K							AYUP 2222H◆		AYUP 2211H◆								€660			
+	honeycomb	2700K													AYUP 2244H◆		AYUP 2277H◆		AYUP 2299H◆		€910	
+	honeycomb	3000K			AYUP 3233H◆														€770			
+	honeycomb	3000K							AYUP 3222H◆		AYUP 3211H◆								€660			
+	honeycomb	3000K											AYUP 3244H◆		AYUP 3277H◆		AYUP 3299H◆		€910			




Choose beam:
M=medium 23° or
W=wide 40°

Audy-Duo 1 up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 3W (**LED incl.**) - 350mA - 2700K (382lm) or 3000K (428lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

										
		DIM		BASE brass RING black	BASE brass RING white	BASE black RING brass	BASE white RING brass			
				 	 	 	 			
	2700K			AYUP 2132◆	AYUP 2131◆					€425
	2700K					AYUP 2123◆	AYUP 2113◆			€365
	3000K			AYUP 3132◆	AYUP 3131◆					€425
	3000K					AYUP 3123◆	AYUP 3113◆			€365
+ honeycomb	2700K			AYUP 2132H◆	AYUP 2131H◆					€435
+ honeycomb	2700K					AYUP 2123H◆	AYUP 2113H◆			€375
+ honeycomb	3000K			AYUP 3132H◆	AYUP 3131H◆					€435
+ honeycomb	3000K					AYUP 3123H◆	AYUP 3113H◆			€375

gunmetal, bronze and nickel combinations on demand



Choose beam:
M=medium 23° or
W=wide 40°

Audy-Duo 2 up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
2 x LED array 3W (**LED incl.**) - 350mA - 2700K (2 x 382lm) or 3000K (2 x 428lm) - CRI >95
materials: brass, aluminium
CEILING - IP50

			DIM	BASE brass RING black		BASE brass RING white		BASE black RING brass		BASE white RING brass		
												
	2700K			AYUP 2232◆		AYUP 2231◆						€755
	2700K							AYUP 2223◆		AYUP 2213◆		€645
	3000K			AYUP 3232◆		AYUP 3231◆						€755
	3000K							AYUP 3223◆		AYUP 3213◆		€645
+ honeycomb	2700K			AYUP 2232H◆		AYUP 2231H◆						€775
+ honeycomb	2700K							AYUP 2223H◆		AYUP 2213H◆		€665
+ honeycomb	3000K			AYUP 3232H◆		AYUP 3231H◆						€775
+ honeycomb	3000K							AYUP 3223H◆		AYUP 3213H◆		€665

gunmetal, bronze and nickel combinations on demand



Austin

350mA - **required remote mounted driver see below**

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93


FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

material: brass


CEILING - IP50

FALSE ceiling



FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
AUIN L003	AUIN L002	AUIN L001	AUIN L004	AUIN L007	AUIN L009	€260
						€345

CONCRETE ceiling




ACIN L003	ACIN L002	ACIN L001	ACIN L004	ACIN L007	ACIN L009	€270
						€355

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austin Adjustable

350mA - **required remote mounted driver see below**

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93


FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

material: brass


CEILING - IP50

FALSE ceiling



FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
AUAN T003	AUAN T002	AUAN T001	AUAN T004	AUAN T007	AUAN T009	€325
						€405

CONCRETE ceiling




ACAN T003	ACAN T002	ACAN T001	ACAN T004	ACAN T007	ACAN T009	€335
						€415

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austin 1 up Adjustable Rounded


230V - **driver included in base** - LC (TRIAC/IGBT) dimmable

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93

materials: brass, aluminium

CEILING - IP50


DIM.	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K LC	AURT T003	AURT T002	AURT T001	AURT T004	AURT T007	AURT T009	€460
2700K LC							€545



Austin 2 up Adjustable Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
2 x LED array 6W **(LED incl.)** - 350mA - 2 x 634lm - 2700K - CRI >93
materials: brass, aluminium
CEILING - IP50

DIM.	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel		
2700K	AURT T203	AURT T202	AURT T201	AURT T204	AURT T207	AURT T209	€885	
2700K							€1.060	



Austin C1 in Adjustable Rounded

350mA - **required remote mounted driver see below**
1 x LED array 6W **(LED incl.)** - 350mA - 634lm - 2700K - CRI >93
materials: brass, aluminium
CEILING - IP50


	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel		
2700K	AUWI T003	AUWI T002	AUWI T001	AUWI T004	AUWI T007	AUWI T009	€385	
2700K							€460	

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austin C2 in Adjustable Rounded

350mA - **required remote mounted driver see below**

2 x LED array 6W **(LED incl.)** - 350mA - 2 x 634lm - 2700K - CRI >93

materials: brass, aluminium

CEILING - IP50

	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K	AUWI T203	AUWI T202	AUWI T201				€815
2700K				AUWI T204	AUWI T207	AUWI T209	€975

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + I-10 (1-10V)	D 15WP	110V-230V	€27
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V-230V	€59


driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers


Austere-Elements

DESIGN YOUR OWN UNIQUE COMPOSITION WITH OUR CONFIGURATOR:

www.elements-configurator.trizo21.com



Austere-Elements Configuration °1



350mA - **driver + base/cover/canopy required SEE P.62**
6 x LED array 6W (**LED incl.**) - 350mA - 6 x 634lm - 2700K - CRI >93
material: brass
CEILING - IP50

- a: 6x **END** connector with light-element
- b: 1x **Y** connector
- c: 1x **+** connector
- d: 1x **Y** connector with powercord **L250**
- e: 4x **Austere-Elements rods L250**
- f: 4x **Austere-Elements rods L500**
- 8x **Austere-Elements straps H93**

FRAME brass
POWERCORD black
LEATHER oak
ELEM 1323

FRAME black
POWERCORD black
LEATHER black
ELEM 1222

FRAME brass
POWERCORD white
LEATHER oak
ELEM 1313


FRAME gunmetal
POWERCORD black
LEATHER black
ELEM 1422

FRAME bronze
POWERCORD black
LEATHER tobacco
ELEM 1727

FRAME nickel
POWERCORD black
LEATHER black
ELEM 1922

€4.045
€4.975

Austere-Elements Configuration °2



350mA - **driver + base/cover/canopy required SEE P.62**
8 x LED array 6W (**LED incl.**) - 350mA - 8 x 634lm - 2700K - CRI >93
material: brass
CEILING - IP50

- a: 8x **END** connector with light-element
- b: 4x **Y** connector
- g: 1x **X** connector with powercord **L250**
- e: 9x **Austere-Elements rods L250**
- f: 3x **Austere-Elements rods L500**
- 12x **Austere-Elements straps H93**

FRAME brass
POWERCORD black
LEATHER oak
ELEM 2323

FRAME black
POWERCORD black
LEATHER black
ELEM 2222

FRAME brass
POWERCORD white
LEATHER oak
ELEM 2313


FRAME gunmetal
POWERCORD black
LEATHER black
ELEM 2422

FRAME bronze
POWERCORD black
LEATHER tobacco
ELEM 2727

FRAME nickel
POWERCORD black
LEATHER black
ELEM 2922


€5.560
€7.145

Austere-Elements Configuration °3




350mA - **driver + base/cover/canopy required SEE P.62**
8 x LED array 6W (**LED incl.**) - 350mA - 8 x 634lm - 2700K - CRI >93
material: brass
CEILING - IP50


- a: 8x **END** connector with light-element
- b: 3x **Y** connector
- c: 1x **+** connector
- d: 1x **Y** connector with powercord **L250**
- e: 9x **Austere-Elements rods L250**
- f: 3x **Austere-Elements rods L500**
- 12x **Austere-Elements straps H93**




ELEM 3323




ELEM 3222




ELEM 3313



ELEM 3422




ELEM 3727



ELEM 3922


€5.810
€7.140

Austere-Elements Configuration °4




350mA - **driver + base/cover/canopy required SEE P.62**
7 x LED array 6W (**LED incl.**) - 350mA - 7 x 634lm - 2700K - CRI >93
material: brass
CEILING - IP50


- a: 7x **END** connector with light-element
- b: 3x **Y** connector
- c: 1x **+** connector
- h: 1x **-** connector with powercord **L500**
- e: 11x **Austere-Elements rods L250**
- 11x **Austere-Elements straps H93**



ELEM 4323




ELEM 4222




ELEM 4313



ELEM 4422




ELEM 4727



ELEM 4922

€5.235
€6.430

Austere-Elements Configuration °5



350mA - **driver + base/cover/canopy required SEE P.62**
 9 x LED array 6W (**LED incl.**) - 350mA - 9 x 634lm - 2700K - CRI >93
 material: brass
CEILING - IP50

- a: 9x **END** connector with light-element
- b: 5x **Y** connector
- i: 1x **+** connector with powercord **L250**
- e: 7x **Austere-Elements rods L250**
- f: 7x **Austere-Elements rods L500**
- 14x **Austere-Elements straps H93**

FRAME brass
 POWERCORD black
 LEATHER oak

ELEM 5323

FRAME black
 POWERCORD black
 LEATHER black

ELEM 5222

FRAME brass
 POWERCORD white
 LEATHER oak

ELEM 5313

FRAME gunmetal
 POWERCORD black
 LEATHER black

ELEM 5422

FRAME bronze
 POWERCORD black
 LEATHER tobacco


ELEM 5727

FRAME nickel
 POWERCORD black
 LEATHER black

ELEM 5922

€6.605
 €8.315

Austere-Elements Configuration °6



350mA - **driver + base/cover/canopy required SEE P.62**
 8 x LED array 6W (**LED incl.**) - 350mA - 8 x 634lm - 2700K - CRI >93
 material: brass
CEILING - IP50

- a: 8x **END** connector with light-element
- b: 3x **Y** connector
- c: 1x **+** connector
- d: 1x **Y** connector with powercord **L250**
- e: 3x **Austere-Elements rods L250**
- f: 9x **Austere-Elements rods L500**
- 12x **Austere-Elements straps H93**

FRAME brass
 POWERCORD black
 LEATHER oak

ELEM 6323

FRAME black
 POWERCORD black
 LEATHER black

ELEM 6222

FRAME brass
 POWERCORD white
 LEATHER oak

ELEM 6313

FRAME gunmetal
 POWERCORD black
 LEATHER black

ELEM 6422

FRAME bronze
 POWERCORD black
 LEATHER tobacco


7ELEM 6724

FRAME nickel
 POWERCORD black
 LEATHER black

ELEM 6922

€5.905
 €7.265

Austere-Elements Configuration °7



350mA - **driver + base/cover/canopy required SEE P.62**
 7 x LED array 6W (**LED incl.**) - 350mA - 7 x 634lm - 2700K - CRI >93

material: brass

CEILING - IP50

- a: 7x **END** connector with light-element
- b: 2x **Y** connector
- c: 1x **+** connector
- d: 1x **Y** connector with powercord **L250**
- e: 4x **Austere-Elements rods L250**
- f: 6x **Austere-Elements rods L500**
- 10x **Austere-Elements straps H93**

FRAME brass
 POWERCORD black
 LEATHER oak

ELEM 7323

FRAME black
 POWERCORD black
 LEATHER black

ELEM 7222

FRAME brass
 POWERCORD white
 LEATHER oak

ELEM 7313

FRAME gunmetal
 POWERCORD black
 LEATHER black

ELEM 7422

FRAME bronze
 POWERCORD black
 LEATHER tobacco

ELEM 7722


FRAME nickel
 POWERCORD black
 LEATHER black

ELEM 7922

€4.965

€6.110

Austere-Elements Configuration °8



350mA - **driver + base/cover/canopy required SEE P.62**
 9 x LED array 6W (**LED incl.**) - 350mA - 9 x 634lm - 2700K - CRI >93

material: brass

CEILING - IP50

- a: 9x **END** connector with light-element
- b: 2x **Y** connector
- c: 1x **+** connector
- j: 1x **X** connector
- d: 1x **Y** connector with powercord **L250**
- e: 4x **Austere-Elements rods L250**
- f: 9x **Austere-Elements rods L500**
- 13x **Austere-Elements straps H93**

FRAME brass
 POWERCORD black
 LEATHER oak

ELEM 8323

FRAME black
 POWERCORD black
 LEATHER black

ELEM 8222

FRAME brass
 POWERCORD white
 LEATHER oak

ELEM 8313

FRAME gunmetal
 POWERCORD black
 LEATHER black

ELEM 8422

FRAME bronze
 POWERCORD black
 LEATHER tobacco


ELEM 8724

FRAME nickel
 POWERCORD black
 LEATHER black

ELEM 8922

€6.395

€7.870



Austere-Elements Rods

material: brass


LENGTH	FRAME						
	brass	black	gunmetal	bronze	nickel		
L 250	HEL R 2003	HEL R 2002					€135
L 250			HEL R 2004	HEL R 2007	HEL R 2009		€165
L 500	HEL R 5003	HEL R 5002					€150
L 500			HEL R 5004	HEL R 5007	HEL R 5009		€185
L 750	HEL R 7003	HEL R 7002					€160
L 750			HEL R 7004	HEL R 7007	HEL R 7009		€200



Austere-Elements straps H93

materials: brass, leather

FRAME brass LEATHER oak	FRAME brass LEATHER black	FRAME brass LEATHER tobacco	FRAME black LEATHER oak	FRAME black LEATHER black	FRAME black LEATHER tobacco	
HEL S 0933	HEL S 0932	HEL S 0937	HEL S 0923	HEL S 0922	HEL S 0927	€90
FRAME gunmetal LEATHER black	FRAME gunmetal LEATHER oak	FRAME gunmetal LEATHER tobacco	FRAME bronze LEATHER black	FRAME bronze LEATHER oak	FRAME bronze LEATHER tobacco	
HEL S 0942	HEL S 0943	HEL S 0947	HEL S 0972	HEL S 0973	HEL S 0977	€100
			FRAME nickel LEATHER black	FRAME nickel LEATHER oak	FRAME nickel LEATHER tobacco	
			HEL S 0992	HEL S 0993	HEL S 0997	€100



Austere-Elements Straps Steelcable

materials: brass, leather

LENGTH		FRAME brass LEATHER black STEELCABLE silver			FRAME brass LEATHER oak STEELCABLE silver			FRAME brass LEATHER tabacco STEELCABLE silver			FRAME black LEATHER black STEELCABLE black			FRAME black LEATHER oak STEELCABLE black			FRAME black LEATHER tabacco STEELCABLE black		
L 250		HELS	0032		HELS	0033		HELS	0037		HELS	0022		HELS	0023		HELS	0027	€150
L 500		HELS	0532		HELS	0533		HELS	0537		HELS	0522		HELS	0523		HELS	0527	€155
L 1000		HELS	1032		HELS	1033		HELS	1037		HELS	1022		HELS	1023		HELS	1027	€160
L 2000		HELS	2032		HELS	2033		HELS	2037		HELS	2022		HELS	2023		HELS	2027	€165
		FRAME gunmetal LEATHER black STEELCABLE black			FRAME gunmetal LEATHER oak STEELCABLE black			FRAME gunmetal LEATHER tabacco STEELCABLE black			FRAME bronze LEATHER black STEELCABLE black			FRAME bronze LEATHER oak STEELCABLE black			FRAME bronze LEATHER tabacco STEELCABLE black		
L 250		HELS	0042		HELS	0043		HELS	0047		HELS	0072		HELS	0073		HELS	0077	€170
L 500		HELS	0542		HELS	0543		HELS	0547		HELS	0572		HELS	0573		HELS	0577	€175
L 1000		HELS	1042		HELS	1043		HELS	1047		HELS	1072		HELS	1073		HELS	1077	€180
L 2000		HELS	2042		HELS	2043		HELS	2047		HELS	2072		HELS	2073		HELS	2077	€185
		FRAME nickel LEATHER black STEELCABLE silver			FRAME nickel LEATHER oak STEELCABLE silver			FRAME nickel LEATHER tabacco STEELCABLE silver											
L 250		HELS	0092		HELS	0093		HELS	0097										
L 500		HELS	0592		HELS	0593		HELS	0597										
L 1000		HELS	1092		HELS	1093		HELS	1097										
L 2000		HELS	2092		HELS	2093		HELS	2097										

L3000 & 4000mm on demand



Austere-Elements Connectors

material: brass

	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
END connector						
16 	HELE 0003	HELE 0002	HELE 0004	HELE 0007	HELE 0009	€95 €120
- connector						
16 	HEL- 0003	HEL- 0002	HEL- 0004	HEL- 0007	HEL- 0009	€140 €175
+ connector						
16 	HEL+ 0003	HEL+ 0002	HEL+ 0004	HEL+ 0007	HEL+ 0009	€180 €225
Y connector						
16 	HELY 0003	HELY 0002	HELY 0004	HELY 0007	HELY 0009	€180 €225
T connector						
16 	HELT 0003	HELT 0002	HELT 0004	HELT 0007	HELT 0009	€175 €215
X connector						
16 	HELX 0003	HELX 0002	HELX 0004	HELX 0007	HELX 0009	€185 €230
90° connector 90°						
16 	HEL90 0003	HEL90 0002	HEL90 0004	HEL90 0007	HEL90 0009	€170 €210
120° connector 120°						
16 	HEL120 0003	HEL120 0002	HEL120 0004	HEL120 0007	HEL120 0009	€170 €210

Austere-Elements Connectors with light-element

350mA - **driver + base/cover/canopy required SEE P.62**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
material: brass
CEILING - IP50 

	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
END connector with light-element						
	HELE L003	HELE L002	HELE L004	HELE L007	HELE L009	€265 €335
- connector with light-element						
	HEL- L003	HEL- L002	HEL- L004	HEL- L007	HEL- L009	€310 €390
+ connector with light-element						
	HEL+ L003	HEL+ L002	HEL+ L004	HEL+ L007	HEL+ L009	€350 €440
Y connector with light-element						
	HELY L003	HELY L002	HELY L004	HELY L007	HELY L009	€350 €440
T connector with light-element						
	HELT L003	HELT L002	HELT L004	HELT L007	HELT L009	€345 €430
X connector with light-element						
	HELX L003	HELX L002	HELX L004	HELX L007	HELX L009	€345 €430
90° connector with light-element						
	HEL90 L003	HEL90 L002	HEL90 L004	HEL90 L007	HEL90 L009	€340 €425
120° connector with light-element						
	HEL120 L003	HEL120 L002	HEL120 L004	HEL120 L007	HEL120 L009	€340 €425

Austere-Elements Connectors with powercord

material: brass

POWERCORD
LENGTH

FRAME brass
POWERCORD black

FRAME black
POWERCORD black

FRAME brass
POWERCORD white

FRAME gunmetal
POWERCORD black

FRAME bronze
POWERCORD black

FRAME nickel
POWERCORD black


FRAME nickel
POWERCORD white

END connector with powercord



L 250	HEC E 0023	HEC E 0022	HEC E 0013	€160
L 500	HEC E 0523	HEC E 0522	HEC E 0513	€165
L 1000	HEC E 0123	HEC E 0122	HEC E 0113	€170
L 2000	HEC E 0223	HEC E 0222	HEC E 0213	€180
L 250			HEC E 0024	€200
L 500			HEC E 0524	€205
L 1000			HEC E 0124	€210
L 2000			HEC E 0224	€220
			HEC E 0027	
			HEC E 0527	
			HEC E 0127	
			HEC E 0227	
			HEC E 0029	
			HEC E 0529	
			HEC E 0129	
			HEC E 0219	

- connector with powercord



L 250	HEC- 0023	HEC- 0022	HEC- 0013	€210
L 500	HEC- 0523	HEC- 0522	HEC- 0513	€215
L 1000	HEC- 0123	HEC- 0122	HEC- 0113	€220
L 2000	HEC- 0223	HEC- 0222	HEC- 0213	€230
L 250			HEC- 0024	€265
L 500			HEC- 0524	€270
L 1000			HEC- 0124	€280
L 2000			HEC- 0224	€290
			HEC- 0027	
			HEC- 0527	
			HEC- 0127	
			HEC- 0227	
			HEC- 0029	
			HEC- 0529	
			HEC- 0129	
			HEC- 0219	

+ connector with powercord




L 250	HEC+ 0023	HEC+ 0022	HEC+ 0013	€250
L 500	HEC+ 0523	HEC+ 0522	HEC+ 0513	€255
L 1000	HEC+ 0123	HEC+ 0122	HEC+ 0113	€260
L 2000	HEC+ 0223	HEC+ 0222	HEC+ 0213	€270
L 250			HEC+ 0024	€315
L 500			HEC+ 0524	€320
L 1000			HEC+ 0124	€325
L 2000			HEC+ 0224	€335
			HEC+ 0027	
			HEC+ 0527	
			HEC+ 0127	
			HEC+ 0227	
			HEC+ 0029	
			HEC+ 0529	
			HEC+ 0129	
			HEC+ 0219	

Y connector with powercord



L 250	HEC Y 0023	HEC Y 0022	HEC Y 0013	€250
L 500	HEC Y 0523	HEC Y 0522	HEC Y 0513	€255
L 1000	HEC Y 0123	HEC Y 0122	HEC Y 0113	€260
L 2000	HEC Y 0223	HEC Y 0222	HEC Y 0213	€270
L 250			HEC Y 0024	€315
L 500			HEC Y 0524	€320
L 1000			HEC Y 0124	€325
L 2000			HEC Y 0224	€335
			HEC Y 0027	
			HEC Y 0527	
			HEC Y 0127	
			HEC Y 0227	
			HEC Y 0029	
			HEC Y 0529	
			HEC Y 0129	
			HEC Y 0219	

T connector with powercord





L 250	HEC T 0023	HEC T 0022	HEC T 0013	€240
L 500	HEC T 0523	HEC T 0522	HEC T 0513	€245
L 1000	HEC T 0123	HEC T 0122	HEC T 0113	€250
L 2000	HEC T 0223	HEC T 0222	HEC T 0213	€260
L 250			HEC T 0024	€295
L 500			HEC T 0524	€300
L 1000			HEC T 0124	€305
L 2000			HEC T 0224	€315
			HEC T 0027	
			HEC T 0527	
			HEC T 0127	
			HEC T 0227	
			HEC T 0029	
			HEC T 0529	
			HEC T 0129	
			HEC T 0219	

X connector with powercord



L 250	HEC X 0023	HEC X 0022	HEC X 0013	€255
L 500	HEC X 0523	HEC X 0522	HEC X 0513	€260
L 1000	HEC X 0123	HEC X 0122	HEC X 0113	€265
L 2000	HEC X 0223	HEC X 0222	HEC X 0213	€275
L 250			HEC X 0024	€320
L 500			HEC X 0524	€325
L 1000			HEC X 0124	€330
L 2000			HEC X 0224	€340
			HEC X 0027	
			HEC X 0527	
			HEC X 0127	
			HEC X 0227	
			HEC X 0029	
			HEC X 0529	
			HEC X 0129	
			HEC X 0219	

POWERCORD LENGTH	FRAME brass POWERCORD black	FRAME black POWERCORD black	FRAME brass POWERCORD white	FRAME gunmetal POWERCORD black	FRAME bronze POWERCORD black	FRAME nickel POWERCORD black	FRAME nickel POWERCORD white	
 90° 250-2000 16 15	L 250	HEC90 0023	HEC90 0022	HEC90 0013				€235
	L 500	HEC90 0523	HEC90 0522	HEC90 0513				€240
	L 1000	HEC90 0123	HEC90 0122	HEC90 0113				€245
	L 2000	HEC90 0223	HEC90 0222	HEC90 0213				€255
	L 250			HEC90 0024	HEC90 0027	HEC90 0029	HEC90 0019	€290
	L 500			HEC90 0524	HEC90 0527	HEC90 0529	HEC90 0519	€295
	L 1000			HEC90 0124	HEC90 0127	HEC90 0129	HEC90 0119	€300
	L 2000			HEC90 0224	HEC90 0227	HEC90 0229	HEC90 0219	€310

 120° 250-2000 16 15	L 250	HEC120 0023	HEC120 0022	HEC120 0013				€235
	L 500	HEC120 0523	HEC120 0522	HEC120 0513				€240
	L 1000	HEC120 0123	HEC120 0122	HEC120 0113				€245
	L 2000	HEC120 0223	HEC120 0222	HEC120 0213				€255
	L 250			HEC120 0024	HEC120 0027	HEC120 0029	HEC120 0019	€290
	L 500			HEC120 0524	HEC120 0527	HEC120 0529	HEC120 0519	€295
	L 1000			HEC120 0124	HEC120 0127	HEC120 0129	HEC120 0119	€300
	L 2000			HEC120 0224	HEC120 0227	HEC120 0229	HEC120 0219	€310

L3000 & 4000mm on demand


Austere-Elements Connectors with light-element & powercord


350mA - **driver + base/cover/canopy required SEE P.62**



1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93

material: brass

CEILING - IP50 

POWERCORD LENGTH	FRAME brass POWERCORD black	FRAME black POWERCORD black	FRAME brass POWERCORD white	FRAME gunmetal POWERCORD black	FRAME bronze POWERCORD black	FRAME nickel POWERCORD black	FRAME nickel POWERCORD white	
 - connector with light-element & powercord 250-2000 16 15 Ø40	L 250	HEC- L023	HEC- L022	HEC- L013				€375
	L 500	HEC- L523	HEC- L522	HEC- L513				€380
	L 1000	HEC- L123	HEC- L122	HEC- L113				€385
	L 2000	HEC- L223	HEC- L222	HEC- L213				€395
	L 250			HEC- L024	HEC- L027	HEC- L029	HEC- L019	€470
	L 500			HEC- L524	HEC- L527	HEC- L529	HEC- L519	€475
	L 1000			HEC- L124	HEC- L127	HEC- L129	HEC- L119	€480
	L 2000			HEC- L224	HEC- L227	HEC- L229	HEC- L219	€490

 + connector with light-element & powercord 250-2000 16 15 Ø40	L 250	HEC+ L023	HEC+ L022	HEC+ L013				€425
	L 500	HEC+ L523	HEC+ L522	HEC+ L513				€430
	L 1000	HEC+ L123	HEC+ L122	HEC+ L113				€435
	L 2000	HEC+ L223	HEC+ L222	HEC+ L213				€445
	L 250			HEC+ L024	HEC+ L027	HEC+ L029	HEC+ L019	€530
	L 500			HEC+ L524	HEC+ L527	HEC+ L529	HEC+ L519	€535
	L 1000			HEC+ L124	HEC+ L127	HEC+ L129	HEC+ L119	€540
	L 2000			HEC+ L224	HEC+ L227	HEC+ L229	HEC+ L219	€550

POWERCORD LENGTH	FRAME brass POWERCORD black		FRAME black POWERCORD black		FRAME brass POWERCORD white		FRAME gunmetal POWERCORD black		FRAME bronze POWERCORD black		FRAME nickel POWERCORD black		FRAME nickel POWERCORD white	
Y connector with light-element & powercord														
	L 250	HECY L023	HECY L022	HECY L013										€425
	L 500	HECY L523	HECY L522	HECY L513										€430
	L 1000	HECY L123	HECY L122	HECY L113										€435
	L 2000	HECY L223	HECY L222	HECY L213										€445
	L 250				HECY L024	HECY L027	HECY L029	HECY L019						€530
	L 500				HECY L524	HECY L527	HECY L529	HECY L519						€535
	L 1000				HECY L124	HECY L127	HECY L129	HECY L119						€540
	L 2000				HECY L224	HECY L227	HECY L229	HECY L219						€550
T connector with light-element & powercord														
	L 250	HECT L023	HECT L022	HECT L013										€420
	L 500	HECT L523	HECT L522	HECT L513										€425
	L 1000	HECT L123	HECT L122	HECT L113										€430
	L 2000	HECT L223	HECT L222	HECT L213										€440
	L 250				HECT L024	HECT L027	HECT L029	HECT L019						€525
	L 500				HECT L524	HECT L527	HECT L529	HECT L519						€530
	L 1000				HECT L124	HECT L127	HECT L129	HECT L119						€535
	L 2000				HECT L224	HECT L227	HECT L229	HECT L219						€545
X connector with light-element & powercord														
	L 250	HECX L023	HECX L022	HECX L013										€430
	L 500	HECX L523	HECX L522	HECX L513										€435
	L 1000	HECX L123	HECX L122	HECX L113										€440
	L 2000	HECX L223	HECX L222	HECX L213										€450
	L 250				HECX L024	HECX L027	HECX L029	HECX L019						€535
	L 500				HECX L524	HECX L527	HECX L529	HECX L519						€540
	L 1000				HECX L124	HECX L127	HECX L129	HECX L119						€545
	L 2000				HECX L224	HECX L227	HECX L229	HECX L219						€555
90° connector with light-element & powercord														
	L 250	HEC90 L023	HEC90 L022	HEC90 L013										€410
	L 500	HEC90 L523	HEC90 L522	HEC90 L513										€415
	L 1000	HEC90 L123	HEC90 L122	HEC90 L113										€420
	L 2000	HEC90 L223	HEC90 L222	HEC90 L213										€430
	L 250				HEC90 L024	HEC90 L027	HEC90 L029	HEC90 L019						€510
	L 500				HEC90 L524	HEC90 L527	HEC90 L529	HEC90 L519						€515
	L 1000				HEC90 L124	HEC90 L127	HEC90 L129	HEC90 L119						€520
	L 2000				HEC90 L224	HEC90 L227	HEC90 L229	HEC90 L219						€530
120° connector with light-element & powercord														
	L 250	HEC120 L023	HEC120 L022	HEC120 L013										€410
	L 500	HEC120 L523	HEC120 L522	HEC120 L513										€415
	L 1000	HEC120 L123	HEC120 L122	HEC120 L113										€420
	L 2000	HEC120 L223	HEC120 L222	HEC120 L213										€430
	L 250				HEC120 L024	HEC120 L027	HEC120 L029	HEC120 L019						€510
	L 500				HEC120 L524	HEC120 L527	HEC120 L529	HEC120 L519						€515
	L 1000				HEC120 L124	HEC120 L127	HEC120 L129	HEC120 L119						€520
	L 2000				HEC120 L224	HEC120 L227	HEC120 L229	HEC120 L219						€530


Cover/canopy for Austere-Elements

REQUIRED COVER/CANOPY for Austere-Elements with REMOTE MOUNTED DRIVER

cover C6*

false ceiling

aperture: Ø45 & depth: min. 40mm




white	21CO 0001	€90
black	21CO 0002	€90
brass	21CO 0003	€90
gunmetal	21CO 0004	€110
bronze	21CO 0007	€110
nickel	21CO 0009	€110

cover C6

concrete ceiling

aperture: Ø45 & depth: min. 40mm




white	21CO 0011	€110
black	21CO 0012	€110
brass	21CO 0013	€110
gunmetal	21CO 0014	€140
bronze	21CO 0017	€140
nickel	21CO 0019	€140

cover C9*

false ceiling


aperture: Ø60 & depth: min. 40mm



white	21CO 1000	€45
black	21CO 2000	€45

canopy B10


false/concrete ceiling



white	21CP 1001	€190
black	21CP 2002	€190
brass	21CP 3003	€190
gunmetal	21CP 4004	€270
bronze	21CP 7007	€270
nickel	21CP 9009	€270

canopy B45

false/concrete ceiling



white	21CP 4000	€175
black	21CP 5000	€175
brass	21CP 3000	€175
gunmetal	21CP 4004	€255
bronze	21CP 7007	€255
nickel	21CP 9009	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Elements

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
5-6 x	LC (TRIAC/IGBT)	D 40WT	230V (110V on demand)	€112
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€54
7-25 x	PU (PUSH-DIM) + DA (DALI)	D 150WD24V•	230V	€59

•driver only fits through cutout hole of fixture with C6 and C9, min. depth for driver in false ceiling: 280mm

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

REQUIRED BASE (DRIVER INCL.) for SURFACE MOUNTING Austere-Elements

base B20


110V-230V - driver included in base
+ casambi possible

2-6 x	HO PU	white	BCDP 2401	€340
2-6 x	HO PU	black	BCDP 2402	€340
5-6 x	LC	white	BCT6 2401	€420
5-6 x	LC	black	BCT6 2402	€420

optional: casambi | D CAS | €100 (NET PRICE)


base B32

230V - driver included in base




3-12 x	NO	white	BNDN 0811	€480
3-12 x	NO	black	BNDN 0822	€480

base B50

110V-230V - driver included in base
+ casambi possible

3-12 x	HO PU	white	BDPU 0811	€590
3-12 x	HO PU	black	BDPU 0822	€590
3-12 x	DA PU	white	BDDA 0811	€625
3-12 x	DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100 (NET PRICE)



Bilos C in FROSTED

500mA - **required remote mounted driver see below**

1 x 21 LED 0,2W (LED incl.) - 500mA - 564lm - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm * - depth for driver in ceiling: min. 70mm


CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm * - **driver must be on distance**

materials: aluminium & transparent glass + screen printed inner side

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50**

	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
FALSE ceiling						
	2300K BCIF 2000	BCIF 1000	BCIF 7000	BCIF 8000	BCIF 9000	€440
	2700K BCIF 2020	BCIF 1020	BCIF 7020	BCIF 8020	BCIF 9020	€440

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




2300K BCIC 2002	BCIC 1002	BCIC 7002	BCIC 8002	BCIC 9002	€450
2700K BCIC 2022	BCIC 1022	BCIC 7022	BCIC 8022	BCIC 9022	€450

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP500	230V	€38
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilo C in MATT

500mA - **required remote mounted driver see below**
1 x 21 LED 0,2W (LED incl.) - 500mA - 564lm - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & sandblasted glass

*Required free air area, see www.trizo21.com/requiredarea - - **CEILING - IP50**

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




FALSE ceiling



2300K		BCMF 2000	BCMF 1000	BCMF 7000	BCMF 8000	BCMF 9000		€420
2700K		BCMF 2020	BCMF 1020	BCMF 7020	BCMF 8020	BCMF 9020		€420

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




2300K		BCMC 2002	BCMC 1002	BCMC 7002	BCMC 8002	BCMC 9002		€430
2700K		BCMC 2022	BCMC 1022	BWMC 7022	BCMC 8022	BCMC 9022		€430

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP500	230V	€38
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilu up FROSTED

230V - **driver included in base** - **LC** (TRIAC/IGBT) dimmable
1 x 21 LED 0,2W (**LED incl.**) - 500mA - 564lm - CRI >90
materials: aluminium & transparant glass + screen printed inner side
CEILING - IP50 


		DIM		FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
									
2300K			BIUI 0002	BIUI 0001	BIUI 0007	BIUI 0008	BIUI 0009		€535
2700K			BIUI 0022	BIUI 0021	BIUI 0027	BIUI 0028	BIUI 0029		€535



Bilu up MATT

230V - **driver included in base** - **LC** (TRIAC/IGBT) dimmable
1 x 21 LED 0,2W (**LED incl.**) - 500mA - 564lm - CRI >90
materials: aluminium & sandblasted glass
CEILING - IP50 

		DIM		FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
									
2300K			BIUM 0002	BIUM 0001	BIUM 0007	BIUM 0008	BIUM 0009		€515
2700K			BIUM 0022	BIUM 0021	BIUM 0027	BIUM 0028	BIUM 0029		€515



Bily 16 in

350mA - **required remote mounted driver see below**

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97


FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 70mm* - depth for driver in ceiling: min. 130mm

materials: aluminium & transparent glass

*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50**

FALSE ceiling



silver LED HOLDER
gold LED HOLDER

FRAME black
BIINF 1620
BIINF 1628

FRAME white
BIINF 1610
BIINF 1618


FRAME bronze
BIINF 1670
BIINF 1678

FRAME gold
BIINF 1680
BIINF 1688

FRAME alu
BIINF 1690
BIINF 1698

€435
€445

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling



silver LED HOLDER
gold LED HOLDER

BIINC 1620
BIINC 1628

BIINC 1610
BIINC 1618

BIINC 1670
BIINC 1678

BIINC 1680
BIINC 1688

BIINC 1690
BIINC 1698


€440
€450

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	230V	€26
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bily 16 up


230V - **driver included in base** - LC (TRIAC/IGBT) dimmable

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97

material: aluminium

CEILING - IP50

	DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
silver LED HOLDER	LC	BIUP 1620	BIUP 1610	BIUP 1670	BIUP 1680	BIUP 1690	€535
gold LED HOLDER	LC	BIUP 1628	BIUP 1618	BIUP 1678	BIUP 1688	BIUP 1698	€545



Boulo C in FROSTED

500mA - **required remote mounted driver see below**

1 x 21 LED 0,2W (LED incl.) - 500mA - 564lm - CRI >90


FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: transparant glass + screen printed inner side


* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50**

FALSE ceiling



FALSE ceiling		2300K		BLCII 1100		€400
FALSE ceiling		2700K		BLCII 1120		€400

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




CONCRETE ceiling		2300K		BLCII 1102		€410
CONCRETE ceiling		2700K		BLCII 1122		€410

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
1 x	PU (PUSH-DIM) + H0 (1-10V)	D 6WP500	230V	€38
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + H0 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo C in MATT

500mA - **required remote mounted driver see below**

1 x 21 LED 0,2W (LED incl.) - 500mA - 564lm - CRI >90

FALSE ceiling = aperture : Ø67 - depth : min. 50mm* - depth for driver in ceiling : min. 70mm

CONCRETE ceiling = aperture : Ø67 - depth : min. 60mm* - **driver must be on distance**

material: sandblasted glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING** - **IP50**

FALSE ceiling



FALSE ceiling		2300K		BLCIM 1100		€380
FALSE ceiling		2700K		BLCIM 1120		€380

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120		PLBO 2000		€75
----------------	--	-----------	--	-----

CONCRETE ceiling




CONCRETE ceiling		2300K		BLCIM 1102		€390
CONCRETE ceiling		2700K		BLCIM 1122		€390

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
1 x	PU (PUSH-DIM) + 1H0 (1-10V)	D 6WP500	230V	€38
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1H0 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly 4

350mA - **required remote mounted driver see below**

1 x 4 LED array 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93

FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 60mm* - depth for driver in ceiling: min. 130mm

material: transparant glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50**

FALSE ceiling



FALSE ceiling | silver LED HOLDER | BOWW 6010 | €380

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




CONCRETE ceiling | silver LED HOLDER | BOWW 6012 | €390

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 5W	230V	€13
1 x	LC (TRIAC/IGBT)	D 3WT	110V-230V	€15
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-3 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	230V	€27
1-3 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	110V-230V	€30
1-3 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly 16

350mA - **required remote mounted driver see below**

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97


FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 70mm* - depth for driver in ceiling: min. 130mm

material: transparent glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING** - **IP50**

FALSE ceiling



FALSE ceiling		silver LED HOLDER		BOIN 1600		€390
FALSE ceiling		gold LED HOLDER		BOIN 1608		€415

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




CONCRETE ceiling		silver LED HOLDER		BOIN 1602		€400
CONCRETE ceiling		gold LED HOLDER		BOIN 1680		€425

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	(TRIAC/IGBT)	D 15WT	230V	€25
1 x	(TRIAC/IGBT)	D 18WT	230V	€24
1 x	(PUSH-DIM) + (1-10V)	D 15WP	110V-230V	€27
1 x	(PUSH-DIM) + (DALI)	D 15WDA EU	230V	€30
1 x	(DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	(PUSH-DIM) + (DALI) + (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly W/C


350mA - **required remote mounted driver see below**

1 x 4 LED 0,96W (**LED incl.**) - 350mA - 456lm - 2700K - CRI >93

depth for driver in ceiling : min. 75mm

materials: aluminium & PMMA

WALL & CEILING - IP50



FRAME black



BOWW 1002

FRAME white



BOWW 1001

FRAME grey



BOWW 1003

FRAME chrome



BOWW 1009

€410


€450

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 5W	230V	€13
1 x	LC (TRIAC/IGBT)	D 3WT	110V-230V	€16
1 x	PU (PUSH-DIM) +	D 6WP	230V	€16
1-3 x	PU (PUSH-DIM) +	D 15WP	110V-230V	€27
1-3 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-3 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	PU (PUSH-DIM) + DA (DALI) +	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly W/C D+B


230V - **driver included in base** - LC (TRAIC/IGBT) dimmable

1 x 4 LED 0,96W (**LED incl.**) - 350mA - 456lm - 2700K - CRI >93

depth for driver in ceiling : min. 75mm

materials: aluminium & PMMA

WALL & CEILING - IP50



FRAME black



BOWW 1102

FRAME white



BOWW 1101

FRAME grey



BOWW 1103

FRAME chrome



BOWW 1109

€490

€540





Code 1 GU10

230V - GU10 - 1 x QPAR16 max. 50W or 1 x GU10 LED

material: aluminium

Bulb excluded - CEILING - IP50

VOLT	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
230V	CODE 2001	CODE 1001				€170
230V			CODE 3001	CODE 7001		€185
230V					CODE 9001	€215
OPTIONAL COVER FOR CODE 1						
	ACDE 2010	ACDE 1010				€42
			ACDE 3010	ACDE 7010		€45
					ACDE 9010	€55



◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Code 1 LED


230V - **driver included in base** - **NO (non-dimmable)** or **LC (TRAIC/IGBT) dimmable**

1 x 4 LED 0,96W **(LED incl.)** - 350mA - 456lm - 2700K - CRI >93

material: aluminium

CEILING - IP40

DIM	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
	CODE 2105◆	CODE 1105◆				€375
			CODE 3105◆	CODE 7105◆		€390
					CODE 9105◆	€420
	CODE 2405◆	CODE 1605◆				€385
			CODE 3605◆	CODE 7605◆		€400
					CODE 9605◆	€430
OPTIONAL COVER FOR CODE 1 LED						
	ACDE 2010	ACDE 1010				€42
			ACDE 3010	ACDE 7010		€45
					ACDE 9010	€55






Code 2 GU10

230V - GU10 - 2 x QPAR16 max. 50W or 2 x GU10 LED
material: aluminium
Bulbs excluded - CEILING - IP20

FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
CODE 2002	CODE 1002	CODE 3002	CODE 7002	CODE 9002	€205 €235 €285




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Code 2 LED

230V - **driver included in base** - **(TRAIC/IGBT) dimmable**
1 x 8 LED 0.96W **(LED incl.)** - 350mA - 912lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
	CODE 2207	CODE 1207	CODE 3207	CODE 7207	CODE 9207	€620 €640 €695



Kwa-Kwa 1F Round

12V - **transformer excluded**
G53 - 1 x R111 HALO max. 75W or R111 LED
material: aluminium
Bulb excluded - CEILING - IP20

FLEX LENGTH	FRAME alu	
L 200	211N 3201	€180
L 400	211N 3241	€185
L 750	211N 3271	€195
L 1000	211N 3261	€205

OPTIONAL COVER KWA-KWA 1F ROUND
21AC 3200 | €45






Kwa-Kwa 1F Square

12V - **transformer excluded**
G53 - 1 x R111 HALO max. 75W or R111 LED
material: aluminium
Bulb excluded - CEILING - IP20

FLEX LENGTH	FRAME alu		
			
	L 200	21IN 4201	€185
	L 400	21IN 4241	€190
	L 750	21IN 4271	€200
L 1000	21IN 4261	€210	

OPTIONAL COVER KWA-KWA 1F SQUARE


21AC 3203 | €45



Kwa-Kwa 1F +B Round

12V - **transformer excluded**
G53 - 1 x R111 HALO max. 75W or R111 LED
material: aluminium
Bulb excluded - CEILING - IP20


FLEX LENGTH	FRAME alu		
			
	L 200	21SO 3201	€200
	L 400	21SO 3241	€210
	L 750	21SO 3271	€220
L 1000	21SO 3251	€230	



Kwa-Kwa 1FT Rounded LED

230V - **transformer included in base** - (TRIAC/IGBT) dimmable
G53 - 1 x R111 LED max. 60W
material: aluminium
LED bulb excluded - CEILING - IP20


DIM	FLEX LENGTH	FRAME alu		
				
		L 200	21SO L3314	€355
		L 400	21SO L3343	€360
		L 750	21SO L3373	€370
L 1000	21SO L3353	€380		



Kwa-Kwa 1FT Rectangular LED

230V - **transformer included in base** - **LC** (TRIAC/IGBT) dimmable
G53 - 1 x R111 LED max. 60W
material: aluminium
LED bulb excluded - CEILING - IP20


	FLEX LENGTH	FRAME alu	
DIM			
LC	L 200	21SO L3214	€335
LC	L 400	21SO L3243	€345
LC	L 750	21SO L3273	€355
LC	L 1000	21SO L3253	€360



Kwa-Kwa 2FT Rounded LED

230V - **transformer included in base** - **LC** (TRIAC/IGBT) dimmable
G53 - 2 x R111 LED max. 45W
material: aluminium
LED bulbs excluded - CEILING - IP20


	FLEX LENGTH	FRAME alu	
DIM			
LC	L 200	21SO L3402	€530
LC	L 400	21SO L3442	€545
LC	L 750	21SO L3472	€565
LC	L 1000	21SO L3452	€590



Kwa-Kwa 2FT Rectangular LED

230V - **transformer included in base** - **LC** (TRIAC/IGBT) dimmable
G53 - 2 x R111 LED max. 45W
material: aluminium
LED bulbs excluded - CEILING - IP20


	FLEX LENGTH	FRAME alu	
DIM			
LC	L 200	21SO L3202	€505
LC	L 400	21SO L3242	€515
LC	L 750	21SO L3272	€540
LC	L 1000	21SO L3252	€560



Kwa-Kwa 4FT Rounded LED

230V - **transformer included in base** - **LC** (TRIAC/IGBT) dimmable
G53 - 4 x R111 LED max. 45W
material: aluminium
LED bulbs excluded - CEILING - IP20

	FLEX LENGTH	FRAME alu	
DIM			
LC	L 200	21SO L3404	€1.155
LC	L 400	21SO L3444	€1.185
LC	L 750	21SO L3474	€1.225
LC	L 1000	21SO L3454	€1.280



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Mini-Pi 1 in

350mA - **required remote mounted driver see below**
1 x 4 LED array 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
FALSE ceiling= aperture: Ø45 - depth: min. 35mm - depth for driver in ceiling: min. 70mm
CONCRETE ceiling= aperture: Ø45 - depth: min. 35mm - depth for driver in ceiling: min. 110mm
material: aluminium
CEILING - IP40

FALSE ceiling



	FRAME black	FRAME white	FRAME alu	FRAME bronze	
FALSE ceiling	MIPI 1225	MIPI 1115	MIPI 1995	MIPI 1775	€255

CONCRETE ceiling




CONCRETE ceiling	MIPI 1235	MIPI 1125	MIPI 1925	MIPI 1725	€255
------------------	-----------	-----------	-----------	-----------	------

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 5W	230V	€13
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€15
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
3-4 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-3 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-3 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Mini-Pi 1 up

230V - **driver included in base** - NO (non-dimmable) or LC (TRIAC/IGBT) dimmable
1 X 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

	FRAME black	FRAME white	FRAME alu	FRAME bronze	
DIM					
NO	MIPI 1225	MIPI 1115	MIPI 1995	MIPI 1775	€375
LC	MIPI 1525	MIPI 1615	MIPI 1595	MIPI 1575	€385




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Mini-Pi 1 up Round

230V - driver included in base - NO (non-dimmable)
1 X 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

DIM	FRAME black	FRAME white	FRAME alu	FRAME bronze
NO	MIPRU 1225	MIPRU 1115	MIPRU 1995	MIPRU 1775
				€375



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Mini-Pi 2 in

350mA - required remote mounted driver see below
2 x 4 LED array 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93
FALSE ceiling= aperture: 2 x Ø45 - depth: min. 35mm - depth for driver in ceiling: min. 70mm
material: aluminium
CEILING - IP40


FALSE ceiling	FRAME black	FRAME white	FRAME alu	FRAME bronze
MIPI 2227	MIPI 2117	MIPI 2997	MIPI 2777	€510

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Mini-Pi 2 up

230V - driver included in base - LC (TRIAC/IGBT) dimmable
2 x 4 LED 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

DIM	FRAME black	FRAME white	FRAME alu	FRAME bronze
LC	MIPU 2225	MIPU 2115	MIPU 2995	MIPU 2775
				€640



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Mini-Pi 3 up

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable** or

*110V-230V - **driver included in base** - **1-10 (1-10V) or PU (PUSH-DIM) dimmable**

3 x 4 LED 0,96W **(LED incl.)** - 350mA - 3 x 456lm - 2700K - CRI >93

material: aluminium

CEILING - IP40

DIM	FRAME					
	black	white	alu	bronze		
LC	MIPU 3225	MIPU 3115	MIPU 3995	MIPU 3775		€865
1-10 PU*	MIPU 3325	MIPU 3315	MIPU 3395	MIPU 3375		€895



Naga

110V-230V - GU10 LED

material: aluminium

LED bulb excluded - CEILING - IP20

		FRAME black	FRAME white	FRAME bronze	
black RING		NAGA 2112	NAGA 1112	NAGA 7112	€240
black RING				NAGA 7112	€255
white RING		NAGA 2111	NAGA 1111	NAGA 7111	€240
white RING				NAGA 7111	€255
bronze RING		NAGA 2117	NAGA 1117	NAGA 7117	€245
bronze RING				NAGA 7117	€265
gold RING		NAGA 2116	NAGA 1116	NAGA 7116	€245
gold RING				NAGA 7116	€265

FALSE CEILING



CONCRETE CEILING



Pin-In 1

12V - **transformer excluded**

G53 - 1 x R111 max. 100W or R111 LED

FALSE ceiling= aperture: Ø60 - depth: min. 55mm

CONCRETE ceiling= aperture: Ø60 - depth: min. 20mm

material: aluminium

Bulb excluded - CEILING - IP20

		FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
FALSE ceiling		PIIN 2101	PIIN 1101	PIIN 4101	PIIN 7101	PIIN 9101	€145
FALSE ceiling					PIIN 7101	PIIN 9101	€210

CONCRETE ceiling		PIIN 2111	PIIN 1111	PIIN 4111	PIIN 7111	PIIN 9111	€155
CONCRETE ceiling					PIIN 7111	PIIN 9111	€220



Pin-In 2

12V - **transformer excluded**
G53 - 2 x R111 max. 100W or R111 LED
FALSE ceiling= aperture: 2 x Ø60 - depth: min. 55mm
material: aluminium
Bulbs excluded - CEILING - IP20

FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
PIIN 2102	PIIN 1102	PIIN 4102	PIIN 7102	PIIN 9102	€275
					€370



Pin-Up 1 Round LED

230V - **transformer included in base** - (TRIAC/IGBT) dimmable
G53 - 1 x R111 LED max. 60W
material: aluminium
LED bulb excluded - CEILING - IP20

	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
	PIUP L2050	PIUP L1050	PIUP L3050	PIUP L7050	PIUP L9050	€280
						€300
						€340



Pin-Up 1 Square LED

230V - **transformer included in base** - (TRIAC/IGBT) dimmable
G53 - 1 x R111 LED max. 60W
material: aluminium
LED bulb excluded - CEILING - IP20

	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
	PIUP L2150	PIUP L1150	PIUP L3150	PIUP L7150	PIUP L9150	€285
						€305
						€345



Pin-Up 2 LED

230V - **transformer included in base** -  (TRIAC/IGBT) dimmable
G53 - 2 x R111 LED max. 45W
material: aluminium
LED bulbs excluded - WALL & CEILING - IP20 

   	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome
	PIUP L2152	PIUP L1152	PIUP L3152	PIUP L7152	PIUP L9152
					€480
					€530
					€605



Pin-Up 4 LED

230V - **transformer included in base** -  (TRIAC/IGBT) dimmable
G53 - 4 x R111 LED max. 45W
material: aluminium
LED bulbs excluded - WALL & CEILING - IP20 

 	FRAME black	FRAME white	FRAME alu	FRAME bronze
	PIUP L2154	PIUP L1154	PIUP L3154	PIUP L7154
				€1.115



Pin-Up 6 LED

230V - **transformer included in base** -  (TRIAC/IGBT) dimmable
G53 - 6 x R111 LED max. 45W
material: aluminium
LED bulbs excluded - WALL & CEILING - IP20 

 	FRAME black	FRAME white	FRAME alu	FRAME bronze
	PIUP L2156	PIUP L1156	PIUP L3156	PIUP L7156
				€1.520



R07 in

12V - **transformer excluded**
BA15d - 1 x QR70 max. 50W **LED version available on demand**
aperture: **L 104 W 106 H 105**
material: aluminium
Bulb excluded - CEILING - IP20

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING	●	●	●	○	○	○	
chrome RING	○	○	○	○	○	○	
white RING	○	○	○	○	○	○	
	ARIN 2222	ARIN 2122	ARIN 2212	ARIN 2112			€250
	ARIN 2229	ARIN 2129	ARIN 2219	ARIN 2119			€305
	ARIN 2221	ARIN 2121	ARIN 2211	ARIN 2111			€250
black RING							
chrome RING							
white RING							
					ARIN 2292	ARIN 2192	€285
					ARIN 2299	ARIN 2199	€375
					ARIN 2291	ARIN 2191	€285

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L 105 W 112 H 106**
aperture: **L 108 W 115 H 108**
CONC 0007 | €70




R07 Rimless

12V - **transformer excluded - installation kit required**
BA15d - 1 x QR70 max. 50W **LED version available on demand**
material: aluminium
Bulb excluded - CEILING - IP20

	INTERIOR black	INTERIOR white	
black RING	●	○	€180
chrome RING	○	○	€230
white RING	○	○	€180
	ARRI 2222	ARRI 2122	
	ARRI 2229	ARRI 2129	
	ARRI 2221	ARRI 2121	

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: **L 165 W 165 H 111**
aperture: **L 120 W 110 H 113**
PLAS 0007 | €100



R07 up


230V - transformer included in base - (non-dimmable)

BA15d - 1 x QR70 max. 50W

material: aluminium

Bulb excluded - CEILING - IP20 (⊥)

		DIM						
black RING				FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	
chrome RING				ARUP 2222	ARUP 2122	ARUP 2212	ARUP 2112	€415
white RING				ARUP 2229	ARUP 2129	ARUP 2219	ARUP 2119	€505
				ARUP 2221	ARUP 2121	ARUP 2211	ARUP 2111	€415



R51 in GU10

230V

GU10 - 1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 1 x GU10 LED

aperture: **L** 84 **W** 92 **H** 97 - depth: min. 120mm

material: aluminium

Bulb excluded - CEILING - IP20 (⊥)


		FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white		
black RING	MIGU 1222	MIGU 1122	MIGU 1212	MIGU 1112					€185
chrome RING	MIGU 1229	MIGU 1129	MIGU 1219	MIGU 1119					€250
white RING	MIGU 1221	MIGU 1121	MIGU 1211	MIGU 1111					€185
black RING						MIGU 1292	MIGU 1192		€235
chrome RING						MIGU 1299	MIGU 1199		€315
white RING						MIGU 1291	MIGU 1191		€235

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L** 87 **W** 97 **H** 112
aperture: **L** 90 **W** 100 **H** 120

COGU 0051 | €60



◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R51 in LED

350mA - **required remote mounted driver see below**
1 x 4 LED 0,96W **(LED incl.)** - 350mA - 456lm - 2700K - CRI >93
aperture: **L 84 W 92 H 66** - depth: min. 90mm
material: aluminium
CEILING - IP40

		FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING	●	MIWW 1222◆	MIWW 1122◆	MIWW 1212◆	MIWW 1112◆	MIWW 1292◆	MIWW 1192◆	€335
white RING	○	MIWW 1221◆	MIWW 1121◆	MIWW 1211◆	MIWW 1111◆	MIWW 1291◆	MIWW 1191◆	€335
black RING	●							
white RING	○							

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L 87 W 97 H 106**
aperture: **L 90 W 100 H 108**

CONC 0051 | €60

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 5W	230V	€13
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€15
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-3 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-3 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:


N=narrow 10° or
M=medium 25° or
W=wide 40°

R51 Rimless LED

350mA - **required remote mounted driver see below** - **installation kit required**
1 x 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

	INTERIOR black	INTERIOR white	
black RING	MRWW 1202	MRWW 1102	€290
white RING	MRWW 1201	MRWW 1101	€290

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: L 145 W 145 H 82
aperture: L 100 W 90 H 84

PLAS 0051 | €95

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 5W	230V	€13
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€15
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-3 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-3 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



R51 up GU10


230V
GU10 - 1 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 1 x GU10 LED max. 20W
material: aluminium
LED bulb excluded - CEILING - IP20

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	
black RING	MUGU 1222	MUGU 1122	MUGU 1212	MUGU 1112	€295
chrome RING	MUGU 1229	MUGU 1129	MUGU 1219	MUGU 1119	€365
white RING	MUGU 1221	MUGU 1121	MUGU 1211	MUGU 1111	€295

Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

230V - driver included in base - **NO** (non-dimmable) or **LC** (TRIAC/IGBT) dimmable
1 X 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40 

		DIM		FRAME black	INTERIOR black	FRAME black	INTERIOR white	FRAME white	INTERIOR black	FRAME white	INTERIOR white
black RING											
white RING											
black RING											
white RING											
				MUWW 1222◆		MUWW 1122◆		MUWW 1212◆		MUWW 1112◆	€460
				MUWW 1221◆		MUWW 1121◆		MUWW 1211◆		MUWW 1111◆	€460
				MUWW 1522◆		MUWW 1622◆		MUWW 1512◆		MUWW 1612◆	€470
				MUWW 1521◆		MUWW 1621◆		MUWW 1511◆		MUWW 1611◆	€470




230V
GU10 - 2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 2 x GU10 LED
aperture: **L** 159 **W** 92 **H** 97 - depth: min. 120mm
material: aluminium
Bulbs excluded - CEILING - IP20

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING chrome RING white RING	MIGU 2222 MIGU 2229 MIGU 2221	MIGU 2122 MIGU 2129 MIGU 2121	MIGU 2212 MIGU 2219 MIGU 2211	MIGU 2112 MIGU 2119 MIGU 2111			€260 €380 €260
black RING chrome RING white RING					MIGU 2292 MIGU 2299 MIGU 2291	MIGU 2192 MIGU 2199 MIGU 2191	€330 €450 €330

A 3D perspective drawing of a rectangular box. The front face is a square with side length 10. The depth of the box is also 10. The height of the box is 10. The box is shown from an isometric perspective.

concrete box: **L** 162 **W** 97 **H** 112
aperture: **L** 165 **W** 100 **H** 120

COGU 0052 | €65



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R52 in LED

230V - **required remote mounted driver see below**

2 x 4 LED 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93


aperture: L 159 W 92 H 66 - depth: min. 90mm

material: aluminium

CEILING - IP40

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING	●	●	○	○	●	○	MIWW 2222 ◆ €605
white RING	○	○	●	●	○	○	MIWW 2221 ◆ €605
black RING	●						MIWW 2292 ◆ €675
white RING	○						MIWW 2291 ◆ €675

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX




concrete box: L 162 W 97 H 106
aperture: L 165 W 100 H 108

CONC 0052 | €65

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-4 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R52 Rimless LED

350mA - **required remote mounted driver see below** - **installation kit required**
2 x 4 LED 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

	INTERIOR black	INTERIOR white	
black RING	MRWW 2202	MRWW 2102	€545
white RING	MRWW 2201	MRWW 2101	€545

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: L 220 W 145 H 82
aperture: L 175 W 90 H 84
PLAS 0052 | €100

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-4 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



R52 up GU10

230V
GU10 - 2 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 2 x GU10 LED max. 20W
material: aluminium
LED bulbs excluded - CEILING - IP20

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	
black RING	MUGU 2222	MUGU 2122	MUGU 2212	MUGU 2112	€370
chrome RING	MUGU 2229	MUGU 2129	MUGU 2219	MUGU 2119	€505
white RING	MUGU 2221	MUGU 2121	MUGU 2211	MUGU 2111	€370




◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R52 up LED

230V - driver included in base - (TRIAC/IGBT) dimmable or (1-10V), (PUSH-DIM) dimmable
2 X 4 LED 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP40

		DIM	FRAME black INTERIOR black		FRAME black INTERIOR white		FRAME white INTERIOR black		FRAME white INTERIOR white		
black RING			MUWW 2222◆		MUWW 2122◆		MUWW 2212◆		MUWW 2112◆		€735
white RING			MUWW 2221◆		MUWW 2121◆		MUWW 2211◆		MUWW 2111◆		€735
black RING		1-10	MUWW 2222P◆		MUWW 2122P◆		MUWW 2212P◆		MUWW 2112P◆		€760
white RING		1-10	MUWW 2221P◆		MUWW 2121P◆		MUWW 2211P◆		MUWW 2111P◆		€760




R54 in GU10

230V
GU10 - 4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 4 x GU10 LED
aperture: **L** 309 **W** 92 **H** 97 - depth: min. 120mm
material: aluminium
Bulbs excluded - CEILING - IP20


		FRAME black INTERIOR black		FRAME black INTERIOR white		FRAME white INTERIOR black		FRAME white INTERIOR white		FRAME chrome INTERIOR black		FRAME chrome INTERIOR white		
black RING		MIGU 4222		MIGU 4122		MIGU 4212		MIGU 4112						€385
chrome RING		MIGU 4229		MIGU 4129		MIGU 4219		MIGU 4119						€655
white RING		MIGU 4221		MIGU 4121		MIGU 4211		MIGU 4111						€385
black RING										MIGU 4292		MIGU 4192		€470
chrome RING										MIGU 4299		MIGU 4199		€725
white RING										MIGU 4291		MIGU 4191		€470

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L** 312 **W** 97 **H** 112
aperture: **L** 315 **W** 100 **H** 120

COGU 0054 | €85



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R54 in LED

350mA - **required remote mounted driver see below**

4 x 4 LED 0,96W (LED incl.) - 350mA - 4 x 456lm - 2700K - CRI >93


aperture: L 309 W 92 H 66 - depth: min. 90mm

material: aluminium

CEILING - IP40

		FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING	●	MIWW 4222	MIWW 4122	MIWW 4212	MIWW 4112			€1.100
white RING	○	MIWW 4221	MIWW 4121	MIWW 4211	MIWW 4111			€1.100
black RING	●					MIWW 4292	MIWW 4192	€1.180
white RING	○					MIWW 4291	MIWW 4191	€1.180

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX




concrete box: L 312 W 97 H 106
aperture: L 315 W 100 H 108

CONC 0054 | €85

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-2 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R54 Rimless LED

350mA - **required remote mounted driver see below - installation kit required**


4 x 4 LED 0,96W (LED incl.) - 350mA - 4 x 456lm - 2700K - CRI >93

material: aluminium

CEILING - IP40

		INTERIOR black	INTERIOR white	
black RING	●	MRWW 4202	MRWW 4102	€1.005
white RING	○	MRWW 4201	MRWW 4101	€1.005

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: L 370 W 145 H 82
aperture: L 325 W 90 H 84

PLAS 0054 | €115

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-2 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



R54 up GU10

230V

GU10 - 4 x HALO QPAR16 (alu reflector / no cool beam) max. 50W or 4 x GU10 LED max. 20W

material: aluminium

LED bulbs excluded - CEILING - IP20

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	
	☒ ☒	☒ ☐	☐ ☒	☐ ☐	
black RING	☒				MUGU 4222 €570
chrome RING	☐				MUGU 4229 €840
white RING	☐				MUGU 4221 €570
		MUGU 4122	MUGU 4212	MUGU 4112	
		MUGU 4129	MUGU 4219	MUGU 4119	
		MUGU 4121	MUGU 4211	MUGU 4111	



Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

R54 up LED


230V - driver included in base - LC (TRIAC/IGBT) or 1-10 (1-10V), PU (PUSH-DIM) dimmable

4 X 4 LED 0,96W (LED incl.) - 350mA - 4 x 456lm - 2700K - CRI >93

material: aluminium

CEILING - IP40

		DIM	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	
			☒ ☒	☒ ☐	☐ ☒	☐ ☐	
black RING	☒	LC	MUWW 4222	MUWW 4122	MUWW 4212	MUWW 4112	€1.320
white RING	☐	LC	MUWW 4221	MUWW 4121	MUWW 4211	MUWW 4111	€1.320
black RING	☒	1-10 PU	MUWW 4222P	MUWW 4122P	MUWW 4212P	MUWW 4112P	€1.375
white RING	☐	1-10 PU	MUWW 4221P	MUWW 4121P	MUWW 4211P	MUWW 4111P	€1.375




R70 in

12V - **transformer excluded**
BA15d - 2 x QR70 max. 50W **LED version available on demand**
aperture: **L 204 W 106 H 105**
material: aluminium
Bulbs excluded - CEILING - IP20


	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING	●	●	○	○	●	○	
chrome RING	○	○	○	○	○	○	€350
white RING	○	○	○	○	○	○	€535
	ARIN 7222	ARIN 7122	ARIN 7212	ARIN 7112			€350
	ARIN 7229	ARIN 7129	ARIN 7219	ARIN 7119			
	ARIN 7221	ARIN 7121	ARIN 7211	ARIN 7111			
black RING	●						
chrome RING	○						
white RING	○						
					ARIN 7292	ARIN 7192	€420
					ARIN 7299	ARIN 7199	€605
					ARIN 7291	ARIN 7191	€420

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L 205 W 112 H 106**
aperture: **L 208 W 115 H 108**

CONC 0070 | €90




R70 Rimless

12V - **transformer excluded - installation kit required**
BA15d - 2 x QR70 max. 50W **LED version available on demand**
material: aluminium
Bulbs excluded - CEILING - IP20

	INTERIOR black	INTERIOR white	
black RING	●	○	€265
chrome RING	○	○	€450
white RING	○	○	€265
	ARRI 7222	ARRI 7122	
	ARRI 7229	ARRI 7129	
	ARRI 7221	ARRI 7121	

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: **L 265 W 265 H 111**
aperture: **L 220 W 110 H 113**

PLAS 0070 | €115



R70 up

230V - transformer included in base - (TRIAC/IGBT) dimmable

BA15d - 2 x QR70 max. 50W

material: aluminium

Bulbs excluded - CEILING - IP20 (⌊)

[illegible]

R110 in G53

12V - transformer excluded

G53 - 1 x R111 max. 100W or R111 LED

aperture: **L** 149 **W** 151 **H** 80 - depth: min. 120mm

material: aluminium

Bulb excluded - CEILING - IP20

[illegible]

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L** 152 **W** 158 **H** 120

aperture: **L** 155 **W** 161 **H** 122

CONC 0110 | €85




R110 Rimless

12V - **transformer excluded - installation kit required**
G53 - 1 x R111 max. 100W or R111 LED
material: aluminium
Bulb excluded - CEILING - IP20

	INTERIOR black	INTERIOR white	
black RING			ARRI 0222 €185
chrome RING			ARRI 0229 €270
white RING			ARRI 0221 €185

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: L 210 W 210 H 84
aperture: L 165 W 155 H 8

PLAS 0110 | €110



R110 up G53 LED

230V - **transformer included in base - LC (TRIAC/IGBT) dimmable**
G53 - 1 x R111 LED max. 60W
material: aluminium
LED bulb excluded - CEILING - IP20

		FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	
black RING						ARUP L0222 €425
chrome RING						ARUP L0229 €515
white RING						ARUP L0221 €425




R111 in G53

12V - **transformer excluded**
G53 - 2 x R111 max. 100W or R111 LED
aperture: **L** 289 **W** 151 **H** 80 depth: min. 120mm
material: aluminium
Bulbs excluded - CEILING - IP20

	FRAME black INTERIOR black	FRAME black INTERIOR white	FRAME white INTERIOR black	FRAME white INTERIOR white	FRAME chrome INTERIOR black	FRAME chrome INTERIOR white	
black RING	ARIN 1222	ARIN 1122	ARIN 1212	ARIN 1112			€375
chrome RING	ARIN 1229	ARIN 1129	ARIN 1219	ARIN 1119			€565
white RING	ARIN 1221	ARIN 1121	ARIN 1211	ARIN 1111			€375
black RING					ARIN 1292	ARIN 1192	€450
chrome RING					ARIN 1299	ARIN 1199	€640
white RING					ARIN 1291	ARIN 1191	€450

ACCESSORY FOR CONCRETE CEILING: CONCRETE BOX



concrete box: **L** 292 **W** 158 **H** 120
aperture: **L** 295 **W** 161 **H** 122

CONC 0111 | €100




R111 Rimless

12V - **transformer excluded - installation kit required**
G53 - 2 x R111 max. 100W or R111 LED
material: aluminium
Bulbs excluded - CEILING - IP20

	INTERIOR black	INTERIOR white	
black RING	ARRI 1222	ARRI 1122	€285
chrome RING	ARRI 1229	ARRI 1129	€490
white RING	ARRI 1221	ARRI 1121	€285

REQUIRED INSTALLATION KIT FOR RIMLESS



installation kit: **L** 350 **W** 210 **H** 84
aperture: **L** 305 **W** 155 **H** 86

PLAS 0111 | €125



R111 up G53 LED

230V - transformer included in base - (TRIAC/IGBT) dimmable

G53 - 2 x R111 LED max. 45W

material: aluminium

LED bulbs excluded - CEILING - IP20

[illegible]

Wall



2THIRTY	
2Thirty-W1	98
2Thirty-W1 plug	98
2Thirty-W1 in	99
2Thirty-W1 in 350mA	99
2Thirty-WH2	100
2Thirty-WV2	100



AUDE-WALL	
Aude-Wall L built-in	101
Aude-Wall L plug	102



AUDETTE	
Audette W1 in Rounded	103
Audette W2 in Rounded	104
Audette WD1 up Rounded	105
Audette WD1S up Rounded	105
Audette-Duo W1 in Rounded	106
Audette-Duo W2 in Rounded	107
Audette-Duo WD1 up Rounded	108
Audette-Varié W1 in Rounded	109
Audette-Varié W2 in Rounded	110
Audette-Varié WD1 up Rounded	110



AUDY	
Audy-Wall 1S	111
Audy-Wall 1S Duo	112
Audy-Wall 2S	113
Audy-Wall 2S Duo	114



AUSTERE	
Austere-Wall built-in	115
Austere-Wall plug	115
Austere-Wall push built-in	116
Austere-Wall push plug	116



BILO	
Bilo W in FROSTED	117
Bilo W in MATT	118




BOULO

Boulo W in FROSTED	119
Boulo W in MATT	120



SCAR-LEATHER

Scar-Leather 1FD built-in	124
Scar-Leather 1FDS built-in	125
Scar-Leather 1FD built-up	126
Scar-Leather 1FDS built-up	127



BOULY

Bouly W/C	121
Bouly W/C D+B	121



SCAR-LITE

Scar-Lite 1FD built-in	131
Scar-Lite 1FDS built-in	132
Scar-Lite 1FDS built-up	132
Scar-Lite USB built-up	133
Scar-Lite 1FDS built-up plug	133



SCAR-LED

Scar-Led 1FD built-in 45	128
Scar-Led 1FD built-in 60	128
Scar-Led 1FDS built-in 60	129
Scar-Led 1FD built-in 95	129
Scar-Led 1FDS built-in 95	130
Scar-Led 1FD built-up	130
Scar-Led 1FDS built-up	130
Scar-Led 1FDS built-up plug	131



CODE

Code W G9	122
Code W LED	123



SIRENS

Sirens W diffuser glass	134
Sirens W mirror	134
Sirens W frosted glass	
big mirror + edge mirror	135
Sirens W frosted glass	
small mirror + edge mirror	135
Sirens W frosted glass + edge mirror	135


2Thirty-W1

230V (110V on demand)



1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium


WALL - IP50




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°




THW 12223



THW 17223



THW 18223



THW 19223

I €530

+ honeycomb

THW 12223H

THW 17223H

THW 18223H

THW 19223H

I €550


2Thirty-W1 plug

230V - ON/OFF on armature or 110V* - ON/OFF on armature


1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90

materials: brass, aluminium


WALL - IP50




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°




THWP EU 12



THWP EU 17



THWP EU 18



THWP EU 19

I €580

UK plug

THWP UK 12

THWP UK 17

THWP UK 18

THWP UK 19

I €580

US plug*

THWP US 12

THWP US 17

THWP US 18

THWP US 19

I on demand

AU plug

THWP AU 12

THWP AU 17

THWP AU 18

THWP AU 19

I €580

+ honeycomb

EU plug

THWP EU 12H

THWP EU 17H

THWP EU 18H

THWP EU 19H

I €600

+ honeycomb

UK plug

THWP UK 12H

THWP UK 17H

THWP UK 18H

THWP UK 19H

I €600

+ honeycomb

US plug*

THWP US 12H

THWP US 17H

THWP US 18H

THWP US 19H

I on demand

+ honeycomb

AU plug

THWP AU 12H

THWP AU 17H

THWP AU 18H

THWP AU 19H

I €600


2Thirty-W1 in

230V (110V on demand)


1 x LED module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium


WALL - IP50




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°




TWIN 12223



TWIN 17223



TWIN 18223



TWIN 19223

€510

+ honeycomb


TWIN 12223H

TWIN 17223H



TWIN 18223H

TWIN 19223H


€530




Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°




TW3N 12223



TW3N 17223



TW3N 18223



TW3N 19223

€400

+ honeycomb

TW3N 12223H

TW3N 17223H

TW3N 18223H

TW3N 19223H

€420

2Thirty-W1 in 350mA

350mA - required remote mounted driver see below - PUSH-DIM on armature

1 x LED array 11,8W (LED incl.) - 350mA - 1241lm - 2700K - CRI >97 - dimmable

materials: brass, aluminium


WALL - IP50

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM)	D 15WPLV	110V-230V	€34


driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam
left lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°

Choose beam
right lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°



2Thirty-WH2

230V (110V on demand)

2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium

WALL - IP50

- BASE & BODY black
- ROD black
- SWIVEL black
- RING black


- BASE & BODY black
- ROD black
- SWIVEL black
- RING bronze

- BASE & BODY black
- ROD black
- SWIVEL black
- RING gold

- BASE & BODY black
- ROD black
- SWIVEL black
- RING alu


THH 22223 THH 27223 THH 28223 THH 29223 €1.040

+ honeycomb THH 22223H THH 27223H THH 28223H THH 29223H €1.080



Choose beam upper
lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°

Choose beam lower
lightsource:
N=narrow 12° or
M=medium 24° or
W=wide 40°



2Thirty-WV2

230V (110V on demand)

2 x LED module 10W (LED incl.) - 230V - 2 x 1000lm - 2700K - CRI >90 - TRIAC dimmable

materials: brass, aluminium

WALL - IP50

- BASE & BODY black
- ROD black
- SWIVEL black
- RING black


- BASE & BODY black
- ROD black
- SWIVEL black
- RING bronze

- BASE & BODY black
- ROD black
- SWIVEL black
- RING gold

- BASE & BODY black
- ROD black
- SWIVEL black
- RING alu

THR 22223 THR 27223 THR 28223 THR 29223 €1.040

+ honeycomb THR 22223H THR 27223H THR 28223H THR 29223H €1.080



Aude-Wall L

500mA - **required remote mounted driver see below**
1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
material: brass
WALL - IP50


			FRAME brass	FRAME gunmetal	FRAME bronze	FRAME nickel	
	2700K		ADWL 1273				€600
	2700K			ADWL 1274	ADWL 1277	ADWL 1279	€695
	3000K		ADWL 1303				€600
	3000K			ADWL 1304	ADWL 1307	ADWL 1309	€695
+ honeycomb	2700K		ADWL 1273H				€610
+ honeycomb	2700K			ADWL 1274H	ADWL 1277H	ADWL 1279H	€705
+ honeycomb	3000K		ADWL 1303H				€610
+ honeycomb	3000K			ADWL 1304H	ADWL 1307H	ADWL 1309H	€705

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Aude-Wall L plug

100V-240V - **plugdriver with PU (PUSH-DIM) button on cable**
1 x LED array 4,32W (**LED incl.**) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
material: brass
WALL - IP50

				DIM	FRAME brass	FRAME gunmetal	FRAME bronze	FRAME nickel	
	EU plug	2700K			ADWL 1273EU◆				€695
	EU plug	2700K				ADWL 1274EU◆	ADWL 1277EU◆	ADWL 1279EU◆	€790
	UK plug	2700K			ADWL 1273UK◆				€695
	UK plug	2700K				ADWL 1274UK◆	ADWL 1277UK◆	ADWL 1279UK◆	€790
	US plug	2700K			ADWL 1273US◆				€695
	US plug	2700K				ADWL 1274US◆	ADWL 1277US◆	ADWL 1279US◆	€790
	AU plug	2700K			ADWL 1273AU◆				€695
	AU plug	2700K				ADWL 1274AU◆	ADWL 1277AU◆	ADWL 1279AU◆	€790
	EU plug	3000K			ADWL 1303EU◆				€695
	EU plug	3000K				ADWL 1304EU◆	ADWL 1307EU◆	ADWL 1309EU◆	€790
	UK plug	3000K			ADWL 1303UK◆				€695
	UK plug	3000K				ADWL 1304UK◆	ADWL 1307UK◆	ADWL 1309UK◆	€790
	US plug	3000K			ADWL 1303US◆				€695
	US plug	3000K				ADWL 1304US◆	ADWL 1307US◆	ADWL 1309US◆	€790
	AU plug	3000K			ADWL 1303AU◆				€695
	AU plug	3000K				ADWL 1304AU◆	ADWL 1307AU◆	ADWL 1309AU◆	€790
+ honeycomb	EU plug	2700K			ADWL 1273HEU◆				€705
	EU plug	2700K				ADWL 1274HEU◆	ADWL 1277HEU◆	ADWL 1279HEU◆	€800
+ honeycomb	UK plug	2700K			ADWL 1273HUK◆				€705
	UK plug	2700K				ADWL 1274HUK◆	ADWL 1277HUK◆	ADWL 1279HUK◆	€800
+ honeycomb	US plug	2700K			ADWL 1273HUS◆				€705
	US plug	2700K				ADWL 1274HUS◆	ADWL 1277HUS◆	ADWL 1279HUS◆	€800
+ honeycomb	AU plug	2700K			ADWL 1273HAU◆				€705
	AU plug	2700K				ADWL 1274HAU◆	ADWL 1277HAU◆	ADWL 1279HAU◆	€800
+ honeycomb	EU plug	3000K			ADWL 1303HEU◆				€705
	EU plug	3000K				ADWL 1304HEU◆	ADWL 1307HEU◆	ADWL 1309HEU◆	€800
+ honeycomb	UK plug	3000K			ADWL 1303HUK◆				€705
	UK plug	3000K				ADWL 1304HUK◆	ADWL 1307HUK◆	ADWL 1309HUK◆	€800
+ honeycomb	US plug	3000K			ADWL 1303HUS◆				€705
	US plug	3000K				ADWL 1304HUS◆	ADWL 1307HUS◆	ADWL 1309HUS◆	€800
+ honeycomb	AU plug	3000K			ADWL 1303HAU◆				€705
	AU plug	3000K				ADWL 1304HAU◆	ADWL 1307HAU◆	ADWL 1309HAU◆	€800





Audette W1 in Rounded

500mA - **required remote mounted driver see below**

1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95

materials: brass, aluminium

WALL - IP50

2700K	AWBI 23333									€425
2700K		AWBI 22222		AWBI 21111						€400
2700K					AWBI 24444		AWBI 27777	AWBI 29999		€480
3000K	AWBI 33333									€425
3000K		AWBI 32222		AWBI 31111						€400
3000K					AWBI 34444		AWBI 37777	AWBI 39999		€480


+ honeycomb	2700K	AWBI 23333H								€435
+ honeycomb	2700K		AWBI 22222H	AWBI 21111H						€410
+ honeycomb	2700K				AWBI 24444H		AWBI 27777H	AWBI 29999H		€490
+ honeycomb	3000K	AWBI 33333H								€435
+ honeycomb	3000K		AWBI 32222H	AWBI 31111H						€410
+ honeycomb	3000K				AWBI 34444H		AWBI 37777H	AWBI 39999H		€490

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture



For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
M=medium 23° or
W=wide 40°

Audette W2 in Rounded

500mA - **required remote mounted driver see below**
2 x LED array 4,32W (LED incl.) - 500mA - 2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95
materials: brass, aluminium
WALL - IP50




	2700K	AWBD 23333							€890
	2700K		AWBD 22222		AWBD 21111				€865
	2700K					AWBD 24444	AWBD 27777	AWBD 29999	€945
	3000K	AWBD 33333							€890
	3000K		AWBD 32222		AWBD 31111				€865
	3000K					AWBD 34444	AWBD 37777	AWBD 39999	€945
+ honeycomb	2700K	AWBD 23333H							€900
+ honeycomb	2700K		AWBD 22222H		AWBD 21111H				€875
+ honeycomb	2700K					AWBD 24444H	AWBD 27777H	AWBD 29999H	€955
+ honeycomb	3000K	AWBD 33333H							€900
+ honeycomb	3000K		AWBD 32222H		AWBD 31111H				€875
+ honeycomb	3000K					AWBD 34444H	AWBD 37777H	AWBD 39999H	€955

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59


driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




Audette WD1 up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 4,32W (**LED incl.**) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50




		DIM					BASE brass				BASE black				BASE white				BASE gunmetal				BASE bronze				BASE nickel				
			SWIVEL	BODY	RING																										
	2700K					AWBU 23333																					€525				
	2700K									AWBU 22222				AWBU 21111													€440				
	2700K														AWBU 24444				AWBU 27777						AWBU 29999		€600				
	3000K					AWBU 33333																					€525				
	3000K									AWBU 32222				AWBU 31111													€440				
	3000K														AWBU 34444				AWBU 37777						AWBU 39999		€600				
+ honeycomb	2700K					AWBU 23333H																					€535				
+ honeycomb	2700K									AWBU 22222H				AWBU 21111H													€450				
+ honeycomb	2700K														AWBU 24444H				AWBU 27777H						AWBU 29999H		€610				
+ honeycomb	3000K					AWBU 33333H																					€535				
+ honeycomb	3000K									AWBU 32222H				AWBU 31111H													€450				
+ honeycomb	3000K														AWBU 34444H				AWBU 37777H						AWBU 39999H		€610				




Audette WD1S up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 4,32W (**LED incl.**) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50




		DIM					BASE brass				BASE black				BASE white				BASE gunmetal				BASE bronze				BASE nickel				
			SWIVEL	BODY	RING		SWIVEL	BODY	RING		SWIVEL	BODY	RING		SWIVEL	BODY	RING		SWIVEL	BODY	RING		SWIVEL	BODY	RING						
	2700K					AWBS 23333																					€585				
	2700K									AWBS 22222				AWBS 21111													€500				
	2700K														AWBS 24444				AWBS 27777						AWBS 29999		€640				
	3000K					AWBS 33333																					€585				
	3000K									AWBS 32222				AWBS 31111													€500				
	3000K														AWBS 34444				AWBS 37777						AWBS 39999		€640				
+ honeycomb	2700K					AWBS 23333H																					€595				
+ honeycomb	2700K									AWBS 22222H				AWBS 21111H													€510				
+ honeycomb	2700K														AWBS 24444H				AWBS 27777H						AWBS 29999H		€650				
+ honeycomb	3000K					AWBS 33333H																					€595				
+ honeycomb	3000K									AWBS 32222H				AWBS 31111H													€510				
+ honeycomb	3000K														AWBS 34444H				AWBS 37777H						AWBS 39999H		€650				



Audette-Duo W1 in Rounded

500mA - **required remote mounted driver see below**
1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50



		COVER brass	SWIVEL brass	BODY brass	RING black	COVER brass	SWIVEL brass	BODY brass	RING white	COVER black	SWIVEL black	BODY black	RING brass	COVER white	SWIVEL white	BODY white	RING brass	COVER black	SWIVEL brass	BODY brass	RING black	COVER white	SWIVEL brass	BODY brass	RING white	
	2700K	AWBI 23332				AWBI 23331												AWBI 22332					AWBI 21331			€400
	2700K									AWBI 22223				AWBI 21113												€425
	3000K	AWBI 33332				AWBI 33331												AWBI 32332					AWBI 31331			€400
	3000K									AWBI 32223				AWBI 31113												€425
+ honeycomb	2700K	AWBI 23332H				AWBI 23331H												AWBI 22332H					AWBI 21331H			€410
+ honeycomb	2700K									AWBI 22223H				AWBI 21113H												€435
+ honeycomb	3000K	AWBI 33332H				AWBI 33331H												AWBI 32332H					AWBI 31331H			€410
+ honeycomb	3000K									AWBI 32223H				AWBI 31113H												€435

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

gunmetal, bronze and nickel combinations on demand





Audette-Duo W2 in Rounded

500mA - **required remote mounted driver** see below

2 x LED array 4,32W **(LED incl.)** - 500mA - 2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95

materials: brass, aluminium

WALL - IP50 

				COVER brass SWIVEL brass BODY brass RING black		COVER brass SWIVEL brass BODY brass RING white		COVER black SWIVEL black BODY black RING brass		COVER white SWIVEL white BODY white RING brass		COVER black SWIVEL brass BODY brass RING black		COVER white SWIVEL brass BODY brass RING white									
2700K 2700K 3000K 3000K	AWBD 23332 AWBD 23331 AWBD 22223 AWBD 21113	AWBD 23332 AWBD 23331 AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113	AWBD 22223 AWBD 21113								
+ honeycomb		2700K		AWBD 23332H		AWBD 23331H		AWBD 22223H		AWBD 21113H		AWBD 22223H		AWBD 21331H									
+ honeycomb		2700K		AWBD 23332H		AWBD 23331H		AWBD 22223H		AWBD 21113H		AWBD 22223H		AWBD 21331H									
+ honeycomb		3000K		AWBD 33332H		AWBD 33331H		AWBD 32223H		AWBD 31113H		AWBD 32332H		AWBD 31331H									
+ honeycomb		3000K		AWBD 33332H		AWBD 33331H		AWBD 32223H		AWBD 31113H		AWBD 32332H		AWBD 31331H									


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1 x	PU (PUSH-DIM) + I-O (1-10V)	D 15WP	110V-230V	€27
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + I-O (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers


gunmetal, bronze and nickel combinations on demand




Audette-Duo WD1 up Rounded

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 4,32W (**LED incl.**) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50



																												
		DIM	BASE brass SWIVEL brass BODY brass RING black				BASE brass SWIVEL brass BODY brass RING white				BASE black SWIVEL black BODY black RING brass				BASE white SWIVEL white BODY white RING brass				BASE black SWIVEL brass BODY brass RING black				BASE white SWIVEL brass BODY brass RING white					
	2700K																											
	2700K		AWBU 23332	◆																							€505	
	2700K												AWBU 22223	◆														€460
	2700K																						AWBU 22332	◆		AWBU 21331	◆	€440
	3000K		AWBU 33332	◆																								€505
	3000K												AWBU 32223	◆														€460
	3000K																						AWBU 32332	◆		AWBU 31331	◆	€440
+ honeycomb	2700K		AWBU 23332H	◆																								€515
+ honeycomb	2700K												AWBU 22223H	◆														€470
+ honeycomb	2700K																						AWBU 22332H	◆		AWBU 21331H	◆	€450
+ honeycomb	3000K		AWBU 33332H	◆																								€515
+ honeycomb	3000K												AWBU 32223H	◆														€470
+ honeycomb	3000K																						AWBU 32332H	◆		AWBU 31331H	◆	€450

gunmetal, bronze and nickel combinations on demand



Audette-Varié W1 in Rounded

500mA - **required remote mounted driver see below**
1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50


	COVER black	SWIVEL brass	BODY black	RING black	COVER white	SWIVEL brass	BODY white	RING white
	2700K		AWBI 22322	◆	AWBI 21311	◆		€400
	3000K		AWBI 32322	◆	AWBI 31311	◆		€400
+ honeycomb	2700K		AWBI 22322H	◆	AWBI 21311H	◆		€410
+ honeycomb	3000K		AWBI 32322H	◆	AWBI 31311H	◆		€410

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audette-Varié W2 in Rounded

500mA - **required remote mounted driver see below**
2 x LED array 4,32W **(LED incl.)** - 500mA - 2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95
materials: brass, aluminium
WALL - IP50


				COVER black SWIVEL brass BODY black RING black		COVER white SWIVEL brass BODY white RING white							
	2700K		AWBD 22322	◆		AWBD 21311	◆		€835				
	3000K		AWBD 32322	◆		AWBD 31311	◆		€835				
+ honeycomb	2700K		AWBD 22322H	◆		AWBD 21311H	◆		€845				
+ honeycomb	3000K		AWBD 32322H	◆		AWBD 31311H	◆		€845				

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audette-Varié WD1 up Rounded

230V - **driver included in base** - LC (TRIAC/IGBT) dimmable
1 x LED array 4,32W **(LED incl.)** - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50

				BASE black SWIVEL brass BODY black RING black				BASE white SWIVEL brass BODY white RING white					
		DIM											
	2700K			AWBU 22322	◆	AWBU 21311	◆		€440				
	3000K			AWBU 32322	◆	AWBU 31311	◆		€440				
+ honeycomb	2700K			AWBU 22322H	◆	AWBU 21311H	◆		€450				
+ honeycomb	3000K			AWBU 32322H	◆	AWBU 31311H	◆		€450				



Choose beam:
M=medium 23°
or W=wide 40°

Audy-Wall 1S

500mA - **required remote mounted driver see below**
1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
materials: brass, aluminium
WALL - IP50


		FRAME brass RING brass	FRAME black RING black	FRAME white RING white	FRAME gunmetal RING gunmetal	FRAME bronze RING bronze	FRAME nickel RING nickel	
2700K		ATWS 1273	ATWS 1272	ATWS 1271				€445
2700K					ATWS 1274	ATWS 1277	ATWS 1279	€525
3000K		ATWS 1303	ATWS 1302	ATWS 1301				€445
3000K					ATWS 1304	ATWS 1307	ATWS 1309	€525

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Choose beam:
M=medium 23°
or W=wide 40°

Audy-Wall 1S Duo

500mA - **required remote mounted driver see below**

1 x LED array 4,32W (LED incl.) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95

materials: brass, aluminium

WALL - IP50


FRAME RING		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K	brass RING	ATWS 1232	ATWS 1223	ATWS 1213				€445
2700K	black RING	ATWS 1232						€445
2700K	white RING	ATWS 1231						€445
2700K	gunmetal RING	ATWS 1234						€460
2700K	bronze RING	ATWS 1237						€460
2700K	brass RING				ATWS 1243	ATWS 1773		€510
2700K	nickel RING				ATWS 1749			€510
2700K	gunmetal RING						ATWS 1794	€510
3000K	brass RING	ATWS 1332	ATWS 1323	ATWS 1313				€445
3000K	black RING	ATWS 1332						€445
3000K	white RING	ATWS 1331						€445
3000K	gunmetal RING	ATWS 1334						€460
3000K	bronze RING	ATWS 1337						€460
3000K	brass RING				ATWS 1343	ATWS 1373		€510
3000K	nickel RING				ATWS 1349			€510
3000K	gunmetal RING						ATWS 1394	€510

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500	230V	€18
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



▲ Choose beam upper lightsource:
M=medium 23° or W=wide 40°
▼ Choose beam lower lightsource:
M=medium 23° or W=wide 40°

Audy-Wall 2S

500mA - **required remote mounted driver see below**
2 x LED array 4,32W (LED incl.) - 500mA - 2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95
materials: brass, aluminium
WALL - IP50


		FRAME brass RING brass	FRAME black RING black	FRAME white RING white	FRAME gunmetal RING gunmetal	FRAME bronze RING bronze	FRAME nickel RING nickel	
2700K		ATWD 2273 ▲▼	ATWD 2272 ▲▼	ATWD 2271 ▲▼	ATWD 2274 ▲▼	ATWD 2277 ▲▼	ATWD 2279 ▲▼	€570
2700K								€675
3000K		ATWD 2303 ▲▼	ATWD 2302 ▲▼	ATWD 2301 ▲▼	ATWD 2304 ▲▼	ATWD 2307 ▲▼	ATWD 2309 ▲▼	€570
3000K								€675

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-4 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



▲ Choose beam upper lightsource:
M=medium 23° or W=wide 40°
▼ Choose beam lower lightsource:
M=medium 23° or W=wide 40°

Audy-Wall 2S Duo

500mA - **required remote mounted driver see below**
2 x LED array 4,32W (LED incl.) - 500mA - 2700K (2 x 487lm) or 3000K (2 x 517lm) - CRI >95
materials: brass, aluminium
WALL - IP50



FRAME brass

FRAME black

FRAME white

FRAME gunmetal

FRAME bronze

FRAME nickel

2700K	brass RING		ATWD 2223 ▲▼	ATWD 2213 ▲▼	€570
2700K	black RING	ATWD 2232 ▲▼			€570
2700K	white RING	ATWD 2231 ▲▼			€570
2700K	gunmetal RING	ATWD 2234 ▲▼			€605
2700K	bronze RING	ATWD 2237 ▲▼			€605
2700K	brass RING		ATWD 2243 ▲▼	ATWD 2773 ▲▼	€640
2700K	nickel RING		ATWD 2249 ▲▼		€640
2700K	gunmetal RING			ATWD 2794 ▲▼	€640


3000K	brass RING		ATWD 2323 ▲▼	ATWD 2313 ▲▼	€570
3000K	black RING	ATWD 2332 ▲▼			€570
3000K	white RING	ATWD 2331 ▲▼			€570
3000K	gunmetal RING	ATWD 2334 ▲▼			€605
3000K	bronze RING	ATWD 2337 ▲▼			€605
3000K	brass RING		ATWD 2343 ▲▼	ATWD 2373 ▲▼	€640
3000K	nickel RING		ATWD 2349 ▲▼		€640
3000K	gunmetal RING			ATWD 2394 ▲▼	€640

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-4 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austere-Wall built-in

350mA - **required remote mounted driver see below**
1 x LED array 6W **(LED incl.)** - 350mA - 634lm - 2700K - CRI >93
material: brass
WALL - IP50


FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
HVWB 1003	HVWB 1002	HVWB 1001	HVWB 1004	HVWB 1007	HVWB 1009	€765
						€900

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austere-Wall plug

100V-240V - **plugdriver with PU (PUSH-DIM) button dimmer on cable**
1 x LED array 6W **(LED incl.)** - 350mA - 634lm - 2700K - CRI >93
material: brass
WALL - IP50

	DIM	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
EU plug	PU	HVWA 1003	HVWA 1002	HVWA 1001	HVWA 1004	HVWA 1007	HVWA 1009	€765
EU plug	PU							€900
UK plug	PU	HVWA 1003UK	HVWA 1002UK	HVWA 1001UK	HVWA 1004UK	HVWA 1007UK	HVWA 1009UK	€765
UK plug	PU							€900
US plug	PU	HVWA 1003US	HVWA 1002US	HVWA 1001US	HVWA 1004US	HVWA 1007US	HVWA 1009US	€765
US plug	PU							€900
AU plug	PU	HVWA 1003AU	HVWA 1002AU	HVWA 1001AU	HVWA 1004AU	HVWA 1007AU	HVWA 1009AU	€765
AU plug	PU							€900



Austere-Wall push built-in


350mA - **required remote mounted driver see below** - **PU (PUSH-DIM) button on base**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
material: brass
WALL - IP50

DIM							
	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	HVWT 1003	HVWT 1002	HVWT 1001				€855
				HVWT 1004	HVWT 1007	HVWT 1009	€990

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM)	D 15WPLV	110V-230V	€34
driver remote mounting: driver does not fit through cutout hole of fixture				


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austere-Wall push plug

100V-240V - **plugdriver** - **PU (PUSH-DIM) button on base**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
material: brass
WALL - IP50

	DIM							
		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
EU plug		HVWT 1003EU	HVWT 1002EU	HVWT 1001EU				€855
EU plug					HVWT 1004EU	HVWT 1007EU	HVWT 1009EU	€990
UK plug		HVWT 1003UK	HVWT 1002UK	HVWT 1001UK				€855
UK plug					HVWT 1004UK	HVWT 1007UK	HVWT 1009UK	€990
US plug		HVWT 1003US	HVWT 1002US	HVWT 1001US				€855
US plug					HVWT 1004US	HVWT 1007US	HVWT 1009US	€990
AU plug		HVWT 1003AU	HVWT 1002AU	HVWT 1001AU				€855
AU plug					HVWT 1004AU	HVWT 1007AU	HVWT 1009AU	€990



Bilo W in FROSTED

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - CRI >90

FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & transparent glass + screen printed inner side

*Required free air area, see www.trizo21.com/requiredarea - WALL - IP50

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu



FALSE wall



2300K		BWIF 2000	BWIF 1000	BWIF 7000	BWIF 8000	BWIF 9000		€440
2700K		BWIF 2020	BWIF 1020	BWIF 7020	BWIF 8020	BWIF 9020		€440


ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall




2300K		BWIC 2002	BWIC 1002	BWIC 7002	BWIC 8002	BWIC 9002		€450
2700K		BWIC 2022	BWIC 1022	BWIC 7022	BWIC 8022	BWIC 9022		€450

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilow W in MATT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90


FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & sandblasted glass


*Required free air area, see www.trizo21.com/requiredarea - WALL - IP50

FALSE wall



2300K		BWMF 2000	BWMF 1000	BWMF 7000	BWMF 8000	BWMF 9000		€420
2700K		BWMF 2020	BWMF 1020	BWMF 7020	BWMF 8020	BWMF 9020		€420


ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall




2300K		BWMC 2002	BWMC 1002	BWMC 7002	BWMC 8002	BWMC 9002		€430
2700K		BWMC 2022	BWMC 1022	BWMC 7022	BWMC 8022	BWMC 9022		€430

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo W in FROSTED

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - CRI >90


FALSE wall = aperture: Ø67 - depth: min. 50mm * - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm * - **driver must be on distance**

materials: transparant glass + screen printed inner side

* Required free air area, see www.trizo21.com/requiredarea - WALL - IP50

FALSE wall



ACCESSORY FOR WALL: PLASTER KIT



Ø200

FALSE ceiling		2300K		BLWII 1100		€400
FALSE ceiling		2700K		BLWII 1120		€400

CONCRETE wall




CONCRETE ceiling		2300K		BLWII 1102		€410
CONCRETE ceiling		2700K		BLWII 1122		€410

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo W in MATT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - CRI >90

FALSE wall = aperture : Ø67 - depth : min. 50mm* - depth for driver in wall : min. 70mm

CONCRETE wall = aperture : Ø67 - depth : min. 60mm* - **driver must be on distance**

material: sandblasted glass

*Required free air area, see www.trizo21.com/requiredarea - WALL - IP50

FALSE wall



FALSE ceiling	2300K	BLWIM 1100	€380
FALSE ceiling	2700K	BLWIM 1120	€380


ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall



CONCRETE ceiling	2300K	BLWIM 1102	€390
CONCRETE ceiling	2700K	BLWIM 1122	€390

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly W/C


350mA - **required remote mounted driver see below**

1 x 4 LED 0,96W (**LED incl.**) - 350mA - 456lm - 2700K - CRI >93

depth for driver in ceiling : min. 75mm

materials: aluminium & PMMA

WALL & CEILING - IP50



FRAME black



BOWW 1002

FRAME white



BOWW 1001

FRAME grey



BOWW 1003

FRAME chrome



BOWW 1009

€410

€450

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 5W	230V	€13
1 x	LC (TRIAC/IGBT)	D 3WT	110V-230V	€16
1 x	PU (PUSH-DIM) +	D 6WP	230V	€16
1-3 x	PU (PUSH-DIM) +	D 15WP	110V-230V	€27
1-3 x	PU (PUSH-DIM) +	D 15WDA EU	230V	€30
1-3 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	PU (PUSH-DIM) + +	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly W/C D+B


230V - **driver included in base** - LC (TRIAC/IGBT) dimmable

1 x 4 LED 0,96W (**LED incl.**) - 350mA - 456lm - 2700K - CRI >93

depth for driver in ceiling : min. 75mm

materials: aluminium & PMMA

WALL & CEILING - IP50



FRAME black



BOWW 1102

FRAME white



BOWW 1101

FRAME grey



BOWW 1103


FRAME chrome



BOWW 1109

€490

€540



Code W G9


230V G9 - 1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)

material: aluminium

Bulb excluded - WALL - IP50 

	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
						
230V - G9 HALO	CODE 2005	CODE 1005				€180
230V - G9 HALO			CODE 3005	CODE 7005		€190
230V - G9 HALO					CODE 9005	€235
230V - G9 LED	CODE L2005	CODE L1005				€180
230V - G9 LED			CODE L3005	CODE L7005		€190
230V - G9 LED					CODE L9005	€235
						OPTIONAL COVER FOR CODE W
	ACDE 2005	ACDE 1005				€42
			ACDE 3005	ACDE 7005		€45
					ACDE 9005	€55





Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

! driver remote mounting excl.
driver does not fit through
cutout hole of fixture

Code W LED

350mA - **required remote mounted driver see below**

1 lighting side: 1 x 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93

2 lighting sides: 2 x 4 LED 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93

material: aluminium

WALL - IP50

	FRAME black	FRAME white	FRAME alu	FRAME bronze	FRAME chrome	
1 side	CODE 2555	CODE 1555				€375
2 sides	CODE 2666	CODE 1666				€570
1 side			CODE 3555	CODE 7555		€400
2 sides			CODE 3666	CODE 7666		€595
1 side					CODE 9555	€440
2 sides					CODE 9666	€635



OPTIONAL COVER FOR CODE W LED


ACDE 2005	ACDE 1005				€42
		ACDE 3005	ACDE 7005		€45
				ACDE 9005	€55

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x 1 side	LC (TRIAC/IGBT)	D 3WT	230V	€16
1 x 1 side	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
2 x 1 side	LC (TRIAC/IGBT)	D 10WT	230V	€20
1-3 x 1 side	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x 1 side	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-3 x 1 side	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x 1 side	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59
1 x 2 sides	LC (TRIAC/IGBT)	D 10WT	230V	€20
1 x 2 sides	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x 2 sides	DA (DALI)	D 15WDA	110V-230V	€30
1-4 x 2 sides	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture
«driver fits behind optional cover for CODE W LED

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Scar-Leather 1FD built-in

110V-230V - remote driver included: **driver does not fit through cutout hole of fixture** - NO (non-dimmable)
1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93
or
230V - remote driver included: **driver does not fit through cutout hole of fixture** - 1-10 (1-10V) or PU (PUSH-DIM) or DA (DALI) dimmable
1 x LED 1,38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93
materials: brass, leather
WALL - IP50


		FLEX LENGTH	DIM		LEATHER tabacco FRAME brass	LEATHER saddle FRAME brass	LEATHER ivory FRAME brass	LEATHER oak FRAME brass	
no dim	L 500	NO	I	SCLEBI 5330 TAB	SCLEBI 5330 SAD	SCLEBI 5330 IVO	SCLEBI 5330 OAK	I	€850
dim	L 500	1-10 PU	I	SCLEBI 5330P TAB	SCLEBI 5330P SAD	SCLEBI 5330P IVO	SCLEBI 5330P OAK	I	€920
dim	L 500	DA	I	SCLEBI 5330D TAB	SCLEBI 5330D SAD	SCLEBI 5330D IVO	SCLEBI 5330D OAK	I	€940

		FLEX LENGTH		DIM		LEATHER tabacco FRAME gunmetal		LEATHER saddle FRAME gunmetal		LEATHER ivory FRAME gunmetal		LEATHER oak FRAME gunmetal			
no dim	L 500	NO	I			SCLEBI 5440 TAB		SCLEBI 5440 SAD		SCLEBI 5440 IVO		SCLEBI 5440 OAK	I	€905	
dim	L 500	1-10 PU	I			SCLEBI 5440P TAB		SCLEBI 5440P SAD		SCLEBI 5440P IVO		SCLEBI 5440P OAK	I	€975	
dim	L 500	DA	I			SCLEBI 5440D TAB		SCLEBI 5440D SAD		SCLEBI 5440D IVO		SCLEBI 5440D OAK	I	€995	

		FLEX LENGTH	DIM		LEATHER tabacco FRAME bronze	LEATHER saddle FRAME bronze	LEATHER ivory FRAME bronze	LEATHER oak FRAME bronze		
no dim	L 500	NO	I	SCLEBI 5770 TAB	SCLEBI 5770 SAD	SCLEBI 5770 IVO	SCLEBI 5770 OAK	I	€905	
dim	L 500	1-10 PU	I	SCLEBI 5770P TAB	SCLEBI 5770P SAD	SCLEBI 5770P IVO	SCLEBI 5770P OAK	I	€975	
dim	L 500	DA	I	SCLEBI 5770D TAB	SCLEBI 5770D SAD	SCLEBI 5770D IVO	SCLEBI 5770D OAK	I	€995	

		FLEX LENGTH	DIM		LEATHER tabacco FRAME nickel	LEATHER saddle FRAME nickel	LEATHER ivory FRAME nickel	LEATHER oak FRAME nickel		
no dim	L 500	NO	I		SCLEBI 5990 TAB	SCLEBI 5990 SAD	SCLEBI 5990 IVO	SCLEBI 5990 OAK	I	€905
dim	L 500	1-10 PU	I		SCLEBI 5990P TAB	SCLEBI 5990P SAD	SCLEBI 5990P IVO	SCLEBI 5990P OAK	I	€975
dim	L 500	DA	I		SCLEBI 5990D TAB	SCLEBI 5990D SAD	SCLEBI 5990D IVO	SCLEBI 5990D OAK	I	€995

Scar-Leather 1FDS built-in




110V-230V - remote driver included: **driver does not fit through cutout hole of fixture** - NO ON/OFF on armature
1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93
OR
230V - remote driver included: **driver does not fit through cutout hole of fixture** - PU (PUSH-DIM) on armature
1 x LED 1.38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93
materials: brass, leather
WALL - IP50

		FLEX LENGTH		DIM		LEATHER tabacco FRAME brass		LEATHER saddle FRAME brass		LEATHER ivory FRAME brass		LEATHER oak FRAME brass			
no dim	L 500	NO	I	SCLEBI 5331 TAB		SCLEBI 5331 SAD		SCLEBI 5331 IVO		SCLEBI 5331 OAK			I	€910	
dim	L 500	PU	I	SCLEBI 5331P TAB		SCLEBI 5331P SAD		SCLEBI 5331P IVO		SCLEBI 5331P OAK			I	€980	

		FLEX LENGTH		DIM		LEATHER tabacco FRAME gunmetal		LEATHER saddle FRAME gunmetal		LEATHER ivory FRAME gunmetal		LEATHER oak FRAME gunmetal			
no dim	L 500	NO	I	SCLEBI 5441 TAB		SCLEBI 5441 SAD		SCLEBI 5441 IVO		SCLEBI 5441 OAK				€965	
dim	L 500	PU	I	SCLEBI 5441P TAB		SCLEBI 5441P SAD		SCLEBI 5441P IVO		SCLEBI 5441P OAK				€1.035	

		FLEX LENGTH		DIM		LEATHER tabacco FRAME bronze		LEATHER saddle FRAME bronze		LEATHER ivory FRAME bronze		LEATHER oak FRAME bronze			
no dim	L 500	NO	I	SCLEBI 5771 TAB		SCLEBI 5771 SAD		SCLEBI 5771 IVO		SCLEBI 5771 OAK		I	€965		
dim	L 500	PU	I	SCLEBI 5771P TAB		SCLEBI 5771P SAD		SCLEBI 5771P IVO		SCLEBI 5771P OAK		I	€1.035		

FLEX LENGTH		DIM		LEATHER tabacco FRAME nickel	LEATHER saddle FRAME nickel	LEATHER ivory FRAME nickel	LEATHER oak FRAME nickel	
no dim	L 500	NO	I	SCLEBI 5991 TAB	SCLEBI 5991 SAD	SCLEBI 5991 IVO	SCLEBI 5991 OAK	I €965
dim	L 500	PU	I	SCLEBI 5991P TAB	SCLEBI 5991P SAD	SCLEBI 5991P IVO	SCLEBI 5991P OAK	I €1.035



Scar-Leather 1FD built-up


230V - driver included in base - NO (non-dimmable)
1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93
materials: brass, leather
WALL - IP50

FLEX LENGTH											
DIM											
no dim	L 500	NO	I	SCLEBU 5330 TAB	SCLEBU 5330 SAD	SCLEBU 5330 IVO	SCLEBU 5330 OAK	I	€945		
				LEATHER tabacco FRAME brass	LEATHER saddle FRAME brass	LEATHER ivory FRAME brass	LEATHER oak FRAME brass				

FLEX LENGTH		DIM		LEATHER tabacco		LEATHER saddle		LEATHER ivory		LEATHER oak		
no dim	L 500	NO	I	SCLEBU 5440 TAB	SCLEBU 5440 SAD	SCLEBU 5440 IVO	SCLEBU 5440 OAK					€1.000

FLEX LENGTH		DIM		LEATHER tabacco		LEATHER saddle		LEATHER ivory		LEATHER oak		
				FRAME bronze		FRAME bronze		FRAME bronze		FRAME bronze		
no dim	L 500	NO	I	SCLEBU 5770 TAB		SCLEBU 5770 SAD		SCLEBU 5770 IVO		SCLEBU 5770 OAK		€1.000

FLEX LENGTH		DIM		LEATHER tabacco		LEATHER saddle		LEATHER ivory		LEATHER oak		
no dim	L 500	NO	I	SCLEBU 5990 TAB	SCLEBU 5990 SAD	SCLEBU 5990 IVO	SCLEBU 5990 OAK	I	€1.000			



Scar-Leather 1FDS built-up


230V - driver included in base - NO ON/OFF armature
1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93
materials: brass, leather
WALL - IP50

	FLEX LENGTH	DIM		LEATHER tabacco FRAME brass	LEATHER saddle FRAME brass	LEATHER ivory FRAME brass	LEATHER oak FRAME brass	
no dim	L 500	NO	I	SCLEBU 5331 TAB	SCLEBU 5331 SAD	SCLEBU 5331 IVO	SCLEBU 5331 OAK	€1.005

	FLEX LENGTH	DIM		LEATHER tabacco FRAME gunmetal	LEATHER saddle FRAME gunmetal	LEATHER ivory FRAME gunmetal	LEATHER oak FRAME gunmetal	
no dim	L 500	NO	I	SCLEBU 5441 TAB	SCLEBU 5441 SAD	SCLEBU 5441 IVO	SCLEBU 5441 OAK	€1.060

	FLEX LENGTH	DIM		LEATHER tabacco FRAME bronze	LEATHER saddle FRAME bronze	LEATHER ivory FRAME bronze	LEATHER oak FRAME bronze	
no dim	L 500	NO	I	SCLEBU 5771 TAB	SCLEBU 5771 SAD	SCLEBU 5771 IVO	SCLEBU 5771 OAK	€1.060

	FLEX LENGTH	DIM		LEATHER tabacco FRAME nickel	LEATHER saddle FRAME nickel	LEATHER ivory FRAME nickel	LEATHER oak FRAME nickel	
no dim	L 500	NO	I	SCLEBU 5991 TAB	SCLEBU 5991 SAD	SCLEBU 5991 IVO	SCLEBU 5991 OAK	€1.060



◆ Choose beam:

N=narrow 10° or

M=medium 25° or

W=wide 40°

Scar-Led 1FD built-in 45

110V-230V - remote driver included: **driver does not fit through cutout hole of fixture** - NO (non-dimmable)

1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93

or


230V - remote driver included: **driver does not fit through cutout hole of fixture** - I-10 (1-10V) or PU (PUSH-DIM) or DA (DALI) dimmable

1 x LED 1,38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

materials: aluminium, silicon

WALL - IP50

		FLEX LENGTH	DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX black silicon FRAME alu	FLEX alu FRAME alu	FLEX bronze FRAME bronze						
no dim	L 200	NO	I	SCAR 4281	◆	SCAR 4271	◆	SCAR 4201	◆	SCAR 4251	◆	SCAR 4231	◆	I	€295
no dim	L 400	NO	I	SCAR 4481	◆	SCAR 4471	◆	SCAR 4401	◆	SCAR 4451	◆	SCAR 4431	◆	I	€300
no dim	L 750	NO	I	SCAR 4781	◆	SCAR 4771	◆	SCAR 4701	◆	SCAR 6711	◆	SCAR 6731	◆	I	€310
dim	L 200	I-10 PU	I	SCAR 4281P	◆	SCAR 4271P	◆	SCAR 4201P	◆	SCAR 4251P	◆	SCAR 4231P	◆	I	€370
dim	L 400	I-10 PU	I	SCAR 4481P	◆	SCAR 4471P	◆	SCAR 4401P	◆	SCAR 4451P	◆	SCAR 4431P	◆	I	€375
dim	L 750	I-10 PU	I	SCAR 4781P	◆	SCAR 4771P	◆	SCAR 4701P	◆	SCAR 6711P	◆	SCAR 6731P	◆	I	€385
dim	L 200	DA	I	SCAR 4281D	◆	SCAR 4271D	◆	SCAR 4201D	◆	SCAR 4251D	◆	SCAR 4231D	◆	I	€390
dim	L 400	DA	I	SCAR 4481D	◆	SCAR 4471D	◆	SCAR 4401D	◆	SCAR 4451D	◆	SCAR 4431D	◆	I	€395
dim	L 750	DA	I	SCAR 4781D	◆	SCAR 4771D	◆	SCAR 4701D	◆	SCAR 6711D	◆	SCAR 6731D	◆	I	€400



◆ Choose beam:

N=narrow 10° or

M=medium 25° or

W=wide 40°

Scar-Led 1FD built-in 60

110V-230V - remote driver included: **driver fits through cutout hole of fixture** - NO (non-dimmable)

1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93

aperture: 25 x 45mm - depth for driver behind fixture: min. 55mm

or

230V - remote driver included: **driver fits through cutout hole of fixture, except DALI does not fit** - I-10 (1-10V) or PU (PUSH-DIM) or DA (DALI) dimmable


1 x LED 1,38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93

aperture: 25 x 55mm - depth for driver behind fixture: min. 72 mm

materials: aluminium, silicon

WALL - IP50

FLEX LENGTH		DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX black silicon FRAME alu	FLEX alu FRAME alu	FLEX bronze FRAME bronze	
no dim	L 200	NO		SCAR 7281	SCAR 7271	SCAR 7201	SCAR 7251	SCAR 7231	€295
no dim	L 400	NO		SCAR 7481	SCAR 7471	SCAR 7401	SCAR 7451	SCAR 7431	€300
no dim	L 750	NO		SCAR 7781	SCAR 7771	SCAR 7701	SCAR 7751	SCAR 7731	€315
dim	L 200	1-10 PU		SCAR 7281P	SCAR 7271P	SCAR 7201P	SCAR 7251P	SCAR 7231P	€370
dim	L 400	1-10 PU		SCAR 7481P	SCAR 7471P	SCAR 7401P	SCAR 7451P	SCAR 7431P	€375
dim	L 750	1-10 PU		SCAR 7781P	SCAR 7771P	SCAR 7701P	SCAR 7751P	SCAR 7731P	€385
dim	L 200	DA		SCAR 7281D	SCAR 7271D	SCAR 7201D	SCAR 7251D	SCAR 7231D	€390
dim	L 400	DA		SCAR 7481D	SCAR 7471D	SCAR 7401D	SCAR 7451D	SCAR 7431D	€395
dim	L 750	DA		SCAR 7781D	SCAR 7771D	SCAR 7701D	SCAR 7751D	SCAR 7731D	€400



◆ Choose beam:

- N=narrow 10° or
M=medium 25° or
W=wide 40°

Scar-Led 1FDS built-in 60

110V-230V - remote driver included: driver fits through cutout hole of fixture - **NO** ON/OFF armature

1 x LED 0,96W (**LED incl.**) - 350mA - 114lm - 2700K - CRI >93
aperture: 25 x 45mm - depth for driver behind fixture: min. 55mm

or


230V - remote driver included: driver fits through cutout hole of fixture - **PU** (PUSH-DIM) on armature

1 x LED 1,38W (**LED incl.**) - 500mA - 157lm - 2700K - CRI >93
aperture: 25 x 55mm - depth for driver behind fixture: min. 72mm

materials: aluminium, silicon

WALL - IP50

		FLEX LENGTH	DIM		FLEX black silicon FRAME black		FLEX white silicon FRAME white		FLEX black silicon FRAME alu		FLEX alu FRAME alu		FLEX bronze FRAME bronze		
															
no dim	L 200		I	SCAR 729I◆			SCAR 726I◆		SCAR 721I◆		SCAR 7252◆		SCAR 724I◆		€305
no dim	L 400		I	SCAR 749I◆			SCAR 746I◆		SCAR 741I◆		SCAR 7452◆		SCAR 744I◆		€310
no dim	L 750		I	SCAR 779I◆			SCAR 776I◆		SCAR 771I◆		SCAR 7752◆		SCAR 774I◆		€315
dim	L 200		I	SCAR 729IP◆			SCAR 726IP◆		SCAR 721IP◆		SCAR 7252P◆		SCAR 724IP◆		€380
dim	L 400		I	SCAR 749IP◆			SCAR 746IP◆		SCAR 741IP◆		SCAR 7452P◆		SCAR 744IP◆		€385
dim	L 750		I	SCAR 779IP◆			SCAR 776IP◆		SCAR 771IP◆		SCAR 7752P◆		SCAR 774IP◆		€405



◆ Choose beam:

- N=narrow 10° or
M=medium 25° or
W=wide 40°

Scar-Led 1FD built-in 95

110V-230V - remote driver included: driver fits through cutout hole of fixture - **NO** (non-dimmable)

1 x LED 0,96W (**LED incl.**) - 350mA - 114lm - 2700K - CRI >93
aperture: 25 x 45mm - depth for driver behind fixture: min. 55mm

or


230V - remote driver included: driver fits through cutout hole of fixture - **I-10** (1-10V) or **PU** (PUSH-DIM) or **DA** (DALI) dimmable

1 x LED 1,38W (**LED incl.**) - 500mA - 157lm - 2700K - CRI >93
aperture: 25 x 55mm - depth for driver behind fixture: min. 72mm

materials: aluminium, silicon

WALL - IP50

		FLEX LENGTH	DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX black silicon FRAME alu	FLEX alu FRAME alu	FLEX bronze FRAME bronze		
no dim	L 200	NO	I	SCAR 828I◆	SCAR 827I◆	SCAR 821I◆	SCAR 825I◆	SCAR 823I◆	I	€300	
no dim	L 400	NO	I	SCAR 848I◆	SCAR 847I◆	SCAR 841I◆	SCAR 845I◆	SCAR 843I◆	I	€305	
no dim	L 750	NO	I	SCAR 878I◆	SCAR 877I◆	SCAR 871I◆	SCAR 875I◆	SCAR 873I◆	I	€315	
dim	L 200	I-10 PU	I	SCAR 828IP◆	SCAR 827IP◆	SCAR 821IP◆	SCAR 825IP◆	SCAR 823IP◆	I	€375	
dim	L 400	I-10 PU	I	SCAR 848IP◆	SCAR 847IP◆	SCAR 841IP◆	SCAR 845IP◆	SCAR 843IP◆	I	€380	
dim	L 750	I-10 PU	I	SCAR 878IP◆	SCAR 877IP◆	SCAR 871IP◆	SCAR 875IP◆	SCAR 873IP◆	I	€390	
dim	L 200	DA	I	SCAR 828ID◆	SCAR 827ID◆	SCAR 821ID◆	SCAR 825ID◆	SCAR 823ID◆	I	€400	
dim	L 400	DA	I	SCAR 848ID◆	SCAR 847ID◆	SCAR 841ID◆	SCAR 845ID◆	SCAR 843ID◆	I	€405	
dim	L 750	DA	I	SCAR 878ID◆	SCAR 877ID◆	SCAR 871ID◆	SCAR 875ID◆	SCAR 873ID◆	I	€415	




Scar-Led 1FDS built-in 95

110V-230V - remote driver included: driver fits through cutout hole of fixture - **NO** ON/OFF armature
1 x LED 0,96W (**LED incl.**) - 350mA - 114lm - 2700K - CRI >93
aperture: 25 x 45mm - depth for driver behind fixture: min. 55mm

or
230V - remote driver included: driver fits through cutout hole of fixture - **PU** (PUSH-DIM) on armature
1 x LED 1,38W (**LED incl.**) - 500mA - 157lm - 2700K - CRI >93
aperture: 25 x 55mm - depth for driver behind fixture: min. 72mm
materials: aluminium, silicon

WALL - IP50

FLEX LENGTH		DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX black silicon FRAME alu	FLEX alu FRAME alu	FLEX bronze FRAME bronze	
no dim	L 200	NO		SCAR 9281	SCAR 9271	SCAR 9211	SCAR 9251	SCAR 9231	€315
no dim	L 400	NO		SCAR 9481	SCAR 9471	SCAR 9411	SCAR 9451	SCAR 9431	€320
no dim	L 750	NO		SCAR 9781	SCAR 9771	SCAR 9711	SCAR 9751	SCAR 9731	€330
dim	L 200	I-10 PU		SCAR 9281P	SCAR 9271P	SCAR 9211P	SCAR 9251P	SCAR 9231P	€400
dim	L 400	I-10 PU		SCAR 9481P	SCAR 9471P	SCAR 9411P	SCAR 9451P	SCAR 9431P	€405
dim	L 750	I-10 PU		SCAR 9781P	SCAR 9771P	SCAR 9711P	SCAR 9751P	SCAR 9731P	€415




Scar-Led 1FD built-up

110V-230V - driver included in base - **NO** (non-dimmable)
1 x LED 0,96W (**LED incl.**) - 350mA - 114lm - 2700K - CRI >93
materials: aluminium, silicon

WALL - IP50

		FLEX LENGTH	DIM	FLEX black silicon FRAME black		FLEX white silicon FRAME white		FLEX black silicon FRAME alu		FLEX alu FRAME alu		FLEX bronze FRAME bronze			
no dim	L 200	NO		SCAR 4831	SCAR 4731	SCAR 4331	SCAR 4531	SCAR 4031	€320						
no dim	L 400	NO		SCAR 4861	SCAR 4761	SCAR 4361	SCAR 4561	SCAR 4061	€325						
no dim	L 750	NO		SCAR 4811	SCAR 4711	SCAR 4311	SCAR 4511	SCAR 4011	€335						




Scar-Led 1FDS built-up

110V-230V - driver included in base - **NO** ON/OFF armature
1 x LED 0,96W (**LED incl.**) - 350mA - 114lm - 2700K - CRI >93
materials: aluminium, silicon

WALL - IP50

		FLEX LENGTH	DIM	FLEX black silicon FRAME black		FLEX white silicon FRAME white		FLEX black silicon FRAME alu		FLEX alu FRAME alu		FLEX bronze FRAME bronze		
no dim	L 200	NO		SCAR 4835	SCAR 4735	SCAR 4335	SCAR 4535	SCAR 4035		€335				
no dim	L 400	NO		SCAR 4865	SCAR 4765	SCAR 4365	SCAR 4565	SCAR 4065		€340				
no dim	L 750	NO		SCAR 4875	SCAR 4775	SCAR 4375	SCAR 4575	SCAR 4075		€350				




◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Scar-Led 1FDS built-up plug

110V-230V - driver included in base - EU-plug - NO ON/OFF on armature
1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93
materials: aluminium, silicon
WALL - IP50

		FLEX LENGTH	DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX black silicon FRAME alu	FLEX alu FRAME alu	FLEX bronze FRAME bronze	
no dim	L 200	NO	I	SCAR 4835EU	SCAR 4735EU	SCAR 4335EU	SCAR 4535EU	SCAR 4035EU	I	€380
no dim	L 400	NO	I	SCAR 4865EU	SCAR 4765EU	SCAR 4365EU	SCAR 4565EU	SCAR 4065EU	I	€385
no dim	L 750	NO	I	SCAR 4875EU	SCAR 4775EU	SCAR 4375EU	SCAR 4575EU	SCAR 4075EU	I	€400



Scar-Lite 1FD built-in

110V-230V - remote driver included: driver fits through cutout hole of fixture - NO (non-dimmable)
1 x LED 0,96W (LED incl.) - 350mA - 114lm - 2700K - CRI >93
aperture: 25 x 45mm - depth for driver behind fixture: min. 55mm
or
230V - remote driver included: driver fits through cutout hole of fixture - 1-10 (1-10V) or PU (PUSH-DIM) or DA (DALI) dimmable
1 x LED 1,38W (LED incl.) - 500mA - 157lm - 2700K - CRI >93
aperture: 25 x 55mm - depth for driver behind fixture: min. 72mm
materials: aluminium, silicon
WALL - IP50

		FLEX LENGTH	DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX bronze FRAME bronze	
no dim	L 500	NO	I	SCLI 7581	SCLI 7571	SCLI 7531	I	€300
dim	L 500	1-10 PU	I	SCLI 7581P	SCLI 7571P	SCLI 7531P	I	€375
dim	L 500	DA	I	SCLI 7581D	SCLI 7571D	SCLI 7531D	I	€400



Scar-Lite 1FDS built-in


110V-230V - **remote driver included: driver fits through cutout hole of fixture** - **NO ON/OFF on armature**
1 x LED 0,96W **(LED incl.)** - 350mA - 114lm - 2700K - CRI >93
aperture: 25 x 45mm - depth for driver behind fixture: min. 55mm

or

230V - **remote driver included: driver fits through cutout hole of fixture** - **PU (PUSH-DIM) on armature**
1 x LED 1,38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
aperture: 25 x 55mm - depth for driver behind fixture: min. 72mm
materials: aluminium, silicon

WALL - IP50

		FLEX LENGTH	DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX bronze FRAME bronze		
no dim	L 500		NO		SCLI 7591	SCLI 7561	SCLI 7501		€320
dim	L 500		PU		SCLI 7591P	SCLI 7561P	SCLI 7501P		€390



Scar-Lite 1FDS built-up


110V-230V - **driver in base** - **NO ON/OFF on armature**
1 x LED 0,96W **(LED incl.)** - 350mA - 114lm - 2700K - CRI >93

or

230V - **driver in base** - **PU (PUSH-DIM) on armature**
1 x LED 1,38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
materials: aluminium, silicon

WALL - IP50


		FLEX LENGTH	DIM		FLEX black silicon FRAME black	FLEX white silicon FRAME white	FLEX bronze FRAME bronze		
no dim	L 500	NO	I	SCLI 3502	SCLI 3501	SCLI 3507	I	€410	
dim	L 500	PU	I	SCLI 5002	SCLI 5001	SCLI 5007	I	€480	



Scar-Lite 1FDS USB built-up

110V-230V - **driver in base- PU (PUSH-DIM) on armature**
USB charger 5V incl. - compatible with tablets/smartphones and other USB chargeable devices
1 x LED 1,38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
materials: aluminium, silicon
WALL - IP40


FLEX LENGTH		DIM	FLEX black silicon		FLEX white silicon		FLEX bronze		
			FRAME black	FRAME white	FRAME white	FRAME bronze			
no dim	L 500	PU	I	SCLIU 5002	SCLIU 5001	SCLIU 5007	I	€570	



Scar-Lite 1FDS built-up plug

110V-230V - **driver in base - EU-plug - NO ON/OFF on armature**
1 x LED 0,96W **(LED incl.)** - 350mA - 114lm - 2700K - CRI >93
or
230V - **driver in base - EU-plug - PU (PUSH-DIM) on armature**
1 x LED 1,38W **(LED incl.)** - 500mA - 157lm - 2700K - CRI >93
materials: aluminium, silicon
WALL - IP50

FLEX LENGTH		DIM	FLEX black silicon		FLEX white silicon		FLEX bronze			
			FRAME black		FRAME white		FRAME bronze			
no dim	L 500	NO	I	SCLI 3502EU		SCLI 3501EU		SCLI 3507EU	I	€455
dim	L 500	PU	I	SCLI 5002EU		SCLI 5001EU		SCLI 5007EU	I	€525



Sirens W diffuser glass

110V-230V


E27 - only energy saving bulbs (LED or FLUO)

bulb size for Ø210: max. Ø45mm L 115mm, for Ø265: max. Ø60mm L 175mm

materials: copper, diffuser glass

LED or FLUO bulb excluded - WALL - IP50

	FRAME black	FRAME white	FRAME copper	
	●	○	●	
Ø210	SIPR 2112	SIPR 2111		€410
Ø265	SIPR 2612	SIPR 2611		€490
Ø210			SIPR 2117	€435
Ø265			SIPR 2617	€515



Sirens W mirror

WALL

materials: copper, mirror glass

	FRAME black	FRAME white	FRAME copper	
	●	○	●	
Ø161	SIPR 1602	SIPR 1601		€195
Ø210	SIPR 2102	SIPR 2101		€305
Ø265	SIPR 2602	SIPR 2601		€365
Ø161			SIPR 1607	€215
Ø210			SIPR 2107	€330
Ø265			SIPR 2607	€390



Sirens W frosted glass big mirror + edge mirror

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

bulb size for Ø210: max. Ø45mm L 115mm, for Ø265: max. Ø60mm L 175mm

materials: copper, frosted glass, mirror glass

LED or FLUO bulb excluded - WALL - IP50



FRAME black




FRAME white



FRAME copper



Ø210	SIPR 2122	SIPR 2121	€380
Ø265	SIPR 2622	SIPR 2621	€440
Ø210		SIPR 2127	€405
Ø265		SIPR 2627	€460



Sirens W frosted glass small mirror + edge mirror

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

bulb size for Ø210: max. Ø45mm L 115mm, for Ø265: max. Ø60mm L 175mm

materials: copper, frosted glass, mirror glass

LED or FLUO bulb excluded - WALL - IP50



FRAME black




FRAME white



FRAME copper



Ø210	SIPR 2132	SIPR 2131	€380
Ø265	SIPR 2632	SIPR 2631	€440
Ø210		SIPR 2137	€405
Ø265		SIPR 2637	€460



Sirens W frosted glass edge mirror

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

bulb size for Ø210: max. Ø45mm L 115mm, for Ø265: max. Ø60mm L 175mm

materials: copper, frosted glass, mirror glass

LED or FLUO bulb excluded - WALL - IP50



FRAME black



FRAME white



FRAME copper




Ø210	SIPR 2142	SIPR 2141	€380
Ø265	SIPR 2642	SIPR 2641	€440
Ø210		SIPR 2147	€405
Ø265		SIPR 2647	€460

Suspension



AUDY-SOLITAIRE

Audy-Solitaire RF	138
Audy-Solitaire RF D+B	139
Audy-Solitaire RL	140
Audy-Solitaire RL D+B	141



AUSTERE-CHANDELIER 1Y

Design your own CHANDELIER	142
Austere-Chandelier 1Y RF 75 remote	144
Austere-Chandelier 1Y RF 100 remote	145
Austere-Chandelier 1Y RS 16 remote	146
Austere-Chandelier 1Y RL 79 remote	147
Austere-Chandelier 1Y RS 16 surface	148
Austere-Chandelier 1Y RL 79 surface	149




AUSTERE-CHANDELIER 2Y

Design your own CHANDELIER	142
Austere-Chandelier 2Y RF 75 remote	150
Austere-Chandelier 2Y RF 100 remote	151
Austere-Chandelier 2Y RS 16 remote	152
Austere-Chandelier 2Y RL 79 remote	153
Austere-Chandelier 2Y RS 16 surface	154
Austere-Chandelier 2Y RL 79 surface	155



AUSTERE-CHANDELIER 3Y

Design your own CHANDELIER	142
Austere-Chandelier 3Y RF 75 remote	156
Austere-Chandelier 3Y RF 100 remote	157
Austere-Chandelier 3Y RS 16 remote	158
Austere-Chandelier 3Y RL 79 remote	159
Austere-Chandelier 3Y RS 16 surface	160
Austere-Chandelier 3Y RL 79 surface	161



AUSTERE-CHANDELIER 1X

Design your own CHANDELIER	142
Austere-Chandelier 1X RF 75 remote	162
Austere-Chandelier 1X RF 100 remote	163
Austere-Chandelier 1X RS 16 remote	164
Austere-Chandelier 1X RL 79 remote	165
Austere-Chandelier 1X RS 16 surface	166
Austere-Chandelier 1X RL 79 surface	167



AUSTERE-CHANDELIER 2X

Design your own CHANDELIER	142
Austere-Chandelier 2X RF 75 remote	168
Austere-Chandelier 2X RF 100 remote	169
Austere-Chandelier 2X RS 16 remote	170
Austere-Chandelier 2X RL 79 remote	171
Austere-Chandelier 2X RS 16 surface	172
Austere-Chandelier 2X RL 79 surface	173

Suspension



AUSTERE-CHANDELIER 3X

Design your own CHANDELIER	142
Austere-Chandelier 3X RF 75 remote	174
Austere-Chandelier 3X RF 100 remote	175
Austere-Chandelier 3X RS 16 remote	176
Austere-Chandelier 3X RL 79 remote	177
Austere-Chandelier 3X RS 16 surface	178
Austere-Chandelier 3X RL 79 surface	179




AUSTERE-SOLITAIRE

Austere-Solitaire RF	183
Austere-Solitaire RF D+B	183
Austere-Solitaire RL	184
Austere-Solitaire RL D+B	184



AUSTERE-SUSPENSION 1+

Design your own SUSPENSION	186
Austere-Suspension 1+ RF 75 remote	188
Austere-Suspension 1+ RF 100 remote	189
Austere-Suspension 1+ RS 16 remote	190
Austere-Suspension 1+ RL 79 remote	191
Austere-Suspension 1+ RS 16 surface	192
Austere-Suspension 1+ RL 79 surface	193



AUSTERE-D

Austere-D1 3 RF 75	180
Austere-D1 3 RF 100	180
Austere-D2 5 RF 75	181
Austere-D2 5 RF 100	181
Austere-D1 3 RL 79	182
Austere-D2 5 RL 79	182



I-TRO

I-Tro	194
I-Tro D+B	194




N-TRO

N-Tro	195
N-Tro D+B	195



SIRENS SU

Sirens SU diffuser glass	196
Sirens SU mirror	196
Sirens SU frosted glass	196
big mirror + edge mirror	
Sirens SU frosted glass	197
small mirror + edge mirror	
Sirens SU frosted glass edge mirror	197



◆ Choose beam:
M=medium 23°
or W=wide 40°

Audy-Solitaire RF

RF= fixed vertical rod 988mm (possibility to shorten with tube cutter)

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

material: brass

SUSPENSION - IP40

COVER brass
FRAME brass



COVER black
FRAME black



COVER white
FRAME white



COVER gunmetal
FRAME gunmetal



COVER bronze
FRAME bronze



COVER nickel
FRAME nickel



FALSE ceiling



2700K	AUSF 1203◆						€550
2700K		AUSF 1202◆	AUSF 1201◆				€530
2700K				AUSF 1204◆	AUSF 1207◆	AUSF 1209◆	€615
3000K	AUSF 1303◆						€550
3000K		AUSF 1302◆	AUSF 1301◆				€530
3000K				AUSF 1304◆	AUSF 1307◆	AUSF 1309◆	€615

+ honeycomb	2700K	AUSF 1203H◆					€560
+ honeycomb	2700K		AUSF 1202H◆	AUSF 1201H◆			€540
+ honeycomb	2700K				AUSF 1204H◆	AUSF 1207H◆	€625
+ honeycomb	3000K	AUSF 1303H◆					€560
+ honeycomb	3000K		AUSF 1302H◆	AUSF 1301H◆			€540
+ honeycomb	3000K				AUSF 1304H◆	AUSF 1307H◆	€625

CONCRETE ceiling



2700K	AUSC 1203◆						€560
2700K		AUSC 1202◆	AUSC 1201◆				€540
2700K				AUSC 1204◆	AUSC 1207◆	AUSC 1209◆	€625
3000K	AUSC 1303◆						€560
3000K		AUSC 1302◆	AUSC 1301◆				€540
3000K				AUSC 1304◆	AUSC 1307◆	AUSC 1309◆	€625


+ honeycomb	2700K	AUSC 1203H◆					€570
+ honeycomb	2700K		AUSC 1202H◆	AUSC 1201H◆			€550
+ honeycomb	2700K				AUSC 1204H◆	AUSC 1207H◆	€635
+ honeycomb	3000K	AUSC 1303H◆					€570
+ honeycomb	3000K		AUSC 1302H◆	AUSC 1301H◆			€550
+ honeycomb	3000K				AUSC 1304H◆	AUSC 1307H◆	€635

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




◆ Choose beam:
M=medium 23°
or W=wide 40°

Audy-Solitaire RF D+B

RF= fixed vertical rod 988mm (possibility to shorten with tube cutter)
230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
material: brass
SUSPENSION - IP40

			Choose beam: M=medium 23° or W=wide 40°		COVER brass FRAME brass		COVER black FRAME black		COVER white FRAME white		COVER gunmetal FRAME gunmetal		COVER bronze FRAME bronze		COVER nickel FRAME nickel				
			DIM																
	LC	2700K		AUSBD 1213◆				AUSBD 1212◆		AUSBD 1211◆						AUSBD 1219◆		€835	
		2700K														€815			
		2700K										AUSBD 1214◆		AUSBD 1217◆		AUSBD 1219◆		€975	
	LC	3000K		AUSBD 1313◆				AUSBD 1312◆		AUSBD 1311◆						AUSBD 1319◆		€835	
		3000K																€815	
		3000K										AUSBD 1314◆		AUSBD 1317◆		AUSBD 1319◆		€975	
+ honeycomb				LC	2700K		AUSBD 1213H◆										AUSBD 1219H◆		€845
+ honeycomb				LC	2700K												AUSBD 1212H◆		€825
+ honeycomb				LC	2700K								AUSBD 1214H◆		AUSBD 1217H◆		AUSBD 1219H◆		€985
+ honeycomb				LC	3000K		AUSBD 1313H◆										AUSBD 1319H◆		€845
+ honeycomb				LC	3000K												AUSBD 1312H◆		€825
+ honeycomb				LC	3000K								AUSBD 1314H◆		AUSBD 1317H◆		AUSBD 1319H◆		€985



Choose beam:
M=medium 23°
or W=wide 40°

POWERCORD
LENGTH

Audy-Solitaire RL

RL= long vertical rod 750mm + powercord - Longer lengths available **on demand**

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

material: brass

SUSPENSION - IP40

COVER brass
POWERCORD black
FRAME brass



COVER black
POWERCORD black
FRAME black



COVER white
POWERCORD white
FRAME white



COVER gunmetal
POWERCORD black
FRAME gunmetal



COVER bronze
POWERCORD black
FRAME bronze



COVER nickel
POWERCORD black
FRAME nickel



FALSE ceiling



L 1000	2700K	AUCA 1232						€605
L 1000	2700K		AUCA 1222	AUCA 1211				€575
L 1000	2700K				AUCA 1242	AUCA 1272	AUCA 1292	€665
L 1000	3000K	AUCA 1332						€605
L 1000	3000K		AUCA 1322	AUCA 1311				€575
L 1000	3000K				AUCA 1342	AUCA 1372	AUCA 1392	€665

+ honeycomb	L 1000	2700K	AUCA 1232H					€615
+ honeycomb	L 1000	2700K		AUCA 1222H	AUCA 1211H			€585
+ honeycomb	L 1000	2700K				AUCA 1242H	AUCA 1272H	€675
+ honeycomb	L 1000	3000K	AUCA 1332H					€615
+ honeycomb	L 1000	3000K		AUCA 1322H	AUCA 1311H			€585
+ honeycomb	L 1000	3000K				AUCA 1342H	AUCA 1372H	€675

CONCRETE ceiling



L 1000	2700K	AUCC 1232						€615
L 1000	2700K		AUCC 1222	AUCC 1211				€585
L 1000	2700K				AUCC 1242	AUCC 1272	AUCC 1292	€675
L 1000	3000K	AUCC 1332						€615
L 1000	3000K		AUCC 1322	AUCC 1311				€585
L 1000	3000K				AUCC 1342	AUCC 1372	AUCC 1392	€675


+ honeycomb	L 1000	2700K	AUCC 1232H					€625
+ honeycomb	L 1000	2700K		AUCC 1222H	AUCC 1211H			€595
+ honeycomb	L 1000	2700K				AUCC 1242H	AUCC 1272H	€685
+ honeycomb	L 1000	3000K	AUCC 1332H					€625
+ honeycomb	L 1000	3000K		AUCC 1322H	AUCC 1311H			€595
+ honeycomb	L 1000	3000K				AUCC 1342H	AUCC 1372H	€685

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audy-Solitaire RL D+B

RL= long vertical rod 750 mm + powercord - Longer lengths available **on demand**

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**

1 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

material: brass

SUSPENSION - IP40

Choose beam:
M=medium 23°
or W=wide 40°

POWERCORD
LENGTH

DIM

COVER brass

POWERCORD black

FRAME brass

COVER black

POWERCORD black

FRAME black

COVER white

POWERCORD white

FRAME white

COVER gunmetal

POWERCORD black

FRAME gunmetal

COVER bronze

POWERCORD black

FRAME bronze

COVER nickel

POWERCORD black

FRAME nickel

L 1000
L 1000
L 1000

LC
LC
LC

2700K
2700K
2700K

AUCBD 1213
AUCBD 1212
AUCBD 1211

AUCBD 1211

AUCBD 1214
AUCBD 1217
AUCBD 1219

€885
€860
€1.035

L 1000
L 1000
L 1000

LC
LC
LC

3000K
3000K
3000K

AUCBD 1313
AUCBD 1312
AUCBD 1311

AUCBD 1311

AUCBD 1314
AUCBD 1317
AUCBD 1319

€885
€860
€1.035

+ honeycomb
+ honeycomb
+ honeycomb

+ honeycomb
+ honeycomb
+ honeycomb

L 1000
L 1000
L 1000

L 1000
L 1000
L 1000

LC
LC
LC

LC
LC
LC

2700K
2700K
2700K

3000K
3000K
3000K

AUCBD 1213H
AUCBD 1212H
AUCBD 1211H

AUCBD 1313H
AUCBD 1312H
AUCBD 1311H

AUCBD 1211H



AUCBD 1214H
AUCBD 1217H
AUCBD 1219H

€895
€870
€1.045


€895
€870
€1.045

DESIGN YOUR OWN AUSTERE-CHANDELIER - REMOTE MOUNTING

I. Choose the shape of the chandelier: **Y** or **X**



II. Choose the levels of the chandelier: 1 level, 2 levels or 3 levels



III. Choose the arm length per level: 250mm, 500mm or 750mm (Each arm on the same level has the same length)

arm 250mm



arm 500mm



arm 750mm



Y chandelier: 3 x 250mm = Ø590mm

X chandelier: 4 x 250mm = L 516mm W 316mm

Y chandelier: 3 x 500mm = Ø1090mm


X chandelier: 4 x 500mm = L 949mm W 565mm

Y chandelier: 3 x 750mm = Ø1590mm

X chandelier: 4 x 750mm = L 1382mm W 815mm

IV. Choose the colors and the vertical ROD: RS 16, RL 79, RF 75 or RF 100

rod short: **RS 16**



rod long: **RL 79**



rod fixed: **RF 75**



rod fixed: **RF 100**



*Total height depends on the chosen mounting option, see **NOTE** on product page.

Shorter vertical rod available **on demand** with additional cost.


*Total height depends on the chosen mounting option, see **NOTE** on product page.

Shorter vertical rod available **on demand** with additional cost.

V. Choose your cover or canopy for 'REMOTE MOUNTING' driver:



cover C6
false/concrete ceiling



For false ceiling: **RS 16, RL 79, RF 75 & RF 100**
For concrete ceiling: **RS 16 & RL 79**



cover C8
concrete ceiling



For **RF 75 & RF 100**



canopy B45
false/concrete ceiling



For **RS 16, RL 79, RF 75 & RF 100**



canopy B46
false/concrete ceiling





For **RS 16 & RL 79**

VI. Choose your 'remote mounting' driver:


driver: TRIAC/IGBT dimmable (**NOT** for 3X/3Y, 1X, 2X levels)
driver: 1-10V dimmable
driver: PUSH-DIM dimmable
driver: DALI dimmable

DESIGN YOUR OWN AUSTERE-CHANDELIER - SURFACE MOUNTING

I. Choose the shape of the chandelier: **Y** or **X**



II. Choose the levels of the chandelier: 1 level, 2 levels or 3 levels



III. Choose the arm length per level: 250mm, 500mm or 750mm (Each arm on the same level has the same length)

arm 250mm



arm 500mm



arm 750mm



Y chandelier: 3 x 250mm = Ø590 mm

X chandelier: 4 x 250mm = L 516mm W 316mm

Y chandelier: 3 x 500mm = Ø1090mm

X chandelier: 4 x 500mm = L 949mm W 565mm

Y chandelier: 3 x 750mm = Ø1590mm

X chandelier: 4 x 750mm = L 1382mm W 815mm

IV. Choose the colors and the vertical ROD: RS 16 or RL 79

rod short: **RS 16**

POWERCORD
& STEELCABLE
+/-2000



rod long: **RL 79**


POWERCORD
& STEELCABLE
+/-2000



V. Choose your base (driver incl.) for 'SURFACE MOUNTING':




base B20




dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI / TRIAC)
+ casambi possible

Only for 1Y, 2Y, 1X
Max. 6 light-elements
Min. 3 light-elements




base B21




dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI / TRIAC)
+ casambi possible


Only for 1Y, 2Y, 1X
Max. 6 light-elements
Min. 3 light-elements



base B32



non-dimnable driver incl. in base
Max. 3 light-elements
Min. 12 light-elements



base B50



dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible


REMOTE MOUNTED DRIVER

Austere-Chandelier 1Y RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**
350mA - **required cover/canopy + required remote mounted driver see below**
3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1Y RF 75 with REMOTE MOUNTED DRIVER


cover C6^{*} false ceiling



white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 75** with cover C6 will be **778mm**


cover C8 concrete ceiling



white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 75** with cover C8 will be **806mm**

canopy B45 false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 75** with canopy B45 will be **966mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1Y RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 25WT	230V (110V on demand)	€40
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V	230V	€32
1 x	PU (PUSH-DIM) + DA (DALI) + I10 (1-10V)	D 40WDP	110V - 230V	€59

• driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:
3 x 250mm = Ø590mm
3 x 500mm = Ø1090mm
3 x 750mm = Ø1590mm
possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
3x 250mm	1Y RF7 2023	1Y RF7 2022				€1.555
3x 250mm			1Y RF7 2024	1Y RF7 2027	1Y RF7 2029	€1.940
3x 500mm	1Y RF7 5023	1Y RF7 5022				€1.590
3x 500mm			1Y RF7 5024	1Y RF7 5027	1Y RF7 5029	€1.990
3x 750mm	1Y RF7 7023	1Y RF7 7022				€1.635
3x 750mm			1Y RF7 7024	1Y RF7 7027	1Y RF7 7029	€2.045

REMOTE MOUNTED DRIVER

Austere-Chandelier 1Y RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available on demand
350mA - **required cover/canopy + required remote mounted driver see below**

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1Y RF 100 with REMOTE MOUNTED DRIVER

cover C6

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 100** with cover C6 will be **1028mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 100** with cover C8 will be **1056mm**

canopy B45

false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 100** with canopy B45 will be **1216mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1Y RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 25WT	230V (110V on demand)	€40
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V	230V	€32
1 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V - 230V	€59

• driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
3x 250mm	1Y RF10 2023	1Y RF10 2022				€1.565
3x 250mm			1Y RF10 2024	1Y RF10 2027	1Y RF10 2029	€1.950
3x 500mm	1Y RF10 5023	1Y RF10 5022				€1.600
3x 500mm			1Y RF10 5024	1Y RF10 5027	1Y RF10 5029	€1.990
3x 750mm	1Y RF10 7023	1Y RF10 7022				€1.645
3x 750mm			1Y RF10 7024	1Y RF10 7027	1Y RF10 7029	€2.045

REMOTE MOUNTED DRIVER

Austere-Chandelier 1Y RS 16

RS= short vertical rod 160mm + powercord & steelcable 2000mm
350mA - **required cover/canopy + required remote mounted driver see below**

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1Y RS 16 with REMOTE MOUNTED DRIVER


cover C6^{*} false ceiling

aperture: Ø45 & depth: min. 40mm




cover C6 concrete ceiling


aperture: Ø45 & depth: min. 40mm



canopy B45 false/concrete ceiling



canopy B46 false/concrete ceiling



white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255


REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1Y RS 16

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 25WT	230V (110V on demand)	€40
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V*	230V	€32
1 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€59

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
3x 250mm	1Y RS 2023	1Y RS 2022	1Y RS 2013	1Y RS 2024	1Y RS 2027	1Y RS 2029	1Y RS 2019	€1.565
3x 250mm								€1.955
3x 500mm	1Y RS 5023	1Y RS 5022	1Y RS 5013	1Y RS 5024	1Y RS 5027	1Y RS 5029	1Y RS 5019	€1.600
3x 500mm								€1.995
3x 750mm	1Y RS 7023	1Y RS 7022	1Y RS 7013	1Y RS 7024	1Y RS 7027	1Y RS 7029	1Y RS 7019	€1.645
3x 750mm								€2.050

Austere-Chandelier 1Y RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 1Y RS 16 with SURFACE MOUNTED DRIVER

base B20


110V-230V - driver included in base
+ casambi possible



HO PUDA	white	BCDP 2401	€340
HO PUDA	black	BCDP 2402	€340
LC	white	BCT3 2401	€340
LC	black	BCT3 2402	€340
optional: casambi D CAS €100 (NET PRICE)			

base B21


110V-230V - driver included in base
+ casambi possible



HO PUDA	white	BCDP 2411	€340
HO PUDA	black	BCDP 2422	€340
LC	white	BCT3 2411	€340
LC	black	BCT3 2422	€340
optional: casambi D CAS €100 (NET PRICE)			

base B32


230V - driver included in base




NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50

110V-230V - driver included in base
+ casambi possible



HO PU	white		BDPU 0811	€590
HO PU	black		BDPU 0822	€590
DA PU	white		BDDA 0811	€625
DA PU	black		BDDA 0822	€625
optional: casambi D CAS €100 (NET PRICE)				



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 143



LENGTH
/ LEVEL

	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
3x 250mm	1Y RS 2023	1Y RS 2022	1Y RS 2013					€1.565
3x 250mm				1Y RS 2024	1Y RS 2027	1Y RS 2029	1Y RS 2019	€1.955
3x 500mm	1Y RS 5023	1Y RS 5022	1Y RS 5013					€1.600
3x 500mm				1Y RS 5024	1Y RS 5027	1Y RS 5029	1Y RS 5019	€1.995
3x 750mm	1Y RS 7023	1Y RS 7022	1Y RS 7013					€1.645
3x 750mm				1Y RS 7024	1Y RS 7027	1Y RS 7029	1Y RS 7019	€2.050

Austere-Chandelier 1Y RL 79 D+B

SURFACE MOUNTED DRIVER

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

3 x LED array 6W **(LED incl.)** - 350mA - 3 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 1Y RL 79 with SURFACE MOUNTED DRIVER

base B20

110V-230V - driver included in base
+ casambi possible



	white 	BCDP 2401	€340
	black 	BCDP 2402	€340
	white 	BCT3 2401	€340
	black 	BCT3 2402	€340
optional: casambi D CAS €100 (NET PRICE)			

base B21


110V-230V - driver included in base
+ casambi possible



	white 	BCDP 2411	€340
	black 	BCDP 2422	€340
	white 	BCT3 2411	€340
	black 	BCT3 2422	€340
optional: casambi D CAS €100 (NET PRICE)			

base B32


230V - driver included in base




	white 	BNDN 0811	€480
	black 	BNDN 0822	€480

base B50

110V-230V - driver included in base
+ casambi possible



	white 	BDPU 0811	€590
	black 	BDPU 0822	€590
	white 	BDDA 0811	€625
	black 	BDDA 0822	€625
optional: casambi D CAS €100 (NET PRICE)			



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 143



LENGTH
/ LEVEL

	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
3x 250mm	1Y RL 2023	1Y RL 2022	1Y RL 2013					€1.605
3x 250mm				1Y RL 2024	1Y RL 2027	1Y RL 2029	1Y RL 2019	€2.010
3x 500mm	1Y RL 5023	1Y RL 5022	1Y RL 5013					€1.640
3x 500mm				1Y RL 5024	1Y RL 5027	1Y RL 5029	1Y RL 5019	€2.045
3x 750mm	1Y RL 7023	1Y RL 7022	1Y RL 7013					€1.685
3x 750mm				1Y RL 7024	1Y RL 7027	1Y RL 7029	1Y RL 7019	€2.100

REMOTE MOUNTED DRIVER

Austere-Chandelier 2Y RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 2Y RF 75 with REMOTE MOUNTED DRIVER

cover C6*

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 75 with cover C6 will be 914mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 75 with cover C8 will be 942mm**

canopy B45

false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 75 with canopy B45 will be 1102mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2Y RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 25WT	230V (110V on demand)	€40
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41
1 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€59

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL		LENGTH / LEVEL		FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
3x 250mm	&	3x 250mm		2Y RF7 2223	2Y RF7 2222				€2.970
3x 250mm	&	3x 250mm				2Y RF7 2224	2Y RF7 2227	2Y RF7 2229	€3.710
3x 250mm	&	3x 500mm		2Y RF7 2523	2Y RF7 2522				€3.005
3x 250mm	&	3x 500mm				2Y RF7 2524	2Y RF7 2527	2Y RF7 2529	€3.755
3x 500mm	&	3x 500mm		2Y RF7 5523	2Y RF7 5522				€3.050
3x 500mm	&	3x 500mm				2Y RF7 5524	2Y RF7 5527	2Y RF7 5529	€3.810
3x 500mm	&	3x 750mm		2Y RF7 5723	2Y RF7 5722				€3.085
3x 500mm	&	3x 750mm				2Y RF7 5724	2Y RF7 5727	2Y RF7 5729	€3.855
3x 750mm	&	3x 750mm		2Y RF7 7723	2Y RF7 7722				€3.130
3x 750mm	&	3x 750mm				2Y RF7 7724	2Y RF7 7727	2Y RF7 7729	€3.910

REMOTE MOUNTED DRIVER

Austere-Chandelier 2Y RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 2Y RF 100 with REMOTE MOUNTED DRIVER

cover C6*

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 100** with cover C6 will be **1164mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 100** with cover C8 will be **1192mm**

canopy B45

false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 100** with canopy B45 will be **1352mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2Y RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 25WT	230V (110V on demand)	€40
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41
1 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€59

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
3x 250mm	&	3x 250mm	2Y RF10 2223	2Y RF10 2222			€2.980
3x 250mm	&	3x 250mm		2Y RF10 2224	2Y RF10 2227	2Y RF10 2229	€3.720
3x 250mm	&	3x 500mm	2Y RF10 2523	2Y RF10 2522			€3.015
3x 250mm	&	3x 500mm		2Y RF10 2524	2Y RF10 2527	2Y RF10 2529	€3.765
3x 500mm	&	3x 500mm	2Y RF10 5523	2Y RF10 5522			€3.060
3x 500mm	&	3x 500mm		2Y RF10 5524	2Y RF10 5527	2Y RF10 5529	€3.820
3x 500mm	&	3x 750mm	2Y RF10 5723	2Y RF10 5722			€2.095
3x 500mm	&	3x 750mm		2Y RF10 5724	2Y RF10 5727	2Y RF10 5729	€3.865
3x 750mm	&	3x 750mm	2Y RF10 7723	2Y RF10 7722			€3.140
3x 750mm	&	3x 750mm		2Y RF10 7724	2Y RF10 7727	2Y RF10 7729	€3.920

REMOTE MOUNTED DRIVER

Austere-Chandelier 2Y RS 16

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required cover/canopy + required remote mounted driver see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 2Y RS 16 with REMOTE MOUNTED DRIVER


cover C6⁺ false ceiling

aperture: Ø45 & depth: min. 40mm




cover C6 concrete ceiling


aperture: Ø45 & depth: min. 40mm



canopy B45 false/concrete ceiling



canopy B46 false/concrete ceiling



white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255


REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2Y RS 16

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 25WT	230V (110V on demand)	€40
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41
1 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V - 230V	€59

• driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

		Each arm on the same level has the same length: 3 x 250mm = Ø590mm 3 x 500mm = Ø1090mm 3 x 750mm = Ø1590mm possibilities & dimensions SEE P. 142		+							
LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver			
3x 250mm	&	3x 500mm	2Y RS 2223	2Y RS 2222	2Y RS 2213						€2.980
3x 250mm	&	3x 500mm				2Y RS 2224	2Y RS 2227	2Y RS 2229	2Y RS 2219		€3.720
3x 500mm	&	3x 500mm	2Y RS 2523	2Y RS 2522	2Y RS 2513						€3.015
3x 500mm	&	3x 500mm				2Y RS 2524	2Y RS 2527	2Y RS 2529	2Y RS 2519		€3.765
3x 500mm	&	3x 750mm	2Y RS 5523	2Y RS 5522	2Y RS 5513						€3.060
3x 500mm	&	3x 750mm				2Y RS 5524	2Y RS 5527	2Y RS 5529	2Y RS 5519		€3.820
3x 500mm	&	3x 750mm	2Y RS 5723	2Y RS 5722	2Y RS 5713						€2.095
3x 500mm	&	3x 750mm				2Y RS 5724	2Y RS 5727	2Y RS 5729	2Y RS 5719		€3.865
3x 750mm	&	3x 750mm	2Y RS 7723	2Y RS 7722	2Y RS 7713						€3.140
3x 750mm	&	3x 750mm				2Y RS 7724	2Y RS 7727	2Y RS 7729	2Y RS 7719		€3.920

SURFACE MOUNTED DRIVER

Austere-Chandelier 2Y RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.)** see below

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 2Y RS 16 with SURFACE MOUNTED DRIVER

base B20

110V-230V - driver included in base
+ casambi possible



HO PUDA	white	BCDP 2401	€340
HO PUDA	black	BCDP 2402	€340

LC	white	BCT3 2401	€340
LC	black	BCT3 2402	€340

optional: casambi | D CAS | €100 (NET PRICE)

base B21

110V-230V - driver included in base
+ casambi possible




HO PUDA	white	BCDP 2411	€340
HO PUDA	black	BCDP 2422	€340

LC	white	BCT3 2411	€340
LC	black	BCT3 2422	€340

optional: casambi | D CAS | €100 (NET PRICE)

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100 (NET PRICE)



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 143



LENGTH / LEVEL		LENGTH / LEVEL		FRAME brass POWERCORD black STEELCABLE black			FRAME black POWERCORD black STEELCABLE black			FRAME brass POWERCORD white STEELCABLE silver			FRAME gunmetal POWERCORD black STEELCABLE black			FRAME bronze POWERCORD black STEELCABLE black			FRAME nickel POWERCORD black STEELCABLE black			FRAME nickel POWERCORD white STEELCABLE silver		
				  	  	  	  	  	  	  														
3x 250mm	&	3x 500mm		2Y RS 2223	2Y RS 2222	2Y RS 2213		2Y RS 2224	2Y RS 2227	2Y RS 2229	2Y RS 2219		€2.980											
3x 250mm	&	3x 500mm											€3.720											
3x 500mm	&	3x 500mm		2Y RS 2523	2Y RS 2522	2Y RS 2513		2Y RS 2524	2Y RS 2527	2Y RS 2529	2Y RS 2519		€3.015											
3x 500mm	&	3x 500mm											€3.765											
3x 500mm	&	3x 750mm		2Y RS 5523	2Y RS 5522	2Y RS 5513		2Y RS 5524	2Y RS 5527	2Y RS 5529	2Y RS 5519		€3.060											
3x 500mm	&	3x 750mm											€3.820											
3x 500mm	&	3x 750mm		2Y RS 5723	2Y RS 5722	2Y RS 5713		2Y RS 5724	2Y RS 5727	2Y RS 5729	2Y RS 5719		€2.095											
3x 500mm	&	3x 750mm											€3.865											
3x 750mm	&	3x 750mm		2Y RS 7723	2Y RS 7722	2Y RS 7713							€3.140											
3x 750mm	&	3x 750mm						2Y RS 7724	2Y RS 7727	2Y RS 7729	2Y RS 7719		€3.920											

Austere-Chandelier 2Y RL 79 D+B

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.)** see below

6 x LED array 6W **(LED incl.)** - 350mA - 6 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 ☐

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 2Y RL 79 with SURFACE MOUNTED DRIVER

base B20

110V-230V - driver included in base
+ casambi possible



	white 	BCDP 2401	€340
	black 	BCDP 2402	€340
	white 	BCT3 2401	€340
	black 	BCT3 2402	€340

optional: **casambi** | D CAS | €100
(NET PRICE)

base B21

110V-230V - driver included in base
+ casambi possible




	white 	BCDP 2411	€340
	black 	BCDP 2422	€340
	white 	BCT3 2411	€340
	black 	BCT3 2422	€340

optional: **casambi** | D CAS | €100
(NET PRICE)

base B32


230V - driver included in base



NO	white		BNDN 0811	€480
NO	black		BNDN 0822	€480


base B50

110V-230V - driver included in base
+ casambi possible



10 PU	white	BDPU 0811	€590
10 PU	black	BDPU 0822	€590
DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: **casambi** | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

$$3 \times 250\text{mm} = \text{Ø}590\text{mm}$$
$$3 \times 500\text{mm} = \varnothing 1090\text{mm}$$
$$3 \times 750\text{mm} = \varnothing 1590\text{mm}$$

possibilities & dimensions SEE P. 143



LENGTH / LEVEL		LENGTH / LEVEL		FRAME brass POWERCORD black STEELCABLE black			FRAME black POWERCORD black STEELCABLE black			FRAME brass POWERCORD white STEELCABLE silver			FRAME gunmetal POWERCORD black STEELCABLE black			FRAME bronze POWERCORD black STEELCABLE black			FRAME nickel POWERCORD black STEELCABLE black			FRAME nickel POWERCORD white STEELCABLE silver		
3x 250mm	&	3x 500mm		2Y RL 2223	2Y RL 2222	2Y RL 2213		2Y RL 2224	2Y RL 2227	2Y RL 2229	2Y RL 2219		€3.020											
3x 250mm	&	3x 500mm											€3.770											
3x 500mm	&	3x 500mm		2Y RL 2523	2Y RL 2522	2Y RL 2513							€3.055											
3x 500mm	&	3x 500mm						2Y RL 2524	2Y RL 2527	2Y RL 2529	2Y RL 2519		€3.815											
3x 500mm	&	3x 750mm		2Y RL 5523	2Y RL 5522	2Y RL 5513							€3.100											
3x 500mm	&	3x 750mm						2Y RL 5524	2Y RL 5527	2Y RL 5529	2Y RL 5519		€3.870											
3x 500mm	&	3x 750mm		2Y RL 5723	2Y RL 5722	2Y RL 5713							€3.135											
3x 500mm	&	3x 750mm						2Y RL 5724	2Y RL 5727	2Y RL 5729	2Y RL 5719		€3.915											
3x 750mm	&	3x 750mm		2Y RL 7723	2Y RL 7722	2Y RL 7713							€3.180											
3x 750mm	&	3x 750mm						2Y RL 7724	2Y RL 7727	2Y RL 7729	2Y RL 7719		€3.970											

REMOTE MOUNTED DRIVER

Austere-Chandelier 3Y RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**350mA - **required cover/canopy + required remote mounted driver see below**

9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 3Y RF 75 with REMOTE MOUNTED DRIVER

cover C6*

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 75** with cover C6 will be **1050mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 75** with cover C8 will be **1078mm**

canopy B45

false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 75** with canopy B45 will be **1238mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3Y RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41

•driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL		LENGTH / LEVEL		LENGTH / LEVEL		FRAME brass		FRAME black		FRAME gunmetal		FRAME bronze		FRAME nickel	
3x 250mm	&	3x 250mm	&	3x 500mm		3Y RF7 22523		3Y RF7 22522							€4.420
3x 250mm	&	3x 250mm	&	3x 500mm						3Y RF7 22524		3Y RF7 2227		3Y RF7 22529	€5.530
3x 250mm	&	3x 500mm	&	3x 500mm		3Y RF7 25523		3Y RF7 25522							€4.455
3x 250mm	&	3x 500mm	&	3x 500mm						3Y RF7 25524		3Y RF7 2527		3Y RF7 25529	€5.575
3x 250mm	&	3x 500mm	&	3x 750mm		3Y RF7 25723		3Y RF7 25722							€4.500
3x 250mm	&	3x 500mm	&	3x 750mm						3Y RF7 25724		3Y RF7 25727		3Y RF7 25729	€5.630
3x 500mm	&	3x 500mm	&	3x 750mm		3Y RF7 55723		3Y RF7 55722							€4.535
3x 500mm	&	3x 500mm	&	3x 750mm						3Y RF7 55724		3Y RF7 55727		3Y RF7 55729	€5.675
3x 500mm	&	3x 750mm	&	3x 750mm		3Y RF7 57723		3Y RF7 57722							€4.580
3x 500mm	&	3x 750mm	&	3x 750mm						3Y RF7 57724		3Y RF7 57727		3Y RF7 57729	€5.730

REMOTE MOUNTED DRIVER

Austere-Chandelier 3Y RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**
 9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93
 material: brass
SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 3Y RF 100 with REMOTE MOUNTED DRIVER


cover C6^{*}
false ceiling



white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 100** with cover C6 will be **1300mm**


cover C8
concrete ceiling



white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 100** with cover C8 will be **1328mm**

canopy B45
false/concrete ceiling




white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255

NOTE: the total length of the chandelier: **RF 100** with canopy B45 will be **1488mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3Y RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41

•driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:
 3 x 250mm = Ø590mm
 3 x 500mm = Ø1090mm
 3 x 750mm = Ø1590mm
possibilities & dimensions SEE P. 142

+

LENGTH / LEVEL		LENGTH / LEVEL		LENGTH / LEVEL		FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
3x 250mm	&	3x 250mm	&	3x 500mm		3Y RF10 22523	3Y RF10 22522				€4.430
3x 250mm	&	3x 250mm	&	3x 500mm				3Y RF10 22524	3Y RF10 22527	3Y RF10 22529	€5.540
3x 250mm	&	3x 500mm	&	3x 500mm		3Y RF10 25523	3Y RF10 25522				€4.470
3x 250mm	&	3x 500mm	&	3x 500mm				3Y RF10 25524	3Y RF10 25527	3Y RF10 25529	€5.585
3x 250mm	&	3x 500mm	&	3x 750mm		3Y RF10 25723	3Y RF10 25722				€4.510
3x 250mm	&	3x 500mm	&	3x 750mm				3Y RF10 25724	3Y RF10 25727	3Y RF10 25729	€5.640
3x 500mm	&	3x 500mm	&	3x 750mm		3Y RF10 55723	3Y RF10 55722				€4.545
3x 500mm	&	3x 500mm	&	3x 750mm				3Y RF10 55724	3Y RF10 55727	3Y RF10 55729	€5.685
3x 500mm	&	3x 750mm	&	3x 750mm		3Y RF10 57723	3Y RF10 57722				€4.595
3x 500mm	&	3x 750mm	&	3x 750mm				3Y RF10 57724	3Y RF10 57727	3Y RF10 57729	€5.745

REMOTE MOUNTED DRIVER

Austere-Chandelier 3Y RS 16

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required cover/canopy + required remote mounted driver see below**

9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 ☐




REQUIRED COVER/CANOPY for Austere-Chandelier 3Y RS 16 with REMOTE MOUNTED DRIVER

cover C6^{*}
false ceiling

aperture: Ø45 & depth: min. 40mm

cover C6
concrete ceiling

aperture: Ø45 & depth: min. 40mm

canopy B45
false/concrete ceilingcanopy B46
false/concrete ceiling


white	21CO 0001	€90	white	21CO 0011	€110	white	21CP 4000	€175	white	21CP 4600	€175
black	21CO 0002	€90	black	21CO 0012	€110	black	21CP 5000	€175	black	21CP 5600	€175
brass	21CO 0003	€90	brass	21CO 0013	€110	brass	21CP 3000	€175	brass	21CP 3600	€175
gunmetal	21CO 0004	€110	gunmetal	21CO 0014	€140	gunmetal	21CP 4004	€255	gunmetal	21CP 4604	€255
bronze	21CO 0007	€110	bronze	21CO 0017	€140	bronze	21CP 7007	€255	bronze	21CP 7607	€255
nickel	21CO 0009	€110	nickel	21CO 0019	€140	nickel	21CP 9009	€255	nickel	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3Y RS 16

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
3x 250mm & 3x 250mm & 3x 500mm	3x 250mm & 3x 250mm & 3x 500mm	3x 500mm	3Y RS 22523	3Y RS 22522	3Y RS 22513					€4.430
3x 250mm & 3x 250mm & 3x 500mm	3x 250mm & 3x 250mm & 3x 500mm	3x 500mm	3Y RS 25523	3Y RS 255222	3Y RS 255213	3Y RS 22524	3Y RS 22527	3Y RS 22529	3Y RS 22519	€5.540
3x 250mm & 3x 500mm & 3x 500mm	3x 250mm & 3x 500mm & 3x 500mm	3x 500mm	3Y RS 25523	3Y RS 255222	3Y RS 255213	3Y RS 25524	3Y RS 25527	3Y RS 25529	3Y RS 25519	€4.470
3x 250mm & 3x 500mm & 3x 500mm	3x 250mm & 3x 500mm & 3x 500mm	3x 500mm	3Y RS 25523	3Y RS 255222	3Y RS 255213	3Y RS 25524	3Y RS 25527	3Y RS 25529	3Y RS 25519	€5.585
3x 250mm & 3x 500mm & 3x 750mm	3x 250mm & 3x 500mm & 3x 750mm	3x 750mm	3Y RS 25723	3Y RS 25722	3Y RS 25713					€4.510
3x 250mm & 3x 500mm & 3x 750mm	3x 250mm & 3x 500mm & 3x 750mm	3x 750mm	3Y RS 25723	3Y RS 25722	3Y RS 25713	3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€5.640
3x 500mm & 3x 500mm & 3x 750mm	3x 500mm & 3x 500mm & 3x 750mm	3x 750mm	3Y RS 55723	3Y RS 557222	3Y RS 557213					€4.545
3x 500mm & 3x 500mm & 3x 750mm	3x 500mm & 3x 500mm & 3x 750mm	3x 750mm	3Y RS 55723	3Y RS 557222	3Y RS 557213	3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€5.685
3x 500mm & 3x 750mm & 3x 750mm	3x 500mm & 3x 750mm & 3x 750mm	3x 750mm	3Y RS 57723	3Y RS 577222	3Y RS 577213					€4.595
3x 500mm & 3x 750mm & 3x 750mm	3x 500mm & 3x 750mm & 3x 750mm	3x 750mm	3Y RS 57723	3Y RS 577222	3Y RS 577213	3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€5.745

REMOTE MOUNTED DRIVER

Austere-Chandelier 3Y RL 79

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required cover/canopy + required remote mounted driver see below**

9 x LED array 6W (LED incl.) - 350mA - 9 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 ☐




REQUIRED COVER/CANOPY for Austere-Chandelier 3Y RL 79 with REMOTE MOUNTED DRIVER

cover C6^{*}
false ceiling

aperture: Ø45 & depth: min. 40mm

cover C6
concrete ceiling

aperture: Ø45 & depth: min. 40mm

canopy B45
false/concrete ceilingcanopy B46
false/concrete ceiling

white	21CO 0001	€90
black	21CO 0002	€90
brass	21CO 0003	€90
gunmetal	21CO 0004	€110
bronze	21CO 0007	€110
nickel	21CO 0009	€110

white	21CO 0011	€110
black	21CO 0012	€110
brass	21CO 0013	€110
gunmetal	21CO 0014	€140
bronze	21CO 0017	€140
nickel	21CO 0019	€140

white	21CP 4000	€175
black	21CP 5000	€175
brass	21CP 3000	€175
gunmetal	21CP 4004	€255
bronze	21CP 7007	€255
nickel	21CP 9009	€255


white	21CP 4600	€175
black	21CP 5600	€175
brass	21CP 3600	€175
gunmetal	21CP 4604	€255
bronze	21CP 7607	€255
nickel	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3Y RL 79

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass	POWERCORD black	STEELCABLE black	FRAME black	POWERCORD black	STEELCABLE black	FRAME brass	POWERCORD white	STEELCABLE silver	FRAME gunmetal	POWERCORD black	STEELCABLE black	FRAME bronze	POWERCORD black	STEELCABLE black	FRAME nickel	POWERCORD black	STEELCABLE black	FRAME nickel	POWERCORD white	STEELCABLE silver	
3x 250mm	&	3x 250mm	&	3x 500mm	3Y RL 22523	3Y RL 22522	3Y RL 22513																	€4.470
3x 250mm	&	3x 250mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513																	€5.590
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513																	€4.515
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513																	€5.635
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RL 25723	3Y RL 25722	3Y RL 25713																	€4.550
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RL 25723	3Y RL 25722	3Y RL 25713																	€5.690
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RL 55723	3Y RL 55722	3Y RL 55713																	€4.585
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RL 55723	3Y RL 55722	3Y RL 55713																	€5.735
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RL 57723	3Y RL 57722	3Y RL 57713																	€4.630
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RL 57723	3Y RL 57722	3Y RL 57713																	€5.790

SURFACE MOUNTED DRIVER

Austere-Chandelier 3Y RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

9 x LED array 6W (**LED incl.**) - 350mA - 9 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 3Y RS 16 with SURFACE MOUNTED DRIVER

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 143



LENGTH / LEVEL			LENGTH / LEVEL			LENGTH / LEVEL			FRAME brass POWERCORD black STEELCABLE black			FRAME black POWERCORD black STEELCABLE black			FRAME brass POWERCORD white STEELCABLE silver			FRAME gunmetal POWERCORD black STEELCABLE black			FRAME bronze POWERCORD black STEELCABLE black			FRAME nickel POWERCORD black STEELCABLE black			FRAME nickel POWERCORD white STEELCABLE silver		
3x 250mm	&	3x 250mm	&	3x 500mm	3Y RS 22523	3Y RS 22522	3Y RS 22513					3Y RS 22524	3Y RS 22527	3Y RS 22529	3Y RS 22519	€4.430													
3x 250mm	&	3x 250mm	&	3x 500mm	3Y RS 25523	3Y RS 255222	3Y RS 255213					3Y RS 25524	3Y RS 25527	3Y RS 25529	3Y RS 25519	€5.540													
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RS 25523	3Y RS 255222	3Y RS 255213					3Y RS 25524	3Y RS 25527	3Y RS 25529	3Y RS 25519	€4.470													
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RS 25523	3Y RS 255222	3Y RS 255213					3Y RS 25524	3Y RS 25527	3Y RS 25529	3Y RS 25519	€5.585													
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RS 25723	3Y RS 25722	3Y RS 25713					3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€4.510													
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RS 25723	3Y RS 25722	3Y RS 25713					3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€5.640													
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RS 55723	3Y RS 557222	3Y RS 557213					3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€4.545													
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RS 55723	3Y RS 557222	3Y RS 557213					3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€5.685													
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RS 57723	3Y RS 577222	3Y RS 577213					3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€4.595													
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RS 57723	3Y RS 577222	3Y RS 577213					3Y RS 25724	3Y RS 25727	3Y RS 25729	3Y RS 25719	€5.745													

SURFACE MOUNTED DRIVER

Austere-Chandelier 3Y RL 79 D+B

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

9 x LED array 6W **(LED incl.)** - 350mA - 9 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 3Y RL 79 with SURFACE MOUNTED DRIVER

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

3 x 250mm = Ø590mm

3 x 500mm = Ø1090mm

3 x 750mm = Ø1590mm

possibilities & dimensions SEE P. 143



LENGTH / LEVEL			LENGTH / LEVEL			LENGTH / LEVEL			FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
3x 250mm	&	3x 250mm	&	3x 500mm	3Y RL 22523	3Y RL 22522	3Y RL 22513				3Y RL 22524	3Y RL 22527	3Y RL 22529	3Y RL 22519		€4.470
3x 250mm	&	3x 250mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513				3Y RL 25524	3Y RL 25527	3Y RL 25529	3Y RL 25519		€5.590
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513				3Y RL 25524	3Y RL 25527	3Y RL 25529	3Y RL 25519		€4.515
3x 250mm	&	3x 500mm	&	3x 500mm	3Y RL 25523	3Y RL 25522	3Y RL 25513				3Y RL 25524	3Y RL 25527	3Y RL 25529	3Y RL 25519		€5.635
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RL 25723	3Y RL 25722	3Y RL 25713				3Y RL 25724	3Y RL 25727	3Y RL 25729	3Y RL 25719		€4.550
3x 250mm	&	3x 500mm	&	3x 750mm	3Y RL 25723	3Y RL 25722	3Y RL 25713				3Y RL 25724	3Y RL 25727	3Y RL 25729	3Y RL 25719		€5.690
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RL 55723	3Y RL 55722	3Y RL 557213				3Y RL 55724	3Y RL 55727	3Y RL 55729	3Y RL 55719		€4.585
3x 500mm	&	3x 500mm	&	3x 750mm	3Y RL 55723	3Y RL 55722	3Y RL 557213				3Y RL 55724	3Y RL 55727	3Y RL 55729	3Y RL 55719		€5.735
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RL 57723	3Y RL 57722	3Y RL 577213				3Y RL 57724	3Y RL 57727	3Y RL 57729	3Y RL 57719		€4.630
3x 500mm	&	3x 750mm	&	3x 750mm	3Y RL 57723	3Y RL 57722	3Y RL 577213				3Y RL 57724	3Y RL 57727	3Y RL 57729	3Y RL 57719		€5.790

REMOTE MOUNTED DRIVER

Austere-Chandelier 1X RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1X RF 75 with REMOTE MOUNTED DRIVER


cover C6^{*} false ceiling



white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 75** with cover C6 will be **778mm**

cover C8 concrete ceiling



white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 75** with cover C8 will be **806mm**

canopy B45 false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 75** with canopy B45 will be **966mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1X RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V*	230V	€34
1 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V - 230V	€59

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
4x 250mm	1X RF7 2023	1X RF7 2022				€1.960
4x 250mm			1X RF7 2024	1X RF7 2027	1X RF7 2029	€2.455
4x 500mm	1X RF7 5023	1X RF7 5022				€2.010
4x 500mm			1X RF7 5024	1X RF7 5027	1X RF7 5029	€2.515
4x 750mm	1X RF7 7023	1X RF7 7022				€2.065
4x 750mm			1X RF7 7024	1X RF7 7027	1X RF7 7029	€2.580

REMOTE MOUNTED DRIVER

Austere-Chandelier 1X RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1X RF 100 with REMOTE MOUNTED DRIVER

cover C6*

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 100** with cover C6 will be **1028mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 100** with cover C8 will be **1056mm**

canopy B45

false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier: **RF 100** with canopy B45 will be **1216mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1X RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V*	230V	€34
1 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V - 230V	€59

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
4x 250mm	1X RF10 2023	1X RF10 2022				€1.970
4x 250mm			1X RF10 2024	1X RF10 2027	1X RF10 2029	€2.465
4x 500mm	1X RF10 5023	1X RF10 5022				€2.020
4x 500mm			1X RF10 5024	1X RF10 5027	1X RF10 5029	€2.525
4x 750mm	1X RF10 7023	1X RF10 7022				€2.075
4x 750mm			1X RF10 7024	1X RF10 7027	1X RF10 7029	€2.590

REMOTE MOUNTED DRIVER

Austere-Chandelier 1X RS 16

RS= short vertical rod 160mm + powercord & steelcable 2000mm
350mA - **required cover/canopy + required remote mounted driver see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1X RS 16 with REMOTE MOUNTED DRIVER


cover C6[•] false ceiling

aperture: Ø45 & depth: min. 40mm




cover C6 concrete ceiling


aperture: Ø45 & depth: min. 40mm



canopy B45 false/concrete ceiling



canopy B46 false/concrete ceiling




white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1X RS 16

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V [•]	230V	€34
1 x	PU (PUSH-DIM) + DA (DALI) + I-10 (1-10V)	D 40WDP	110V - 230V	€59

•driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
4x 250mm	1X RS 2023	1X RS 2022	1X RS 2013					€1.970
4x 250mm				1X RS 2024	1X RS 2027	1X RS 2029	1X RS 2019	€2.465
4x 500mm	1X RS 5023	1X RS 5022	1X RS 5013					€2.020
4x 500mm				1X RS 5024	1X RS 5027	1X RS 5029	1X RS 5019	€2.525
4x 750mm	1X RS 7023	1X RS 7022	1X RS 7013					€2.075
4x 750mm				1X RS 7024	1X RS 7027	1X RS 7029	1X RS 7019	€2.590

REMOTE MOUNTED DRIVER

Austere-Chandelier 1X RL 79





RL= long vertical rod 790mm + powercord & steelcable 2000mm
350mA - **required cover/canopy + required remote mounted driver see below**

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 1X RL 79 with REMOTE MOUNTED DRIVER


cover C6 [•] false ceiling			cover C6 concrete ceiling			canopy B45 false/concrete ceiling			canopy B46 false/concrete ceiling		
aperture: Ø45 & depth: min. 40mm			aperture: Ø45 & depth: min. 40mm								
											
white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 1X RL 79

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V•	230V	€34
1 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€59

• driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
4x 250mm	1X RL 2023	1X RL 2022	1X RL 2013	1X RL 2024	1X RL 2027	1X RL 2029	1X RL 2019	€2.010
4x 250mm								€2.515
4x 500mm	1X RL 5023	1X RL 5022	1X RL 5013	1X RL 5024	1X RL 5027	1X RL 5029	1X RL 5019	€2.060
4x 500mm								€2.585
4x 750mm	1X RL 7023	1X RL 7022	1X RL 7013	1X RL 7024	1X RL 7027	1X RL 7029	1X RL 7019	€2.115
4x 750mm								€2.640

Austere-Chandelier 1X RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

4 x LED array 6W **(LED incl.)** - 350mA - 4 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 1X RS 16 with SURFACE MOUNTED DRIVER

base B20

110V-230V - driver included in base
+ casambi possible



HO PUDA	white	BCDP 2401	€340
HO PUDA	black	BCDP 2402	€340

optional: **casambi** | D CAS | €100
(NET PRICE)

base B21

110V-230V - driver included in base
+ casambi possible




HO PUDA	white	BCDP 2421	€340
HO PUDA	black	BCDP 2422	€340

optional: **casambi** | D CAS | €100
(NET PRICE)

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: **casambi** | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 143



LENGTH
/ LEVEL

	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
4x 250mm	1X RS 2023	1X RS 2022	1X RS 2013					€1.970
4x 250mm				1X RS 2024	1X RS 2027	1X RS 2029	1X RS 2019	€2.465
4x 500mm	1X RS 5023	1X RS 5022	1X RS 5013					€2.020
4x 500mm				1X RS 5024	1X RS 5027	1X RS 5029	1X RS 5019	€2.525
4x 750mm	1X RS 7023	1X RS 7022	1X RS 7013					€2.075
4x 750mm				1X RS 7024	1X RS 7027	1X RS 7029	1X RS 7019	€2.590

SURFACE MOUNTED DRIVER

Austere-Chandelier 1X RL 79 D+B

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.)** see below

4 x LED array 6W (LED incl.) - 350mA - 4 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 1X RL 79 with SURFACE MOUNTED DRIVER

base B20

110V-230V - driver included in base
+ casambi possible



 white 	BCDP 2401	€340
 black 	BCDP 2402	€340

optional: casambi | D CAS | €100
(NET PRICE)

base B21

110V-230V - driver included in base
+ casambi possible




 white 	BCDP 2421	€340
 black 	BCDP 2422	€340

optional: casambi | D CAS | €100
(NET PRICE)

base B32


230V - driver included in base



 white 	BNDN 0811	€480
 black 	BNDN 0822	€480


base B50

110V-230V - driver included in base
+ casambi possible



 white 	BDPU 0811	€590
 black 	BDPU 0822	€590

 white  BDPA 0811 | €625
 black  BDPA 0822 | €625
optional: casambi | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 143



LENGTH
/ LEVEL

	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver	FRAME gunmetal POWERCORD black STEELCABLE black	FRAME bronze POWERCORD black STEELCABLE black	FRAME nickel POWERCORD black STEELCABLE black	FRAME nickel POWERCORD white STEELCABLE silver	
4x 250mm	1X RL 2023	1X RL 2022	1X RL 2013	1X RL 2024	1X RL 2027	1X RL 2029	1X RL 2019	€2.010
4x 250mm								€2.515
4x 500mm	1X RL 5023	1X RL 5022	1X RL 5013	1X RL 5024	1X RL 5027	1X RL 5029	1X RL 5019	€2.060
4x 500mm								€2.585
4x 750mm	1X RL 7023	1X RL 7022	1X RL 7013	1X RL 7024	1X RL 7027	1X RL 7029	1X RL 7019	€2.115
4x 750mm								€2.640

REMOTE MOUNTED DRIVER

Austere-Chandelier 2X RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available on demand
350mA - required cover/canopy + required remote mounted driver see below
8 x LED array 6W (LED incl.) - 350mA - 8 x 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50

REQUIRED COVER/CANOPY for Austere-Chandelier 2X RF 75 with REMOTE MOUNTED DRIVER


cover C6*
false ceiling



white	21CO 1100	€90
black	21CO 2200	€90
brass	21CO 3300	€90
gunmetal	21CO 4400	€110
bronze	21CO 7700	€110
nickel	21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 75** with cover C6 will be **914mm**


cover C8
concrete ceiling



white	21CO 8001	€105
black	21CO 8002	€105
brass	21CO 8003	€105
gunmetal	21CO 8004	€135
bronze	21CO 8007	€135
nickel	21CO 8009	€135

NOTE: the total length of the chandelier: **RF 75** with cover C8 will be **942mm**

canopy B45
false/concrete ceiling




white	21CP 4400	€175
black	21CP 5500	€175
brass	21CP 3300	€175
gunmetal	21CP 4404	€255
bronze	21CP 7707	€255
nickel	21CP 9909	€255

NOTE: the total length of the chandelier: **RF 75** with canopy B45 will be **1102mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2X RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41

•driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:
4 x 250mm = L 516mm W 316mm
4 x 500mm = L 949mm W 565mm
4 x 750mm = L 1382mm W 815mm
possibilities & dimensions SEE P. 142



LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
4x 250mm	&	2X RF7 2523	2X RF7 2522	2X RF7 2524	2X RF7 2527	2X RF7 2529	€3.835
4x 250mm	&						€4.795
4x 500mm	&	2X RF7 5723	2X RF7 5722	2X RF7 5724	2X RF7 5727	2X RF7 5729	€3.935
4x 500mm	&						€4.920

REMOTE MOUNTED DRIVER

Austere-Chandelier 2X RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**

8 x LED array 6W (LED incl.) - 350mA - 8 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 2X RF 100 with REMOTE MOUNTED DRIVER

cover C6*

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 100** with cover C6 will be **1164mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 100** with cover C8 will be **1192mm**

canopy B45

false/concrete ceiling




white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255

NOTE: the total length of the chandelier: **RF 100** with canopy B45 will be **1352mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2X RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41

• driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
4x 250mm	&						€3.850
4x 250mm	&						€4.805
4x 500mm	&						€3.945
4x 500mm	&						€4.930

REMOTE MOUNTED DRIVER

Austere-Chandelier 2X RS 16

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required cover/canopy + required remote mounted driver see below**

8 x LED array 6W (LED incl.) - 350mA - 8 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 2X RS 16 with REMOTE MOUNTED DRIVER


cover C6[•] false ceiling

aperture: Ø45 & depth: min. 40mm




cover C6 concrete ceiling


aperture: Ø45 & depth: min. 40mm



canopy B45 false/concrete ceiling



canopy B46 false/concrete ceiling




white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 2X RS 16

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL		FRAME brass	POWERCORD black	STEELCABLE black		FRAME black	POWERCORD black	STEELCABLE black		FRAME brass	POWERCORD white	STEELCABLE silver		FRAME gunmetal	POWERCORD black	STEELCABLE black		FRAME bronze	POWERCORD black	STEELCABLE black		FRAME nickel	POWERCORD black	STEELCABLE black		FRAME nickel	POWERCORD white	STEELCABLE silver	
4x 250mm	&				2X RS 2523				2X RS 2522				2X RS 2513				2X RS 2524	2X RS 2527			2X RS 2529				2X RS 2519				€3.850
4x 250mm	&																												€4.805
4x 500mm	&				2X RS 5723				2X RS 5722				2X RS 5713				2X RS 5724	2X RS 5727			2X RS 5729				2X RS 5719				€3.945
4x 500mm	&																												€4.930

Austere-Chandelier 2X RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

8 x LED array 6W **(LED incl.)** - 350mA - 8 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 2X RS 16 with SURFACE MOUNTED DRIVER

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 143



LENGTH / LEVEL		LENGTH / LEVEL		FRAME brass POWERCORD black STEELCABLE black		FRAME black POWERCORD black STEELCABLE black		FRAME brass POWERCORD white STEELCABLE silver		FRAME gunmetal POWERCORD black STEELCABLE black		FRAME bronze POWERCORD black STEELCABLE black		FRAME nickel POWERCORD black STEELCABLE black		FRAME nickel POWERCORD white STEELCABLE silver			
4x 250mm	&	4x 500mm		2X RS 2523		2X RS 2522		2X RS 2513		2X RS 2524		2X RS 2527		2X RS 2529		2X RS 2519		€3.850	
4x 250mm	&	4x 500mm																€4.805	
4x 500mm	&	4x 750mm		2X RS 5723		2X RS 5722		2X RS 5713		2X RS 5724		2X RS 5727		2X RS 5729		2X RS 5719		€3.945	
4x 500mm	&	4x 750mm																€4.930	

REMOTE MOUNTED DRIVER

Austere-Chandelier 3X RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**
350mA - **required cover/canopy + required remote mounted driver see below**
12 x LED array 6W (LED incl.) - 350mA - 12 x 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50 ☐

REQUIRED COVER/CANOPY for Austere-Chandelier 3X RF 75 with REMOTE MOUNTED DRIVER


cover C6^{*}
false ceiling



white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier: **RF 75** with cover C6 will be **1050mm**


cover C8
concrete ceiling



white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier: **RF 75** with cover C8 will be **1078mm**

canopy B45
false/concrete ceiling




white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255

NOTE: the total length of the chandelier: **RF 75** with canopy B45 will be **1238mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3X RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41

•driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:
4 x 250mm = L 516mm W 316mm
4 x 500mm = L 949mm W 565mm
4 x 750mm = L 1382mm W 815mm
possibilities & dimensions SEE P. 142



LENGTH / LEVEL		LENGTH / LEVEL		LENGTH / LEVEL		FRAME		FRAME		FRAME		FRAME		FRAME		
4x 250mm	&	4x 500mm	&	4x 750mm		brass		black		gunmetal		bronze		nickel		
4x 250mm	&	4x 500mm	&	4x 750mm		3X RF7 25723		3X RF7 25722		3X RF7 25724		3X RF7 25727		3X RF7 25729		€5.765
																€7.210

Austere-Chandelier 3X RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**
350mA - **required cover/canopy + required remote mounted driver** see below

12 x LED array 6W **(LED incl.)** - 350mA - 12 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50

REQUIRED COVER/CANOPY for Austere-Chandelier 3X RF 100 with REMOTE MOUNTED DRIVER

cover C6[•]

false ceiling




white		21CO 1100	€90
black		21CO 2200	€90
brass		21CO 3300	€90
gunmetal		21CO 4400	€110
bronze		21CO 7700	€110
nickel		21CO 9900	€110

NOTE: If the thickness of the false ceiling is 15mm, the total length of the chandelier:
RF 100 with cover C6 will be **1300mm**

cover C8

concrete ceiling




white		21CO 8001	€105
black		21CO 8002	€105
brass		21CO 8003	€105
gunmetal		21CO 8004	€135
bronze		21CO 8007	€135
nickel		21CO 8009	€135

NOTE: the total length of the chandelier:
RF 100 with cover C8 will be **1328mm**

canopy B45

false/concrete ceiling



white		21CP 4400	€175
black		21CP 5500	€175
brass		21CP 3300	€175
gunmetal		21CP 4404	€255
bronze		21CP 7707	€255
nickel		21CP 9909	€255


NOTE: the total length of the chandelier:
RF 100 with canopy B45 will be **1488mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3X RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V•	230V	€41

- driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142





[illegible]

REMOTE MOUNTED DRIVER

Austere-Chandelier 3X RS 16


RS= short vertical rod 160mm + powercord & steelcable 2000mm
350mA - **required cover/canopy + required remote mounted driver see below**
12 x LED array 6W (LED incl.) - 350mA - 12 x 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Chandelier 3X RS 16 with REMOTE MOUNTED DRIVER

cover C6* false ceiling			cover C6 concrete ceiling			canopy B45 false/concrete ceiling			canopy B46 false/concrete ceiling		
											
white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3X RS 16

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41
*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm				
For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers				

			Each arm on the same level has the same length: 4 x 250mm = L 516mm W 316mm 4 x 500mm = L 949mm W 565mm 4 x 750mm = L 1382mm W 815mm possibilities & dimensions SEE P. 142		
LENGTH / LEVEL	LENGTH / LEVEL	LENGTH / LEVEL	FRAME brass POWERCORD black STEELCABLE black	FRAME black POWERCORD black STEELCABLE black	FRAME brass POWERCORD white STEELCABLE silver
4x 250mm & 4x 500mm & 4x 750mm	3X RS 25723	3X RS 25722	3X RS 25713	3X RS 25724	3X RS 25727
4x 250mm & 4x 500mm & 4x 750mm	3X RS 25729	3X RS 25719	€5.775	€7.225	

REMOTE MOUNTED DRIVER

Austere-Chandelier 3X RL 79

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required cover/canopy + required remote mounted driver see below**

12 x LED array 6W (LED incl.) - 350mA - 12 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 




REQUIRED COVER/CANOPY for Austere-Chandelier 3X RL 79 with REMOTE MOUNTED DRIVER

cover C6^{*}
false ceiling

aperture: Ø45 & depth: min. 40mm

cover C6
concrete ceiling

aperture: Ø45 & depth: min. 40mm

canopy B45
false/concrete ceilingcanopy B46
false/concrete ceiling


white 	21CO 0001	€90	white 	21CO 0011	€110	white 	21CP 4000	€175	white 	21CP 4600	€175
black 	21CO 0002	€90	black 	21CO 0012	€110	black 	21CP 5000	€175	black 	21CP 5600	€175
brass 	21CO 0003	€90	brass 	21CO 0013	€110	brass 	21CP 3000	€175	brass 	21CP 3600	€175
gunmetal 	21CO 0004	€110	gunmetal 	21CO 0014	€140	gunmetal 	21CP 4004	€255	gunmetal 	21CP 4604	€255
bronze 	21CO 0007	€110	bronze 	21CO 0017	€140	bronze 	21CP 7007	€255	bronze 	21CP 7607	€255
nickel 	21CO 0009	€110	nickel 	21CO 0019	€140	nickel 	21CP 9009	€255	nickel 	21CP 9609	€255

REQUIRED REMOTE MOUNTED DRIVER for Austere-Chandelier 3X RL 79

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	PU (PUSH-DIM) + DA (DALI)	D 60WD24V*	230V	€41

*driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 142



LENGTH / LEVEL			LENGTH / LEVEL			LENGTH / LEVEL			FRAME brass POWERCORD black STEELCABLE black			FRAME black POWERCORD black STEELCABLE black			FRAME brass POWERCORD white STEELCABLE silver			FRAME gunmetal POWERCORD black STEELCABLE black			FRAME bronze POWERCORD black STEELCABLE black			FRAME nickel POWERCORD black STEELCABLE black			FRAME nickel POWERCORD white STEELCABLE silver		
4x 250mm	&	4x 500mm	&	4x 750mm	3X RL 25723	3X RL 25722	3X RL 25713	3X RL 25724	3X RL 25727	3X RL 25729	3X RL 25719	€5.820																	
4x 250mm	&	4x 500mm	&	4x 750mm	3X RL 25723	3X RL 25722	3X RL 25713	3X RL 25724	3X RL 25727	3X RL 25729	3X RL 25719	€7.275																	

Austere-Chandelier 3X RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

12 x LED array 6W (LED incl.) - 350mA - 12 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 3X RS 16 with SURFACE MOUNTED DRIVER

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100 (NET PRICE)



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm

4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 143



LENGTH / LEVEL			LENGTH / LEVEL			LENGTH / LEVEL			FRAME brass POWERCORD black STEELCABLE black			FRAME black POWERCORD black STEELCABLE black			FRAME brass POWERCORD white STEELCABLE silver			FRAME gunmetal POWERCORD black STEELCABLE black			FRAME bronze POWERCORD black STEELCABLE black			FRAME nickel POWERCORD black STEELCABLE black			FRAME nickel POWERCORD white STEELCABLE silver		
4x 250mm	&	4x 500mm	&	4x 750mm	3X RS 25723	3X RS 25722	3X RS 25713	3X RS 25724	3X RS 25727	3X RS 25729	3X RS 25719	€5.775																	
4x 250mm	&	4x 500mm	&	4x 750mm								€7.225																	

Austere-Chandelier 3X RL 79 D+B

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.) see below**

12 x LED array 6W **(LED incl.)** - 350mA - 12 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Chandelier 3X RS 79 with SURFACE MOUNTED DRIVER

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480

base B50


110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590

DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100
(NET PRICE)



Each arm on the same level has the same length:

4 x 250mm = L 516mm W 316mm


4 x 500mm = L 949mm W 565mm

4 x 750mm = L 1382mm W 815mm

possibilities & dimensions SEE P. 143




LENGTH / LEVEL			LENGTH / LEVEL			LENGTH / LEVEL			FRAME brass POWERCORD black STEELCABLE black			FRAME black POWERCORD black STEELCABLE black			FRAME brass POWERCORD white STEELCABLE silver			FRAME gunmetal POWERCORD black STEELCABLE black			FRAME bronze POWERCORD black STEELCABLE black			FRAME nickel POWERCORD black STEELCABLE black			FRAME nickel POWERCORD white STEELCABLE silver			
4x 250mm	&	4x 500mm	&	4x 750mm	3X RL 25723																								€5.820	
4x 250mm	&	4x 500mm	&	4x 750mm		3X RL 25722								3X RL 25724		3X RL 25727		3X RL 25729		3X RL 25719								€7.275		



Austere-D1 3 RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**
230V - driver in base - **LC** (TRIAC/IGBT) or **1-10** (1-10V) or **PU** (PUSH-DIM) or **DA** (DALI) dimmable
3 x LED array 6W (**LED incl.**) - 350mA - 3 x 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50


		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	DIM							
black BASE		AFLC 31273	AFLC 31272	AFLC 31271				€1.795
white BASE		AFLC 31173	AFLC 31172	AFLC 31171				€1.795
black BASE					AFLC 31274	AFLC 31277	AFLC 31279	€2.095
white BASE					AFLC 31174	AFLC 31177	AFLC 31179	€2.095
black BASE		AFPU 31273	AFPU 31272	AFPU 31271				€1.795
white BASE		AFPU 31173	AFPU 31172	AFPU 31171				€1.795
black BASE					AFPU 31274	AFPU 31277	AFPU 31279	€2.095
white BASE					AFPU 31174	AFPU 31177	AFPU 31179	€2.095
black BASE		AFDA 31273	AFDA 31272	AFDA 31271				€1.795
white BASE		AFDA 31173	AFDA 31172	AFDA 31171				€1.795
black BASE					AFDA 31274	AFDA 31277	AFDA 31279	€2.095
white BASE					AFDA 31174	AFDA 31177	AFDA 31179	€2.095



Austere-D1 3 RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**
230V - driver in base - **LC** (TRIAC/IGBT) or **1-10** (1-10V) or **PU** (PUSH-DIM) or **DA** (DALI) dimmable
3 x LED array 6W (**LED incl.**) - 350mA - 3 x 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50

		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	DIM							
black BASE		AFLC 31293	AFLC 31292	AFLC 31291				€1.830
white BASE		AFLC 31193	AFLC 31192	AFLC 31191				€1.830
black BASE					AFLC 31294	AFLC 31297	AFLC 31299	€2.130
white BASE					AFLC 31194	AFLC 31197	AFLC 31199	€2.130
black BASE		AFPU 31293	AFPU 31292	AFPU 31291				€1.830
white BASE		AFPU 31193	AFPU 31192	AFPU 31191				€1.830
black BASE					AFPU 31294	AFPU 31297	AFPU 31299	€2.130
white BASE					AFPU 31194	AFPU 31197	AFPU 31199	€2.130
black BASE		AFDA 31293	AFDA 31292	AFDA 31291				€1.830
white BASE		AFDA 31193	AFDA 31192	AFDA 31191				€1.830
black BASE					AFDA 31294	AFDA 31297	AFDA 31299	€2.130
white BASE					AFDA 31194	AFDA 31197	AFDA 31199	€2.130



Austere-D2 5 RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**


230V - driver in base - **LC** (TRIAC/IGBT) or **I-10** (1-10V) or **PU** (PUSH-DIM) or **DA** (DALI) dimmable

5 x LED array 6W (LED incl.) - 350mA - 5 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50

			FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	DIM								
black BASE			AFLC 52273	AFLC 52272	AFLC 52271				€2.965
white BASE			AFLC 52173	AFLC 52172	AFLC 52171				€2.965
black BASE						AFLC 52274	AFLC 52277	AFLC 52279	€3.480
white BASE						AFLC 52174	AFLC 52177	AFLC 52179	€3.480
black BASE			AFPU 52273	AFPU 52272	AFPU 52271				€2.965
white BASE			AFPU 52173	AFPU 52172	AFPU 52171				€2.965
black BASE						AFPU 52274	AFPU 52277	AFPU 52279	€3.480
white BASE						AFPU 52174	AFPU 52177	AFPU 52179	€3.480
black BASE			AFDA 52273	AFDA 52272	AFDA 52271				€2.965
white BASE			AFDA 52173	AFDA 52172	AFDA 52171				€2.965
black BASE						AFDA 52274	AFDA 52277	AFDA 52279	€3.480
white BASE						AFDA 52174	AFDA 52177	AFDA 52179	€3.480



Austere-D2 5 RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**


230V - driver in base - **LC** (TRIAC/IGBT) or **I-10** (1-10V) or **PU** (PUSH-DIM) or **DA** (DALI) dimmable

5 x LED array 6W (LED incl.) - 350mA - 5 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50

			FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
	DIM								
black BASE			AFLC 52293	AFLC 52292	AFLC 52291				€3.015
white BASE			AFLC 52193	AFLC 52192	AFLC 52191				€3.015
black BASE						AFLC 52294	AFLC 52297	AFLC 52299	€3.530
white BASE						AFLC 52194	AFLC 52197	AFLC 52199	€3.530
black BASE			AFPU 52293	AFPU 52292	AFPU 52291				€3.015
white BASE			AFPU 52193	AFPU 52192	AFPU 52191				€3.015
black BASE						AFPU 52294	AFPU 52297	AFPU 52299	€3.530
white BASE						AFPU 52194	AFPU 52197	AFPU 52199	€3.530
black BASE			AFDA 52293	AFDA 52292	AFDA 52291				€3.015
white BASE			AFDA 52193	AFDA 52192	AFDA 52191				€3.015
black BASE						AFDA 52294	AFDA 52297	AFDA 52299	€3.530
white BASE						AFDA 52194	AFDA 52197	AFDA 52199	€3.530




Austere-D1 3 RL 79

RL= long vertical rod 750mm + powercord 1000mm - Longer lengths available **on demand**
230V - driver in base - LC (TRIAC/IGBT) or HO (1-10V) or PU (PUSH-DIM) or DA (DALI) dimmable
3 x LED array 6W (LED incl.) - 350mA - 3 x 634lm - 2700K - CRI >93
material: brass

SUSPENSION - IP50

		DIM	POWERCORD LENGTH	FRAME brass POWERCORD black	FRAME black POWERCORD black	FRAME white POWERCORD white	FRAME gunmetal POWERCORD black	FRAME bronze POWERCORD black	FRAME nickel POWERCORD black	
black BASE	●	LC	L 1000	ALLC 31213	ALLC 31212	ALLC 31211				€1.975
white BASE	○	LC	L 1000				ALLC 31214	ALLC 31217	ALLC 31219	€2.275
black BASE	●	LC	L 1000	ALLC 31113	ALLC 31112	ALLC 31111				€1.975
white BASE	○	LC	L 1000				ALLC 31114	ALLC 31117	ALLC 31119	€2.275
black BASE	●	HO PU	L 1000	ALPU 31213	ALPU 31212	ALPU 31211				€1.975
white BASE	○	HO PU	L 1000				ALPU 31214	ALPU 31217	ALPU 31219	€2.275
black BASE	●	HO PU	L 1000	ALPU 31113	ALPU 31112	ALPU 31111				€1.975
white BASE	○	HO PU	L 1000				ALPU 31114	ALPU 31117	ALPU 31119	€2.275
black BASE	●	PU DA	L 1000	ALDA 31213	ALDA 31212	ALDA 31211				€1.975
white BASE	○	PU DA	L 1000				ALDA 31214	ALDA 31217	ALDA 31219	€2.275
black BASE	●	PU DA	L 1000	ALDA 31113	ALDA 31112	ALDA 31111				€1.975
white BASE	○	PU DA	L 1000				ALDA 31114	ALDA 31117	ALDA 31119	€2.275




Austere-D2 5 RL 79

RL= long vertical rod 790mm + powercord 1000mm - Longer lengths available **on demand**
230V - driver in base - LC (TRIAC/IGBT) or HO (1-10V) or PU (PUSH-DIM) or DA (DALI) dimmable
5 x LED array 6W (LED incl.) - 350mA - 5 x 634lm - 2700K - CRI >93
material: brass

SUSPENSION - IP50

		DIM	POWERCORD LENGTH	FRAME brass POWERCORD black	FRAME black POWERCORD black	FRAME white POWERCORD white	FRAME gunmetal POWERCORD black	FRAME bronze POWERCORD black	FRAME nickel POWERCORD black	
black BASE	●	LC	L 1000	ALLC 52213	ALLC 52212	ALLC 52211				€3.260
white BASE	○	LC	L 1000				ALLC 52214	ALLC 52217	ALLC 52219	€3.770
black BASE	●	LC	L 1000	ALLC 52113	ALLC 52112	ALLC 52111				€3.260
white BASE	○	LC	L 1000				ALLC 52114	ALLC 52117	ALLC 52119	€3.770
black BASE	●	HO PU	L 1000	ALPU 52213	ALPU 52212	ALPU 52211				€3.260
white BASE	○	HO PU	L 1000				ALPU 52214	ALPU 52217	ALPU 52219	€3.770
black BASE	●	HO PU	L 1000	ALPU 52113	ALPU 52112	ALPU 52111				€3.260
white BASE	○	HO PU	L 1000				ALPU 52114	ALPU 52117	ALPU 52119	€3.770
black BASE	●	PU DA	L 1000	ALDA 52213	ALDA 52212	ALDA 52211				€3.260
white BASE	○	PU DA	L 1000				ALDA 52214	ALDA 52217	ALDA 52219	€3.770
black BASE	●	PU DA	L 1000	ALDA 52113	ALDA 52112	ALDA 52111				€3.260
white BASE	○	PU DA	L 1000				ALDA 52114	ALDA 52117	ALDA 52119	€3.770



Austere-Solitaire RF

RF= fixed vertical rod 988mm (possibility to shorten with tube cutter)
350mA - **required remote mounted driver see below**

1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

material: brass


SUSPENSION - IP50

FALSE ceiling



COVER brass FRAME brass	COVER black FRAME black	COVER white FRAME white	COVER gunmetal FRAME gunmetal	COVER bronze FRAME bronze	COVER nickel FRAME nickel	
HVSU 1003	HVSU 1002	HVSU 1001	HVSU 1004	HVSU 1007	HVSU 1009	€455
						€565

CONCRETE ceiling



HVSC 1003	HVSC 1002	HVSC 1001	HVSC 1004	HVSC 1007	HVSC 1009	€465
						€575

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

Austere-Solitaire RF D+B


RF= fixed vertical rod 988mm (possibility to shorten with tube cutter)

230V - **driver in base** - LC (TRIAC/IGBT) dimmable


1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50



DIM.	FRAME brass CANOPY brass	FRAME black CANOPY black	FRAME white CANOPY white	FRAME gunmetal CANOPY gunmetal	FRAME bronze CANOPY bronze	FRAME nickel CANOPY nickel	
LC	HVSBD 1113	HVSBD 1112	HVSBD 1111	HVSBD 1114	HVSBD 1117	HVSBD 1119	€745
							€880



Austere-Solitaire RL

RL= long vertical rod 750 mm + powercord - Longer lengths available **on demand**
350mA - **required remote mounted driver see below**

1 x LED array 6W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø45 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø45 - depth: min. 40mm - depth for driver in ceiling: min. 110mm

material: brass

SUSPENSION - IP50

FALSE ceiling



POWERCORD LENGTH	COVER brass POWERCORD black FRAME brass	COVER black POWERCORD black FRAME black	COVER white POWERCORD white FRAME white	COVER gunmetal POWERCORD black FRAME gunmetal	COVER bronze POWERCORD black FRAME bronze	COVER nickel POWERCORD black FRAME nickel	
L 1000	HVCA 3013	HVCA 3012	HVCA 3011				€510
L 2000	HVCA 3023	HVCA 3022	HVCA 3021				€520
L 1000				HVCA 3014	HVCA 3017	HVCA 3019	€615
L 2000				HVCA 3024	HVCA 3027	HVCA 3029	€625

CONCRETE ceiling




L 1000	HVCC 3013	HVCC 3012	HVCC 3011				€520
L 2000	HVCC 3023	HVCC 3022	HVCC 3021				€530
L 1000				HVCC 3014	HVCC 3017	HVCC 3019	€625
L 2000				HVCC 3024	HVCC 3027	HVCC 3029	€635

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




Austere-Solitaire RL D+B

RL= long vertical rod of 750 mm + powercord - Longer lengths available **on demand**
230V - **driver in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 6W (**LED incl.**) - 350mA - 634lm - 2700K - CRI >93
material: brass
SUSPENSION - IP50

		DIM	POWERCORD LENGTH	COVER brass POWERCORD black FRAME brass			COVER black POWERCORD black FRAME black			COVER white POWERCORD white FRAME white			COVER gunmetal POWERCORD black FRAME gunmetal			COVER bronze POWERCORD black FRAME bronze			COVER nickel POWERCORD black FRAME nickel							
LC	▲																									
LC	▲	L 1000		HVCBD 3313			HVCBD 3312			HVCBD 3311						HVCBD 3314			HVCBD 3317			HVCBD 3319				€790
LC	▲	L 2000		HVCBD 3323			HVCBD 3322			HVCBD 3321						HVCBD 3324			HVCBD 3327			HVCBD 3329				€800
LC	▲	L 1000											HVCBD 3314			HVCBD 3317			HVCBD 3319				€925			
LC	▲	L 2000											HVCBD 3324			HVCBD 3327			HVCBD 3329				€935			

DESIGN YOUR OWN AUSTERE-SUSPENSION - REMOTE MOUNTING

- I. Choose 1 x the **CENTER** length: 500mm or 750mm
- II. Choose 2 x the same **END** lengths: 250mm or 500mm
- III. Choose 4 x the same **SIDE** lengths: 250mm or 500mm



DIMENSIONS:

C 500mm + 2 x E 250mm + 4 x S 250mm	Total size L: 1120mm W: 590mm
C 500mm + 2 x E 250mm + 4 x S 500mm	Total size L: 1120mm W: 1090mm
C 500mm + 2 x E 500mm + 4 x S 250mm	Total size L: 1620mm W: 590mm
C 500mm + 2 x E 500mm + 4 x S 500mm	Total size L: 1620mm W: 1090mm
C 750mm + 2 x E 250mm + 4 x S 250mm	Total size L: 1370mm W: 590mm
C 750mm + 2 x E 250mm + 4 x S 500mm	Total size L: 1370mm W: 1090mm
C 750mm + 2 x E 500mm + 4 x S 250mm	Total size L: 1870mm W: 590mm
C 750mm + 2 x E 500mm + 4 x S 500mm	Total size L: 1870mm W: 1090mm

- IV. Choose the colors and the vertical **ROD**: RS 16, RL 79, RF 75 or RF 100

rod short: RS 16	rod long: RL 79	rod fixed: RF 75	rod fixed: RF 100
POWERCORD & STEELCABLE +/-2000 RS 16 ROD 160	POWERCORD & STEELCABLE +/-2000 RL 79 ROD 790	RF 75 *ROD 750	RF 100 *ROD 1000
FRAME POWERCORD	FRAME POWERCORD	FRAME	FRAME
*Total height depends on the chosen mounting option, see NOTE on product page. Shorter vertical rod available on demand with additional cost.		*Total height depends on the chosen mounting option, see NOTE on product page. Shorter vertical rod available on demand with additional cost.	

- V. Choose your cover or canopy for 'remote mounting' driver:


cover C6	cover C8	canopy B45	canopy B46
aperture : Ø45 DRIVER false/concrete ceiling	aperture: Ø30 D50 remote driver concrete ceiling	aperture: Ø50 remote driver false/concrete ceiling	aperture: Ø50 remote driver false/concrete ceiling
For false ceiling: RS 16, RL 79, RF 75 & RF 100 For concrete ceiling: RS 16 & RL 79	For RF 75 & RF 100	For RS 16, RL 79, RF 75 & RF 100	For RS 16 & RL 79

- VI. Choose your 'remote mounting' driver:

driver: TRIAC/IGBT dimmable
 driver: 1-10V dimmable
 driver: PUSH-DIM dimmable
 driver: DALI dimmable


DESIGN YOUR OWN AUSTERE-SUSPENSION - SURFACE MOUNTING

- I. Choose 1 x the CENTER length: 500mm or 750mm
- II. Choose 2 x the same END lengths: 250mm or 500mm
- III. Choose 4 x the same SIDE lengths: 250mm or 500mm



DIMENSIONS:	C 500mm + 2 x E 250mm + 4 x S 250mm	Total size L: 1120mm W: 590mm
	C 500mm + 2 x E 250mm + 4 x S 500mm	Total size L: 1120mm W: 1090mm
	C 500mm + 2 x E 500mm + 4 x S 250mm	Total size L: 1620mm W: 590mm
	C 500mm + 2 x E 500mm + 4 x S 500mm	Total size L: 1620mm W: 1090mm
	C 750mm + 2 x E 250mm + 4 x S 250mm	Total size L: 1370mm W: 590mm
	C 750mm + 2 x E 250mm + 4 x S 500mm	Total size L: 1370mm W: 1090mm
	C 750mm + 2 x E 500mm + 4 x S 250mm	Total size L: 1870mm W: 590mm
	C 750mm + 2 x E 500mm + 4 x S 500mm	Total size L: 1870mm W: 1090mm


- IV. Choose the colors and the vertical ROD: RS 16 or RL 79




- V. Choose your base (driver incl.) for 'surface mounting':




base B20




dimnable driver incl. in base
(TRIAC / 1-10V / PUSH-DIM / DALI)
+ casambi possible



base B32



non-dimnable driver incl. in base



base B50



dimnable driver incl. in base
(1-10V / PUSH-DIM / DALI)
+ casambi possible

REMOTE MOUNTED DRIVER

Austere-Suspension 1+ RF 75

RF= fixed vertical rod 750mm - Shorter RF ROD available **on demand**
 350mA - **required cover/canopy + required remote mounted driver see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Suspension 1+ RF 75 with REMOTE MOUNTED DRIVER

cover C6^{*} false ceiling

aperture: Ø45 & depth: min. 60mm




white		22CO 1100	€180	2x C6
black		22CO 2200	€180	2x C6
brass		22CO 3300	€180	2x C6
gunmetal		22CO 4400	€210	2x C6
bronze		22CO 7700	€210	2x C6
nickel		22CO 9900	€210	2x C6

NOTE: If the thickness of the false ceiling is 15mm, the total length of the suspension:
RF 75 with cover C6 will be 778mm

cover C8 concrete ceiling


aperture: Ø30 D50



white		22CO 8001	€210	2x C8
black		22CO 8002	€210	2x C8
brass		22CO 8003	€210	2x C8
gunmetal		22CO 8004	€265	2x C8
bronze		22CO 8007	€265	2x C8
nickel		22CO 8009	€265	2x C8

NOTE: the total length of the suspension:
RF 75 with cover C8 will be 806mm

canopy B45 false/concrete ceiling



white		22CP 4400	€350	2xB45
black		22CP 5500	€350	2xB45
brass		22CP 3300	€350	2xB45
gunmetal		22CP 4404	€510	2xB45
bronze		22CP 7707	€510	2xB45
nickel		22CP 9909	€510	2xB45


NOTE: the total length of the suspension:
RF 75 with canopy B45 will be 966mm

REQUIRED REMOTE MOUNTED DRIVER for Austere-Suspension 1+ RF 75

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 40WT	230V (110V on demand)	€112
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V•	230V	€41
1 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€59

• driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



C (CENTER LENGTH)

E (END LENGTH)

S (SIDE LENGTH)

S: 4 x 500mm available on demand
 total dimensions SEE P. 186



CENTER LENGTH	END LENGTH	SIDE LENGTH	FRAME brass	FRAME black	FRAME gunmetal	FRAME bronze	FRAME nickel	
1x 500mm	2x 250mm	4x 250mm	1+ SU RF7 52223	1+ SU RF7 52222				€3.220
1x 500mm	2x 250mm	4x 250mm			1+ SU RF7 52224	1+ SU RF7 52227	1+ SU RF7 52229	€4.030
1x 500mm	2x 500mm	4x 250mm	1+ SU RF7 55223	1+ SU RF7 55222				€3.240
1x 500mm	2x 500mm	4x 250mm			1+ SU RF7 55224	1+ SU RF7 55227	1+ SU RF7 55229	€4.055
1x 750mm	2x 250mm	4x 250mm	1+ SU RF7 72223	1+ SU RF7 72222				€3.230
1x 750mm	2x 250mm	4x 250mm			1+ SU RF7 72224	1+ SU RF7 72227	1+ SU RF7 72229	€4.045
1x 750mm	2x 500mm	4x 250mm	1+ SU RF7 75223	1+ SU RF7 75222				€3.250
1x 750mm	2x 500mm	4x 250mm			1+ SU RF7 75224	1+ SU RF7 75227	1+ SU RF7 75229	€4.070

REMOTE MOUNTED DRIVER

Austere-Suspension 1+ RF 100

RF= fixed vertical rod 1000mm - Shorter RF ROD available **on demand**350mA - **required cover/canopy + required remote mounted driver see below**

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93


material: brass

SUSPENSION - IP50 

REQUIRED COVER/CANOPY for Austere-Suspension 1+ RF 100 with REMOTE MOUNTED DRIVER

cover C6^{*}
false ceiling

aperture: Ø45 & depth: min. 60mm




white		22CO 1100	€180	2x C6
black		22CO 2200	€180	2x C6
brass		22CO 3300	€180	2x C6
gunmetal		22CO 4400	€210	2x C6
bronze		22CO 7700	€210	2x C6
nickel		22CO 9900	€210	2x C6

NOTE: If the thickness of the false ceiling is 15mm, the total length of the suspension:
RF 100 with cover C6 will be **1028mm**

cover C8

concrete ceiling

aperture: Ø30 D50




white		22CO 8001	€210	2x C8
black		22CO 8002	€210	2x C8
brass		22CO 8003	€210	2x C8
gunmetal		22CO 8004	€265	2x C8
bronze		22CO 8007	€265	2x C8
nickel		22CO 8009	€265	2x C8

NOTE: the total length of the suspension:
RF 100 with cover C8 will be **1056mm**

canopy B45

false/concrete ceiling



white		22CP 4400	€350	2xB45
black		22CP 5500	€350	2xB45
brass		22CP 3300	€350	2xB45
gunmetal		22CP 4404	€510	2xB45
bronze		22CP 7707	€510	2xB45
nickel		22CP 9909	€510	2xB45


NOTE: the total length of the suspension:
RF 100 with canopy B45 will be **1156mm**

REQUIRED REMOTE MOUNTED DRIVER for Austere-Suspension 1+ RF 100

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 40WT	230V (110V on demand)	€112
1 x	PU (PUSH-DIM) + DA (DALI)	D 30WD24V•	230V	€41
1 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V - 230V	€59

•driver only fits through cutout hole of fixture with C6, min. depth for driver in false ceiling: 280mm
 driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



C (CENTER LENGTH)

E (END LENGTH)

S (SIDE LENGTH)

S: 4 x 500mm available on demand

total dimensions SEE P. 186

+

FRAME brass



FRAME black



FRAME gunmetal



FRAME bronze



FRAME nickel



1x 500mm	2x 250mm	4x 250mm	1+ SU RF10 52223	1+ SU RF10 52222					€3.240
1x 500mm	2x 250mm	4x 250mm			1+ SU RF10 52224	1+ SU RF10 52227	1+ SU RF10 52229		€4.050
1x 500mm	2x 500mm	4x 250mm	1+ SU RF10 55223	1+ SU RF10 55222					€3.260
1x 500mm	2x 500mm	4x 250mm			1+ SU RF10 55224	1+ SU RF10 55227	1+ SU RF10 55229		€4.075
1x 750mm	2x 250mm	4x 250mm	1+ SU RF10 72223	1+ SU RF10 72222					€3.250
1x 750mm	2x 250mm	4x 250mm			1+ SU RF10 72224	1+ SU RF10 72227	1+ SU RF10 72229		€4.065
1x 750mm	2x 500mm	4x 250mm	1+ SU RF10 75223	1+ SU RF10 75222					€3.270
1x 750mm	2x 500mm	4x 250mm			1+ SU RF10 75224	1+ SU RF10 75227	1+ SU RF10 75229		€4.090

SURFACE MOUNTED DRIVER

Austere-Suspension 1+ RS 16 D+B

RS= short vertical rod 160mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.)** see below

6 x LED array 6W (LED incl.) - 350mA - 6 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Suspension 1+ RS 16

base B20

110V-230V - driver included in base
+ casambi possible



HO PU DA	white	BCDP 2401	€340
HO PU DA	black	BCDP 2402	€340
LC	white	BCT6 2401	€445
LC	black	BCT6 2402	€445

optional: casambi | D CAS | €100
(NET PRICE)

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480


base B50

110V-230V - driver included in base
+ casambi possible



HO PU	white	BDPU 0811	€590
HO PU	black	BDPU 0822	€590
DA PU	white	BDDA 0811	€625
DA PU	black	BDDA 0822	€625

optional: casambi | D CAS | €100
(NET PRICE)



C (CENTER LENGTH)

E (END LENGTH)

S (SIDE LENGTH)

S: 4 x 500mm available on demand

total dimensions SEE P. 187



CENTER LENGTH	END LENGTH	SIDE LENGTH	FRAME brass	POWERCORD black	STEELCABLE black	FRAME black	POWERCORD black	STEELCABLE black	FRAME brass	POWERCORD white	STEELCABLE silver	FRAME gunmetal	POWERCORD black	STEELCABLE black	FRAME bronze	POWERCORD black	STEELCABLE black	FRAME nickel	POWERCORD black	STEELCABLE black	FRAME nickel	POWERCORD white	STEELCABLE silver
1x 500mm	2x 250mm	4x 250mm	1+ SU RS 52223	1+ SU RS 52222	1+ SU RS 52213																		
1x 500mm	2x 250mm	4x 250mm										1+ SU RS 52224	1+ SU RS 52227	1+ SU RS 52229	1+ SU RS 52219								
1x 500mm	2x 500mm	4x 250mm	1+ SU RS 55223	1+ SU RS 55222	1+ SU RS 55213																		
1x 500mm	2x 500mm	4x 250mm										1+ SU RS 55224	1+ SU RS 55227	1+ SU RS 55229	1+ SU RS 55219								
1x 750mm	2x 250mm	4x 250mm	1+ SU RS 72223	1+ SU RS 72222	1+ SU RS 72213																		
1x 750mm	2x 250mm	4x 250mm										1+ SU RS 72224	1+ SU RS 72227	1+ SU RS 72229	1+ SU RS 72219								
1x 750mm	2x 500mm	4x 250mm	1+ SU RS 75223	1+ SU RS 75222	1+ SU RS 75213																		
1x 750mm	2x 500mm	4x 250mm										1+ SU RS 75224	1+ SU RS 75227	1+ SU RS 75229	1+ SU RS 75219								

Austere-Suspension 1+ **RL 79** D+B

RL= long vertical rod 790mm + powercord & steelcable 2000mm

350mA - **required base (driver incl.)** see below

6 x LED array 6W **(LED incl.)** - 350mA - 6 x 634lm - 2700K - CRI >93

material: brass

SUSPENSION - IP50 

REQUIRED BASE (DRIVER INCL.) for Austere-Suspension 1+ RL 79

base B20

110V-230V - driver included in base
+ casambi possible



HO P U D A	white	BCDP 2401	€340
HO P U D A	black	BCDP 2402	€340
LC	white	BCT6 2401	€445
LC	black	BCT6 2402	€445

optional: **casambi** | D CAS | €100
(NET PRICE)

base B32


230V - driver included in base



NO	white	BNDN 0811	€480
NO	black	BNDN 0822	€480


base B50

110V-230V - driver included in base
+ casambi possible



HO P U	white	BDPU 0811	€590
HO P U	black	BDPU 0822	€590
DA P U	white	BDDA 0811	€625
DA P U	black	BDDA 0822	€625

optional: **casambi** | D CAS | €100
(NET PRICE)



C (CENTER LENGTH)

E (END LENGTH)


S (SIDE LENGTH)

S: 4 x 500mm available on demand

total dimensions SEE P. 187



CENTER LENGTH	END LENGTH	SIDE LENGTH	 FRAME brass	 POWERCORD black	 STEELCABLE black	 FRAME black	 POWERCORD black	 STEELCABLE black	 FRAME brass	 POWERCORD white	 STEELCABLE silver	 FRAME gunmetal	 POWERCORD black	 STEELCABLE black	 FRAME bronze	 POWERCORD black	 STEELCABLE black	 FRAME nickel	 POWERCORD black	 STEELCABLE black	 FRAME nickel	 POWERCORD white	 STEELCABLE silver	
1x 500mm	2x 250mm	4x 250mm	1+ SU RL 52223	1+ SU RL 52222	1+ SU RL 52213																			€3.320
1x 500mm	2x 250mm	4x 250mm										1+ SU RL 52224	1+ SU RL 52227	1+ SU RL 52229	1+ SU RL 52219									€4.150
1x 500mm	2x 500mm	4x 250mm	1+ SU RL 55223	1+ SU RL 55222	1+ SU RL 55213																			€3.340
1x 500mm	2x 500mm	4x 250mm										1+ SU RL 55224	1+ SU RL 55227	1+ SU RL 55229	1+ SU RL 55219									€4.175
1x 750mm	2x 250mm	4x 250mm	1+ SU RL 72223	1+ SU RL 72222	1+ SU RL 72213																			€3.330
1x 750mm	2x 250mm	4x 250mm										1+ SU RL 72224	1+ SU RL 72227	1+ SU RL 72229	1+ SU RL 72219									€4.165
1x 750mm	2x 500mm	4x 250mm	1+ SU RL 75223	1+ SU RL 75222	1+ SU RL 75213																			€3.350
1x 750mm	2x 500mm	4x 250mm										1+ SU RL 75224	1+ SU RL 75227	1+ SU RL 75229	1+ SU RL 75219									€4.200



I-Tro

24Vdc - **required remote mounted driver see below**

1 lighting side: 120 x SMD LED 30W **(LED incl.)** - 24Vdc - 2280lm - 2850K - CRI >90
2 lighting sides: 240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
depth for driver in ceiling: min. 120mm
material: aluminium

SUSPENSION - IP30 

FRAME black



FRAME white




1 side	ITRO 1111	ITRO 2211	€1.240
2 sides	ITRO 1122	ITRO 2222	€1.785

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x 1 side	 1-10V (1-10V)	D 40W10	110V-230V	€48
1 x 2 sides	 1-10V (1-10V)	D 60W10	110V-230V	€62
2 x 1 side	 1-10V (1-10V)	D 60W10	110V-230V	€62

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



I-Tro D+B

100V-240V - **driver included in base** -  **1-10V (1-10V) dimmable**

1 lighting side: 120 x SMD LED 30W **(LED incl.)** - 24Vdc - 2280lm - 2850K - CRI >90
2 lighting sides: 240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
depth for driver in ceiling: min. 120mm
material: aluminium

SUSPENSION - IP30 

FRAME black




FRAME white



DIM



1 side	 1-10V (1-10V)	ITRO 1101	ITRO 2201	€1.465
2 sides	 1-10V (1-10V)	ITRO 1102	ITRO 2202	€2.010



N-Tro

24Vdc - **required remote mounted driver see below**
240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
depth for driver in ceiling: min. 120mm
material: aluminium
SUSPENSION - IP30 

FRAME black



NTRO 1111

FRAME white




NTRO 2222 | €2.630

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	 (1-10V)	D 60W10	110V-230V	€62

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



N-Tro D+B

100V-240V - **driver included in base** -  **(1-10V) dimmable**
240 x SMD LED 60W **(LED incl.)** - 24Vdc - 4560lm - 2850K - CRI >90
depth for driver in ceiling: min. 120 mm
material: aluminium
SUSPENSION - IP30 

DIM



FRAME black



NTRO 1000

FRAME white



NTRO 2000 | €2.995



Sirens SU diffuser glass

110V-230V


E27 - only energy saving bulbs (LED or FLUO)

bulb size for Ø210: max. Ø45mm L 115mm, for Ø265: max. Ø60mm L 175mm

materials: aluminium, copper, diffuser glass

LED or FLUO bulb excluded - SUSPENSION - IP50

	FRAME black	FRAME white	FRAME copper	
Ø210	SISU 2112	SISU 2111		€470
Ø265	SISU 2612	SISU 2611		€550
Ø210			SISU 2117	€515
Ø265			SISU 2617	€585




Sirens SU mirror

materials: aluminium, copper, mirror glass

SUSPENSION

	FRAME black	FRAME white	FRAME copper	
Ø161	SISU 1602	SISU 1601		€260
Ø210	SISU 2102	SISU 2101		€360
Ø265	SISU 2602	SISU 2601		€420
Ø161			SISU 1607	€300
Ø210			SISU 2107	€400
Ø265			SISU 2607	€460



Sirens SU frosted glass big mirror + edge mirror

110V-230V

E27 - only energy saving bulbs (LED or FLUO)

bulb size for Ø210: max. Ø45mm L 115mm, for Ø265: max. Ø60mm L 175mm

materials: aluminium, copper, frosted glass

LED or FLUO bulb excluded - SUSPENSION - IP50

	FRAME black	FRAME white	FRAME copper	
Ø210	SISU 2122	SISU 2121		€445
Ø265	SISU 2622	SISU 2621		€505
Ø210			SISU 2127	€480
Ø265			SISU 2627	€540



Sirens SU frosted glass small mirror + edge mirror

110V-230V
E27 - only energy saving bulbs (LED or FLUO)
bulb size for **Ø210: max. Ø45mm L 115mm**, for **Ø265: max. Ø60mm L 175mm**
materials: aluminium, copper, frosted glass
LED or FLUO bulb excluded - SUSPENSION - IP50 (⚡)

	FRAME black	FRAME white	FRAME copper	
Ø210	SISU 2132	SISU 2131		€445
Ø265	SISU 2632	SISU 2631		€505
Ø210			SISU 2137	€480
Ø265			SISU 2637	€540



Sirens SU frosted glass edge mirror

110V-230V
E27 - only energy saving bulbs (LED or FLUO)
bulb size for **Ø210: max. Ø45mm L 115mm**, for **Ø265: max. Ø60mm L 175mm**
materials: aluminium, copper, frosted glass
LED or FLUO bulb excluded - SUSPENSION - IP50 (⚡)

	FRAME black	FRAME white	FRAME copper	
Ø210	SISU 2142	SISU 2141		€445
Ø265	SISU 2642	SISU 2641		€505
Ø210			SISU 2147	€480
Ø265			SISU 2647	€540

Bathroom



7TY BATHROOM	
7y up BATHROOM	199



AUDINNI BATHROOM	
Audinni BATHROOM	199



AUDINNO BATHROOM	
Audinno BATHROOM	200



AUDY BATHROOM	
Audy-In BATHROOM	201



BILO BATHROOM	
Bilo C in FROSTED BATHROOM	202
Bilo C in MATT BATHROOM	203
Bilo W in FROSTED BATHROOM	204
Bilo W in MATT BATHROOM	205
Bilo up FROSTED BATHROOM	206
Bilo up MATT BATHROOM	206



BILY BATHROOM	
Bily 16 BATHROOM	207
Bily 16 up BATHROOM	207



BOULO BATHROOM	
Boulo C in FROSTED BATHROOM	208
Boulo C in MATT BATHROOM	209
Boulo W in FROSTED BATHROOM	210
Boulo W in MATT BATHROOM	211



BOULY BATHROOM	
Bouly 4 BATHROOM	212
Bouly 16 BATHROOM	213



CODE BATHROOM	
Code 1 GU10 BATHROOM	214
Code 1 LED BATHROOM	214
Code 2 GU10 BATHROOM	214
Code 2 LED BATHROOM	215
Code W G9 BATHROOM	215
Code W LED BATHROOM	216



- ◆ Choose beam:
- N=narrow 12° or
 - M=medium 24° or
 - W=wide 40°

Ty up BATHROOM

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
 1 x LED array 11,8W (**LED incl.**) - 250mA - 913lm - 2700K - CRI >97
 material: aluminium
CEILING - IP55

	DIM						
		I	STEP 1002◆	STEP 1001◆	STEP 1007◆	STEP 1008◆	STEP 1009◆ I €345
			FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu
+ honeycomb		I	STEP 1002H◆	STEP 1001H◆	STEP 1007H◆	STEP 1008H◆	STEP 1009H◆ I €355



- ◆ Choose beam:
- M=medium 23°
 - or W=wide 40°

Audinni BATHROOM

500mA - **required remote mounted driver see below**
 1 x LED array 4,32W (**LED incl.**) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
FALSE ceiling= aperture: Ø41 - depth: min. 66mm* - depth for driver in false ceiling: min. 100mm
CONCRETE ceiling= aperture: Ø41 - depth: min. 66mm* - **driver must be on distance**
 materials: brass, aluminium
 *Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FALSE ceiling



		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K	AUEXF 1273◆							€230
2700K		AUEXF 1272◆	AUEXF 1271◆					€200
2700K					AUEXF 1274◆	AUEXF 1277◆	AUEXF 1279◆	€255
3000K	AUEXF 1303◆							€230
3000K		AUEXF 1302◆	AUEXF 1301◆					€200
3000K					AUEXF 1304◆	AUEXF 1307◆	AUEXF 1309◆	€255

CONCRETE ceiling



		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K	AUEXC 1273◆							€235
2700K		AUEXC 1272◆	AUEXC 1271◆					€205
2700K					AUEXC 1274◆	AUEXC 1277◆	AUEXC 1279◆	€260
3000K	AUEXC 1303◆							€235
3000K		AUEXC 1302◆	AUEXC 1301◆					€205
3000K					AUEXC 1304◆	AUEXC 1307◆	AUEXC 1309◆	€260

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500*	230V	€17
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture
 *IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

11 Ø46

◆ Choose beam:
M=medium 23°
or W=wide 40°

Audinno BATHROOM

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø41 - depth: min. 102mm * - depth for driver in false ceiling: min. 120mm

CONCRETE ceiling= aperture: Ø41 - depth: min. 102mm * - **driver must be on distance**

materials: brass, aluminium

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP50** 

FALSE ceiling



		FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K	AUOXF 1273◆							€240
2700K			AUOXF 1272◆	AUOXF 1271◆				€210
2700K					AUOXF 1274◆	AUOXF 1277◆	AUOXF 1279◆	€265
3000K	AUOXF 1303◆							€240
3000K			AUOXF 1302◆	AUOXF 1301◆				€210
3000K					AUOXF 1304◆	AUOXF 1307◆	AUOXF 1309◆	€265

CONCRETE ceiling



2700K	AUOXC 1273◆							€245
2700K		AUOXC 1272◆	AUOXC 1271◆					€215
2700K					AUOXC 1274◆	AUOXC 1277◆	AUOXC 1279◆	€270
3000K	AUOXC 1303◆							€245
3000K		AUOXC 1302◆	AUOXC 1301◆					€215
3000K					AUOXC 1304◆	AUOXC 1307◆	AUOXC 1309◆	€270

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
2 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



◆ Choose beam:
M=medium 23°
or W=wide 40°

Audy-In BATHROOM

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø47 - depth: min. 50mm * - depth for driver in false ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø47 - depth: min. 50mm * - depth for driver in concrete ceiling: min. 110mm

materials: brass, aluminium

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55** ◆◆◆

FALSE & CONCRETE ceiling




	FRAME brass	FRAME black	FRAME white	FRAME gunmetal	FRAME bronze	FRAME nickel	
2700K	AUDEX 1273◆	AUDEX 1272◆	AUDEX 1271◆				€350
2700K				AUDEX 1274◆	AUDEX 1277◆	AUDEX 1279◆	€400
3000K	AUDEX 1303◆	AUDEX 1302◆	AUDEX 1301◆				€350
3000K				AUDEX 1304◆	AUDEX 1307◆	AUDEX 1309◆	€400

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilos C in FROSTED BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm * - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm * - **driver must be on distance**

materials: aluminium & transparent glass + screen printed inner side

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




FALSE ceiling



2300K		BCIXF 2000	BCIXF 1000	BCIXF 7000	BCIXF 8000	BCIXF 9000		€495
2700K		BCIXF 2020	BCIXF 1020	BCIXF 7020	BCIXF 8020	BCIXF 9020		€495

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | **€75**

CONCRETE ceiling




2300K		BCIXC 2002	BCIXC 1002	BCIXC 7002	BCIXC 8002	BCIXC 9002		€505
2700K		BCIXC 2022	BCIXC 1022	BCIXC 7022	BCIXC 8022	BCIXC 9022		€505

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilob C in MATT BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm - **driver must be on distance**

materials: aluminium & sandblasted glass

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




FALSE ceiling



2300K		BCM XF 2000	BCM XF 1000	BCM XF 7000	BCM XF 8000	BCM XF 9000		€475
2700K		BCM XF 2020	BCM XF 1020	BCM XF 7020	BCM XF 8020	BCM XF 9020		€475

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




2300K		BCM XC 2002	BCM XC 1002	BCM XC 7002	BCM XC 8002	BCM XC 9002		€485
2700K		BCM XC 2022	BCM XC 1022	BCM XC 7022	BCM XC 8022	BCM XC 9022		€485

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilow in FROSTED BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - CRI >90

FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & transparent glass + screen printed inner side

*Required free air area, see www.trizo21.com/requiredarea - WALL - IP55

FRAME black



FRAME white



FRAME bronze



FRAME gold



FRAME alu




FALSE wall



2300K		BWIXF 2000	BWIXF 1000	BWIXF 7000	BWIXF 8000	BWIXF 9000		€495
2700K		BWIXF 2020	BWIXF 1020	BWIXF 7020	BWIXF 8020	BWIXF 9020		€495


ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall




2300K		BWIXC 2002	BWIXC 1002	BWIXC 7002	BWIXC 8002	BWIXC 9002		€505
2700K		BWIXC 2022	BWIXC 1022	BWIXC 7022	BWIXC 8022	BWIXC 9022		€505

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilow in MATT BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & sandblasted glass

*Required free air area, see www.trizo21.com/requiredarea - WALL - IP55

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




FALSE wall



2300K		BWMXF 2000	BWMXF 1000	BWMXF 7000	BWMXF 8000	BWMXF 9000		€475
2700K		BWMXF 2020	BWMXF 1020	BWMXF 7020	BWMXF 8020	BWMXF 9020		€475


ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall




2300K		BWMXC 2002	BWMXC 1002	BWMXC 7002	BWMXC 8002	BWMXC 9002		€485
2700K		BWMXC 2022	BWMXC 1022	BWMXC 7022	BWMXC 8022	BWMXC 9022		€485

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + H10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + H10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilo up FROSTED BATHROOM

230V - **driver included in base** - **LC** (TRIAC/IGBT) dimmable
1 x 21 LED 0,2W (**LED incl.**) - 500mA - 564lm - CRI >90
materials: aluminium & sandblasted glass
CEILING - IP55


	DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
2300K		BXUI 0002	BXUI 0001	BXUI 0007	BXUI 0008	BXUI 0009	€585
2700K		BXUI 0022	BXUI 0021	BXUI 0027	BXUI 0028	BXUI 0029	€585



Bilo up MATT BATHROOM

230V - **driver included in base** - **LC** (TRIAC/IGBT) dimmable
1 x 21 LED 0,2W (**LED incl.**) - 500mA - 564lm - CRI >90
materials: aluminium & sandblasted glass
CEILING - IP55

	DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
2300K		BXUM 0002	BXUM 0001	BXUM 0007	BXUM 0008	BXUM 0009	€565
2700K		BXUM 0022	BXUM 0021	BXUM 0027	BXUM 0028	BXUM 0029	€565



Bily 16 BATHROOM

350mA - **required remote mounted driver see below**

1 x LED array 11W (incl.) - 350mA - 1125lm - 2700K - CRI >97

FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 70mm* - depth for driver in ceiling: min. 130mm

materials: aluminium & transparent glass

*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu



FALSE ceiling



silver LED HOLDER
gold LED HOLDER

BIEXF 1620
BIEXF 1628

BIEXF 1610
BIEXF 1618


BIEXF 1670
BIEXF 1678

BIEXF 1680
BIEXF 1688

BIEXF 1690
BIEXF 1698

€490
€500

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling



silver LED HOLDER
gold LED HOLDER

BIEXC 1620
BIEXC 1628

BIEXC 1610
BIEXC 1618

BIEXC 1670
BIEXC 1678

BIEXC 1680
BIEXC 1688

BIEXC 1690
BIEXC 1698

€500
€510

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€26
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bily 16 up BATHROOM

230V - driver included in base - LC (TRIAC/IGBT) dimmable

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97

materials: aluminium & transparent glass

CEILING - IP55

FRAME black



FRAME white



FRAME bronze



FRAME gold



FRAME alu



DIM
silver LED HOLDER
gold LED HOLDER
LC

BUEX 1620
BUEX 1628


BUEX 1610
BUEX 1618

BUEX 1670
BUEX 1678

BUEX 1680
BUEX 1688

BUEX 1690
BUEX 1698

€590
€600



Boulo C in FROSTED BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: transparant glass + screen printed inner side


* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FALSE ceiling



FALSE ceiling		2300K		BLCXI 1100		€455
FALSE ceiling		2700K		BLCXI 1120		€455

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120		PLBO 2000		€75
----------------	--	-----------	--	-----

CONCRETE ceiling




CONCRETE ceiling		2300K		BLCXI 1102		€465
CONCRETE ceiling		2700K		BLCXI 1122		€465

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59
driver remote mounting: driver is IP20				
*IP 44				

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo C in MATT BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

material: sandblasted glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING** - **IP55**

FALSE ceiling




FALSE ceiling		2300K		BLCXM 1100		€435
FALSE ceiling		2700K		BLCXM 1120		€435

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120		PLBO 2000		€75
----------------	--	-----------	--	-----

CONCRETE ceiling




CONCRETE ceiling		2300K		BLCXM 1102		€445
CONCRETE ceiling		2700K		BLCXM 1122		€445

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is **IP20**
*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo W in FROSTED BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90

FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: transparant glass + screen printed inner side


*Required free air area, see www.trizo21.com/requiredarea - **WALL - IP55**

FALSE wall



FALSE wall		2300K		BLWXI 1100		€455
FALSE wall		2700K		BLWXI 1120		€455

ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall



CONCRETE wall		2300K		BLWXI 1102		€465
CONCRETE wall		2700K		BLWXI 1122		€465


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is IP20

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo W in MATT BATHROOM

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90


FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

material: sandblasted glass


*Required free air area, see www.trizo21.com/requiredarea - **WALL - IP55**

FALSE wall



FALSE wall		2300K		BLWXM 1100		€435
FALSE wall		2700K		BLWXM 1120		€435

ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall



CONCRETE wall		2300K		BLWXM 1102		€445
CONCRETE wall		2700K		BLWXM 1122		€445

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is **IP20**

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 4 BATHROOM

350mA - **required remote mounted driver see below**


1 x 4 LED array 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93

FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 60mm* - depth for driver in ceiling: min. 130mm

material: transparant glass

*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55** 




◆ Choose beam:

N=narrow 10° or

M=medium 25° or


W=wide 40°

FALSE ceiling



FALSE ceiling | **silver LED HOLDER**  | **BEWW 6010** ◆ | **€440**

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | **PLBO 2000** | **€75**

CONCRETE ceiling




CONCRETE ceiling | **silver LED HOLDER**  | **BEWW 6012** ◆ | **€450**

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	 NO (non-dimmable)	N 5W	230V	€13
1 x	 LC (TRIAC/IGBT)	D 3WT	230V	€16
1 x	 PU (PUSH-DIM) +  1-10 (1-10V)	D 6WP	230V	€16
1 x	 LC (TRIAC/IGBT)	D 15WT	230V	€25
1-3 x	 PU (PUSH-DIM) +  1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x	 PU (PUSH-DIM) +  DA (DALI)	D 15WDA EU	230V	€30
1-3 x	 DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	 PU (PUSH-DIM) +  DA (DALI) +  1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly 16 BATHROOM

350mA - **required remote mounted driver see below**

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97


FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 70mm* - depth for driver in ceiling: min. 130mm

material: transparent glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FALSE ceiling



FALSE ceiling		silver LED HOLDER		BOEX 1600		€450
FALSE ceiling		gold LED HOLDER		BOEX 1608		€470

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling



CONCRETE ceiling		silver LED HOLDER		BOEX 1602		€460
CONCRETE ceiling		gold LED HOLDER		BOEX 1680		€480

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€26
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Code 1 GU10 BATHROOM

230V - GU10 - 1 x HALO QPAR16 max. 35W or 1 x GU10 LED
material: aluminium
Bulb excluded - CEILING - IP55

FRAME black



COEX 3001

FRAME white




COEX 1001

FRAME alu



COEX 2001

| €255




OPTIONAL COVER FOR CODE 1 BATHROOM & CODE 1 LED BATHROOM

ACEX 7055

ACEX 2055

ACEX 1055

| €55



- ◆ Choose beam:
- N=narrow 10° or
 - M=medium 25° or
 - W=wide 40°

Code 1 LED BATHROOM

230V - **driver included in base** - **(non-dimmable)**
1 x 4 LED 0,96W **(LED incl.)** - 350mA - 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP55

FRAME black



COEX 2151◆

FRAME white




COEX 1151◆

FRAME alu



COEX 7151◆

| €430



OPTIONAL COVER FOR CODE 1 BATHROOM & CODE 1 LED BATHROOM

ACEX 7055

ACEX 2055

ACEX 1055

| €55



Code 2 GU10 BATHROOM

230V - GU10 - 2 x HALO QPAR16 max. 35W or 2 x GU10 LED
material: aluminium
Bulbs excluded - CEILING - IP55

FRAME black



COEX 3002

FRAME white




COEX 1002

FRAME alu



COEX 2002

| €305



◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Code 2 LED BATHROOM

230V - driver included in base - **NO (non-dimmable)**
1 x 8 LED 0,96W (LED incl.) - 350mA - 912lm - 2700K - CRI >93
material: aluminium
CEILING - IP55

FRAME black



COEX 2251 ◆

FRAME white




COEX 1251 ◆

FRAME alu



COEX 7251 ◆

| €675



Code W G9 BATHROOM

230V - G9 - 1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)
material: aluminium
Bulb excluded - WALL - IP55

FRAME black



230V - G9 HALO |
230V - G9 LED |

CODE 2006
CODE L2006

FRAME white



CODE 1006
CODE L1006

FRAME alu



CODE 7006
CODE L7006

| €240
| €240




OPTIONAL COVER FOR CODE W BATHROOM

ACEX 2006

ACEX 1006

ACEX 7006 |

€55



◆ Choose beam:

N=narrow 10° or

M=medium 25° or

W=wide 40°

Code W LED BATHROOM

350mA - **required remote mounted driver see below**

1 lighting side: 1 x 4 LED 0,96W **(LED incl.)** - 350mA - 456lm - 2700K - CRI >93

2 lighting sides: 2 x 4 LED 0,96W **(LED incl.)** - 350mA - 2 x 456lm - 2700K - CRI >93

material: aluminium

WALL - IP55

FRAME black



FRAME white



FRAME alu



1 side

COEX 2111◆

COEX 1111◆

COEX 7111◆

€505

2 sides

COEX 2211◆

COEX 1211◆

COEX 7211◆

€705



OPTIONAL COVER FOR CODE W LED BATHROOM

ACEX 2006

ACEX 1006

ACEX 7006

€40

REQUIRED REMOTE MOUNTED DRIVER

DEVICE		DIM.	DRIVER	VOLT	NET PRICE
1 x	1 side	LC (TRIAC/IGBT)	D 3WT⌘	230V	€15
1 x	1 side	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP⌘	230V	€16
2 x	1 side	LC (TRIAC/IGBT)	D 10WT⌘	230V	€20
1-3 x	1 side	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP⌘	110V-230V	€27
1-3 x	1 side	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU⌘	230V	€30
1-3 x	1 side	DA (DALI)	D 15WDA EU-US**⌘	110V-230V	€30
2-8 x	1 side	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59
1 x	2 sides	LC (TRIAC/IGBT)	D 10WT⌘	230V	€20
1 x	2 sides	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP⌘	110V-230V	€27
1 x	2 sides	DA (DALI)	D 15WDA⌘	110V-230V	€30
1-4 x	2 sides	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

⌘driver fits behind optional cover for CODE W LED

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

Outdoor



7TY OUT
7y up OUT 218



AUDINNI OUT
Audinni OUT 218



AUDINNO OUT
Audinno OUT 219



AUDY OUT
Audy-In OUT 220



BILO OUT
Bilo C in FROSTED OUT 221
Bilo C in MATT OUT 222
Bilo up FROSTED OUT 222
Bilo up MATT OUT 223



BILY OUT
Bily 16 OUT 223
Bily 16 up OUT 224



BOULO OUT
Boulo C in FROSTED OUT 224
Boulo C in MATT OUT 225
Boulo W in FROSTED OUT 226
Boulo W in MATT OUT 227



BOULY OUT
Bouly 4 OUT 228
Bouly 16 OUT 229



CODE OUT
Code 1 GU10 OUT 229
Code 1 LED OUT 230
Code 2 GU10 OUT 230
Code 2 LED OUT 230
Code W G9 OUT 231
Code W LED OUT 231



◆ Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°

7Ty up OUT

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 11,8W (**LED incl.**) - 250mA - 913lm - 2700K - CRI >97
material: aluminium
CEILING - IP55

DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu
I	STEP 1002◆	STEP 1001◆	STEP 1007◆	STEP 1008◆	STEP 1009◆
					I €345



◆ Choose beam:
M=medium 23°
or W=wide 40°

Audinni OUT

500mA - **required remote mounted driver see below**
1 x LED array 4,32W (**LED incl.**) - 500mA - 2700K (487lm) or 3000K (517lm) - CRI >95
FALSE ceiling= aperture: Ø41 - depth: min. 66mm* - depth for driver in false ceiling: min. 100mm
CONCRETE ceiling= aperture: Ø41 - depth: min. 66mm* - **driver must be on distance**
material: aluminium
*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FRAME black	FRAME white

FALSE ceiling



FALSE ceiling	2700K	AUEXF 1272◆	AUEXF 1271◆	€200
FALSE ceiling	3000K	AUEXF 1302◆	AUEXF 1301◆	€200

CONCRETE ceiling



CONCRETE ceiling	2700K	AUEXC 1272◆	AUEXC 1271◆	€205
CONCRETE ceiling	3000K	AUEXC 1302◆	AUEXC 1301◆	€205

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT500*	230V	€17
2 x	LC (TRIAC/IGBT)	D 10WT500	230V	€20
1-4 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-4 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture
*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

11 Ø46

◆ Choose beam:
M=medium 23°
or W=wide 40°

Audinno OUT

350mA - **required remote mounted driver see below**

1 x LED array 6,25W **(LED incl.)** - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95

FALSE ceiling= aperture: Ø41 - depth: min. 102mm * - depth for driver in false ceiling: min. 120mm

CONCRETE ceiling= aperture: Ø41 - depth: min. 102mm * - **driver must be on distance**

material: aluminium

* Required free air area, see www.trizo21.com/requiredarea - **CEILING** - IP55

FRAME black



FRAME white



FALSE ceiling



FALSE ceiling	2700K	AUOXF 1272◆	AUOXF 1271◆	€210
FALSE ceiling	3000K	AUOXF 1302◆	AUOXF 1301◆	€210

CONCRETE ceiling



CONCRETE ceiling	2700K	AUOXC 1272◆	AUOXC 1271◆	€215
CONCRETE ceiling	3000K	AUOXC 1302◆	AUOXC 1301◆	€215

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
2 x	LC (TRIAC/IGBT)	D 10WT	230V	€20
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



◆ Choose beam:
M=medium 23°
or W=wide 40°

Audy-In OUT

350mA - **required remote mounted driver see below**

1 x LED array 6,25W (incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95


FALSE ceiling= aperture: Ø47 - depth: min. 50mm* - depth for driver in false ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø47 - depth: min. 50mm* - depth for driver in concrete ceiling: min. 110mm

material: aluminium

*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55** ◆

FALSE & CONCRETE ceiling



FRAME black



FRAME white



FALSE ceiling | **2700K** | AUDEX 1272◆ | AUDEX 1271◆ | €350


CONCRETE ceiling | **3000K** | AUDEX 1302◆ | AUDEX 1301◆ | €350

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 18 WT	230V	€24
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-2 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-6 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilbo C in FROSTED OUT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & transparent glass + screen printed inner side

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




FALSE ceiling



2300K		BCIXF 2000	BCIXF 1000	BCIXF 7000	BCIXF 8000	BCIXF 9000		€495
2700K		BCIXF 2020	BCIXF 1020	BCIXF 7020	BCIXF 8020	BCIXF 9020		€495

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | **€75**

CONCRETE ceiling




2300K		BCIXC 2002	BCIXC 1002	BCIXC 7002	BCIXC 8002	BCIXC 9002		€505
2700K		BCIXC 2022	BCIXC 1022	BCIXC 7022	BCIXC 8022	BCIXC 9022		€505

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilos C in MATT OUT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W **(LED incl.)** - 350mA - 400lm - 2700K - CRI >90

FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: aluminium & sandblasted glass

* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




FALSE ceiling



2300K		BCM XF 2000	BCM XF 1000	BCM XF 7000	BCM XF 8000	BCM XF 9000		€475
2700K		BCM XF 2020	BCM XF 1020	BCM XF 7020	BCM XF 8020	BCM XF 9020		€475

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | **€75**

CONCRETE ceiling




2300K		BCM XC 2002	BCM XC 1002	BCM XC 7002	BCM XC 8002	BCM XC 9002		€485
2700K		BCM XC 2022	BCM XC 1022	BCM XC 7022	BCM XC 8022	BCM XC 9022		€485

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bilos C up FROSTED OUT

230V - **driver included in base** - LC (TRIAC/IGBT) dimmable

1 x 21 LED 0,2W **(LED incl.)** - 500mA - 564lm - CRI >90

materials: aluminium & sandblasted glass

CEILING - IP55

FRAME black



FRAME white



FRAME bronze




FRAME gold



FRAME alu




	DIM							
2300K	LC		BXUI 0002	BXUI 0001	BXUI 0007	BXUI 0008	BXUI 0009	€585
2700K	LC		BXUI 0022	BXUI 0021	BXUI 0027	BXUI 0028	BXUI 0029	€585



Bilo C up MATT OUT

230V - driver included in base - **LC** (TRIAC/IGBT) dimmable
1 x 21 LED 0,2W (LED incl.) - 500mA - 564lm - CRI >90
materials: aluminium & sandblasted glass
CEILING - IP55


	DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
2300K							BXUM 0002 BXUM 0001 BXUM 0007 BXUM 0008 BXUM 0009 €565
2700K							BXUM 0022 BXUM 0021 BXUM 0027 BXUM 0028 BXUM 0029 €565



Bily 16 OUT


350mA - **required remote mounted driver see below**
1 x LED array 11W (incl.) - 350mA - 1125lm - 2700K - CRI >97
FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm
CONCRETE ceiling= aperture: Ø67 - depth: min. 70mm* - depth for driver in ceiling: min. 130mm
materials: aluminium & transparant glass
* Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FALSE ceiling



silver LED HOLDER		BIEXF 1620	BIEXF 1610	BIEXF 1670	BIEXF 1680	BIEXF 1690	€490
gold LED HOLDER		BIEXF 1628	BIEXF 1618	BIEXF 1678	BIEXF 1688	BIEXF 1698	€500

ACCESSORY FOR WALL: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling



silver LED HOLDER		BIEXC 1620	BIEXC 1610	BIEXC 1670	BIEXC 1680	BIEXC 1690	€500
gold LED HOLDER		BIEXC 1628	BIEXC 1618	BIEXC 1678	BIEXC 1688	BIEXC 1698	€510

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	(TRIAC/IGBT)	D 15WT**	230V	€25
1 x	(TRIAC/IGBT)	D 18WT	230V	€24
1 x	(PUSH-DIM) + (1-10V)	D 15WP	110V-230V	€26
1 x	(PUSH-DIM) + (DALI)	D 15WDA EU	230V	€30
1 x	(DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	(PUSH-DIM) + (DALI) + (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture
**IP 65


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bily 16 up OUT

230V - **driver included in base** - **LC (TRIAC/IGBT) dimmable**
1 x LED array 11W (**LED incl.**) - 350mA - 1125lm - 2700K - CRI >97
materials: aluminium & transparent glass
CEILING - IP55


	DIM	FRAME black	FRAME white	FRAME bronze	FRAME gold	FRAME alu	
silver LED HOLDER	LC	BUEX 1620	BUEX 1610	BUEX 1670	BUEX 1680	BUEX 1690	€590
gold LED HOLDER	LC	BUEX 1628	BUEX 1618	BUEX 1678	BUEX 1688	BUEX 1698	€600



Boulo C in FROSTED OUT


350mA - **required remote mounted driver see below**
1 x 21 LED 0,14W (**LED incl.**) - 350mA - 400lm - 2700K - CRI >90
FALSE ceiling = aperture: Ø67 - depth: min. 50mm * - depth for driver in ceiling: min. 70mm
CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm * - **driver must be on distance**
materials: transparent glass + screen printed inner side
*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FALSE ceiling



FALSE ceiling		2300K		BLCXI 1100		€455
FALSE ceiling		2700K		BLCXI 1120		€455

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




CONCRETE ceiling		2300K		BLCXI 1102		€465
CONCRETE ceiling		2700K		BLCXI 1122		€465

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is **IP20**
*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo C in MATT OUT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90


FALSE ceiling = aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

material: sandblasted glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55**

FALSE ceiling




FALSE ceiling		2300K		BLCXM 1100		€435
FALSE ceiling		2700K		BLCXM 1120		€435

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling



CONCRETE ceiling		2300K		BLCXM 1102		€445
CONCRETE ceiling		2700K		BLCXM 1122		€445


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-2 x	PU (PUSH-DIM) + 1H0 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1H0 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is **IP20**

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo W in FROSTED OUT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W **(LED incl.)** - 350mA - 400lm - 2700K - CRI >90


FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

materials: transparant glass + screen printed inner side

*Required free air area, see www.trizo21.com/requiredarea - **WALL - IP55**

FALSE wall



FALSE wall		2300K		BLWXI 1100		€455
FALSE wall		2700K		BLWXI 1120		€455

ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall



CONCRETE wall		2300K		BLWXI 1102		€465
CONCRETE wall		2700K		BLWXI 1122		€465


REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is **IP20**

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Boulo W in MATT OUT

350mA - **required remote mounted driver see below**

1 x 21 LED 0,14W (LED incl.) - 350mA - 400lm - 2700K - CRI >90


FALSE wall = aperture: Ø67 - depth: min. 50mm* - depth for driver in wall: min. 70mm

CONCRETE wall = aperture: Ø67 - depth: min. 60mm* - **driver must be on distance**

material: sandblasted glass

*Required free air area, see www.trizo21.com/requiredarea - WALL - IP55

FALSE wall



FALSE wall		2300K		BLWXM 1100		€435
FALSE wall		2700K		BLWXM 1120		€435

ACCESSORY FOR WALL: PLASTER KIT



Ø200

aperture: Ø120 | PLBO 2000 | €75

CONCRETE wall



CONCRETE wall		2300K		BLWXM 1102		€445
CONCRETE wall		2700K		BLWXM 1122		€445

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1-4 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 3WT	230V	€16
2 x	LC (TRIAC/IGBT)	D 6WT*	230V	€16
1-2 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
3-12 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver is IP20

*IP 44

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

Bouly 4 OUT

350mA - **required remote mounted driver see below**


1 x 4 LED array 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93

FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 60mm* - depth for driver in ceiling: min. 130mm


material: transparant glass

*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55** 




◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

FALSE ceiling



FALSE ceiling | **silver LED HOLDER**  | **BEWW 6010**  | **€440**

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | **PLBO 2000** | **€75**

CONCRETE ceiling




CONCRETE ceiling | **silver LED HOLDER**  | **BEWW 6012**  | **€450**

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	 NO (non-dimmable)	N 5W	230V	€13
1 x	 LC (TRIAC/IGBT)	D 3WT	230V	€16
1 x	 PU (PUSH-DIM) +  1-10 (1-10V)	D 6WP	230V	€16
1 x	 LC (TRIAC/IGBT)	D 15WT	230V	€25
1-3 x	 PU (PUSH-DIM) +  1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x	 PU (PUSH-DIM) +  DA (DALI)	D 15WDA EU	230V	€30
1-3 x	 DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x	 PU (PUSH-DIM) +  DA (DALI) +  1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Bouly 16 OUT

350mA - **required remote mounted driver see below**

1 x LED array 11W (LED incl.) - 350mA - 1125lm - 2700K - CRI >97


FALSE ceiling= aperture: Ø67 - depth: min. 50mm* - depth for driver in ceiling: min. 70mm

CONCRETE ceiling= aperture: Ø67 - depth: min. 70mm* - depth for driver in ceiling: min. 130mm

material: transparent glass


*Required free air area, see www.trizo21.com/requiredarea - **CEILING - IP55** ⚡

FALSE ceiling



FALSE ceiling		silver LED HOLDER	●		BOEX 1600		€450
FALSE ceiling		gold LED HOLDER	●		BOEX 1608		€470

ACCESSORY FOR CEILING: PLASTER KIT



aperture: Ø120 | PLBO 2000 | €75

CONCRETE ceiling




CONCRETE ceiling		silver LED HOLDER	●		BOEX 1602		€460
CONCRETE ceiling		gold LED HOLDER	●		BOEX 1680		€480

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x	LC (TRIAC/IGBT)	D 18WT	230V	€24
1 x	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€26
1 x	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1 x	DA (DALI)	D 15WDA EU-US	110V-230V	€30
1-3 x	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Code 1 GU10 OUT

230V - GU10 - 1 x HALO QPAR16 max. 35W or 1 x GU10 LED

material: aluminium

Bulb excluded - CEILING - IP55 ⚡

FRAME black



COEX 3001

FRAME white



COEX 1001

FRAME alu




COEX 2001

| €255



OPTIONAL COVER FOR CODE 1 OUT & CODE 1 LED OUT

ACEX 7055 | ACEX 2055 | ACEX 1055 | €55



◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Code 1 LED OUT

230V - driver included in base - **NO (non-dimmable)**
1 x 4 LED 0,96W (**LED incl.**) - 350mA - 456lm - 2700K - CRI >93
material: aluminium
CEILING - IP55

FRAME black



COEX 2151◆

FRAME white




COEX 1151◆

FRAME alu



COEX 7151◆ | €430



OPTIONAL COVER FOR CODE 1 OUT & CODE 1 LED OUT

ACEX 7055

ACEX 2055

ACEX 1055 |

€55



Code 2 GU10 OUT

230V - GU10 - 2 x HALO QPAR16 max. 35W or 2 x GU10 LED
material: aluminium
Bulbs excluded - CEILING - IP55

FRAME black



COEX 3002

FRAME white




COEX 1002

FRAME alu



COEX 2002 | €305



◆ Choose beam:
N=narrow 10° or
M=medium 25° or
W=wide 40°

Code 2 LED OUT

230V - driver included in base - **NO (non-dimmable)**
1 x 8 LED 0,96W (**LED incl.**) - 350mA - 912lm - 2700K - CRI >93
material: aluminium
CEILING - IP55

FRAME black



COEX 2251◆

FRAME white




COEX 1251◆

FRAME alu



COEX 7251◆ | €675



Code W G9 OUT

230V - G9 - 1 x HALO QT14 max. 60W or 1 x G9 LED (max. Ø19, max. L 62mm)

material: aluminium

Bulb excluded - WALL - IP55

FRAME black




FRAME white



FRAME alu




230V - G9 HALO		CODE 2006	CODE 1006	CODE 7006		€240
230V - G9 LED		CODE L2006	CODE L1006	CODE L7006		€240



OPTIONAL COVER FOR CODE W OUT

ACEX 2006	ACEX 1006	ACEX 7006		€55
-----------	-----------	-----------	--	-----



Choose beam:

N=narrow 10° or
M=medium 25° or
W=wide 40°

! driver remote mounting excl.
driver does not fit through
cutout hole of fixture

Code W LED OUT

350mA - **required remote mounted driver see below**

1 lighting side: 1 x 4 LED 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93

2 lighting sides: 2 x 4 LED 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93

material: aluminium

WALL - IP55

FRAME black



FRAME white



FRAME alu



1 side		COEX 2111	COEX 1111	COEX 7111		€505
2 sides		COEX 2211	COEX 1211	COEX 7211		€705



OPTIONAL COVER FOR CODE W LED OUT

ACEX 2006	ACEX 1006	ACEX 7006		€55
-----------	-----------	-----------	--	-----

REQUIRED REMOTE MOUNTED DRIVER

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x 1 side	NO (non-dimmable)	N 5W	230V	€13
1 x 1 side	LC (TRIAC/IGBT)	D 3WT	230V	€15
1 x 1 side	PU (PUSH-DIM) + 1-10 (1-10V)	D 6WP	230V	€16
1-2 x 1 side	NO (non-dimmable)	N 12W	230V	€25
2 x 1 side	LC (TRIAC/IGBT)	D 10WT	230V	€20
1-3 x 1 side	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1-3 x 1 side	PU (PUSH-DIM) + DA (DALI)	D 15WDA EU	230V	€30
1-3 x 1 side	DA (DALI)	D 15WDA EU-US	110V-230V	€30
2-8 x 1 side	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59
1 x 2 sides	LC (TRIAC/IGBT)	D 15WT	230V	€25
1 x 2 sides	LC (TRIAC/IGBT)	D 10WT	230V	€20
1 x 2 sides	PU (PUSH-DIM) + 1-10 (1-10V)	D 15WP	110V-230V	€27
1 x 2 sides	DA (DALI)	D 15WDA	110V-230V	€30
1-4 x 2 sides	PU (PUSH-DIM) + DA (DALI) + 1-10 (1-10V)	D 40WDP	110V-230V	€59

driver remote mounting: driver does not fit through cutout hole of fixture
«driver fits behind optional cover for CODE W LED

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

Track



2THIRTY		
2Thirty Track 48V		234
2Thirty Track 230V		234



AUDY-SOLITAIRE		
Audy-Solitaire RF75 Track 48V		238
Audy-Solitaire RF100 Track 48V		239



AUDETTE		
Audette Track 48V		235
Audette-Duo Track 48V		236
Audette-Varié Track 48V		237



MINI-PI		
Mini-Pi 1 Track 48V		243
Mini-Pi 2 Track 48V		243



AUSTIN		
Austin Adjustable Track 48V		240




AUSTERE-SOLITAIRE		
Austere-Solitaire RF75 Track 48V		241
Austere-Solitaire RF100 Track 48V		242




T-PATH SUSPENDED MOUNTING	
T-Path profile	247
T-Path base SU	247
T-Path canopy B7	247
T-Path power feed	247
T-Path driver	248
T-Path E-connector 180°	248
T-Path E-connector 90°	248
T-Path E-connector flexibel	248
T-Path +-connector 180°	249
T-Path T-connector	249
T-Path Endplate	249
T-Path Endplate open	249
T-Path profile cover	249



T-PATH SURFACE MOUNTING	
T-Path profile	244
T-Path curved profile	244
T-Path inline driver	244
T-Path driver	244
T-Path power feed	245
T-Path E-connector 180°	245
T-Path E-connector 90°	245
T-Path E-connector flexibel	245
T-Path +-connector 180°	246
T-Path T-connector	246
T-Path Endplate	246
T-Path Endplate open	246
T-Path profile cover	246





T-PATH RIMLESS MOUNTING	
T-Path profile + bracket	250
T-Path inline driver	250
T-Path driver	250
T-Path power feed	250
T-Path E-connector 180°	251
T-Path E-connector flexibel	251
T-Path Endplate	251
T-Path profile cover	251




! driver not incl. in adapter
see REQUIRED DRIVER FOR ADAPTER 48V


- ◆ Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°




2T4 12723◆



2T4 17723◆



2T4 18723◆



2T4 19723◆

€425

+ honeycomb

2T4 12723H◆

2T4 17723H◆

2T4 18723H◆

2T4 19723H◆

€445

2Thirty Track 48V

48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 11,8W (LED incl.) - 350mA - 1241lm - 2700K - CRI >97


materials: brass, aluminium

TRACK 48V - IP50


REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	1-10 (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers




- ◆ Choose beam:
N=narrow 12° or
M=medium 24° or
W=wide 40°




DIM


LC




2T2 12223◆



2T2 17223◆



2T2 18223◆



2T2 19223◆

€510

+ honeycomb

LC

2T2 12223H◆

2T2 17223H◆

2T2 18223H◆

2T2 19223H◆


€530

2Thirty Track 230V

230V - LC (TRIAC/IGBT) dimmable
1 x LED Module 10W (LED incl.) - 230V - 1000lm - 2700K - CRI >90

materials: brass, aluminium

TRACK 230V - IP50



Audette Track 48V


48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
TRACK 48V - IP50

		ADAPTER black SWIVEL brass BODY brass RING brass				ADAPTER white SWIVEL brass BODY brass RING brass				ADAPTER black SWIVEL black BODY black RING black				ADAPTER black SWIVEL white BODY white RING white				ADAPTER white SWIVEL white BODY white RING white				
	2700K	ADTR 2333				ADTW 2333								ADTR 2111				ADTW 2111				€355
	2700K									ADTR 2222												€335
	3000K	ADTR 3333				ADTW 3333								ADTR 3111				ADTW 3111				€355
	3000K									ADTR 3222												€335
+ honeycomb	2700K	ADTR 2333H				ADTW 2333H								ADTR 2111H				ADTW 2111H				€365
+ honeycomb	2700K									ADTR 2222H												€345
+ honeycomb	3000K	ADTR 3333H				ADTW 3333H								ADTR 3111H				ADTW 3111H				€365
+ honeycomb	3000K									ADTR 3222H												€345
										ADAPTER black SWIVEL gunmetal BODY gunmetal RING gunmetal				ADAPTER black SWIVEL bronze BODY bronze RING bronze				ADAPTER black SWIVEL nickel BODY nickel RING nickel				
	2700K									ADTR 2444				ADTR 2777				ADTR 2999				€425
	3000K									ADTR 3444				ADTR 3777				ADTR 3999				€425
	+ honeycomb									ADTR 2444H				ADTR 2777H				ADTR 2999H				€435
	+ honeycomb									ADTR 3444H				ADTR 3777H				ADTR 3999H				€435

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)


DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	1-10 (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audette-Duo Track 48V

48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
TRACK 48V - IP50



ADAPTER black	SWIVEL brass	BODY brass	RING black	ADAPTER black	SWIVEL brass	BODY brass	RING white	ADAPTER white	SWIVEL brass	BODY brass	RING white	ADAPTER black	SWIVEL black	BODY black	RING brass	ADAPTER black	SWIVEL white	BODY white	RING brass	ADAPTER white	SWIVEL white	BODY white	RING brass	
●	●	●	●	●	●	●	○	○	●	●	○	●	●	●	●	●	○	○	○	●	○	○	○	●

2700K	ADTRD 2332	ADTRD 2331	ADTWD 2331	ADTRD 2223	ADTRD 2113	ADTWD 2113	€335
2700K							€355
3000K	ADTRD 3332	ADTRD 3331	ADTWD 3331	ADTRD 3223	ADTRD 3113	ADTWD 3113	€335
3000K							€355


+ honeycomb	2700K	ADTRD 2332H	ADTRD 2331H	ADTWD 2331H				€345
+ honeycomb	2700K				ADTRD 2223H	ADTRD 2113H	ADTWD 2113H	€365
+ honeycomb	3000K	ADTRD 3332H	ADTRD 3331H	ADTWD 3331H				€345
+ honeycomb	3000K				ADTRD 3223H	ADTRD 3113H	ADTWD 3113H	€365

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	HO (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105


For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers

gunmetal, bronze and nickel combinations on demand



Audette-Varié Track 48V

48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W (**LED incl.**) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
materials: brass, aluminium
TRACK 48V - IP50




	2700K		ADTRD 2232	◆	ADTRD 2131	◆	ADTWD 2131	◆		€335
	3000K		ADTRD 3232	◆	ADTRD 3131	◆	ADTWD 3131	◆		€335
+ honeycomb	2700K		ADTRD 2232H	◆	ADTRD 2131H	◆	ADTWD 2131H	◆		€345
+ honeycomb	3000K		ADTRD 3232H	◆	ADTRD 3131H	◆	ADTWD 3131H	◆		€345

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	(non-dimmable)	N 14W	48V	€29
1 x	(1-10V)	D 13WP	48V	€32
1 x	(DALI)	D 13WD	48V	€36
1 x	(CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audy-Solitaire RF 75 Track 48V

48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
material: brass
TRACK 48V - IP40 ☐


◆ Choose beam:
M=medium 23° or
W=wide 40°

		ADAPTER black FRAME brass		ADAPTER white FRAME brass		ADAPTER black FRAME black		ADAPTER white FRAME black		ADAPTER white FRAME white			
	2700K		AYTR 2703◆		AYTW 2703◆								€590
	2700K						AYTR 2702◆		AYTW 2702◆		AYTW 2701◆		€570
	3000K		AYTR 3703◆		AYTW 3703◆								€590
	3000K						AYTR 3702◆		AYTW 3702◆		AYTW 3701◆		€570
+ honeycomb	2700K		AYTR 2703H◆		AYTW 2703H◆								€600
+ honeycomb	2700K						AYTR 2702H◆		AYTW 2702H◆		AYTW 2701H◆		€580
+ honeycomb	3000K		AYTR 3703H◆		AYTW 3703H◆								€600
+ honeycomb	3000K						AYTR 3702H◆		AYTW 3702H◆		AYTW 3701H◆		€580
		ADAPTER black FRAME gunmetal		ADAPTER black FRAME bronze		ADAPTER black FRAME nickel							
	2700K				AYTR 2444◆		AYTR 2707◆		AYTR 2709◆				€660
	3000K				AYTR 3444◆		AYTR 3707◆		AYTR 3709◆				€660
+ honeycomb	2700K				AYTR 2704H◆		AYTR 2707H◆		AYTR 2709H◆				€670
+ honeycomb	3000K				AYTR 3704H◆		AYTR 3707H◆		AYTR 3709H◆				€670

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	1-10 (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Audy-Solitaire RF 100 Track 48V


48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6,25W (LED incl.) - 350mA - 2700K (633lm) or 3000K (673lm) - CRI >95
material: brass
TRACK 48V - IP40

		ADAPTER black FRAME brass		ADAPTER white FRAME brass		ADAPTER black FRAME black		ADAPTER white FRAME black		ADAPTER white FRAME white		
2700K		AYTR 2903	AYTW 2903									€610
2700K						AYTR 2902	AYTW 2902	AYTW 2901				€590
3000K		AYTR 3903	AYTW 3903									€610
3000K						AYTR 3902	AYTW 3902	AYTW 3901				€590
+ honeycomb	2700K	AYTR 2903H	AYTW 2903H									€620
+ honeycomb	2700K					AYTR 2902H	AYTW 2902H	AYTW 2901H				€600
+ honeycomb	3000K	AYTR 3903H	AYTW 3903H									€620
+ honeycomb	3000K					AYTR 3902H	AYTW 3902H	AYTW 3901H				€600
		ADAPTER black FRAME gunmetal		ADAPTER black FRAME bronze		ADAPTER black FRAME nickel						
2700K		AYTR 2904	AYTR 2707	AYTR 2709								€690
3000K		AYTR 3904	AYTR 3707	AYTR 3709								€690
+ honeycomb	2700K	AYTR 2904H	AYTR 2707H	AYTR 2709H								€700
+ honeycomb	3000K	AYTR 3904H	AYTR 3707H	AYTR 3709H								€700

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	I-10 (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



! driver not incl. in adapter
see REQUIRED DRIVER FOR ADAPTER 48V

Austin Adjustable Track 48V


48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
material: brass
TRACK 48V - IP40

ADAPTER black FRAME brass	ADAPTER white FRAME brass	ADAPTER black FRAME black	ADAPTER white FRAME black	ADAPTER white FRAME white	
AUTR 1733	AUTW 1733	AUTR 1722	AUTW 1722	AUTW 1711	€325
		ADAPTER black FRAME gunmetal	ADAPTER black FRAME bronze	ADAPTER black FRAME nickel	
		AUTR 1744	AUTR 1777	AUTR 1799	€410

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	HO (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CASAMBI	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austere-Solitaire RF 75 Track 48V


48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
material: brass
TRACK 48V - IP50

ADAPTER black FRAME brass	ADAPTER white FRAME brass	ADAPTER black FRAME black	ADAPTER white FRAME black	ADAPTER white FRAME white	
HVSU 4773	HVSW 4773	HVSU 4772	HVSW 4772	HVSW 4771	I €500
		ADAPTER black FRAME gunmetal	ADAPTER black FRAME bronze	ADAPTER black FRAME nickel	
		HVSU 4774	HVSU 4777	HVSU 4779	I €600

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	HO (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



Austere-Solitaire RF 100 Track 48V


48V - adapter included - **driver required for adapter 48V see below**
1 x LED array 6W (LED incl.) - 350mA - 634lm - 2700K - CRI >93
material: brass
TRACK 48V - IP50

ADAPTER black FRAME brass	ADAPTER white FRAME brass	ADAPTER black FRAME black	ADAPTER white FRAME black	ADAPTER white FRAME white	
HVSU 4793	HVSW 4793	HVSU 4792	HVSW 4792	HVSW 4791	€520
		ADAPTER black FRAME gunmetal	ADAPTER black FRAME bronze	ADAPTER black FRAME nickel	
		HVSU 4794	HVSU 4797	HVSU 4799	€620

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	HO (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



! driver not incl. in adapter
see REQUIRED DRIVER FOR ADAPTER 48V

- ◆ Choose beam:
- N=narrow 12° or
 - M=medium 24° or
 - W=wide 40°

Mini-Pi 1 Track 48V


48V - adapter included - driver required for adapter 48V see below
1 x 4 LED array 0,96W (LED incl.) - 350mA - 456lm - 2700K - CRI >93
material: aluminium
TRACK 48V - IP40 ☐

ADAPTER black FRAME black	ADAPTER black FRAME white	ADAPTER white FRAME white
● ●	● ○	○ ○
MIPI 4712◆	MIPI 4711◆	MIPW 4711◆ €320

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 14W	48V	€29
1 x	I-10 (1-10V)	D 13WP	48V	€32
1 x	DA (DALI)	D 13WD	48V	€36
1 x	CA (CASAMBI)	D 30WD CAS	48V	€105

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



! driver not incl. in adapter
see REQUIRED DRIVER FOR ADAPTER 48V

- ◆ Choose beam:
- N=narrow 12° or
 - M=medium 24° or
 - W=wide 40°

Mini-Pi 2 Track 48V


48V - adapter included - driver required for adapter 48V see below
2 x 4 LED array 0,96W (LED incl.) - 350mA - 2 x 456lm - 2700K - CRI >93
material: aluminium
TRACK 48V - IP40 ☐

ADAPTER black FRAME black	ADAPTER black FRAME white	ADAPTER white FRAME white
● ●	● ○	○ ○
MIPI 4722◆	MIPI 4721◆	MIPW 4721◆ €565

REQUIRED DRIVER FOR ADAPTER 48V (ASSEMBLED IN ADAPTER)

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	I-10 (1-10V)	D 13WP	48V	€32

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers





SURFACE MOUNTING

T-Path profile 48V

48V - **driver required for T-Path** (T-Path base or T-Path driver)
material: aluminium
TRACK 48V


LENGTH	FRAME black		FRAME white	
	☒		☐	
1000		TPCM 1002	TPCM 1001	P.P. on request
2000		TPCM 2002	TPCM 2001	P.P. on request



T-Path curved profile 48V

48V - **driver required for T-Path** (T-Path base or T-Path driver)
material: aluminium
TRACK 48V

FRAME black	☒	FRAME white	
		☐	
TPCC 0902		TPCC 0901	P.P. on request



T-Path inline driver

230V - **driver included in base** - **NO (non-dimmable)** max. 100W
material: pc
TRACK 48V


DIM	FRAME black		FRAME white	
	☒		☐	
NO		N 100W 0002	N 100W 0001	P.P. on request

T-Path driver (remote)

REQUIRED DRIVER FOR REMOTE MOUNTING

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 75W	230V	on request
1 x	NO (non-dimmable)	N 150W	230V	on request
1 x	NO (non-dimmable)	N 240W	230V	on request

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



SURFACE MOUNTING

T-Path power feed

48V
material: pc
TRACK 48V


FRAME black



FRAME white



LEFT		TPPL 1002	TPPL 1001		P.P. on request
RIGHT		TPPR 1002	TPPR 1001		P.P. on request



T-Path E-connector 180° 48V

48V
material: pc
TRACK 48V


FRAME black



FRAME white



TPEC 1802	TPEC 1801		P.P. on request
-----------	-----------	--	-----------------



T-Path E-connector 90° 48V

48V
material: pc
TRACK 48V


FRAME black



FRAME white



INTERNAL		TPCI 0902	TPCI 0901		P.P. on request
EXTERNAL		TPCE 0902	TPCE 0901		P.P. on request



T-Path E-connector flexibel 48V

48V
material: pc
TRACK 48V


FRAME black



FRAME white



TPEF 0002	TPEF 0001		P.P. on request
-----------	-----------	--	-----------------



SURFACE MOUNTING

T-Path +-connector 180° 48V

48V
material: pc
TRACK 48V

FRAME black




TPC+ 0002

FRAME white



TPC+ 0001

| *P.P. on request*



T-Path T-connector 48V

48V
material: pc
TRACK 48V

FRAME black



TPCT 0002

FRAME white



TPCT 0001

| *P.P. on request*



T-Path Endplate

material: pc
TRACK 48V

FRAME black




TPEP 2002

FRAME white



TPEP 2001

| *P.P. on request*



T-Path Endplate open

material: pc
TRACK 48V

FRAME black




TPOP 2002

FRAME white



TPOP 2001

| *P.P. on request*



T-Path profile cover

material: pc
TRACK 48V

LENGTH

FRAME black



1000

| TPCO 1002

FRAME white



TPCO 1001


| *P.P. on request*

2000

| TPCO 2002

TPCO 2001

| *P.P. on request*




SUSPENDED MOUNTING

T-Path profile 48V

48V - **driver required for T-Path** (T-Path base or T-Path driver)
material: aluminium
TRACK 48V

LENGTH	FRAME black		FRAME white	
	☒		☐	
1000		TPSP 1002	TPSP 1001	P.P. on request
2000		TPSP 2002	TPSP 2001	P.P. on request



T-Path base SU

230V - **driver included in base** - **NO (non-dimmable)** max. 175W
material: aluminium
TRACK 48V


FRAME black		FRAME white	
☒		☐	
21BO 0002		21BO 0001	P.P. on request



T-Path canopy B45

material: aluminium

FRAME black		FRAME white	
☒		☐	
21CP 5000		21CP 4000	P.P. on request



T-Path power feed

48V
material: pc
TRACK 48V

FRAME black		FRAME white	
☒		☐	
LEFT		TPPL 1002	TPPL 1001 P.P. on request
RIGHT		TPPR 1002	TPPR 1001 P.P. on request


SUSPENDED MOUNTING

T-Path driver (remote)

REQUIRED DRIVER FOR REMOTE MOUNTING

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	 (non-dimmable)	N 75W	230V	on request
1 x	 (non-dimmable)	N 150W	230V	on request
1 x	 (non-dimmable)	N 240W	230V	on request

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



T-Path E-connector 180° 48V

48V
material: pc
TRACK 48V

FRAME black




TPSC 1802

FRAME white



TPSC 1801

| P.P. on request



T-Path E-connector 90° 48V

48V
material: pc
TRACK 48V

FRAME black



INTERNAL

| TPCI 0902

TPCI 0901

| P.P. on request


EXTERNAL

| TPCE 0902

TPCE 0901

| P.P. on request

FRAME white



T-Path E-connector flexibel 48V

48V
material: pc
TRACK 48V

FRAME black




TPEF 0002

FRAME white



TPEF 0001

| P.P. on request



SUSPENDED MOUNTING

T-Path +-connector 48V

48V
material: pc
TRACK 48V

FRAME black




TPC+ 0002

FRAME white



TPC+ 0001

| P.P. on request



T-Path T-connector 48V

48V
material: pc
TRACK 48V

FRAME black



TPCT 0002

FRAME white



TPCT 0001

| P.P. on request



T-Path Endplate

material: metal
TRACK 48V

FRAME black




TPEP 2002

FRAME white



TPEP 2001

| P.P. on request



T-Path Endplate open

material: metal
TRACK 48V

FRAME black




TPOP 2002

FRAME white



TPOP 2001

| P.P. on request



T-Path profile cover

material: pc
TRACK 48V

LENGTH

FRAME black



1000

| TPCO 1002

FRAME white



TPCO 1001

| P.P. on request

2000


| TPCO 2002

TPCO 2001

| P.P. on request

RIMLESS MOUNTING

T-Path profile 48V + bracket (4x p/m)



48V - **required remote mounted driver**

Bracket for rimless mounting incl. (4 pieces / meter)

material: aluminium

TRACK 48V

LENGTH
FRAME black

1000		TPRI 1002		P.P. on request
2000		TPRI 2002		P.P. on request



T-Path inline driver

230V - **driver included in base** - **NO (non-dimmable)** max. 100W

material: aluminium

TRACK 48V

DIM
FRAME black
FRAME white


NO		N 100W 0002		N 100W 0001		P.P. on request
----	--	-------------	--	-------------	--	-----------------

T-Path driver (remote)

REQUIRED DRIVER FOR REMOTE MOUNTING

DEVICE	DIM.	DRIVER	VOLT	NET PRICE
1 x	NO (non-dimmable)	N 75W	230V	on request
1 x	NO (non-dimmable)	N 150W	230V	on request
1 x	NO (non-dimmable)	N 240W	230V	on request

For warranty use only Trizo21® supplied LED drivers as mentioned. For all specs and techs about drivers, see www.trizo21.com/drivers



T-Path power feed


48V

material: pc

TRACK 48V

FRAME black
FRAME white

LEFT		TPPL 1002		TPPL 1001		P.P. on request
RIGHT		TPPR 1002		TPPR 1001		P.P. on request



RIMLESS MOUNTING

T-Path E-connector 180° 48V

48V
material: aluminium
TRACK 48V

FRAME black




TPREC 1802

FRAME white



TPREC 1801

| P.P. on request



T-Path E-connector flexibel 48V


48V
material: aluminium
TRACK 48V

FRAME black



TPREF 0002

| P.P. on request



T-Path Endplates (2 pieces)


material: pc
TRACK 48V

FRAME black



TPREP 0002

| P.P. on request



T-Path profile cover

material: pc
TRACK 48V

LENGTH

FRAME black



FRAME white



1000
2000

| TPCO 1002
| TPCO 2002

TPCO 1001
TPCO 2001

| P.P. on request
| P.P. on request

Productcodes

1+ SU RF7 52222	188	1+ SU RL 55227	191	1+ SU RS 72222	190	1X RL 2027	165	1X RS 7022	164	1Y RL 5027	147
1+ SU RF7 52223	188	1+ SU RL 55227	193	1+ SU RS 72222	192	1X RL 2027	167	1X RS 7022	166	1Y RL 5027	149
1+ SU RF7 52224	188	1+ SU RL 55229	191	1+ SU RS 72223	190	1X RL 2029	165	1X RS 7023	164	1Y RL 5029	147
1+ SU RF7 52227	188	1+ SU RL 55229	193	1+ SU RS 72223	192	1X RL 2029	167	1X RS 7023	166	1Y RL 5029	149
1+ SU RF7 52229	188	1+ SU RL 72213	191	1+ SU RS 72224	190	1X RL 5013	165	1X RS 7024	164	1Y RL 7013	147
1+ SU RF7 55222	188	1+ SU RL 72213	193	1+ SU RS 72224	192	1X RL 5013	167	1X RS 7024	166	1Y RL 7013	149
1+ SU RF7 55223	188	1+ SU RL 72219	191	1+ SU RS 72227	190	1X RL 5019	165	1X RS 7027	164	1Y RL 7019	147
1+ SU RF7 55224	188	1+ SU RL 72219	193	1+ SU RS 72227	192	1X RL 5019	167	1X RS 7027	166	1Y RL 7019	149
1+ SU RF7 55227	188	1+ SU RL 72222	191	1+ SU RS 72229	190	1X RL 5022	165	1X RS 7029	164	1Y RL 7022	147
1+ SU RF7 55229	188	1+ SU RL 72222	193	1+ SU RS 72229	192	1X RL 5022	167	1X RS 7029	166	1Y RL 7022	149
1+ SU RF7 72222	188	1+ SU RL 72223	191	1+ SU RS 75213	190	1X RL 5023	165	1Y RF7 2022	144	1Y RL 7023	147
1+ SU RF7 72223	188	1+ SU RL 72223	193	1+ SU RS 75213	192	1X RL 5023	167	1Y RF7 2023	144	1Y RL 7023	149
1+ SU RF7 72224	188	1+ SU RL 72224	191	1+ SU RS 75219	190	1X RL 5024	165	1Y RF7 2024	144	1Y RL 7024	147
1+ SU RF7 72227	188	1+ SU RL 72224	193	1+ SU RS 75219	192	1X RL 5024	167	1Y RF7 2027	144	1Y RL 7024	149
1+ SU RF7 72229	188	1+ SU RL 72227	191	1+ SU RS 75222	190	1X RL 5027	165	1Y RF7 2029	144	1Y RL 7027	147
1+ SU RF7 75222	188	1+ SU RL 72227	193	1+ SU RS 75222	192	1X RL 5027	167	1Y RF7 5022	144	1Y RL 7027	149
1+ SU RF7 75223	188	1+ SU RL 72229	191	1+ SU RS 75223	190	1X RL 5029	165	1Y RF7 5023	144	1Y RL 7029	147
1+ SU RF7 75224	188	1+ SU RL 72229	193	1+ SU RS 75223	192	1X RL 5029	167	1Y RF7 5024	144	1Y RL 7029	149
1+ SU RF7 75227	188	1+ SU RL 75213	191	1+ SU RS 75224	190	1X RL 7013	165	1Y RF7 5027	144	1Y RS 2013	146
1+ SU RF7 75229	188	1+ SU RL 75213	193	1+ SU RS 75224	192	1X RL 7013	167	1Y RF7 5029	144	1Y RS 2013	148
1+ SU RF10 52222	189	1+ SU RL 75219	191	1+ SU RS 75227	190	1X RL 7019	165	1Y RF7 7022	144	1Y RS 2019	146
1+ SU RF10 52223	189	1+ SU RL 75219	193	1+ SU RS 75227	192	1X RL 7019	167	1Y RF7 7023	144	1Y RS 2019	148
1+ SU RF10 52224	189	1+ SU RL 75222	191	1+ SU RS 75229	190	1X RL 7022	165	1Y RF7 7024	144	1Y RS 2022	146
1+ SU RF10 52227	189	1+ SU RL 75222	193	1+ SU RS 75229	192	1X RL 7022	167	1Y RF7 7027	144	1Y RS 2022	148
1+ SU RF10 52229	189	1+ SU RL 75223	191	1X RF7 2022	162	1X RL 7023	165	1Y RF7 7029	144	1Y RS 2023	146
1+ SU RF10 55222	189	1+ SU RL 75223	193	1X RF7 2023	162	1X RL 7023	167	1Y RF10 2022	145	1Y RS 2023	148
1+ SU RF10 55223	189	1+ SU RL 75224	191	1X RF7 2024	162	1X RL 7024	165	1Y RF10 2023	145	1Y RS 2024	146
1+ SU RF10 55224	189	1+ SU RL 75224	193	1X RF7 2027	162	1X RL 7024	167	1Y RF10 2024	145	1Y RS 2024	148
1+ SU RF10 55227	189	1+ SU RL 75227	191	1X RF7 2029	162	1X RL 7027	165	1Y RF10 2027	145	1Y RS 2027	146
1+ SU RF10 55229	189	1+ SU RL 75227	193	1X RF7 5022	162	1X RL 7027	167	1Y RF10 2029	145	1Y RS 2027	148
1+ SU RF10 72222	189	1+ SU RL 75229	191	1X RF7 5023	162	1X RL 7029	165	1Y RF10 5022	145	1Y RS 2029	146
1+ SU RF10 72223	189	1+ SU RL 75229	193	1X RF7 5024	162	1X RL 7029	167	1Y RF10 5023	145	1Y RS 2029	148
1+ SU RF10 72224	189	1+ SU RS 52213	190	1X RF7 5027	162	1X RS 2013	164	1Y RF10 5024	145	1Y RS 5013	146
1+ SU RF10 72227	189	1+ SU RS 52213	192	1X RF7 5029	162	1X RS 2013	166	1Y RF10 5027	145	1Y RS 5013	148
1+ SU RF10 72229	189	1+ SU RS 52219	190	1X RF7 7022	162	1X RS 2019	164	1Y RF10 5029	145	1Y RS 5019	146
1+ SU RF10 75222	189	1+ SU RS 52219	192	1X RF7 7023	162	1X RS 2019	166	1Y RF10 7022	145	1Y RS 5019	148
1+ SU RF10 75223	189	1+ SU RS 52222	190	1X RF7 7024	162	1X RS 2022	164	1Y RF10 7023	145	1Y RS 5022	146
1+ SU RF10 75224	189	1+ SU RS 52222	192	1X RF7 7027	162	1X RS 2022	166	1Y RF10 7024	145	1Y RS 5022	148
1+ SU RF10 75227	189	1+ SU RS 52223	190	1X RF7 7029	162	1X RS 2023	164	1Y RF10 7027	145	1Y RS 5023	146
1+ SU RF10 75229	189	1+ SU RS 52223	192	1X RF10 2022	163	1X RS 2023	166	1Y RF10 7029	145	1Y RS 5023	148
1+ SU RL 52213	191	1+ SU RS 52224	190	1X RF10 2023	163	1X RS 2024	164	1Y RL 2013	147	1Y RS 5024	146
1+ SU RL 52213	193	1+ SU RS 52224	192	1X RF10 2024	163	1X RS 2024	166	1Y RL 2013	149	1Y RS 5024	148
1+ SU RL 52219	191	1+ SU RS 52227	190	1X RF10 2027	163	1X RS 2027	164	1Y RL 2019	147	1Y RS 5027	146
1+ SU RL 52219	193	1+ SU RS 52227	192	1X RF10 2029	163	1X RS 2027	166	1Y RL 2019	149	1Y RS 5027	148
1+ SU RL 52222	191	1+ SU RS 52229	190	1X RF10 5022	163	1X RS 2029	164	1Y RL 2022	147	1Y RS 5029	146
1+ SU RL 52222	193	1+ SU RS 52229	192	1X RF10 5023	163	1X RS 2029	166	1Y RL 2022	149	1Y RS 5029	148
1+ SU RL 52223	191	1+ SU RS 55213	190	1X RF10 5024	163	1X RS 5013	164	1Y RL 2023	147	1Y RS 7013	146
1+ SU RL 52223	193	1+ SU RS 55213	192	1X RF10 5027	163	1X RS 5013	166	1Y RL 2023	149	1Y RS 7013	148
1+ SU RL 52224	191	1+ SU RS 55219	190	1X RF10 5029	163	1X RS 5019	164	1Y RL 2024	147	1Y RS 7019	146
1+ SU RL 52224	193	1+ SU RS 55219	192	1X RF10 7022	163	1X RS 5019	166	1Y RL 2024	149	1Y RS 7019	148
1+ SU RL 52227	191	1+ SU RS 55222	190	1X RF10 7023	163	1X RS 5022	164	1Y RL 2027	147	1Y RS 7022	146
1+ SU RL 52227	193	1+ SU RS 55222	192	1X RF10 7024	163	1X RS 5022	166	1Y RL 2027	149	1Y RS 7022	148
1+ SU RL 52229	191	1+ SU RS 55223	190	1X RF10 7027	163	1X RS 5023	164	1Y RL 2029	147	1Y RS 7023	146
1+ SU RL 52229	193	1+ SU RS 55223	192	1X RF10 7029	163	1X RS 5023	166	1Y RL 2029	149	1Y RS 7023	148
1+ SU RL 55213	191	1+ SU RS 55224	190	1X RL 2013	165	1X RS 5024	164	1Y RL 5013	147	1Y RS 7024	146
1+ SU RL 55213	193	1+ SU RS 55224	192	1X RL 2013	167	1X RS 5024	166	1Y RL 5013	149	1Y RS 7024	148
1+ SU RL 55219	191	1+ SU RS 55227	190	1X RL 2019	165	1X RS 5027	164	1Y RL 5019	147	1Y RS 7027	146
1+ SU RL 55219	193	1+ SU RS 55227	192	1X RL 2019	167	1X RS 5027	166	1Y RL 5019	149	1Y RS 7027	148
1+ SU RL 55222	191	1+ SU RS 55229	190	1X RL 2022	165	1X RS 5029	164	1Y RL 5022	147	1Y RS 7029	146
1+ SU RL 55222	193	1+ SU RS 55229	192	1X RL 2022	167	1X RS 5029	166	1Y RL 5022	149	1Y RS 7029	148
1+ SU RL 55223	191	1+ SU RS 72213	190	1X RL 2023	165	1X RS 7013	164	1Y RL 5023	147	2T2 12223	234
1+ SU RL 55223	193	1+ SU RS 72213	192	1X RL 2023	167	1X RS 7013	166	1Y RL 5023	149	2T2 12223H	234
1+ SU RL 55224	191	1+ SU RS 72219	190	1X RL 2024	165	1X RS 7019	164	1Y RL 5024	147	2T2 17223	234
1+ SU RL 55224	193	1+ SU RS 72219	192	1X RL 2024	167	1X RS 7019	166	1Y RL 5024	149	2T2 17223H	234

2T2 18223	234 2X RS 2522	170 2Y RF10 5722	151 2Y RL 5729	153 2Y RS 5723	152 3Y RF7 22524	156
2T2 18223H	234 2X RS 2522	172 2Y RF10 5723	151 2Y RL 5729	155 2Y RS 5723	154 3Y RF7 22529	156
2T2 19223	234 2X RS 2523	170 2Y RF10 5724	151 2Y RL 7713	153 2Y RS 5724	152 3Y RF7 25522	156
2T2 19223H	234 2X RS 2523	172 2Y RF10 5727	151 2Y RL 7713	155 2Y RS 5724	154 3Y RF7 25523	156
2T4 12723	234 2X RS 2524	170 2Y RF10 5729	151 2Y RL 7719	153 2Y RS 5727	152 3Y RF7 25524	156
2T4 12723H	234 2X RS 2524	172 2Y RF10 7722	151 2Y RL 7719	155 2Y RS 5727	154 3Y RF7 25529	156
2T4 17723	234 2X RS 2527	170 2Y RF10 7723	151 2Y RL 7722	153 2Y RS 5729	152 3Y RF7 25722	156
2T4 17723H	234 2X RS 2527	172 2Y RF10 7724	151 2Y RL 7722	155 2Y RS 5729	154 3Y RF7 25723	156
2T4 18723	234 2X RS 2529	170 2Y RF10 7727	151 2Y RL 7723	153 2Y RS 7713	152 3Y RF7 25724	156
2T4 18723H	234 2X RS 2529	172 2Y RF10 7729	151 2Y RL 7723	155 2Y RS 7713	154 3Y RF7 25727	156
2T4 19723	234 2X RS 5713	170 2Y RL 2213	153 2Y RL 7724	153 2Y RS 7719	152 3Y RF7 25729	156
2T4 19723H	234 2X RS 5713	172 2Y RL 2213	155 2Y RL 7724	155 2Y RS 7719	154 3Y RF7 55722	156
2X RF7 2522	168 2X RS 5719	170 2Y RL 2219	153 2Y RL 7727	153 2Y RS 7722	152 3Y RF7 55723	156
2X RF7 2523	168 2X RS 5719	172 2Y RL 2219	155 2Y RL 7727	155 2Y RS 7722	154 3Y RF7 55727	156
2X RF7 2524	168 2X RS 5722	170 2Y RL 2222	153 2Y RL 7729	153 2Y RS 7723	152 3Y RF7 55729	156
2X RF7 2527	168 2X RS 5722	172 2Y RL 2222	155 2Y RL 7729	155 2Y RS 7723	154 3Y RF7 57722	156
2X RF7 2529	168 2X RS 5723	170 2Y RL 2223	153 2Y RS 2213	152 2Y RS 7724	152 3Y RF7 57723	156
2X RF7 5722	168 2X RS 5723	172 2Y RL 2223	155 2Y RS 2213	154 2Y RS 7724	154 3Y RF7 57724	156
2X RF7 5723	168 2X RS 5724	170 2Y RL 2224	153 2Y RS 2219	152 2Y RS 7727	152 3Y RF7 57727	156
2X RF7 5724	168 2X RS 5724	172 2Y RL 2224	155 2Y RS 2219	154 2Y RS 7727	154 3Y RF7 57729	156
2X RF7 5727	168 2X RS 5727	170 2Y RL 2227	153 2Y RS 2222	152 2Y RS 7729	152 3Y RF7 557524	156
2X RF7 5729	168 2X RS 5727	172 2Y RL 2227	155 2Y RS 2222	154 2Y RS 7729	154 3Y RF10 22522	157
2X RF10 2522	169 2X RS 5729	170 2Y RL 2229	153 2Y RS 2223	152 3X RF7 25722	174 3Y RF10 22523	157
2X RF10 2523	169 2X RS 5729	172 2Y RL 2229	155 2Y RS 2223	154 3X RF7 25723	174 3Y RF10 22524	157
2X RF10 2524	169 2Y RF7 2222	150 2Y RL 2513	153 2Y RS 2224	152 3X RF7 25724	174 3Y RF10 22527	157
2X RF10 2527	169 2Y RF7 2223	150 2Y RL 2513	155 2Y RS 2224	154 3X RF7 25727	174 3Y RF10 22529	157
2X RF10 2529	169 2Y RF7 2224	150 2Y RL 2519	153 2Y RS 2227	152 3X RF7 25729	174 3Y RF10 25522	157
2X RF10 5722	169 2Y RF7 2227	150 2Y RL 2519	155 2Y RS 2227	154 3X RF10 25722	175 3Y RF10 25523	157
2X RF10 5723	169 2Y RF7 2229	150 2Y RL 2522	153 2Y RS 2229	152 3X RF10 25723	175 3Y RF10 25524	157
2X RF10 5724	169 2Y RF7 2522	150 2Y RL 2522	155 2Y RS 2229	154 3X RF10 25724	175 3Y RF10 25527	157
2X RF10 5727	169 2Y RF7 2523	150 2Y RL 2523	153 2Y RS 2513	152 3X RF10 25727	175 3Y RF10 25529	157
2X RF10 5729	169 2Y RF7 2524	150 2Y RL 2523	155 2Y RS 2513	154 3X RF10 25729	175 3Y RF10 25722	157
2X RL 2513	171 2Y RF7 2527	150 2Y RL 2524	153 2Y RS 2519	152 3X RL 25713	177 3Y RF10 25723	157
2X RL 2513	173 2Y RF7 2529	150 2Y RL 2524	155 2Y RS 2519	154 3X RL 25713	179 3Y RF10 25724	157
2X RL 2519	171 2Y RF7 5522	150 2Y RL 2527	153 2Y RS 2522	152 3X RL 25719	177 3Y RF10 25727	157
2X RL 2519	173 2Y RF7 5523	150 2Y RL 2527	155 2Y RS 2522	154 3X RL 25719	179 3Y RF10 25729	157
2X RL 2522	171 2Y RF7 5524	150 2Y RL 2529	153 2Y RS 2523	152 3X RL 25722	177 3Y RF10 55722	157
2X RL 2522	173 2Y RF7 5527	150 2Y RL 2529	155 2Y RS 2523	154 3X RL 25722	179 3Y RF10 55723	157
2X RL 2523	171 2Y RF7 5529	150 2Y RL 5513	153 2Y RS 2524	152 3X RL 25723	177 3Y RF10 55727	157
2X RL 2523	173 2Y RF7 5722	150 2Y RL 5513	155 2Y RS 2524	154 3X RL 25723	179 3Y RF10 55729	157
2X RL 2524	171 2Y RF7 5723	150 2Y RL 5519	153 2Y RS 2527	152 3X RL 25724	177 3Y RF10 57722	157
2X RL 2524	173 2Y RF7 5724	150 2Y RL 5519	155 2Y RS 2527	154 3X RL 25724	179 3Y RF10 57723	157
2X RL 2527	171 2Y RF7 5727	150 2Y RL 5522	153 2Y RS 2529	152 3X RL 25727	177 3Y RF10 57724	157
2X RL 2527	173 2Y RF7 5729	150 2Y RL 5522	155 2Y RS 2529	154 3X RL 25727	179 3Y RF10 57727	157
2X RL 2529	171 2Y RF7 7722	150 2Y RL 5523	153 2Y RS 5513	152 3X RL 25729	177 3Y RF10 57729	157
2X RL 2529	173 2Y RF7 7723	150 2Y RL 5523	155 2Y RS 5513	154 3X RL 25729	179 3Y RF10 55724	157
2X RL 5713	171 2Y RF7 7724	150 2Y RL 5524	153 2Y RS 5519	152 3X RS 25713	176 3Y RL 22513	159
2X RL 5713	173 2Y RF7 7727	150 2Y RL 5524	155 2Y RS 5519	154 3X RS 25713	178 3Y RL 22513	161
2X RL 5719	171 2Y RF7 7729	150 2Y RL 5527	153 2Y RS 5522	152 3X RS 25719	176 3Y RL 22519	159
2X RL 5719	173 2Y RF10 2222	151 2Y RL 5527	155 2Y RS 5522	154 3X RS 25719	178 3Y RL 22519	161
2X RL 5722	171 2Y RF10 2223	151 2Y RL 5529	153 2Y RS 5523	152 3X RS 25722	176 3Y RL 22522	159
2X RL 5722	173 2Y RF10 2224	151 2Y RL 5529	155 2Y RS 5523	154 3X RS 25722	178 3Y RL 22522	161
2X RL 5723	171 2Y RF10 2227	151 2Y RL 5713	153 2Y RS 5524	152 3X RS 25723	176 3Y RL 22523	159
2X RL 5723	173 2Y RF10 2229	151 2Y RL 5713	155 2Y RS 5524	154 3X RS 25723	178 3Y RL 22523	161
2X RL 5724	171 2Y RF10 2522	151 2Y RL 5719	153 2Y RS 5527	152 3X RS 25724	176 3Y RL 22524	159
2X RL 5724	173 2Y RF10 2523	151 2Y RL 5719	155 2Y RS 5527	154 3X RS 25724	178 3Y RL 22524	161
2X RL 5727	171 2Y RF10 2524	151 2Y RL 5722	153 2Y RS 5529	152 3X RS 25727	176 3Y RL 22527	159
2X RL 5727	173 2Y RF10 2527	151 2Y RL 5722	155 2Y RS 5529	154 3X RS 25727	178 3Y RL 22527	161
2X RL 5729	171 2Y RF10 2529	151 2Y RL 5723	153 2Y RS 5713	152 3X RS 25729	176 3Y RL 22529	159
2X RL 5729	173 2Y RF10 5522	151 2Y RL 5723	155 2Y RS 5713	154 3X RS 25729	178 3Y RL 22529	161
2X RS 2513	170 2Y RF10 5523	151 2Y RL 5724	153 2Y RS 5719	152 3Y RF7 2227	156 3Y RL 25513	159
2X RS 2513	172 2Y RF10 5524	151 2Y RL 5724	155 2Y RS 5719	154 3Y RF7 2527	156 3Y RL 25513	161
2X RS 2519	170 2Y RF10 5527	151 2Y RL 5727	153 2Y RS 5722	152 3Y RF7 22522	156 3Y RL 25519	159
2X RS 2519	172 2Y RF10 5529	151 2Y RL 5727	155 2Y RS 5722	154 3Y RF7 22523	156 3Y RL 25519	161

3Y RL 25522	159	3Y RS 22529	158	21IN 3271	73	ACEX 2006	216	ADCC R6 2113H	35	ADCD 29999H	26
3Y RL 25522	161	3Y RS 22529	160	21IN 4201	74	ACEX 2006	231	ADCC R6 2222	27	ADCD 3111I	26
3Y RL 25523	159	3Y RS 25519	158	21IN 4241	74	ACEX 2006	231	ADCC R6 2222H	27	ADCD 3111IH	26
3Y RL 25523	161	3Y RS 25519	160	21IN 4261	74	ACEX 2055	214	ADCC R6 2223	35	ADCD 31113	34
3Y RL 25524	159	3Y RS 25523	158	21IN 4271	74	ACEX 2055	214	ADCC R6 2223H	35	ADCD 31113H	34
3Y RL 25524	161	3Y RS 25523	160	2ISO 3201	74	ACEX 2055	229	ADCC R6 2331	35	ADCD 3131I	40
3Y RL 25527	159	3Y RS 25524	158	2ISO 3241	74	ACEX 2055	230	ADCC R6 2331H	35	ADCD 3131IH	40
3Y RL 25527	161	3Y RS 25524	160	2ISO 3251	74	ACEX 7006	215	ADCC R6 2332	35	ADCD 3133I	34
3Y RL 25529	159	3Y RS 25527	158	2ISO 3271	74	ACEX 7006	216	ADCC R6 2332H	35	ADCD 3133IH	34
3Y RL 25529	161	3Y RS 25527	160	2ISO L3202	75	ACEX 7006	231	ADCC R6 2333	27	ADCD 32222	26
3Y RL 25713	159	3Y RS 25529	158	2ISO L3214	75	ACEX 7006	231	ADCC R6 2333H	27	ADCD 32222H	26
3Y RL 25713	161	3Y RS 25529	160	2ISO L3242	75	ACEX 7055	214	ADCC R6 2444	27	ADCD 32223	34
3Y RL 25719	159	3Y RS 25713	158	2ISO L3243	75	ACEX 7055	214	ADCC R6 2444H	27	ADCD 32223H	34
3Y RL 25719	161	3Y RS 25713	160	2ISO L3252	75	ACEX 7055	229	ADCC R6 2777	27	ADCD 32322	40
3Y RL 25722	159	3Y RS 25719	158	2ISO L3253	75	ACEX 7055	230	ADCC R6 2777H	27	ADCD 32322H	40
3Y RL 25722	161	3Y RS 25719	158	2ISO L3272	75	ACIN L001	46	ADCC R6 2999	27	ADCD 32332	34
3Y RL 25723	159	3Y RS 25719	158	2ISO L3273	75	ACIN L002	46	ADCC R6 2999H	27	ADCD 32332H	34
3Y RL 25723	161	3Y RS 25719	160	2ISO L3314	74	ACIN L003	46	ADCC R6 3111	27	ADCD 3333I	34
3Y RL 25724	159	3Y RS 25719	160	2ISO L3343	74	ACIN L004	46	ADCC R6 3111H	27	ADCD 3333IH	34
3Y RL 25724	161	3Y RS 25719	160	2ISO L3353	74	ACIN L007	46	ADCC R6 3113	35	ADCD 33332	34
3Y RL 25727	159	3Y RS 25722	158	2ISO L3373	74	ACIN L009	46	ADCC R6 3113H	35	ADCD 33332H	34
3Y RL 25727	161	3Y RS 25722	160	2ISO L3402	75	ADCC 2111	20	ADCC R6 3222	27	ADCD 33333	26
3Y RL 25729	159	3Y RS 25723	158	2ISO L3404	75	ADCC 2111H	20	ADCC R6 3222H	27	ADCD 33333H	26
3Y RL 25729	161	3Y RS 25723	160	2ISO L3442	75	ADCC 2222	20	ADCC R6 3223	35	ADCD 34444	26
3Y RL 55719	159	3Y RS 25724	158	2ISO L3444	75	ADCC 2222H	20	ADCC R6 3223H	35	ADCD 34444H	26
3Y RL 55719	161	3Y RS 25724	158	2ISO L3452	75	ADCC 2333	20	ADCC R6 3331	35	ADCD 37777	26
3Y RL 55722	159	3Y RS 25724	158	2ISO L3454	75	ADCC 2333H	20	ADCC R6 3331H	35	ADCD 37777H	26
3Y RL 55722	161	3Y RS 25724	160	2ISO L3472	75	ADCC 2444	20	ADCC R6 3332	35	ADCD 39999	26
3Y RL 55723	159	3Y RS 25724	160	2ISO L3474	75	ADCC 2444H	20	ADCC R6 3332H	35	ADCD 39999H	26
3Y RL 55723	161	3Y RS 25724	160	ACAN T001	47	ADCC 2777	20	ADCC R6 3333	27	ADCI 2111I	25
3Y RL 55724	159	3Y RS 25727	158	ACAN T002	47	ADCC 2777H	20	ADCC R6 3333H	27	ADCI 2111IH	25
3Y RL 55724	161	3Y RS 25727	158	ACAN T003	47	ADCC 2999	20	ADCC R6 3444	27	ADCI 21113	33
3Y RL 55727	159	3Y RS 25727	158	ACAN T004	47	ADCC 2999H	20	ADCC R6 3444H	27	ADCI 21113H	33
3Y RL 55727	161	3Y RS 25727	160	ACAN T007	47	ADCC 3111	20	ADCC R6 3777	27	ADCI 2131I	39
3Y RL 55729	159	3Y RS 25727	160	ACAN T009	47	ADCC 3111H	20	ADCC R6 3777H	27	ADCI 2131IH	39
3Y RL 55729	161	3Y RS 25727	160	ACDE 1005	122	ADCC 3222	20	ADCC R6 3999	27	ADCI 2133I	33
3Y RL 57719	159	3Y RS 25729	158	ACDE 1005	123	ADCC 3222H	20	ADCC R6 3999H	27	ADCI 2133IH	33
3Y RL 57719	161	3Y RS 25729	158	ACDE 1010	72	ADCC 3331	28	ADCD 2111I	26	ADCI 22222	25
3Y RL 57722	159	3Y RS 25729	158	ACDE 1010	72	ADCC 3333	20	ADCD 2111IH	26	ADCI 22222H	25
3Y RL 57722	161	3Y RS 25729	160	ACDE 2005	122	ADCC 3333H	20	ADCD 21113	34	ADCI 22223	33
3Y RL 57723	159	3Y RS 25729	160	ACDE 2005	123	ADCC 3444	20	ADCD 21113H	34	ADCI 22223H	33
3Y RL 57723	161	3Y RS 25729	160	ACDE 2010	72	ADCC 3444H	20	ADCD 2131I	40	ADCI 22322	39
3Y RL 57724	159	3Y RS 55723	158	ACDE 2010	72	ADCC 3777	20	ADCD 2131IH	40	ADCI 22322H	39
3Y RL 57724	161	3Y RS 55723	160	ACDE 3005	122	ADCC 3777H	20	ADCD 2133I	34	ADCI 22332	33
3Y RL 57727	159	3Y RS 57723	158	ACDE 3005	123	ADCC 3999	20	ADCD 2133IH	34	ADCI 22332H	33
3Y RL 57727	161	3Y RS 57723	160	ACDE 3010	72	ADCC 3999H	20	ADCD 22222	26	ADCI 2333I	33
3Y RL 57729	159	3Y RS 255213	158	ACDE 3010	72	ADCCD 2113	28	ADCD 22222H	26	ADCI 2333IH	33
3Y RL 57729	161	3Y RS 255213	160	ACDE 7005	122	ADCCD 2113H	28	ADCD 22223	34	ADCI 23332	33
3Y RL 557213	159	3Y RS 255222	158	ACDE 7005	123	ADCCD 2223	28	ADCD 22223H	34	ADCI 23332H	33
3Y RL 557213	161	3Y RS 255222	160	ACDE 7010	72	ADCCD 2223H	28	ADCD 22322	40	ADCI 23333	25
3Y RL 577213	159	3Y RS 557213	158	ACDE 7010	72	ADCCD 2331	28	ADCD 22322H	40	ADCI 23333H	25
3Y RL 577213	161	3Y RS 557213	160	ACDE 9005	122	ADCCD 2331H	28	ADCD 22332	34	ADCI 24444	25
3Y RS 22513	158	3Y RS 557222	158	ACDE 9005	123	ADCCD 2332	28	ADCD 22332H	34	ADCI 24444H	25
3Y RS 22513	160	3Y RS 557222	160	ACDE 9010	72	ADCCD 2332H	28	ADCD 2333I	34	ADCI 27777	25
3Y RS 22519	158	3Y RS 577213	158	ACDE 9010	72	ADCCD 3113	28	ADCD 2333IH	34	ADCI 27777H	25
3Y RS 22519	160	3Y RS 577213	160	ACEX 1006	215	ADCCD 3113H	28	ADCD 23332	34	ADCI 29999	25
3Y RS 22522	158	3Y RS 577222	158	ACEX 1006	216	ADCCD 3223	28	ADCD 23332H	34	ADCI 29999H	25
3Y RS 22522	160	3Y RS 577222	160	ACEX 1006	231	ADCCD 3223H	28	ADCD 23333	26	ADCI 3111I	25
3Y RS 22523	158	7ELEM 6724	53	ACEX 1006	231	ADCCD 3331H	28	ADCD 23333H	26	ADCI 3111IH	25
3Y RS 22523	160	21AC 3200	73	ACEX 1055	214	ADCCD 3332	28	ADCD 24444	26	ADCI 31113	33
3Y RS 22524	158	21AC 3203	74	ACEX 1055	214	ADCCD 3332H	28	ADCD 24444H	26	ADCI 31113H	33
3Y RS 22524	160	21IN 3201	73	ACEX 1055	229	ADCC R6 2111	27	ADCD 27777	26	ADCI 3131I	39
3Y RS 22527	158	21IN 3241	73	ACEX 1055	230	ADCC R6 2111H	27	ADCD 27777H	26	ADCI 3131IH	39
3Y RS 22527	160	21IN 3261	73	ACEX 2006	215	ADCC R6 2113	35	ADCD 29999	26	ADCI 3133I	33

ADCI 31331H	33	ADFC R6 2113H	35	ADFL 1279HAU	10	ADRT 129999H	21	ADRT 231331H	30	ADSD 432322H	38
ADCI 32222	25	ADFC R6 2222	27	ADFL 1279HUK	10	ADRT 131111	21	ADRT 232222	22	ADSD 432332	32
ADCI 32222H	25	ADFC R6 2222H	27	ADFL 1279HUS	10	ADRT 131111H	21	ADRT 232222H	22	ADSD 432332H	32
ADCI 32223	33	ADFC R6 2223	35	ADFL 1279UK	10	ADRT 131113	29	ADRT 232223	30	ADSD 432333	24
ADCI 32223H	33	ADFC R6 2223H	35	ADFL 1279US	10	ADRT 131113H	29	ADRT 232223H	30	ADSD 432333H	24
ADCI 32322	39	ADFC R6 2331	35	ADFL 1303	10	ADRT 131311	36	ADRT 232322	37	ADST 121111	21
ADCI 32322H	39	ADFC R6 2331H	35	ADFL 1303AU	10	ADRT 131311H	36	ADRT 232322H	37	ADST 121111H	21
ADCI 32332	33	ADFC R6 2332	35	ADFL 1303H	10	ADRT 131331	29	ADRT 232332	30	ADST 121113	29
ADCI 32332H	33	ADFC R6 2332H	35	ADFL 1303HAU	10	ADRT 131331H	29	ADRT 232332H	30	ADST 121113H	29
ADCI 33331	33	ADFC R6 2333	27	ADFL 1303HUK	10	ADRT 132222	21	ADRT 233331	30	ADST 121311	36
ADCI 33331H	33	ADFC R6 2333H	27	ADFL 1303HUS	10	ADRT 132222H	21	ADRT 233331H	30	ADST 121311H	36
ADCI 33332	33	ADFC R6 2444	27	ADFL 1303UK	10	ADRT 132223	29	ADRT 233332	30	ADST 121331	29
ADCI 33332H	33	ADFC R6 2444H	27	ADFL 1303US	10	ADRT 132223H	29	ADRT 233332H	30	ADST 121331H	29
ADCI 33333	25	ADFC R6 2777	27	ADFL 1304	10	ADRT 132322	36	ADRT 233333	22	ADST 121333	21
ADCI 33333H	25	ADFC R6 2777H	27	ADFL 1304AU	10	ADRT 132322H	36	ADRT 233333H	22	ADST 121333H	21
ADCI 34444	25	ADFC R6 2999	27	ADFL 1304H	10	ADRT 132332	29	ADRT 234444	22	ADST 122222	21
ADCI 34444H	25	ADFC R6 2999H	27	ADFL 1304HAU	10	ADRT 132332H	29	ADRT 234444H	22	ADST 122222H	21
ADCI 37777	25	ADFC R6 3111	27	ADFL 1304HUK	10	ADRT 133331	29	ADRT 237777	22	ADST 122223	29
ADCI 37777H	25	ADFC R6 3111H	27	ADFL 1304HUS	10	ADRT 133331H	29	ADRT 237777H	22	ADST 122223H	29
ADCI 39999	25	ADFC R6 3113	35	ADFL 1304UK	10	ADRT 133332	29	ADRT 239999	22	ADST 122322	36
ADCI 39999H	25	ADFC R6 3113H	35	ADFL 1304US	10	ADRT 133332H	29	ADRT 239999H	22	ADST 122322H	36
ADFC 2111	20	ADFC R6 3222	27	ADFL 1307	10	ADRT 133333	21	ADSD 321311	38	ADST 122332	29
ADFC 2111H	20	ADFC R6 3222H	27	ADFL 1307AU	10	ADRT 133333H	21	ADSD 321311H	38	ADST 122332H	29
ADFC 2222	20	ADFC R6 3223	35	ADFL 1307H	10	ADRT 134444	21	ADSD 321331	31	ADST 122333	21
ADFC 2222H	20	ADFC R6 3223H	35	ADFL 1307HAU	10	ADRT 134444H	21	ADSD 321331H	31	ADST 122333H	21
ADFC 2333	20	ADFC R6 3331	35	ADFL 1307HUK	10	ADRT 137777	21	ADSD 321333	23	ADST 131111	21
ADFC 2333H	20	ADFC R6 3331H	35	ADFL 1307HUS	10	ADRT 137777H	21	ADSD 321333H	23	ADST 131111H	21
ADFC 2444	20	ADFC R6 3332	35	ADFL 1307UK	10	ADRT 139999	21	ADSD 322322	38	ADST 131113	29
ADFC 2444H	20	ADFC R6 3332H	35	ADFL 1307US	10	ADRT 139999H	21	ADSD 322322H	38	ADST 131113H	29
ADFC 2777	20	ADFC R6 3333	27	ADFL 1309	10	ADRT 221111	22	ADSD 322332	31	ADST 131311	36
ADFC 2777H	20	ADFC R6 3333H	27	ADFL 1309AU	10	ADRT 221111H	22	ADSD 322332H	31	ADST 131311H	36
ADFC 2999	20	ADFC R6 3444	27	ADFL 1309H	10	ADRT 221113	30	ADSD 322333	23	ADST 131331	29
ADFC 2999H	20	ADFC R6 3444H	27	ADFL 1309HAU	10	ADRT 221113H	30	ADSD 322333H	23	ADST 131331H	29
ADFC 3111	20	ADFC R6 3777	27	ADFL 1309HUK	10	ADRT 221311	37	ADSD 331311	38	ADST 131333	21
ADFC 3111H	20	ADFC R6 3777H	27	ADFL 1309HUS	10	ADRT 221311H	37	ADSD 331311H	38	ADST 131333H	21
ADFC 3222	20	ADFC R6 3999	27	ADFL 1309UK	10	ADRT 221331	30	ADSD 331331	31	ADST 132222	21
ADFC 3222H	20	ADFC R6 3999H	27	ADFL 1309US	10	ADRT 221331H	30	ADSD 331331H	31	ADST 132222H	21
ADFC 3333	20	ADFL 1273	10	ADRT 121111	21	ADRT 222222	22	ADSD 331333	23	ADST 132223	29
ADFC 3333H	20	ADFL 1273AU	10	ADRT 121111H	21	ADRT 222222H	22	ADSD 331333H	23	ADST 132223H	29
ADFC 3444	20	ADFL 1273H	10	ADRT 121113	29	ADRT 222223	30	ADSD 332322	38	ADST 132322	36
ADFC 3444H	20	ADFL 1273HAU	10	ADRT 121113H	29	ADRT 222223H	30	ADSD 332322H	38	ADST 132322H	36
ADFC 3777	20	ADFL 1273HUK	10	ADRT 121311	36	ADRT 222322	37	ADSD 332332	31	ADST 132332	29
ADFC 3777H	20	ADFL 1273HUS	10	ADRT 121311H	36	ADRT 222322H	37	ADSD 332332H	31	ADST 132332H	29
ADFC 3999	20	ADFL 1273UK	10	ADRT 121331	29	ADRT 222332	30	ADSD 332333	23	ADST 132333	21
ADFC 3999H	20	ADFL 1273US	10	ADRT 121331H	29	ADRT 222332H	30	ADSD 332333H	23	ADST 132333H	21
ADFCD 2113	28	ADFL 1274	10	ADRT 122222	21	ADRT 223331	30	ADSD 421311	38	ADST 221111	22
ADFCD 2113H	28	ADFL 1274AU	10	ADRT 122222H	21	ADRT 223331H	30	ADSD 421311H	38	ADST 221111H	22
ADFCD 2223	28	ADFL 1274H	10	ADRT 122223	29	ADRT 223332	30	ADSD 421331	32	ADST 221113	30
ADFCD 2223H	28	ADFL 1274HAU	10	ADRT 122223H	29	ADRT 223332H	30	ADSD 421331H	32	ADST 221113H	30
ADFCD 2331	28	ADFL 1274HUK	10	ADRT 122322	36	ADRT 223333	22	ADSD 421333	24	ADST 221311	37
ADFCD 2331H	28	ADFL 1274HUS	10	ADRT 122322H	36	ADRT 223333H	22	ADSD 421333H	24	ADST 221311H	37
ADFCD 2332	28	ADFL 1274UK	10	ADRT 122332	29	ADRT 224444	22	ADSD 422322	38	ADST 221331	30
ADFCD 2332H	28	ADFL 1274US	10	ADRT 122332H	29	ADRT 224444H	22	ADSD 422322H	38	ADST 221331H	30
ADFCD 3113	28	ADFL 1277	10	ADRT 123331	29	ADRT 227777	22	ADSD 422332	32	ADST 221333	22
ADFCD 3113H	28	ADFL 1277AU	10	ADRT 123331H	29	ADRT 227777H	22	ADSD 422332H	32	ADST 221333H	22
ADFCD 3223	28	ADFL 1277H	10	ADRT 123332	29	ADRT 229999	22	ADSD 422333	24	ADST 222222	22
ADFCD 3223H	28	ADFL 1277HAU	10	ADRT 123332H	29	ADRT 229999H	22	ADSD 422333H	24	ADST 222222H	22
ADFCD 3331	28	ADFL 1277HUK	10	ADRT 123333	21	ADRT 231111	22	ADSD 431311	38	ADST 222223	30
ADFCD 3331H	28	ADFL 1277HUS	10	ADRT 123333H	21	ADRT 231111H	22	ADSD 431311H	38	ADST 222223H	30
ADFCD 3332	28	ADFL 1277UK	10	ADRT 124444	21	ADRT 231113	30	ADSD 431331	32	ADST 222322	37
ADFCD 3332H	28	ADFL 1277US	10	ADRT 124444H	21	ADRT 231113H	30	ADSD 431331H	32	ADST 222322H	37
ADFC R6 2111	27	ADFL 1279	10	ADRT 127777	21	ADRT 231311	37	ADSD 431333	24	ADST 222332	30
ADFC R6 2111H	27	ADFL 1279AU	10	ADRT 127777H	21	ADRT 231311H	37	ADSD 431333H	24	ADST 222332H	30
ADFC R6 2113	35	ADFL 1279H	10	ADRT 129999	21	ADRT 231331	30	ADSD 432322	38	ADST 222333	22

ADST 222333H	22	ADSD 332222	23	ADST 432322H	38	ADTA 1304HAU	11	ADTRD 3232H	237	ADWL 1279US	102
ADST 231111	22	ADST 332222H	23	ADST 432332	32	ADTA 1304HUK	11	ADTRD 3331	236	ADWL 1303	101
ADST 231111H	22	ADSD 332222H	23	ADST 432332H	32	ADTA 1304HUS	11	ADTRD 3331H	236	ADWL 1303AU	102
ADST 231113	30	ADST 332223	23	ADST 432333	24	ADTA 1304UK	11	ADTRD 3332	236	ADWL 1303EU	102
ADST 231113H	30	ADSD 332223	31	ADST 432333H	24	ADTA 1304US	11	ADTRD 3332H	236	ADWL 1303H	101
ADST 231311	37	ADST 332223H	31	ADTA 1272	11	ADTA 1307	11	ADTW 2111	235	ADWL 1303HAU	102
ADST 231311H	37	ADSD 332223H	31	ADTA 1272AU	11	ADTA 1307AU	11	ADTW 2111H	235	ADWL 1303HEU	102
ADST 231331	30	ADST 332322	38	ADTA 1272H	11	ADTA 1307H	11	ADTW 2333	235	ADWL 1303HUK	102
ADST 231331H	30	ADST 332322H	38	ADTA 1272HAU	11	ADTA 1307HAU	11	ADTW 2333H	235	ADWL 1303HUS	102
ADST 231333	22	ADST 332332	31	ADTA 1272HUK	11	ADTA 1307HUK	11	ADTW 3111	235	ADWL 1303UK	102
ADST 231333H	22	ADST 332332H	31	ADTA 1272HUS	11	ADTA 1307HUS	11	ADTW 3111H	235	ADWL 1303US	102
ADST 232222	22	ADST 332333	23	ADTA 1272UK	11	ADTA 1307UK	11	ADTW 3333	235	ADWL 1304	101
ADST 232222H	22	ADST 332333H	23	ADTA 1272US	11	ADTA 1307US	11	ADTW 3333H	235	ADWL 1304AU	102
ADST 232223	30	ADST 421111	24	ADTA 1273	11	ADTA 1309	11	ADTWD 2113	236	ADWL 1304EU	102
ADST 232223H	30	ADSD 421111	24	ADTA 1273AU	11	ADTA 1309AU	11	ADTWD 2113H	236	ADWL 1304H	101
ADST 232322	37	ADST 421111H	24	ADTA 1273H	11	ADTA 1309H	11	ADTWD 2131	237	ADWL 1304HAU	102
ADST 232322H	37	ADSD 421111H	24	ADTA 1273HAU	11	ADTA 1309HAU	11	ADTWD 2131H	237	ADWL 1304HEU	102
ADST 232332	30	ADST 421113	24	ADTA 1273HUK	11	ADTA 1309HUK	11	ADTWD 2331	236	ADWL 1304HUK	102
ADST 232332H	30	ADSD 421113	32	ADTA 1273HUS	11	ADTA 1309HUS	11	ADTWD 2331H	236	ADWL 1304HUS	102
ADST 232333	22	ADST 421113H	32	ADTA 1273UK	11	ADTA 1309UK	11	ADTWD 3113	236	ADWL 1304UK	102
ADST 232333H	22	ADSD 431113H	32	ADTA 1273US	11	ADTA 1309US	11	ADTWD 3113H	236	ADWL 1304US	102
ADST 321111	23	ADST 421311	38	ADTA 1274	11	ADTR 2111	235	ADTWD 3131	237	ADWL 1307	101
ADSD 321111	23	ADST 421311H	38	ADTA 1274AU	11	ADTR 2111H	235	ADTWD 3131H	237	ADWL 1307AU	102
ADST 321111H	23	ADST 421331	32	ADTA 1274H	11	ADTR 2222	235	ADTWD 3331	236	ADWL 1307EU	102
ADSD 321111H	23	ADST 421331H	32	ADTA 1274HAU	11	ADTR 2222H	235	ADTWD 3331H	236	ADWL 1307H	101
ADST 321113	23	ADST 421333	24	ADTA 1274HUK	11	ADTR 2333	235	ADWL 1273	101	ADWL 1307HAU	102
ADSD 321113	31	ADST 421333H	24	ADTA 1274HUS	11	ADTR 2333H	235	ADWL 1273AU	102	ADWL 1307HEU	102
ADST 321113H	31	ADST 422222	24	ADTA 1274UK	11	ADTR 2444	235	ADWL 1273EU	102	ADWL 1307HUK	102
ADSD 321113H	31	ADSD 422222	24	ADTA 1274US	11	ADTR 2444H	235	ADWL 1273H	101	ADWL 1307HUS	102
ADST 321311	38	ADST 422222H	24	ADTA 1277	11	ADTR 2777	235	ADWL 1273HAU	102	ADWL 1307UK	102
ADST 321311H	38	ADSD 422222H	24	ADTA 1277AU	11	ADTR 2777H	235	ADWL 1273HEU	102	ADWL 1307US	102
ADST 321331	31	ADST 422223	24	ADTA 1277H	11	ADTR 2999	235	ADWL 1273HUK	102	ADWL 1309	101
ADST 321331H	31	ADSD 422223	32	ADTA 1277HAU	11	ADTR 2999H	235	ADWL 1273HUS	102	ADWL 1309AU	102
ADST 321333	23	ADST 422223H	32	ADTA 1277HUK	11	ADTR 3111	235	ADWL 1273UK	102	ADWL 1309EU	102
ADST 321333H	23	ADSD 422223H	32	ADTA 1277HUS	11	ADTR 3111H	235	ADWL 1273US	102	ADWL 1309H	101
ADST 322222	23	ADST 422322	38	ADTA 1277UK	11	ADTR 3222	235	ADWL 1274	101	ADWL 1309HAU	102
ADSD 322222	23	ADST 422322H	38	ADTA 1277US	11	ADTR 3222H	235	ADWL 1274AU	102	ADWL 1309HEU	102
ADST 322222H	23	ADST 422332	32	ADTA 1279	11	ADTR 3333	235	ADWL 1274EU	102	ADWL 1309HUK	102
ADSD 322222H	23	ADST 422332H	32	ADTA 1279AU	11	ADTR 3333H	235	ADWL 1274H	101	ADWL 1309HUS	102
ADST 322223	23	ADST 422333	24	ADTA 1279H	11	ADTR 3444	235	ADWL 1274HAU	102	ADWL 1309UK	102
ADSD 322223	31	ADST 422333H	24	ADTA 1279HAU	11	ADTR 3444H	235	ADWL 1274HEU	102	ADWL 1309US	102
ADST 322223H	31	ADST 431111	24	ADTA 1279HUK	11	ADTR 3777	235	ADWL 1274HUK	102	AFDA 31171	180
ADSD 322223H	31	ADSD 431111	24	ADTA 1279HUS	11	ADTR 3777H	235	ADWL 1274HUS	102	AFDA 31172	180
ADST 322322	38	ADST 431111H	24	ADTA 1279UK	11	ADTR 3999	235	ADWL 1274UK	102	AFDA 31173	180
ADST 322322H	38	ADSD 431111H	24	ADTA 1279US	11	ADTR 3999H	235	ADWL 1274US	102	AFDA 31174	180
ADST 322332	31	ADST 431113	24	ADTA 1302	11	ADTRD 2113	236	ADWL 1277	101	AFDA 31177	180
ADST 322332H	31	ADSD 431113	32	ADTA 1302AU	11	ADTRD 2113H	236	ADWL 1277AU	102	AFDA 31179	180
ADST 322333	23	ADST 431113H	32	ADTA 1302H	11	ADTRD 2131	237	ADWL 1277EU	102	AFDA 31191	180
ADST 322333H	23	ADSD 431113H	32	ADTA 1302HAU	11	ADTRD 2131H	237	ADWL 1277H	101	AFDA 31192	180
ADST 331111	23	ADST 431311	38	ADTA 1302HUK	11	ADTRD 2223	236	ADWL 1277HAU	102	AFDA 31193	180
ADSD 331111	23	ADST 431311H	38	ADTA 1302HUS	11	ADTRD 2223H	236	ADWL 1277HEU	102	AFDA 31194	180
ADST 331111H	23	ADST 431331	32	ADTA 1302UK	11	ADTRD 2232	237	ADWL 1277HUK	102	AFDA 31197	180
ADSD 331111H	23	ADST 431331H	32	ADTA 1302US	11	ADTRD 2232H	237	ADWL 1277HUS	102	AFDA 31199	180
ADST 331113	23	ADST 431333	24	ADTA 1303	11	ADTRD 2331	236	ADWL 1277UK	102	AFDA 31271	180
ADSD 331113	31	ADST 431333H	24	ADTA 1303AU	11	ADTRD 2331H	236	ADWL 1277US	102	AFDA 31272	180
ADST 331113H	31	ADST 432222	24	ADTA 1303H	11	ADTRD 2332	236	ADWL 1279	101	AFDA 31273	180
ADSD 331113H	31	ADSD 432222	24	ADTA 1303HAU	11	ADTRD 2332H	236	ADWL 1279AU	102	AFDA 31274	180
ADST 331311	38	ADST 432222H	24	ADTA 1303HUK	11	ADTRD 3113	236	ADWL 1279EU	102	AFDA 31277	180
ADST 331311H	38	ADSD 432222H	24	ADTA 1303HUS	11	ADTRD 3113H	236	ADWL 1279H	101	AFDA 31279	180
ADST 331331	31	ADST 432222H	24	ADTA 1303UK	11	ADTRD 3131	237	ADWL 1279HAU	102	AFDA 31291	180
ADST 331331H	31	ADSD 432222H	32	ADTA 1303US	11	ADTRD 3131H	237	ADWL 1279HEU	102	AFDA 31292	180
ADST 331333	23	ADST 432223	32	ADTA 1304	11	ADTRD 3223	236	ADWL 1279HUK	102	AFDA 31293	180
ADST 331333H	23	ADSD 432223	32	ADTA 1304AU	11	ADTRD 3223H	236	ADWL 1279HUS	102	AFDA 31294	180
ADST 332222	23	ADST 432322	38	ADTA 1304H	11	ADTRD 3232	237	ADWL 1279UK	102	AFDA 31297	180

AFDA 31299	180	AFLC 52274	181	ALDA 31212	182	ALPU 52219	182	ARIN 7211	91	ARUP L0212	93
AFDA 52171	181	AFLC 52277	181	ALDA 31213	182	ARIN 0111	92	ARIN 7212	91	ARUP L0219	93
AFDA 52172	181	AFLC 52279	181	ALDA 31214	182	ARIN 0112	92	ARIN 7219	91	ARUP L0221	93
AFDA 52173	181	AFLC 52291	181	ALDA 31217	182	ARIN 0119	92	ARIN 7221	91	ARUP L0222	93
AFDA 52174	181	AFLC 52292	181	ALDA 31219	182	ARIN 0121	92	ARIN 7222	91	ARUP L0229	93
AFDA 52177	181	AFLC 52293	181	ALDA 52111	182	ARIN 0122	92	ARIN 7229	91	ARUP L1111	95
AFDA 52179	181	AFLC 52294	181	ALDA 52112	182	ARIN 0129	92	ARIN 7291	91	ARUP L1112	95
AFDA 52191	181	AFLC 52297	181	ALDA 52113	182	ARIN 0191	92	ARIN 7292	91	ARUP L1119	95
AFDA 52192	181	AFLC 52299	181	ALDA 52114	182	ARIN 0192	92	ARIN 7299	91	ARUP L1121	95
AFDA 52193	181	AFPU 31171	180	ALDA 52117	182	ARIN 0199	92	ARRI 0121	93	ARUP L1122	95
AFDA 52194	181	AFPU 31172	180	ALDA 52119	182	ARIN 0211	92	ARRI 0122	93	ARUP L1129	95
AFDA 52197	181	AFPU 31173	180	ALDA 52211	182	ARIN 0212	92	ARRI 0129	93	ARUP L1211	95
AFDA 52199	181	AFPU 31174	180	ALDA 52212	182	ARIN 0219	92	ARRI 0221	93	ARUP L1212	95
AFDA 52271	181	AFPU 31177	180	ALDA 52213	182	ARIN 0221	92	ARRI 0222	93	ARUP L1219	95
AFDA 52272	181	AFPU 31179	180	ALDA 52214	182	ARIN 0222	92	ARRI 0229	93	ARUP L1221	95
AFDA 52273	181	AFPU 31191	180	ALDA 52217	182	ARIN 0229	92	ARRI 1121	94	ARUP L1222	95
AFDA 52274	181	AFPU 31192	180	ALDA 52219	182	ARIN 0291	92	ARRI 1122	94	ARUP L1229	95
AFDA 52277	181	AFPU 31193	180	ALLC 31111	182	ARIN 0292	92	ARRI 1129	94	ATWD 2213	114
AFDA 52279	181	AFPU 31194	180	ALLC 31112	182	ARIN 0299	92	ARRI 1221	94	ATWD 2223	114
AFDA 52291	181	AFPU 31197	180	ALLC 31113	182	ARIN 1111	94	ARRI 1222	94	ATWD 2231	114
AFDA 52292	181	AFPU 31199	180	ALLC 31114	182	ARIN 1112	94	ARRI 1229	94	ATWD 2232	114
AFDA 52293	181	AFPU 31271	180	ALLC 31117	182	ARIN 1119	94	ARRI 2121	81	ATWD 2234	114
AFDA 52294	181	AFPU 31272	180	ALLC 31119	182	ARIN 1121	94	ARRI 2122	81	ATWD 2237	114
AFDA 52297	181	AFPU 31273	180	ALLC 31211	182	ARIN 1122	94	ARRI 2129	81	ATWD 2243	114
AFDA 52299	181	AFPU 31274	180	ALLC 31212	182	ARIN 1129	94	ARRI 2221	81	ATWD 2249	114
AFLC 31171	180	AFPU 31277	180	ALLC 31213	182	ARIN 1191	94	ARRI 2222	81	ATWD 2271	113
AFLC 31172	180	AFPU 31279	180	ALLC 31214	182	ARIN 1192	94	ARRI 2229	81	ATWD 2272	113
AFLC 31173	180	AFPU 31291	180	ALLC 31217	182	ARIN 1199	94	ARRI 7121	91	ATWD 2273	113
AFLC 31174	180	AFPU 31292	180	ALLC 31219	182	ARIN 1211	94	ARRI 7122	91	ATWD 2274	113
AFLC 31177	180	AFPU 31293	180	ALLC 52111	182	ARIN 1212	94	ARRI 7129	91	ATWD 2277	113
AFLC 31179	180	AFPU 31294	180	ALLC 52112	182	ARIN 1219	94	ARRI 7221	91	ATWD 2279	113
AFLC 31191	180	AFPU 31297	180	ALLC 52113	182	ARIN 1221	94	ARRI 7222	91	ATWD 2301	113
AFLC 31192	180	AFPU 31299	180	ALLC 52114	182	ARIN 1222	94	ARRI 7229	91	ATWD 2302	113
AFLC 31193	180	AFPU 52171	181	ALLC 52117	182	ARIN 1229	94	ARUP 2111	82	ATWD 2303	113
AFLC 31194	180	AFPU 52172	181	ALLC 52119	182	ARIN 1291	94	ARUP 2112	82	ATWD 2304	113
AFLC 31197	180	AFPU 52173	181	ALLC 52211	182	ARIN 1292	94	ARUP 2119	82	ATWD 2307	113
AFLC 31199	180	AFPU 52174	181	ALLC 52212	182	ARIN 1299	94	ARUP 2121	82	ATWD 2309	113
AFLC 31271	180	AFPU 52177	181	ALLC 52213	182	ARIN 2111	81	ARUP 2122	82	ATWD 2313	114
AFLC 31272	180	AFPU 52179	181	ALLC 52214	182	ARIN 2112	81	ARUP 2129	82	ATWD 2323	114
AFLC 31273	180	AFPU 52191	181	ALLC 52217	182	ARIN 2119	81	ARUP 2211	82	ATWD 2331	114
AFLC 31274	180	AFPU 52192	181	ALLC 52219	182	ARIN 2121	81	ARUP 2212	82	ATWD 2332	114
AFLC 31277	180	AFPU 52193	181	ALPU 31111	182	ARIN 2122	81	ARUP 2219	82	ATWD 2334	114
AFLC 31279	180	AFPU 52194	181	ALPU 31112	182	ARIN 2129	81	ARUP 2221	82	ATWD 2337	114
AFLC 31291	180	AFPU 52197	181	ALPU 31113	182	ARIN 2191	81	ARUP 2222	82	ATWD 2343	114
AFLC 31292	180	AFPU 52199	181	ALPU 31114	182	ARIN 2192	81	ARUP 2229	82	ATWD 2349	114
AFLC 31293	180	AFPU 52271	181	ALPU 31117	182	ARIN 2199	81	ARUP 7111	92	ATWD 2373	114
AFLC 31294	180	AFPU 52272	181	ALPU 31119	182	ARIN 2211	81	ARUP 7112	92	ATWD 2394	114
AFLC 31297	180	AFPU 52273	181	ALPU 31211	182	ARIN 2212	81	ARUP 7119	92	ATWD 2773	114
AFLC 31299	180	AFPU 52274	181	ALPU 31212	182	ARIN 2219	81	ARUP 7121	92	ATWD 2794	114
AFLC 52171	181	AFPU 52277	181	ALPU 31213	182	ARIN 2221	81	ARUP 7122	92	ATWS 1213	112
AFLC 52172	181	AFPU 52279	181	ALPU 31214	182	ARIN 2222	81	ARUP 7129	92	ATWS 1223	112
AFLC 52173	181	AFPU 52291	181	ALPU 31217	182	ARIN 2229	81	ARUP 7211	92	ATWS 1231	112
AFLC 52174	181	AFPU 52292	181	ALPU 31219	182	ARIN 2291	81	ARUP 7212	92	ATWS 1232	112
AFLC 52177	181	AFPU 52293	181	ALPU 52111	182	ARIN 2292	81	ARUP 7219	92	ATWS 1234	112
AFLC 52179	181	AFPU 52294	181	ALPU 52112	182	ARIN 2299	81	ARUP 7221	92	ATWS 1237	112
AFLC 52191	181	AFPU 52297	181	ALPU 52113	182	ARIN 7111	91	ARUP 7222	92	ATWS 1243	112
AFLC 52192	181	AFPU 52299	181	ALPU 52114	182	ARIN 7112	91	ARUP 7229	92	ATWS 1271	111
AFLC 52193	181	ALDA 31111	182	ALPU 52117	182	ARIN 7119	91	ARUP L0111	93	ATWS 1272	111
AFLC 52194	181	ALDA 31112	182	ALPU 52119	182	ARIN 7121	91	ARUP L0112	93	ATWS 1273	111
AFLC 52197	181	ALDA 31113	182	ALPU 52211	182	ARIN 7122	91	ARUP L0119	93	ATWS 1274	111
AFLC 52199	181	ALDA 31114	182	ALPU 52212	182	ARIN 7129	91	ARUP L0121	93	ATWS 1277	111
AFLC 52271	181	ALDA 31117	182	ALPU 52213	182	ARIN 7191	91	ARUP L0122	93	ATWS 1279	111
AFLC 52272	181	ALDA 31119	182	ALPU 52214	182	ARIN 7192	91	ARUP L0129	93	ATWS 1301	111
AFLC 52273	181	ALDA 31211	182	ALPU 52217	182	ARIN 7199	91	ARUP L0211	93	ATWS 1302	111

ATWS 1303	111	AUCBD 1313H	141	AUDY 1303H	43	AUIF 1271H	41	AUOF 1279H	42	AUSBD 1214H	139
ATWS 1304	111	AUCBD 1314	141	AUDY 1304	43	AUIF 1272	41	AUOF 1301	42	AUSBD 1217	139
ATWS 1307	111	AUCBD 1314H	141	AUDY 1304H	43	AUIF 1272H	41	AUOF 1301H	42	AUSBD 1217H	139
ATWS 1309	111	AUCBD 1317	141	AUDY 1307	43	AUIF 1273	41	AUOF 1302	42	AUSBD 1219	139
ATWS 1313	112	AUCBD 1317H	141	AUDY 1307H	43	AUIF 1273H	41	AUOF 1302H	42	AUSBD 1219H	139
ATWS 1323	112	AUCBD 1319	141	AUDY 1309	43	AUIF 1274	41	AUOF 1303	42	AUSBD 1311	139
ATWS 1331	112	AUCBD 1319H	141	AUDY 1309H	43	AUIF 1274H	41	AUOF 1303H	42	AUSBD 1311H	139
ATWS 1332	112	AUCC 1211	140	AUEXC 1271	199	AUIF 1277	41	AUOF 1304	42	AUSBD 1312	139
ATWS 1334	112	AUCC 1211H	140	AUEXC 1271	218	AUIF 1277H	41	AUOF 1304H	42	AUSBD 1312H	139
ATWS 1337	112	AUCC 1222	140	AUEXC 1272	199	AUIF 1279	41	AUOF 1307	42	AUSBD 1313	139
ATWS 1343	112	AUCC 1222H	140	AUEXC 1272	218	AUIF 1279H	41	AUOF 1307H	42	AUSBD 1313H	139
ATWS 1349	112	AUCC 1232	140	AUEXC 1273	199	AUIF 1301	41	AUOF 1309	42	AUSBD 1314	139
ATWS 1373	112	AUCC 1232H	140	AUEXC 1274	199	AUIF 1301H	41	AUOF 1309H	42	AUSBD 1314H	139
ATWS 1394	112	AUCC 1242	140	AUEXC 1277	199	AUIF 1302	41	AUOXC 1271	200	AUSBD 1317	139
ATWS 1749	112	AUCC 1242H	140	AUEXC 1279	199	AUIF 1302H	41	AUOXC 1271	219	AUSBD 1317H	139
ATWS 1773	112	AUCC 1272	140	AUEXC 1301	199	AUIF 1303	41	AUOXC 1272	200	AUSBD 1319	139
ATWS 1794	112	AUCC 1272H	140	AUEXC 1301	218	AUIF 1303H	41	AUOXC 1272	219	AUSBD 1319H	139
AUAN T001	47	AUCC 1292	140	AUEXC 1302	199	AUIF 1304	41	AUOXC 1273	200	AUSC 1201	138
AUAN T002	47	AUCC 1292H	140	AUEXC 1302	218	AUIF 1304H	41	AUOXC 1274	200	AUSC 1201H	138
AUAN T003	47	AUCC 1311	140	AUEXC 1303	199	AUIF 1307	41	AUOXC 1277	200	AUSC 1202	138
AUAN T004	47	AUCC 1311H	140	AUEXC 1304	199	AUIF 1307H	41	AUOXC 1279	200	AUSC 1202H	138
AUAN T007	47	AUCC 1322	140	AUEXC 1307	199	AUIF 1309	41	AUOXC 1301	200	AUSC 1203	138
AUAN T009	47	AUCC 1322H	140	AUEXC 1309	199	AUIF 1309H	41	AUOXC 1301	219	AUSC 1203H	138
AUCA 1211	140	AUCC 1332	140	AUEXF 1271	199	AUIN L001	46	AUOXC 1302	200	AUSC 1204	138
AUCA 1211H	140	AUCC 1332H	140	AUEXF 1271	218	AUIN L002	46	AUOXC 1302	219	AUSC 1204H	138
AUCA 1222	140	AUCC 1342	140	AUEXF 1272	199	AUIN L003	46	AUOXC 1303	200	AUSC 1207	138
AUCA 1222H	140	AUCC 1342H	140	AUEXF 1272	218	AUIN L004	46	AUOXC 1304	200	AUSC 1207H	138
AUCA 1232	140	AUCC 1372	140	AUEXF 1273	199	AUIN L007	46	AUOXC 1307	200	AUSC 1209	138
AUCA 1232H	140	AUCC 1372H	140	AUEXF 1274	199	AUIN L009	46	AUOXC 1309	200	AUSC 1209H	138
AUCA 1242	140	AUCC 1392	140	AUEXF 1277	199	AUOC 1271	42	AUOXF 1271	200	AUSC 1301	138
AUCA 1242H	140	AUCC 1392H	140	AUEXF 1279	199	AUOC 1271H	42	AUOXF 1271	219	AUSC 1301H	138
AUCA 1272	140	AUDEX 1271	201	AUEXF 1301	199	AUOC 1272	42	AUOXF 1272	200	AUSC 1302	138
AUCA 1272H	140	AUDEX 1271	220	AUEXF 1301	218	AUOC 1272H	42	AUOXF 1272	219	AUSC 1302H	138
AUCA 1292	140	AUDEX 1272	201	AUEXF 1302	199	AUOC 1273	42	AUOXF 1273	200	AUSC 1303	138
AUCA 1292H	140	AUDEX 1272	220	AUEXF 1302	218	AUOC 1273H	42	AUOXF 1274	200	AUSC 1303H	138
AUCA 1311	140	AUDEX 1273	201	AUEXF 1303	199	AUOC 1274	42	AUOXF 1277	200	AUSC 1304	138
AUCA 1311H	140	AUDEX 1274	201	AUEXF 1304	199	AUOC 1274H	42	AUOXF 1279	200	AUSC 1304H	138
AUCA 1322	140	AUDEX 1277	201	AUEXF 1307	199	AUOC 1277	42	AUOXF 1301	200	AUSC 1307	138
AUCA 1322H	140	AUDEX 1279	201	AUEXF 1309	199	AUOC 1277H	42	AUOXF 1301	219	AUSC 1307H	138
AUCA 1332	140	AUDEX 1301	201	AUIC 1271	41	AUOC 1279	42	AUOXF 1302	200	AUSC 1309	138
AUCA 1332H	140	AUDEX 1301	220	AUIC 1271H	41	AUOC 1279H	42	AUOXF 1302	219	AUSC 1309H	138
AUCA 1342	140	AUDEX 1302	201	AUIC 1272	41	AUOC 1301	42	AUOXF 1303	200	AUSF 1201	138
AUCA 1342H	140	AUDEX 1302	220	AUIC 1272H	41	AUOC 1301H	42	AUOXF 1304	200	AUSF 1201H	138
AUCA 1372	140	AUDEX 1303	201	AUIC 1273	41	AUOC 1302	42	AUOXF 1307	200	AUSF 1202	138
AUCA 1372H	140	AUDEX 1304	201	AUIC 1273H	41	AUOC 1302H	42	AUOXF 1309	200	AUSF 1202H	138
AUCA 1392	140	AUDEX 1307	201	AUIC 1274	41	AUOC 1303	42	AURT T001	47	AUSF 1203	138
AUCA 1392H	140	AUDEX 1309	201	AUIC 1274H	41	AUOC 1303H	42	AURT T002	47	AUSF 1203H	138
AUCBD 1211	141	AUDY 1271	43	AUIC 1277	41	AUOC 1304	42	AURT T003	47	AUSF 1204	138
AUCBD 1211H	141	AUDY 1271H	43	AUIC 1277H	41	AUOC 1304H	42	AURT T004	47	AUSF 1204H	138
AUCBD 1212	141	AUDY 1272	43	AUIC 1279	41	AUOC 1307	42	AURT T007	47	AUSF 1207	138
AUCBD 1212H	141	AUDY 1272H	43	AUIC 1279H	41	AUOC 1307H	42	AURT T009	47	AUSF 1207H	138
AUCBD 1213	141	AUDY 1273	43	AUIC 1301	41	AUOC 1309	42	AURT T201	48	AUSF 1209	138
AUCBD 1213H	141	AUDY 1273H	43	AUIC 1301H	41	AUOC 1309H	42	AURT T202	48	AUSF 1209H	138
AUCBD 1214	141	AUDY 1274	43	AUIC 1302	41	AUOF 1271	42	AURT T203	48	AUSF 1301	138
AUCBD 1214H	141	AUDY 1274H	43	AUIC 1302H	41	AUOF 1271H	42	AURT T204	48	AUSF 1301H	138
AUCBD 1217	141	AUDY 1277	43	AUIC 1303	41	AUOF 1272	42	AURT T207	48	AUSF 1302	138
AUCBD 1217H	141	AUDY 1277H	43	AUIC 1303H	41	AUOF 1272H	42	AURT T209	48	AUSF 1302H	138
AUCBD 1219	141	AUDY 1279	43	AUIC 1304	41	AUOF 1273	42	AUSBD 1211	139	AUSF 1303	138
AUCBD 1219H	141	AUDY 1279H	43	AUIC 1304H	41	AUOF 1273H	42	AUSBD 1211H	139	AUSF 1303H	138
AUCBD 1311	141	AUDY 1301	43	AUIC 1307	41	AUOF 1274	42	AUSBD 1212	139	AUSF 1304	138
AUCBD 1311H	141	AUDY 1301H	43	AUIC 1307H	41	AUOF 1274H	42	AUSBD 1212H	139	AUSF 1304H	138
AUCBD 1312	141	AUDY 1302	43	AUIC 1309	41	AUOF 1277	42	AUSBD 1213	139	AUSF 1307	138
AUCBD 1312H	141	AUDY 1302H	43	AUIC 1309H	41	AUOF 1277H	42	AUSBD 1213H	139	AUSF 1307H	138
AUCBD 1313	141	AUDY 1303	43	AUIF 1271	41	AUOF 1279	42	AUSBD 1214	139	AUSF 1309	138

AUSF 1309H	138	AWBD 32332H	107	AWBI 34444H	103	AWBU 31331H	108	AYTW 2702H	238	AYUP 3113H	45
AUTR 1722	240	AWBD 33331	107	AWBI 37777	103	AWBU 32222	105	AYTW 2703	238	AYUP 3122	44
AUTR 1733	240	AWBD 33331H	107	AWBI 37777H	103	AWBU 32222H	105	AYTW 2703H	238	AYUP 3122H	44
AUTR 1744	240	AWBD 33332	107	AWBI 39999	103	AWBU 32223	108	AYTW 2901	239	AYUP 3123	45
AUTR 1777	240	AWBD 33332H	107	AWBI 39999H	103	AWBU 32223H	108	AYTW 2901H	239	AYUP 3123H	45
AUTR 1799	240	AWBD 33333	104	AWBS 21111	105	AWBU 32322	110	AYTW 2902	239	AYUP 3131	45
AUTW 1711	240	AWBD 33333H	104	AWBS 21111H	105	AWBU 32322H	110	AYTW 2902H	239	AYUP 3131H	45
AUTW 1722	240	AWBD 34444	104	AWBS 22222	105	AWBU 32332	108	AYTW 2903	239	AYUP 3132	45
AUTW 1733	240	AWBD 34444H	104	AWBS 22222H	105	AWBU 32332H	108	AYTW 2903H	239	AYUP 3132H	45
AUWI T001	48	AWBD 37777	104	AWBS 23333	105	AWBU 33331	108	AYTW 3701	238	AYUP 3133	44
AUWI T002	48	AWBD 37777H	104	AWBS 23333H	105	AWBU 33331H	108	AYTW 3701H	238	AYUP 3133H	44
AUWI T003	48	AWBD 39999	104	AWBS 24444	105	AWBU 33332	108	AYTW 3702	238	AYUP 3144	44
AUWI T004	48	AWBD 39999H	104	AWBS 24444H	105	AWBU 33332H	108	AYTW 3702H	238	AYUP 3144H	44
AUWI T007	48	AWBI 21111	103	AWBS 27777	105	AWBU 33333	105	AYTW 3703	238	AYUP 3177	44
AUWI T009	48	AWBI 21111H	103	AWBS 27777H	105	AWBU 33333H	105	AYTW 3703H	238	AYUP 3177H	44
AUWI T201	49	AWBI 21113	106	AWBS 29999	105	AWBU 34444	105	AYTW 3901	239	AYUP 3199	44
AUWI T202	49	AWBI 21113H	106	AWBS 29999H	105	AWBU 34444H	105	AYTW 3901H	239	AYUP 3199H	44
AUWI T203	49	AWBI 21311	109	AWBS 31111	105	AWBU 37777	105	AYTW 3902	239	AYUP 3211	44
AUWI T204	49	AWBI 21311H	109	AWBS 31111H	105	AWBU 37777H	105	AYTW 3902H	239	AYUP 3211H	44
AUWI T207	49	AWBI 21331	106	AWBS 32222	105	AWBU 39999	105	AYTW 3903	239	AYUP 3213	45
AUWI T209	49	AWBI 21331H	106	AWBS 32222H	105	AWBU 39999H	105	AYTW 3903H	239	AYUP 3213H	45
AWBD 21111	104	AWBI 22222	103	AWBS 33333	105	AYTR 2444	238	AYUP 2111	44	AYUP 3222	44
AWBD 21111H	104	AWBI 22222H	103	AWBS 33333H	105	AYTR 2702	238	AYUP 2111H	44	AYUP 3222H	44
AWBD 21113	107	AWBI 22223	106	AWBS 34444	105	AYTR 2702H	238	AYUP 2113	45	AYUP 3223	45
AWBD 21113H	107	AWBI 22223H	106	AWBS 34444H	105	AYTR 2703	238	AYUP 2113H	45	AYUP 3223H	45
AWBD 21311	110	AWBI 22322	109	AWBS 37777	105	AYTR 2703H	238	AYUP 2122	44	AYUP 3231	45
AWBD 21311H	110	AWBI 22322H	109	AWBS 37777H	105	AYTR 2704H	238	AYUP 2122H	44	AYUP 3231H	45
AWBD 21331	107	AWBI 22332	106	AWBS 39999	105	AYTR 2707	238	AYUP 2123	45	AYUP 3232	45
AWBD 21331H	107	AWBI 22332H	106	AWBS 39999H	105	AYTR 2707	239	AYUP 2123H	45	AYUP 3232H	45
AWBD 22222	104	AWBI 23331	106	AWBU 21111	105	AYTR 2707H	238	AYUP 2131	45	AYUP 3233	44
AWBD 22222H	104	AWBI 23331H	106	AWBU 21111H	105	AYTR 2707H	239	AYUP 2131H	45	AYUP 3233H	44
AWBD 22223	107	AWBI 23332	106	AWBU 21113	108	AYTR 2709	238	AYUP 2132	45	AYUP 3244	44
AWBD 22223H	107	AWBI 23332H	106	AWBU 21113H	108	AYTR 2709	239	AYUP 2132H	45	AYUP 3244H	44
AWBD 22322	110	AWBI 23333	103	AWBU 21311	110	AYTR 2709H	238	AYUP 2133	44	AYUP 3277	44
AWBD 22322H	110	AWBI 23333H	103	AWBU 21311H	110	AYTR 2709H	239	AYUP 2133H	44	AYUP 3277H	44
AWBD 22332	107	AWBI 24444	103	AWBU 21331	108	AYTR 2902	239	AYUP 2144	44	AYUP 3299	44
AWBD 22332H	107	AWBI 24444H	103	AWBU 21331H	108	AYTR 2902H	239	AYUP 2144H	44	AYUP 3299H	44
AWBD 23331	107	AWBI 27777	103	AWBU 22222	105	AYTR 2903	239	AYUP 2177	44	BCDP 2401	62
AWBD 23331H	107	AWBI 27777H	103	AWBU 22222H	105	AYTR 2903H	239	AYUP 2177H	44	BCDP 2401	148
AWBD 23332	107	AWBI 29999	103	AWBU 22223	108	AYTR 2904	239	AYUP 2199	44	BCDP 2401	149
AWBD 23332H	107	AWBI 29999H	103	AWBU 22223H	108	AYTR 2904H	239	AYUP 2199H	44	BCDP 2401	154
AWBD 23333	104	AWBI 31111	103	AWBU 22322	110	AYTR 3444	238	AYUP 2211	44	BCDP 2401	155
AWBD 23333H	104	AWBI 31111H	103	AWBU 22322H	110	AYTR 3702	238	AYUP 2211H	44	BCDP 2401	166
AWBD 24444	104	AWBI 31113	106	AWBU 22332	108	AYTR 3702H	238	AYUP 2213	45	BCDP 2401	167
AWBD 24444H	104	AWBI 31113H	106	AWBU 22332H	108	AYTR 3703	238	AYUP 2213H	45	BCDP 2401	192
AWBD 27777	104	AWBI 31311	109	AWBU 23331	108	AYTR 3703H	238	AYUP 2222	44	BCDP 2401	193
AWBD 27777H	104	AWBI 31311H	109	AWBU 23331H	108	AYTR 3704H	238	AYUP 2222H	44	BCDP 2402	62
AWBD 29999	104	AWBI 31331	106	AWBU 23332	108	AYTR 3707	238	AYUP 2223	45	BCDP 2402	148
AWBD 29999H	104	AWBI 31331H	106	AWBU 23332H	108	AYTR 3707	239	AYUP 2223H	45	BCDP 2402	149
AWBD 31111	104	AWBI 32222	103	AWBU 23333	105	AYTR 3707H	238	AYUP 2231	45	BCDP 2402	154
AWBD 31111H	104	AWBI 32222H	103	AWBU 23333H	105	AYTR 3707H	239	AYUP 2231H	45	BCDP 2402	155
AWBD 31113	107	AWBI 32223	106	AWBU 24444	105	AYTR 3709	238	AYUP 2232	45	BCDP 2402	166
AWBD 31113H	107	AWBI 32223H	106	AWBU 24444H	105	AYTR 3709	239	AYUP 2232H	45	BCDP 2402	167
AWBD 31311	110	AWBI 32322	109	AWBU 27777	105	AYTR 3709H	238	AYUP 2233	44	BCDP 2402	192
AWBD 31311H	110	AWBI 32322H	109	AWBU 27777H	105	AYTR 3709H	239	AYUP 2233H	44	BCDP 2402	193
AWBD 31331	107	AWBI 32332	106	AWBU 29999	105	AYTR 3902	239	AYUP 2244	44	BCDP 2411	148
AWBD 31331H	107	AWBI 32332H	106	AWBU 29999H	105	AYTR 3902H	239	AYUP 2244H	44	BCDP 2411	149
AWBD 32222	104	AWBI 33331	106	AWBU 31111	105	AYTR 3903	239	AYUP 2277	44	BCDP 2411	154
AWBD 32222H	104	AWBI 33331H	106	AWBU 31111H	105	AYTR 3903H	239	AYUP 2277H	44	BCDP 2411	155
AWBD 32223	107	AWBI 33332	106	AWBU 31113	108	AYTR 3904	239	AYUP 2299	44	BCDP 2421	166
AWBD 32223H	107	AWBI 33332H	106	AWBU 31113H	108	AYTR 3904H	239	AYUP 2299H	44	BCDP 2421	167
AWBD 32322	110	AWBI 33333	103	AWBU 31311	110	AYTW 2701	238	AYUP 3111	44	BCDP 2422	148
AWBD 32322H	110	AWBI 33333H	103	AWBU 31311H	110	AYTW 2701H	238	AYUP 3111H	44	BCDP 2422	149
AWBD 32332	107	AWBI 34444	103	AWBU 31331	108	AYTW 2702	238	AYUP 3113	45	BCDP 2422	154

BCDP 2422	155	BCMC 1022	64	BCT3 2402	154	BDPU 0822	154	BIINC 1690	66	BLCXM 1122	209
BCDP 2422	166	BCMC 2002	64	BCT3 2402	155	BDPU 0822	155	BIINC 1698	66	BLCXM 1122	225
BCDP 2422	167	BCMC 2022	64	BCT3 2411	148	BDPU 0822	160	BIINF 1610	66	BLWII 1100	119
BCIC 1002	63	BCMC 7002	64	BCT3 2411	149	BDPU 0822	161	BIINF 1618	66	BLWII 1102	119
BCIC 1022	63	BCMC 8002	64	BCT3 2411	154	BDPU 0822	166	BIINF 1620	66	BLWII 1120	119
BCIC 2002	63	BCMC 8022	64	BCT3 2411	155	BDPU 0822	167	BIINF 1628	66	BLWII 1122	119
BCIC 2022	63	BCMC 9002	64	BCT3 2422	148	BDPU 0822	172	BIINF 1670	66	BLWIM 1100	120
BCIC 7002	63	BCMC 9022	64	BCT3 2422	149	BDPU 0822	173	BIINF 1678	66	BLWIM 1102	120
BCIC 7022	63	BCMF 1000	64	BCT3 2422	154	BDPU 0822	178	BIINF 1680	66	BLWIM 1120	120
BCIC 8002	63	BCMF 1020	64	BCT3 2422	155	BDPU 0822	179	BIINF 1688	66	BLWIM 1122	120
BCIC 8022	63	BCMF 2000	64	BCT6 2401	62	BDPU 0822	192	BIINF 1690	66	BLWXI 1100	210
BCIC 9002	63	BCMF 2020	64	BCT6 2401	192	BDPU 0822	193	BIINF 1698	66	BLWXI 1100	226
BCIC 9022	63	BCMF 7000	64	BCT6 2401	193	BEWW 6010	212	BIUI 0001	65	BLWXI 1102	210
BCIF 1000	63	BCMF 7020	64	BCT6 2402	62	BEWW 6010	228	BIUI 0002	65	BLWXI 1102	226
BCIF 1020	63	BCMF 8000	64	BCT6 2402	192	BEWW 6012	212	BIUI 0007	65	BLWXI 1120	210
BCIF 2000	63	BCMF 8020	64	BCT6 2402	193	BEWW 6012	228	BIUI 0008	65	BLWXI 1120	226
BCIF 2020	63	BCMF 9000	64	BDDA 0811	62	BIEXC 1610	207	BIUI 0009	65	BLWXI 1122	210
BCIF 7000	63	BCMF 9020	64	BDDA 0811	148	BIEXC 1610	223	BIUI 0021	65	BLWXI 1122	226
BCIF 7020	63	BCMXC 1002	203	BDDA 0811	149	BIEXC 1618	207	BIUI 0022	65	BLWXM 1100	211
BCIF 8000	63	BCMXC 1002	222	BDDA 0811	154	BIEXC 1618	223	BIUI 0027	65	BLWXM 1100	227
BCIF 8020	63	BCMXC 1022	203	BDDA 0811	155	BIEXC 1620	207	BIUI 0028	65	BLWXM 1102	211
BCIF 9000	63	BCMXC 1022	222	BDDA 0811	160	BIEXC 1620	223	BIUI 0029	65	BLWXM 1102	227
BCIF 9020	63	BCMXC 2002	203	BDDA 0811	161	BIEXC 1628	207	BIUM 0001	65	BLWXM 1120	211
BCIXC 1002	202	BCMXC 2002	222	BDDA 0811	166	BIEXC 1628	223	BIUM 0002	65	BLWXM 1120	227
BCIXC 1002	221	BCMXC 2022	203	BDDA 0811	167	BIEXC 1670	207	BIUM 0007	65	BLWXM 1122	211
BCIXC 1022	202	BCMXC 2022	222	BDDA 0811	172	BIEXC 1670	223	BIUM 0008	65	BLWXM 1122	227
BCIXC 1022	221	BCMXC 7002	203	BDDA 0811	173	BIEXC 1678	207	BIUM 0009	65	BNDN 0811	62
BCIXC 2002	202	BCMXC 7002	222	BDDA 0811	178	BIEXC 1678	223	BIUM 0021	65	BNDN 0811	148
BCIXC 2002	221	BCMXC 7022	203	BDDA 0811	179	BIEXC 1680	207	BIUM 0022	65	BNDN 0811	149
BCIXC 2022	202	BCMXC 7022	222	BDDA 0811	192	BIEXC 1680	223	BIUM 0027	65	BNDN 0811	154
BCIXC 2022	221	BCMXC 8002	203	BDDA 0811	193	BIEXC 1688	207	BIUM 0028	65	BNDN 0811	155
BCIXC 7002	202	BCMXC 8002	222	BDDA 0822	62	BIEXC 1688	223	BIUM 0029	65	BNDN 0811	160
BCIXC 7002	221	BCMXC 8022	203	BDDA 0822	148	BIEXC 1690	207	BIUP 1610	66	BNDN 0811	161
BCIXC 7022	202	BCMXC 8022	222	BDDA 0822	149	BIEXC 1690	223	BIUP 1618	66	BNDN 0811	166
BCIXC 7022	221	BCMXC 9002	203	BDDA 0822	154	BIEXC 1698	207	BIUP 1620	66	BNDN 0811	167
BCIXC 8002	202	BCMXC 9002	222	BDDA 0822	155	BIEXC 1698	223	BIUP 1628	66	BNDN 0811	172
BCIXC 8002	221	BCMXC 9022	203	BDDA 0822	160	BIEXF 1610	207	BIUP 1670	66	BNDN 0811	173
BCIXC 8022	202	BCMXC 9022	222	BDDA 0822	161	BIEXF 1610	223	BIUP 1678	66	BNDN 0811	178
BCIXC 8022	221	BCMXF 1000	203	BDDA 0822	166	BIEXF 1618	207	BIUP 1680	66	BNDN 0811	179
BCIXC 9002	202	BCMXF 1000	222	BDDA 0822	167	BIEXF 1618	223	BIUP 1688	66	BNDN 0811	192
BCIXC 9002	221	BCMXF 1020	203	BDDA 0822	172	BIEXF 1620	207	BIUP 1690	66	BNDN 0811	193
BCIXC 9022	202	BCMXF 1020	222	BDDA 0822	173	BIEXF 1620	223	BIUP 1698	66	BNDN 0822	62
BCIXC 9022	221	BCMXF 2000	203	BDDA 0822	178	BIEXF 1628	207	BLCII 1100	67	BNDN 0822	148
BCIXF 1000	202	BCMXF 2000	222	BDDA 0822	179	BIEXF 1628	223	BLCII 1102	67	BNDN 0822	149
BCIXF 1000	221	BCMXF 2020	203	BDDA 0822	192	BIEXF 1670	207	BLCII 1120	67	BNDN 0822	154
BCIXF 1020	202	BCMXF 2020	222	BDDA 0822	193	BIEXF 1670	223	BLCII 1122	67	BNDN 0822	155
BCIXF 1020	221	BCMXF 7000	203	BDPU 0811	62	BIEXF 1678	207	BLCIM 1100	68	BNDN 0822	160
BCIXF 2000	202	BCMXF 7000	222	BDPU 0811	148	BIEXF 1678	223	BLCIM 1102	68	BNDN 0822	161
BCIXF 2000	221	BCMXF 7020	203	BDPU 0811	149	BIEXF 1680	207	BLCIM 1120	68	BNDN 0822	166
BCIXF 2020	202	BCMXF 7020	222	BDPU 0811	154	BIEXF 1680	223	BLCIM 1122	68	BNDN 0822	167
BCIXF 2020	221	BCMXF 8000	203	BDPU 0811	155	BIEXF 1688	207	BLCXI 1100	208	BNDN 0822	172
BCIXF 7000	202	BCMXF 8000	222	BDPU 0811	160	BIEXF 1688	223	BLCXI 1100	224	BNDN 0822	173
BCIXF 7000	221	BCMXF 8020	203	BDPU 0811	161	BIEXF 1690	207	BLCXI 1102	208	BNDN 0822	178
BCIXF 7020	202	BCMXF 8020	222	BDPU 0811	166	BIEXF 1690	223	BLCXI 1102	224	BNDN 0822	179
BCIXF 7020	221	BCMXF 9000	203	BDPU 0811	167	BIEXF 1698	207	BLCXI 1120	208	BNDN 0822	192
BCIXF 8000	202	BCMXF 9000	222	BDPU 0811	172	BIEXF 1698	223	BLCXI 1120	224	BNDN 0822	193
BCIXF 8000	221	BCMXF 9020	203	BDPU 0811	173	BIINC 1610	66	BLCXI 1122	208	BOEX 1600	213
BCIXF 8020	202	BCMXF 9020	222	BDPU 0811	178	BIINC 1618	66	BLCXI 1122	224	BOEX 1600	229
BCIXF 8020	221	BCT3 2401	148	BDPU 0811	179	BIINC 1620	66	BLCXM 1100	209	BOEX 1602	213
BCIXF 9000	202	BCT3 2401	149	BDPU 0811	192	BIINC 1628	66	BLCXM 1100	225	BOEX 1602	229
BCIXF 9000	221	BCT3 2401	154	BDPU 0811	193	BIINC 1670	66	BLCXM 1102	209	BOEX 1608	213
BCIXF 9020	202	BCT3 2401	155	BDPU 0822	62	BIINC 1678	66	BLCXM 1102	225	BOEX 1608	229
BCIXF 9020	221	BCT3 2402	148	BDPU 0822	148	BIINC 1680	66	BLCXM 1120	209	BOEX 1680	213
BCMC 1002	64	BCT3 2402	149	BDPU 0822	149	BIINC 1688	66	BLCXM 1120	225	BOEX 1680	229

BOIN 1600	70	BWIF 8000	117	BWMXF 9020	205	CODE 3105	72	COEX 7151	214	HEC+ 0019	59
BOIN 1602	70	BWIF 8020	117	BXUI 0001	206	CODE 3207	73	COEX 7151	230	HEC+ 0022	59
BOIN 1608	70	BWIF 9000	117	BXUI 0001	222	CODE 3555	123	COEX 7211	216	HEC+ 0023	59
BOIN 1680	70	BWIF 9020	117	BXUI 0002	206	CODE 3605	72	COEX 7211	231	HEC+ 0024	59
BOWW 1001	71	BWIXC 1002	204	BXUI 0002	222	CODE 3666	123	COEX 7251	215	HEC+ 0027	59
BOWW 1001	121	BWIXC 1022	204	BXUI 0007	206	CODE 7001	72	COEX 7251	230	HEC+ 0029	59
BOWW 1002	71	BWIXC 2002	204	BXUI 0007	222	CODE 7002	73	COGU 0051	82	HEC+ 0113	59
BOWW 1002	121	BWIXC 2022	204	BXUI 0008	206	CODE 7005	122	COGU 0052	85	HEC+ 0119	59
BOWW 1003	71	BWIXC 7002	204	BXUI 0008	222	CODE 7006	215	COGU 0054	88	HEC+ 0122	59
BOWW 1003	121	BWIXC 7022	204	BXUI 0009	206	CODE 7006	231	CONC 0007	81	HEC+ 0123	59
BOWW 1009	71	BWIXC 8002	204	BXUI 0009	222	CODE 7105	72	CONC 0051	83	HEC+ 0124	59
BOWW 1009	121	BWIXC 8022	204	BXUI 0021	206	CODE 7207	73	CONC 0052	86	HEC+ 0127	59
BOWW 1101	71	BWIXC 9002	204	BXUI 0021	222	CODE 7555	123	CONC 0054	89	HEC+ 0129	59
BOWW 1101	121	BWIXC 9022	204	BXUI 0022	206	CODE 7605	72	CONC 0070	91	HEC+ 0213	59
BOWW 1102	71	BWIXF 1000	204	BXUI 0022	222	CODE 7666	123	CONC 0110	92	HEC+ 0219	59
BOWW 1102	121	BWIXF 1020	204	BXUI 0027	206	CODE 9001	72	CONC 0111	94	HEC+ 0222	59
BOWW 1103	71	BWIXF 2000	204	BXUI 0027	222	CODE 9002	73	ELEM 1222	51	HEC+ 0223	59
BOWW 1103	121	BWIXF 2020	204	BXUI 0028	206	CODE 9005	122	ELEM 1313	51	HEC+ 0224	59
BOWW 1109	71	BWIXF 7000	204	BXUI 0028	222	CODE 9105	72	ELEM 1323	51	HEC+ 0227	59
BOWW 1109	121	BWIXF 7020	204	BXUI 0029	206	CODE 9207	73	ELEM 1422	51	HEC+ 0229	59
BOWW 5201	13	BWIXF 8000	204	BXUI 0029	222	CODE 9555	123	ELEM 1727	51	HEC+ 0513	59
BOWW 5202	13	BWIXF 8020	204	BXUM 0001	206	CODE 9605	72	ELEM 1922	51	HEC+ 0519	59
BOWW 5203	13	BWIXF 9000	204	BXUM 0001	223	CODE 9666	123	ELEM 2222	51	HEC+ 0522	59
BOWW 5209	13	BWIXF 9020	204	BXUM 0002	206	CODE L1005	122	ELEM 2313	51	HEC+ 0523	59
BOWW 6010	69	BWMC 1002	118	BXUM 0002	223	CODE L1006	215	ELEM 2323	51	HEC+ 0524	59
BOWW 6012	69	BWMC 1022	118	BXUM 0007	206	CODE L1006	231	ELEM 2422	51	HEC+ 0527	59
BUEX 1610	207	BWMC 2002	118	BXUM 0007	223	CODE L2005	122	ELEM 2727	51	HEC+ 0529	59
BUEX 1610	224	BWMC 2022	118	BXUM 0008	206	CODE L2006	215	ELEM 2922	51	HEC+ L013	60
BUEX 1618	207	BWMC 7002	118	BXUM 0008	223	CODE L2006	231	ELEM 3222	52	HEC+ L019	60
BUEX 1618	224	BWMC 7022	64	BXUM 0009	206	CODE L3005	122	ELEM 3313	52	HEC+ L022	60
BUEX 1620	207	BWMC 7022	118	BXUM 0009	223	CODE L7005	122	ELEM 3323	52	HEC+ L023	60
BUEX 1620	224	BWMC 8002	118	BXUM 0021	206	CODE L7006	215	ELEM 3422	52	HEC+ L024	60
BUEX 1620	224	BWMC 8022	118	BXUM 0021	223	CODE L7006	231	ELEM 3727	52	HEC+ L027	60
BUEX 1628	207	BWMC 9002	118	BXUM 0022	206	CODE L9005	122	ELEM 3922	52	HEC+ L029	60
BUEX 1628	224	BWMC 9022	118	BXUM 0022	223	COEX 1001	214	ELEM 4222	52	HEC+ L113	60
BUEX 1628	224	BWMF 1000	118	BXUM 0027	206	COEX 1001	229	ELEM 4313	52	HEC+ L119	60
BUEX 1670	207	BWMF 1020	118	BXUM 0027	223	COEX 1002	214	ELEM 4323	52	HEC+ L122	60
BUEX 1670	224	BWMF 2000	118	BXUM 0028	206	COEX 1002	230	ELEM 4422	52	HEC+ L123	60
BUEX 1678	207	BWMF 2020	118	BXUM 0028	223	COEX 1111	216	ELEM 4727	52	HEC+ L124	60
BUEX 1678	224	BWMF 7000	118	BXUM 0029	206	COEX 1111	231	ELEM 4922	52	HEC+ L127	60
BUEX 1680	207	BWMF 7020	118	BXUM 0029	223	COEX 1151	214	ELEM 5222	53	HEC+ L129	60
BUEX 1680	224	BWMF 8000	118	CODE 1001	72	COEX 1151	230	ELEM 5313	53	HEC+ L213	60
BUEX 1688	207	BWMF 8020	118	CODE 1002	73	COEX 1211	216	ELEM 5323	53	HEC+ L219	60
BUEX 1688	224	BWMF 9000	118	CODE 1005	122	COEX 1211	231	ELEM 5422	53	HEC+ L222	60
BUEX 1690	207	BWMF 9020	118	CODE 1006	215	COEX 1251	215	ELEM 5727	53	HEC+ L223	60
BUEX 1690	224	BWMXC 1002	205	CODE 1006	231	COEX 1251	230	ELEM 5922	53	HEC+ L224	60
BUEX 1698	207	BWMXC 1022	205	CODE 1105	72	COEX 2001	214	ELEM 6222	53	HEC+ L227	60
BUEX 1698	224	BWMXC 2002	205	CODE 1207	73	COEX 2001	229	ELEM 6313	53	HEC+ L229	60
BWIC 1002	117	BWMXC 2022	205	CODE 1555	123	COEX 2002	214	ELEM 6323	53	HEC+ L513	60
BWIC 1022	117	BWMXC 7002	205	CODE 1605	72	COEX 2002	230	ELEM 6422	53	HEC+ L519	60
BWIC 2002	117	BWMXC 7022	205	CODE 1666	123	COEX 2111	216	ELEM 6922	53	HEC+ L522	60
BWIC 2022	117	BWMXC 8002	205	CODE 2001	72	COEX 2111	231	ELEM 7222	54	HEC+ L523	60
BWIC 7002	117	BWMXC 8022	205	CODE 2002	73	COEX 2151	214	ELEM 7313	54	HEC+ L524	60
BWIC 7022	117	BWMXC 9002	205	CODE 2005	122	COEX 2151	230	ELEM 7323	54	HEC+ L527	60
BWIC 8002	117	BWMXC 9022	205	CODE 2006	215	COEX 2211	216	ELEM 7422	54	HEC+ L529	60
BWIC 8022	117	BWMXF 1000	205	CODE 2006	231	COEX 2211	231	ELEM 7722	54	HEC- 0013	59
BWIC 9002	117	BWMXF 1020	205	CODE 2105	72	COEX 2251	215	ELEM 7922	54	HEC- 0019	59
BWIC 9022	117	BWMXF 2000	205	CODE 2207	73	COEX 2251	230	ELEM 8222	54	HEC- 0022	59
BWIF 1000	117	BWMXF 2020	205	CODE 2405	72	COEX 3001	214	ELEM 8313	54	HEC- 0023	59
BWIF 1020	117	BWMXF 7000	205	CODE 2555	123	COEX 3001	229	ELEM 8323	54	HEC- 0024	59
BWIF 2000	117	BWMXF 7020	205	CODE 2666	123	COEX 3002	214	ELEM 8422	54	HEC- 0027	59
BWIF 2020	117	BWMXF 8000	205	CODE 3001	72	COEX 3002	230	ELEM 8724	54	HEC- 0029	59
BWIF 7000	117	BWMXF 8020	205	CODE 3002	73	COEX 7111	216	ELEM 8922	54	HEC90 0013	60
BWIF 7020	117	BWMXF 9000	205	CODE 3005	122	COEX 7111	231	HEC+ 0013	59	HEC90 0019	60

HEC90 0022	60	HEC120 0119	60	HEC- 0524	59	HECT 0027	59	HECX 0129	59	HECY 0513	59
HEC90 0023	60	HEC120 0122	60	HEC- 0527	59	HECT 0029	59	HECX 0213	59	HECY 0519	59
HEC90 0024	60	HEC120 0123	60	HEC- 0529	59	HECT 0113	59	HECX 0219	59	HECY 0522	59
HEC90 0027	60	HEC120 0124	60	HECE 0013	59	HECT 0119	59	HECX 0222	59	HECY 0523	59
HEC90 0029	60	HEC120 0127	60	HECE 0019	59	HECT 0122	59	HECX 0223	59	HECY 0524	59
HEC90 0113	60	HEC120 0129	60	HECE 0022	59	HECT 0123	59	HECX 0224	59	HECY 0527	59
HEC90 0119	60	HEC120 0213	60	HECE 0023	59	HECT 0124	59	HECX 0227	59	HECY 0529	59
HEC90 0122	60	HEC120 0219	60	HECE 0024	59	HECT 0127	59	HECX 0229	59	HECY L013	61
HEC90 0123	60	HEC120 0222	60	HECE 0027	59	HECT 0129	59	HECX 0513	59	HECY L019	61
HEC90 0124	60	HEC120 0223	60	HECE 0029	59	HECT 0213	59	HECX 0519	59	HECY L022	61
HEC90 0127	60	HEC120 0224	60	HECE 0113	59	HECT 0219	59	HECX 0522	59	HECY L023	61
HEC90 0129	60	HEC120 0227	60	HECE 0119	59	HECT 0222	59	HECX 0523	59	HECY L024	61
HEC90 0213	60	HEC120 0229	60	HECE 0122	59	HECT 0223	59	HECX 0524	59	HECY L027	61
HEC90 0219	60	HEC120 0513	60	HECE 0123	59	HECT 0224	59	HECX 0527	59	HECY L029	61
HEC90 0222	60	HEC120 0519	60	HECE 0124	59	HECT 0227	59	HECX 0529	59	HECY L113	61
HEC90 0223	60	HEC120 0522	60	HECE 0127	59	HECT 0229	59	HECX L013	61	HECY L119	61
HEC90 0224	60	HEC120 0523	60	HECE 0129	59	HECT 0513	59	HECX L019	61	HECY L122	61
HEC90 0227	60	HEC120 0524	60	HECE 0213	59	HECT 0519	59	HECX L022	61	HECY L123	61
HEC90 0229	60	HEC120 0527	60	HECE 0219	59	HECT 0522	59	HECX L023	61	HECY L124	61
HEC90 0513	60	HEC120 0529	60	HECE 0222	59	HECT 0523	59	HECX L024	61	HECY L127	61
HEC90 0519	60	HEC120 L013	61	HECE 0223	59	HECT 0524	59	HECX L027	61	HECY L129	61
HEC90 0522	60	HEC120 L019	61	HECE 0224	59	HECT 0527	59	HECX L029	61	HECY L213	61
HEC90 0523	60	HEC120 L022	61	HECE 0227	59	HECT 0529	59	HECX L113	61	HECY L219	61
HEC90 0524	60	HEC120 L023	61	HECE 0229	59	HECT L013	61	HECX L119	61	HECY L222	61
HEC90 0527	60	HEC120 L024	61	HECE 0513	59	HECT L019	61	HECX L122	61	HECY L223	61
HEC90 0529	60	HEC120 L027	61	HECE 0519	59	HECT L022	61	HECX L123	61	HECY L224	61
HEC90 L013	61	HEC120 L029	61	HECE 0522	59	HECT L023	61	HECX L124	61	HECY L227	61
HEC90 L019	61	HEC120 L113	61	HECE 0523	59	HECT L024	61	HECX L127	61	HECY L229	61
HEC90 L022	61	HEC120 L119	61	HECE 0524	59	HECT L027	61	HECX L129	61	HECY L513	61
HEC90 L023	61	HEC120 L122	61	HECE 0527	59	HECT L029	61	HECX L213	61	HECY L519	61
HEC90 L024	61	HEC120 L123	61	HECE 0529	59	HECT L113	61	HECX L219	61	HECY L522	61
HEC90 L027	61	HEC120 L124	61	HEC- L013	60	HECT L119	61	HECX L222	61	HECY L523	61
HEC90 L029	61	HEC120 L127	61	HEC- L019	60	HECT L122	61	HECX L223	61	HECY L524	61
HEC90 L113	61	HEC120 L129	61	HEC- L022	60	HECT L123	61	HECX L224	61	HECY L527	61
HEC90 L119	61	HEC120 L213	61	HEC- L023	60	HECT L124	61	HECX L227	61	HECY L529	61
HEC90 L122	61	HEC120 L219	61	HEC- L024	60	HECT L127	61	HECX L229	61	HEL+ 0002	57
HEC90 L123	61	HEC120 L222	61	HEC- L027	60	HECT L129	61	HECX L513	61	HEL+ 0003	57
HEC90 L124	61	HEC120 L223	61	HEC- L029	60	HECT L213	61	HECX L519	61	HEL+ 0004	57
HEC90 L127	61	HEC120 L224	61	HEC- L113	60	HECT L219	61	HECX L522	61	HEL+ 0007	57
HEC90 L129	61	HEC120 L227	61	HEC- L119	60	HECT L222	61	HECX L523	61	HEL+ 0009	57
HEC90 L213	61	HEC120 L229	61	HEC- L122	60	HECT L223	61	HECX L524	61	HEL+ L002	58
HEC90 L219	61	HEC120 L513	61	HEC- L123	60	HECT L224	61	HECX L527	61	HEL+ L003	58
HEC90 L222	61	HEC120 L519	61	HEC- L124	60	HECT L227	61	HECX L529	61	HEL+ L004	58
HEC90 L223	61	HEC120 L522	61	HEC- L127	60	HECT L229	61	HECY 0013	59	HEL+ L007	58
HEC90 L224	61	HEC120 L523	61	HEC- L129	60	HECT L513	61	HECY 0019	59	HEL+ L009	58
HEC90 L227	61	HEC120 L524	61	HEC- L213	60	HECT L519	61	HECY 0022	59	HEL- 0002	57
HEC90 L229	61	HEC120 L527	61	HEC- L219	60	HECT L522	61	HECY 0023	59	HEL- 0003	57
HEC90 L513	61	HEC120 L529	61	HEC- L222	60	HECT L523	61	HECY 0024	59	HEL- 0004	57
HEC90 L519	61	HEC- 0122	59	HEC- L223	60	HECT L524	61	HECY 0027	59	HEL- 0007	57
HEC90 L522	61	HEC- 0123	59	HEC- L224	60	HECT L527	61	HECY 0029	59	HEL- 0009	57
HEC90 L523	61	HEC- 0124	59	HEC- L227	60	HECT L529	61	HECY 0113	59	HEL90 0002	57
HEC90 L524	61	HEC- 0127	59	HEC- L229	60	HECX 0013	59	HECY 0119	59	HEL90 0003	57
HEC90 L527	61	HEC- 0129	59	HEC- L513	60	HECX 0019	59	HECY 0122	59	HEL90 0004	57
HEC90 L529	61	HEC- 0213	59	HEC- L519	60	HECX 0022	59	HECY 0123	59	HEL90 0007	57
HEC- 0113	59	HEC- 0219	59	HEC- L522	60	HECX 0023	59	HECY 0124	59	HEL90 0009	57
HEC- 0119	59	HEC- 0222	59	HEC- L523	60	HECX 0024	59	HECY 0127	59	HEL90 L002	58
HEC120 0013	60	HEC- 0223	59	HEC- L524	60	HECX 0027	59	HECY 0129	59	HEL90 L003	58
HEC120 0019	60	HEC- 0224	59	HEC- L527	60	HECX 0029	59	HECY 0213	59	HEL90 L004	58
HEC120 0022	60	HEC- 0227	59	HEC- L529	60	HECX 0113	59	HECY 0219	59	HEL90 L007	58
HEC120 0023	60	HEC- 0229	59	HECT 0013	59	HECX 0119	59	HECY 0222	59	HEL90 L009	58
HEC120 0024	60	HEC- 0513	59	HECT 0019	59	HECX 0122	59	HECY 0223	59	HEL120 0002	57
HEC120 0027	60	HEC- 0519	59	HECT 0022	59	HECX 0123	59	HECY 0224	59	HEL120 0003	57
HEC120 0029	60	HEC- 0522	59	HECT 0023	59	HECX 0124	59	HECY 0227	59	HEL120 0004	57
HEC120 0113	60	HEC- 0523	59	HECT 0024	59	HECX 0127	59	HECY 0229	59	HEL120 0007	57

















HEL120 0009	57	HEL5 0593	56	HELX L004	58	HVFL 1004US	12	HVTA 1009AU	12	ITRO 1102	194
HEL120 L002	58	HEL5 0597	56	HELX L007	58	HVFL 1007	12	HVTA 1009UK	12	ITRO 1111	194
HEL120 L003	58	HEL5 0922	55	HELX L009	58	HVFL 1007AU	12	HVTA 1009US	12	ITRO 1122	194
HEL120 L004	58	HEL5 0923	55	HELY 0002	57	HVFL 1007UK	12	HVWA 1001	115	ITRO 2201	194
HEL120 L007	58	HEL5 0927	55	HELY 0003	57	HVFL 1007US	12	HVWA 1001AU	115	ITRO 2202	194
HEL120 L009	58	HEL5 0932	55	HELY 0004	57	HVFL 1009	12	HVWA 1001UK	115	ITRO 2211	194
HELE 0002	57	HEL5 0933	55	HELY 0007	57	HVFL 1009AU	12	HVWA 1001US	115	ITRO 2222	194
HELE 0003	57	HEL5 0937	55	HELY 0009	57	HVFL 1009UK	12	HVWA 1002	115	MIGU 1111	82
HELE 0004	57	HEL5 0942	55	HELY L002	58	HVFL 1009US	12	HVWA 1002AU	115	MIGU 1112	82
HELE 0007	57	HEL5 0943	55	HELY L003	58	HVSBD 1111	183	HVWA 1002UK	115	MIGU 1119	82
HELE 0009	57	HEL5 0947	55	HELY L004	58	HVSBD 1112	183	HVWA 1002US	115	MIGU 1121	82
HELE L002	58	HEL5 0972	55	HELY L007	58	HVSBD 1113	183	HVWA 1003	115	MIGU 1122	82
HELE L003	58	HEL5 0973	55	HELY L009	58	HVSBD 1114	183	HVWA 1003AU	115	MIGU 1129	82
HELE L004	58	HEL5 0977	55	HVCA 3011	184	HVSBD 1117	183	HVWA 1003UK	115	MIGU 1191	82
HELE L007	58	HEL5 0992	55	HVCA 3012	184	HVSBD 1119	183	HVWA 1003US	115	MIGU 1192	82
HELE L009	58	HEL5 0993	55	HVCA 3013	184	HVSC 1001	183	HVWA 1004	115	MIGU 1199	82
HEL- L002	58	HEL5 0997	55	HVCA 3014	184	HVSC 1002	183	HVWA 1004AU	115	MIGU 1211	82
HEL- L003	58	HEL5 1022	56	HVCA 3017	184	HVSC 1003	183	HVWA 1004UK	115	MIGU 1212	82
HEL- L004	58	HEL5 1023	56	HVCA 3019	184	HVSC 1004	183	HVWA 1004US	115	MIGU 1219	82
HEL- L007	58	HEL5 1027	56	HVCA 3021	184	HVSC 1007	183	HVWA 1007	115	MIGU 1221	82
HEL- L009	58	HEL5 1032	56	HVCA 3022	184	HVSC 1009	183	HVWA 1007AU	115	MIGU 1222	82
HELR 2002	55	HEL5 1033	56	HVCA 3023	184	HVSU 1001	183	HVWA 1007UK	115	MIGU 1229	82
HELR 2003	55	HEL5 1037	56	HVCA 3024	184	HVSU 1002	183	HVWA 1007US	115	MIGU 1291	82
HELR 2004	55	HEL5 1042	56	HVCA 3027	184	HVSU 1003	183	HVWA 1009	115	MIGU 1292	82
HELR 2007	55	HEL5 1043	56	HVCA 3029	184	HVSU 1004	183	HVWA 1009AU	115	MIGU 1299	82
HELR 2009	55	HEL5 1047	56	HVCBD 3311	185	HVSU 1007	183	HVWA 1009UK	115	MIGU 2111	85
HELR 5002	55	HEL5 1072	56	HVCBD 3312	185	HVSU 1009	183	HVWA 1009US	115	MIGU 2112	85
HELR 5003	55	HEL5 1073	56	HVCBD 3313	185	HVSU 4772	241	HVWB 1001	115	MIGU 2119	85
HELR 5004	55	HEL5 1077	56	HVCBD 3314	185	HVSU 4773	241	HVWB 1002	115	MIGU 2121	85
HELR 5007	55	HEL5 1092	56	HVCBD 3317	185	HVSU 4774	241	HVWB 1003	115	MIGU 2122	85
HELR 5009	55	HEL5 1093	56	HVCBD 3319	185	HVSU 4777	241	HVWB 1004	115	MIGU 2129	85
HELR 7002	55	HEL5 1097	56	HVCBD 3321	185	HVSU 4779	241	HVWB 1007	115	MIGU 2191	85
HELR 7003	55	HEL5 2022	56	HVCBD 3322	185	HVSU 4792	242	HVWB 1009	115	MIGU 2192	85
HELR 7004	55	HEL5 2023	56	HVCBD 3323	185	HVSU 4793	242	HVWT 1001	116	MIGU 2199	85
HELR 7007	55	HEL5 2027	56	HVCBD 3324	185	HVSU 4794	242	HVWT 1001AU	116	MIGU 2211	85
HELR 7009	55	HEL5 2032	56	HVCBD 3327	185	HVSU 4797	242	HVWT 1001EU	116	MIGU 2212	85
HEL5 0022	56	HEL5 2033	56	HVCBD 3329	185	HVSU 4799	242	HVWT 1001UK	116	MIGU 2219	85
HEL5 0023	56	HEL5 2037	56	HVCC 3011	184	HVSW 4771	241	HVWT 1001US	116	MIGU 2221	85
HEL5 0027	56	HEL5 2042	56	HVCC 3012	184	HVSW 4772	241	HVWT 1002	116	MIGU 2222	85
HEL5 0032	56	HEL5 2043	56	HVCC 3013	184	HVSW 4773	241	HVWT 1002AU	116	MIGU 2229	85
HEL5 0033	56	HEL5 2047	56	HVCC 3014	184	HVSW 4791	242	HVWT 1002EU	116	MIGU 2291	85
HEL5 0037	56	HEL5 2072	56	HVCC 3017	184	HVSW 4792	242	HVWT 1002UK	116	MIGU 2292	85
HEL5 0042	56	HEL5 2073	56	HVCC 3019	184	HVSW 4793	242	HVWT 1002US	116	MIGU 2299	85
HEL5 0043	56	HEL5 2077	56	HVCC 3021	184	HVTA 1001	12	HVWT 1003	116	MIGU 4111	88
HEL5 0047	56	HEL5 2092	56	HVCC 3022	184	HVTA 1001AU	12	HVWT 1003AU	116	MIGU 4112	88
HEL5 0072	56	HEL5 2093	56	HVCC 3023	184	HVTA 1001UK	12	HVWT 1003EU	116	MIGU 4119	88
HEL5 0073	56	HEL5 2097	56	HVCC 3024	184	HVTA 1001US	12	HVWT 1003UK	116	MIGU 4121	88
HEL5 0077	56	HELT 0002	57	HVCC 3027	184	HVTA 1002	12	HVWT 1003US	116	MIGU 4122	88
HEL5 0092	56	HELT 0003	57	HVCC 3029	184	HVTA 1002AU	12	HVWT 1004	116	MIGU 4129	88
HEL5 0093	56	HELT 0004	57	HVFL 1001	12	HVTA 1002UK	12	HVWT 1004AU	116	MIGU 4191	88
HEL5 0097	56	HELT 0007	57	HVFL 1001AU	12	HVTA 1002US	12	HVWT 1004EU	116	MIGU 4192	88
HEL5 0522	56	HELT 0009	57	HVFL 1001UK	12	HVTA 1003	12	HVWT 1004UK	116	MIGU 4199	88
HEL5 0523	56	HELT L002	58	HVFL 1001US	12	HVTA 1003AU	12	HVWT 1004US	116	MIGU 4211	88
HEL5 0527	56	HELT L003	58	HVFL 1002	12	HVTA 1003UK	12	HVWT 1007	116	MIGU 4212	88
HEL5 0532	56	HELT L004	58	HVFL 1002AU	12	HVTA 1003US	12	HVWT 1007AU	116	MIGU 4219	88
HEL5 0533	56	HELT L007	58	HVFL 1002UK	12	HVTA 1004	12	HVWT 1007EU	116	MIGU 4221	88
HEL5 0537	56	HELT L009	58	HVFL 1002US	12	HVTA 1004AU	12	HVWT 1007UK	116	MIGU 4222	88
HEL5 0542	56	HELX 0002	57	HVFL 1003	12	HVTA 1004UK	12	HVWT 1007US	116	MIGU 4229	88
HEL5 0543	56	HELX 0003	57	HVFL 1003AU	12	HVTA 1004US	12	HVWT 1009	116	MIGU 4291	88
HEL5 0547	56	HELX 0004	57	HVFL 1003UK	12	HVTA 1007	12	HVWT 1009AU	116	MIGU 4292	88
HEL5 0572	56	HELX 0007	57	HVFL 1003US	12	HVTA 1007AU	12	HVWT 1009EU	116	MIGU 4299	88
HEL5 0573	56	HELX 0009	57	HVFL 1004	12	HVTA 1007UK	12	HVWT 1009UK	116	MIPI 1115	76
HEL5 0577	56	HELX L002	58	HVFL 1004AU	12	HVTA 1007US	12	HVWT 1009US	116	MIPI 1125	76
HEL5 0592	56	HELX L003	58	HVFL 1004UK	12	HVTA 1009	12	ITRO 1101	194	MIPI 1225	76

MIPI 1235	76	MIWW 4112	89	MUWW 1212	85	PIIN 2111	78	PLBO 2000	223	SCAR 4561	130
MIPI 1725	76	MIWW 4121	89	MUWW 1221	85	PIIN 4101	78	PLBO 2000	224	SCAR 4565	130
MIPI 1775	76	MIWW 4122	89	MUWW 1222	85	PIIN 4102	79	PLBO 2000	225	SCAR 4565EU	131
MIPI 1925	76	MIWW 4191	89	MUWW 1511	85	PIIN 4111	78	PLBO 2000	226	SCAR 4575	130
MIPI 1995	76	MIWW 4192	89	MUWW 1512	85	PIIN 7101	78	PLBO 2000	227	SCAR 4575EU	131
MIPI 2117	77	MIWW 4211	89	MUWW 1521	85	PIIN 7102	79	PLBO 2000	228	SCAR 4701	128
MIPI 2227	77	MIWW 4212	89	MUWW 1522	85	PIIN 7111	78	PLBO 2000	229	SCAR 4701D	128
MIPI 2777	77	MIWW 4221	89	MUWW 1611	85	PIIN 9101	78	SCAR 2750	13	SCAR 4701P	128
MIPI 2997	77	MIWW 4222	89	MUWW 1612	85	PIIN 9102	79	SCAR 2751	13	SCAR 4711	130
MIPI 4711	243	MIWW 4291	89	MUWW 1621	85	PIIN 9111	78	SCAR 2752	13	SCAR 4731	130
MIPI 4712	243	MIWW 4292	89	MUWW 1622	85	PIUP L1050	79	SCAR 2753	13	SCAR 4735	130
MIPI 4721	243	MRWW 1201	84	MUWW 2111	88	PIUP L1150	79	SCAR 2757	13	SCAR 4735EU	131
MIPI 4722	243	MRWW 2201	87	MUWW 2111P	88	PIUP L1152	80	SCAR 4011	130	SCAR 4761	130
MIPRU 1115	77	MRWW 4201	89	MUWW 2112	88	PIUP L1154	80	SCAR 4031	130	SCAR 4765	130
MIPRU 1225	77	MRWW 1101	84	MUWW 2112P	88	PIUP L1156	80	SCAR 4035	130	SCAR 4765EU	131
MIPRU 1775	77	MRWW 1102	84	MUWW 2121	88	PIUP L2050	79	SCAR 4035EU	131	SCAR 4771	128
MIPRU 1995	77	MRWW 1202	84	MUWW 2121P	88	PIUP L2150	79	SCAR 4061	130	SCAR 4771D	128
MIPU 1115	76	MRWW 2101	87	MUWW 2122	88	PIUP L2152	80	SCAR 4065	130	SCAR 4771P	128
MIPU 1225	76	MRWW 2102	87	MUWW 2122P	88	PIUP L2154	80	SCAR 4065EU	131	SCAR 4775	130
MIPU 1525	76	MRWW 2202	87	MUWW 2211	88	PIUP L2156	80	SCAR 4075	130	SCAR 4775EU	131
MIPU 1575	76	MRWW 4101	89	MUWW 2211P	88	PIUP L3050	79	SCAR 4075EU	131	SCAR 4781	128
MIPU 1595	76	MRWW 4102	89	MUWW 2212	88	PIUP L3150	79	SCAR 4201	128	SCAR 4781D	128
MIPU 1615	76	MRWW 4202	89	MUWW 2212P	88	PIUP L3152	80	SCAR 4201D	128	SCAR 4781P	128
MIPU 1775	76	MUGU 1111	84	MUWW 2221	88	PIUP L3154	80	SCAR 4201P	128	SCAR 4811	130
MIPU 1995	76	MUGU 1112	84	MUWW 2221P	88	PIUP L3156	80	SCAR 4231	128	SCAR 4831	130
MIPU 2115	77	MUGU 1119	84	MUWW 2222	88	PIUP L7050	79	SCAR 4231D	128	SCAR 4835	130
MIPU 2225	77	MUGU 1121	84	MUWW 2222P	88	PIUP L7150	79	SCAR 4231P	128	SCAR 4835EU	131
MIPU 2775	77	MUGU 1122	84	MUWW 4111	90	PIUP L7152	80	SCAR 4251	128	SCAR 4861	130
MIPU 2995	77	MUGU 1129	84	MUWW 4111P	90	PIUP L7154	80	SCAR 4251D	128	SCAR 4865	130
MIPU 3115	78	MUGU 1211	84	MUWW 4112	90	PIUP L7156	80	SCAR 4251P	128	SCAR 4865EU	131
MIPU 3225	78	MUGU 1212	84	MUWW 4112P	90	PIUP L9050	79	SCAR 4271	128	SCAR 4875	130
MIPU 3315	78	MUGU 1219	84	MUWW 4121	90	PIUP L9150	79	SCAR 4271D	128	SCAR 4875EU	131
MIPU 3325	78	MUGU 1221	84	MUWW 4121P	90	PIUP L9152	80	SCAR 4271P	128	SCAR 6711	128
MIPU 3375	78	MUGU 1222	84	MUWW 4122	90	PLAS 0007	81	SCAR 4281	128	SCAR 6711D	128
MIPU 3395	78	MUGU 1229	84	MUWW 4122P	90	PLAS 0051	84	SCAR 4281D	128	SCAR 6711P	128
MIPU 3775	78	MUGU 2111	87	MUWW 4211	90	PLAS 0052	87	SCAR 4281P	128	SCAR 6731	128
MIPU 3995	78	MUGU 2112	87	MUWW 4211P	90	PLAS 0054	89	SCAR 4311	130	SCAR 6731D	128
MIPW 4711	243	MUGU 2119	87	MUWW 4212	90	PLAS 0070	91	SCAR 4331	130	SCAR 6731P	128
MIPW 4721	243	MUGU 2121	87	MUWW 4212P	90	PLAS 0110	93	SCAR 4335	130	SCAR 7201	128
MIWW 1111	83	MUGU 2122	87	MUWW 4221	90	PLAS 0111	94	SCAR 4335EU	131	SCAR 7201D	128
MIWW 1112	83	MUGU 2129	87	MUWW 4221P	90	PLBO 2000	63	SCAR 4361	130	SCAR 7201P	128
MIWW 1121	83	MUGU 2211	87	MUWW 4222	90	PLBO 2000	64	SCAR 4365	130	SCAR 7211	129
MIWW 1122	83	MUGU 2212	87	MUWW 4222P	90	PLBO 2000	66	SCAR 4365EU	131	SCAR 7211P	129
MIWW 1191	83	MUGU 2219	87	NAGA 1111	78	PLBO 2000	67	SCAR 4375	130	SCAR 7231	128
MIWW 1192	83	MUGU 2221	87	NAGA 1112	78	PLBO 2000	68	SCAR 4375EU	131	SCAR 7231D	128
MIWW 1211	83	MUGU 2222	87	NAGA 1116	78	PLBO 2000	69	SCAR 4401	128	SCAR 7231P	128
MIWW 1212	83	MUGU 2229	87	NAGA 1117	78	PLBO 2000	70	SCAR 4401D	128	SCAR 7241	129
MIWW 1221	83	MUGU 4111	90	NAGA 2111	78	PLBO 2000	117	SCAR 4401P	128	SCAR 7241P	129
MIWW 1222	83	MUGU 4112	90	NAGA 2112	78	PLBO 2000	118	SCAR 4431	128	SCAR 7251	128
MIWW 1291	83	MUGU 4119	90	NAGA 2116	78	PLBO 2000	119	SCAR 4431D	128	SCAR 7251D	128
MIWW 1292	83	MUGU 4121	90	NAGA 2117	78	PLBO 2000	120	SCAR 4431P	128	SCAR 7251P	128
MIWW 2111	86	MUGU 4122	90	NAGA 7111	78	PLBO 2000	202	SCAR 4451	128	SCAR 7252	129
MIWW 2112	86	MUGU 4129	90	NAGA 7112	78	PLBO 2000	203	SCAR 4451D	128	SCAR 7252P	129
MIWW 2121	86	MUGU 4211	90	NAGA 7116	78	PLBO 2000	204	SCAR 4451P	128	SCAR 7261	129
MIWW 2122	86	MUGU 4212	90	NAGA 7117	78	PLBO 2000	205	SCAR 4471	128	SCAR 7261P	129
MIWW 2191	86	MUGU 4219	90	NTRO 1000	195	PLBO 2000	207	SCAR 4471D	128	SCAR 7271	128
MIWW 2192	86	MUGU 4221	90	NTRO 1111	195	PLBO 2000	208	SCAR 4471P	128	SCAR 7271D	128
MIWW 2211	86	MUGU 4222	90	NTRO 2000	195	PLBO 2000	209	SCAR 4481	128	SCAR 7271P	128
MIWW 2212	86	MUGU 4229	90	NTRO 2222	195	PLBO 2000	210	SCAR 4481D	128	SCAR 7281	128
MIWW 2221	86	MUWW 1111	85	PIIN 1101	78	PLBO 2000	211	SCAR 4481P	128	SCAR 7281D	128
MIWW 2222	86	MUWW 1112	85	PIIN 1102	79	PLBO 2000	212	SCAR 4511	130	SCAR 7281P	128
MIWW 2291	86	MUWW 1121	85	PIIN 1111	78	PLBO 2000	213	SCAR 4531	130	SCAR 7291	129
MIWW 2292	86	MUWW 1122	85	PIIN 2101	78	PLBO 2000	221	SCAR 4535	130	SCAR 7291P	129
MIWW 4111	89	MUWW 1211	85	PIIN 2102	79	PLBO 2000	222	SCAR 4535EU	131	SCAR 7401	128

SCAR 7401D	128	SCAR 8411	129	SCLEBI 5330 IVO	124	SCLEBI 5990P SAD	124	SCLI 7571D	131	SISU 2611	196
SCAR 7401P	128	SCAR 8411D	129	SCLEBI 5330 OAK	124	SCLEBI 5990P TAB	124	SCLI 7571P	131	SISU 2612	196
SCAR 7411	129	SCAR 8411P	129	SCLEBI 5330P IVO	124	SCLEBI 5990 SAD	124	SCLI 7581	131	SISU 2617	196
SCAR 7411P	129	SCAR 8431	129	SCLEBI 5330P OAK	124	SCLEBI 5990 TAB	124	SCLI 7581D	131	SISU 2621	196
SCAR 7431	128	SCAR 8431D	129	SCLEBI 5330P SAD	124	SCLEBI 5991 IVO	125	SCLI 7581P	131	SISU 2622	196
SCAR 7431D	128	SCAR 8431P	129	SCLEBI 5330P TAB	124	SCLEBI 5991 OAK	125	SCLI 7591	132	SISU 2627	196
SCAR 7431P	128	SCAR 8451	129	SCLEBI 5330 SAD	124	SCLEBI 5991P IVO	125	SCLI 7591P	132	SISU 2631	197
SCAR 7441	129	SCAR 8451D	129	SCLEBI 5330 TAB	124	SCLEBI 5991P OAK	125	SCLIU 5001	133	SISU 2632	197
SCAR 7441P	129	SCAR 8451P	129	SCLEBI 5331 IVO	125	SCLEBI 5991P SAD	125	SCLIU 5002	133	SISU 2637	197
SCAR 7451	128	SCAR 8471	129	SCLEBI 5331 OAK	125	SCLEBI 5991P TAB	125	SCLIU 5007	133	SISU 2641	197
SCAR 7451D	128	SCAR 8471D	129	SCLEBI 5331P IVO	125	SCLEBI 5991 SAD	125	SIPR 1601	134	SISU 2642	197
SCAR 7451P	128	SCAR 8471P	129	SCLEBI 5331P OAK	125	SCLEBI 5991 TAB	125	SIPR 1602	134	SISU 2647	197
SCAR 7452	129	SCAR 8481	129	SCLEBI 5331P SAD	125	SCLEBU 5330 IVO	126	SIPR 1607	134	STEP 1001	199
SCAR 7452P	129	SCAR 8481D	129	SCLEBI 5331P TAB	125	SCLEBU 5330 OAK	126	SIPR 2101	134	STEP 1001	218
SCAR 7461	129	SCAR 8481P	129	SCLEBI 5331 SAD	125	SCLEBU 5330 SAD	126	SIPR 2102	134	STEP 1001H	199
SCAR 7461P	129	SCAR 8711	129	SCLEBI 5331 TAB	125	SCLEBU 5330 TAB	126	SIPR 2107	134	STEP 1002	199
SCAR 7471	128	SCAR 8711D	129	SCLEBI 5440D IVO	124	SCLEBU 5331 IVO	127	SIPR 2111	134	STEP 1002	218
SCAR 7471D	128	SCAR 8711P	129	SCLEBI 5440D OAK	124	SCLEBU 5331 OAK	127	SIPR 2112	134	STEP 1002H	199
SCAR 7471P	128	SCAR 8731	129	SCLEBI 5440D SAD	124	SCLEBU 5331 SAD	127	SIPR 2117	134	STEP 1007	199
SCAR 7481	128	SCAR 8731D	129	SCLEBI 5440D TAB	124	SCLEBU 5331 TAB	127	SIPR 2121	135	STEP 1007	218
SCAR 7481D	128	SCAR 8731P	129	SCLEBI 5440 IVO	124	SCLEBU 5440 IVO	126	SIPR 2122	135	STEP 1007H	199
SCAR 7481P	128	SCAR 8751	129	SCLEBI 5440 OAK	124	SCLEBU 5440 OAK	126	SIPR 2127	135	STEP 1008	199
SCAR 7491	129	SCAR 8751D	129	SCLEBI 5440P IVO	124	SCLEBU 5440 SAD	126	SIPR 2131	135	STEP 1008	218
SCAR 7491P	129	SCAR 8751P	129	SCLEBI 5440P OAK	124	SCLEBU 5440 TAB	126	SIPR 2132	135	STEP 1008H	199
SCAR 7701	128	SCAR 8771	129	SCLEBI 5440P SAD	124	SCLEBU 5441 IVO	127	SIPR 2137	135	STEP 1009	199
SCAR 7701D	128	SCAR 8771D	129	SCLEBI 5440P TAB	124	SCLEBU 5441 OAK	127	SIPR 2141	135	STEP 1009	218
SCAR 7701P	128	SCAR 8771P	129	SCLEBI 5440 SAD	124	SCLEBU 5441 SAD	127	SIPR 2142	135	STEP 1009H	199
SCAR 7711	129	SCAR 8781	129	SCLEBI 5440 TAB	124	SCLEBU 5441 TAB	127	SIPR 2147	135	STIN 1001	19
SCAR 7711P	129	SCAR 8781D	129	SCLEBI 5441 IVO	125	SCLEBU 5770 IVO	126	SIPR 2601	134	STIN 1001H	19
SCAR 7731	128	SCAR 8781P	129	SCLEBI 5441 OAK	125	SCLEBU 5770 OAK	126	SIPR 2602	134	STIN 1002	19
SCAR 7731D	128	SCAR 9211	130	SCLEBI 5441P IVO	125	SCLEBU 5770 SAD	126	SIPR 2607	134	STIN 1002H	19
SCAR 7731P	128	SCAR 9211P	130	SCLEBI 5441P OAK	125	SCLEBU 5770 TAB	126	SIPR 2611	134	STIN 1007	19
SCAR 7741	129	SCAR 9231	130	SCLEBI 5441P SAD	125	SCLEBU 5771 IVO	127	SIPR 2612	134	STIN 1007H	19
SCAR 7741P	129	SCAR 9231P	130	SCLEBI 5441P TAB	125	SCLEBU 5771 OAK	127	SIPR 2617	134	STIN 1008	19
SCAR 7751	128	SCAR 9251	130	SCLEBI 5441 SAD	125	SCLEBU 5771 SAD	127	SIPR 2621	135	STIN 1008H	19
SCAR 7751D	128	SCAR 9251P	130	SCLEBI 5441 TAB	125	SCLEBU 5771 TAB	127	SIPR 2622	135	STIN 1009	19
SCAR 7751P	128	SCAR 9271	130	SCLEBI 5770D IVO	124	SCLEBU 5990 IVO	126	SIPR 2627	135	STIN 1009H	19
SCAR 7752	129	SCAR 9271P	130	SCLEBI 5770D OAK	124	SCLEBU 5990 OAK	126	SIPR 2631	135	STUP 1001	19
SCAR 7752P	129	SCAR 9281	130	SCLEBI 5770D SAD	124	SCLEBU 5990 SAD	126	SIPR 2632	135	STUP 1001H	19
SCAR 7761	129	SCAR 9281P	130	SCLEBI 5770D TAB	124	SCLEBU 5990 TAB	126	SIPR 2637	135	STUP 1002	19
SCAR 7761P	129	SCAR 9411	130	SCLEBI 5770 IVO	124	SCLEBU 5991 IVO	127	SIPR 2641	135	STUP 1002H	19
SCAR 7771	128	SCAR 9411P	130	SCLEBI 5770 OAK	124	SCLEBU 5991 OAK	127	SIPR 2642	135	STUP 1007	19
SCAR 7771D	128	SCAR 9431	130	SCLEBI 5770P IVO	124	SCLEBU 5991 SAD	127	SIPR 2647	135	STUP 1007H	19
SCAR 7771P	128	SCAR 9431P	130	SCLEBI 5770P OAK	124	SCLEBU 5991 TAB	127	SISU 1601	196	STUP 1008	19
SCAR 7781	128	SCAR 9451	130	SCLEBI 5770P SAD	124	SCLI 3501	132	SISU 1602	196	STUP 1008H	19
SCAR 7781D	128	SCAR 9451P	130	SCLEBI 5770P TAB	124	SCLI 3501EU	133	SISU 1607	196	STUP 1009	19
SCAR 7781P	128	SCAR 9471	130	SCLEBI 5770 SAD	124	SCLI 3502	132	SISU 2101	196	STUP 1009H	19
SCAR 7791	129	SCAR 9471P	130	SCLEBI 5770 TAB	124	SCLI 3502EU	133	SISU 2102	196	TH3N 12223	17
SCAR 7791P	129	SCAR 9481	130	SCLEBI 5771 IVO	125	SCLI 3507	132	SISU 2107	196	TH3N 12223H	17
SCAR 8211	129	SCAR 9481P	130	SCLEBI 5771 OAK	125	SCLI 3507EU	133	SISU 2111	196	TH3N 17223	17
SCAR 8211D	129	SCAR 9711	130	SCLEBI 5771P IVO	125	SCLI 5001	132	SISU 2112	196	TH3N 17223H	17
SCAR 8211P	129	SCAR 9711P	130	SCLEBI 5771P OAK	125	SCLI 5001EU	133	SISU 2117	196	TH3N 18223	17
SCAR 8231	129	SCAR 9731	130	SCLEBI 5771P SAD	125	SCLI 5002	132	SISU 2121	196	TH3N 18223H	17
SCAR 8231D	129	SCAR 9731P	130	SCLEBI 5771P TAB	125	SCLI 5002EU	133	SISU 2122	196	TH3N 19223	17
SCAR 8231P	129	SCAR 9751	130	SCLEBI 5771 SAD	125	SCLI 5007	132	SISU 2127	196	TH3N 19223H	17
SCAR 8251	129	SCAR 9751P	130	SCLEBI 5771 TAB	125	SCLI 5007EU	133	SISU 2131	197	TH3N 22223	17
SCAR 8251D	129	SCAR 9771	130	SCLEBI 5990D IVO	124	SCLI 7501	132	SISU 2132	197	TH3N 22223H	17
SCAR 8251P	129	SCAR 9771P	130	SCLEBI 5990D OAK	124	SCLI 7501P	132	SISU 2137	197	TH3N 27223	17
SCAR 8271	129	SCAR 9781	130	SCLEBI 5990D SAD	124	SCLI 7531	131	SISU 2141	197	TH3N 27223H	17
SCAR 8271D	129	SCAR 9781P	130	SCLEBI 5990D TAB	124	SCLI 7531D	131	SISU 2142	197	TH3N 28223	17
SCAR 8271P	129	SCLEBI 5330D IVO	124	SCLEBI 5990 IVO	124	SCLI 7531P	131	SISU 2147	197	TH3N 28223H	17
SCAR 8281	129	SCLEBI 5330D OAK	124	SCLEBI 5990 OAK	124	SCLI 7561	132	SISU 2601	196	TH3N 29223	17
SCAR 8281D	129	SCLEBI 5330D SAD	124	SCLEBI 5990P IVO	124	SCLI 7561P	132	SISU 2602	196	TH3N 29223H	17
SCAR 8281P	129	SCLEBI 5330D TAB	124	SCLEBI 5990P OAK	124	SCLI 7571	131	SISU 2607	196	THC 12223	16

THC 12223H	16	THIN 22223H	16	TPC+ 0001	249	TPRI 2002	250
THC 17223	16	THIN 27223	16	TPC+ 0002	246	TPSC 1801	248
THC 17223H	16	THIN 27223H	16	TPC+ 0002	249	TPSC 1802	248
THC 18223	16	THIN 28223	16	TPCC 0901	244	TPSP 1001	247
THC 18223H	16	THIN 28223H	16	TPCC 0902	244	TPSP 1002	247
THC 19223	16	THIN 29223	16	TPCE 0901	245	TPSP 2001	247
THC 19223H	16	THIN 29223H	16	TPCE 0901	248	TPSP 2002	247
THC 22223	18	THP 22223	18	TPCE 0902	245	TW3N 12223	99
THC 22223H	18	THP 22223H	18	TPCE 0902	248	TW3N 12223H	99
THC 27223	18	THP 27223	18	TPCI 0901	245	TW3N 17223	99
THC 27223H	18	THP 27223H	18	TPCI 0901	248	TW3N 17223H	99
THC 28223	18	THP 28223	18	TPCI 0902	245	TW3N 18223	99
THC 28223H	18	THP 28223H	18	TPCI 0902	248	TW3N 18223H	99
THC 29223	18	THP 29223	18	TPCM 1001	244	TW3N 19223	99
THC 29223H	18	THP 29223H	18	TPCM 1002	244	TW3N 19223H	99
THF AU 12H	9	THR 22223	100	TPCM 2001	244	TWIN 12223	99
THF AU 17H	9	THR 22223H	100	TPCM 2002	244	TWIN 12223H	99
THF AU 18H	9	THR 27223	100	TPCO 1001	246	TWIN 17223	99
THF AU 19H	9	THR 27223H	100	TPCO 1001	249	TWIN 17223H	99
THF AU 22H	9	THR 28223	100	TPCO 1001	251	TWIN 18223	99
THF AU 27H	9	THR 28223H	100	TPCO 1002	246	TWIN 18223H	99
THF AU 28H	9	THR 29223	100	TPCO 1002	249	TWIN 19223	99
THF AU 29H	9	THR 29223H	100	TPCO 1002	251	TWIN 19223H	99
THF EU 12H	9	THW 12223	98	TPCO 2001	246		
THF EU 17H	9	THW 12223H	98	TPCO 2001	249		
THF EU 18H	9	THW 17223	98	TPCO 2001	251		
THF EU 19H	9	THW 17223H	98	TPCO 2002	246		
THF EU 22H	9	THW 18223	98	TPCO 2002	249		
THF EU 27H	9	THW 18223H	98	TPCO 2002	251		
THF EU 28H	9	THW 19223	98	TPCT 0001	246		
THF EU 29H	9	THW 19223H	98	TPCT 0001	249		
THF UK 12H	9	THWP AU 12	98	TPCT 0002	246		
THF UK 17H	9	THWP AU 12H	98	TPCT 0002	249		
THF UK 18H	9	THWP AU 17	98	TPEC 1801	245		
THF UK 19H	9	THWP AU 17H	98	TPEC 1802	245		
THF UK 22H	9	THWP AU 18	98	TPEF 0001	245		
THF UK 27H	9	THWP AU 18H	98	TPEF 0001	248		
THF UK 28H	9	THWP AU 19	98	TPEF 0002	245		
THF UK 29H	9	THWP AU 19H	98	TPEF 0002	248		
THF US 12H	9	THWP EU 12	98	TPEP 2001	246		
THF US 17H	9	THWP EU 12H	98	TPEP 2001	249		
THF US 18H	9	THWP EU 17	98	TPEP 2002	246		
THF US 19H	9	THWP EU 17H	98	TPEP 2002	249		
THF US 22H	9	THWP EU 18	98	TPOP 2001	246		
THF US 27H	9	THWP EU 18H	98	TPOP 2001	249		
THF US 28H	9	THWP EU 19	98	TPOP 2002	246		
THF US 29H	9	THWP EU 19H	98	TPOP 2002	249		
THH 22223	100	THWP UK 12	98	TPPL 1001	245		
THH 22223H	100	THWP UK 12H	98	TPPL 1001	247		
THH 27223	100	THWP UK 17	98	TPPL 1001	250		
THH 27223H	100	THWP UK 17H	98	TPPL 1002	245		
THH 28223	100	THWP UK 18	98	TPPL 1002	247		
THH 28223H	100	THWP UK 18H	98	TPPL 1002	250		
THH 29223	100	THWP UK 19	98	TPPR 1001	245		
THH 29223H	100	THWP UK 19H	98	TPPR 1001	247		
THIN 12223	16	THWP US 12	98	TPPR 1001	250		
THIN 12223H	16	THWP US 12H	98	TPPR 1002	245		
THIN 17223	16	THWP US 17	98	TPPR 1002	247		
THIN 17223H	16	THWP US 17H	98	TPPR 1002	250		
THIN 18223	16	THWP US 18	98	TPREC 1801	251		
THIN 18223H	16	THWP US 18H	98	TPREC 1802	251		
THIN 19223	16	THWP US 19	98	TPREF 0002	251		
THIN 19223H	16	THWP US 19H	98	TPREP 0002	251		
THIN 22223	16	TPC+ 0001	246	TPRI 1002	250		

Colours

MATERIAL FINISH COLOUR						
MATERIAL FINISH COLOUR						
MATERIAL FINISH COLOUR						
MATERIAL FINISH COLOUR						
MATERIAL COLOUR						
MATERIAL COLOUR						
MATERIAL COLOUR						

Aluminium: brushed and polyvarnished.

Gunmetal & Bronze: oxidation treatment on the surface of brass and then brushed and polyvarnished.

Nickel: brushed on the surface of brass and then nickel electroplated finished.

Please note that colours may vary from those shown on this page.

	ENGLISH	FRANÇAIS	NEDERLANDS	DEUTSCH
	CE standard	norme CE	CE norm	CE Standard
	fixture class 1	appareil classe 1	toestel klasse 1	Gerät Klasse 1
	fixture class 2	appareil classe 2	toestel klasse 2	Gerät Klasse 2
	fixture class 3	appareil classe 3	toestel klasse 3	Gerät Klasse 3
IP	protection level	indice de protection	beschermingsindicatie	Schutzklasse
	beam	rayon de lumière	lichtbundel	lichtbündel
	upper beam	rayon de lumière supérieur	bovenste lichtbundel	lichtbündel oben
	lower beam	rayon de lumière inférieur	onderste lichtbundel	lichtbündel unter
	left beam	rayon de lumière à gauche	linker lichtbundel	lichtbündel links
	right beam	rayon de lumière à droite	rechter lichtbundel	lichtbündel rechts
+B	with base	avec base	met basis	mit Sockel
D+B	driver with base	convertisseur avec base	voeding met basis	Konverter mit Sockel
	1 lighting side	1 face lumineuse	1 zijde verlicht	1 Seite Beleuchtung
	2 lighting sides	2 faces lumineuses	2 zijden verlicht	2 Seiten Beleuchtung
	adjustable	orientable	richtbaar	Schwenkbar
mm	dimensions in mm	dimensions en mm	afmetingen in mm	Abmessungen in mm
W/C	wall or ceiling	applique ou plafonnier	wand of plafond	Wand oder Decke
L	length	longueur	lengte	Länge
W	width	largeur	breedte	Breite
H	height	hauteur	hoogte	Höhe
	non-dimmable	non dimmable	niet-dimbaar	nicht dimmbar
	1-10V dimmable	1-10V dimmable	1-10V dimbaar	1-10V dimmbar
	PUSH-DIM dimmable	PUSH-DIM dimmable	PUSH-DIM dimbaar	PUSH-DIM dimmbar
	Dali dimmable	Dali dimmable	Dali dimbaar	Dali dimmbar
	TRIAC/IGBT dimmable	TRIAC/IGBT dimmable	TRIAC/IGBT dimbaar	TRIAC/IGBT dimmbar
RS 16	short rod 160mm	tige courte 160mm	korte stang 160mm	kurze Stange 160mm
RL 79	long rod 790mm	tige longue 790mm	lange stang 790mm	lange Stange 790mm
RF 75	fixed rod 750 mm	tige fixe 750 mm	vaste stang 750 mm	feste Stange 750 mm
RF 100	fixed rod 1000 mm	tige fixe 1000 mm	vaste stang 1000 mm	feste Stange 1000 mm

Trizo21 | Kerrebroek 52 | B-9850 Deinze | Belgium

T +32 (0)9 380 43 43

E INFO@TRIZO21.COM

W WWW.TRIZO21.COM

W WWW.ELEMENTS-CONFIGURATOR.TRIZO21.COM

 INSTAGRAM.COM/TRIZO21

 FACEBOOK.COM/TRIZO21

All models | Copyright ©Trizo21 & Bruno Van Meenen

All products | Handmade in Belgium

Pricelist | 06.2025

retail prices in euro, VAT excl.

Important notice:

For warranty use only Trizo21® supplied LED drivers as mentioned.

No warranty when used without the supplied LED drivers!

All information in this pricelist is without engagement, replaces all preceding information and can always be modified.

Trizo21 bvba has the right to change the technical aspects of its products at any time without prior notice.

All our product carry the CE logo. The CE logo represents an implicit quality assurance.

For further technical information, please visit WWW.TRIZO21.COM

All products are supplied without bulbs and/or drivers, unless stated otherwise.

All dimensions are expressed in mm.

No part of this book may be reproduced without written authorisation of Trizo21 bvba.

